(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 20 September 2001 (20.09.2001)

(10) International Publication Number WO 01/68848 A2

(51)	International Pate 15/62, C07K 14/47	nt Classification ⁷ : C12N 15, 14/705, 16/18, G01N 33/53, C12		60/000,000 15 September 2000 (15.09.2000) US PCT/US00/30952	
	1/68			8 November 2000 (08.11.2000) US	
(21)	International App	lication Number: PCT/US01/0	6520	PCT/US00/32678 1 December 2000 (01.12.2000) US	
(22)	International Filin	g Date: 28 February 2001 (28.02.2	2001)	PCT/US00/34956 20 December 2000 (20.12.2000) US	
(25)	Filing Language:	En	glish	(71) Applicant (for all designated States except US): GENEN-	
(26)	Publication Langu	Publication Language: English		TECH, INC. [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).	
(30)	Priority Data:			(72) Inventores and	
	PCT/US00/05601	1 March 2000 (01.03.2000)	US	(72) Inventors; and (75) Inventors/Applicants (for US only): BAKER, Kevin,	
	PCT/US00/05841	2 March 2000 (02.03.2000)	US	P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD	
	60/187,202	3 March 2000 (03.03.2000)	US	20878 (US). CHEN, Jian [CN/US]; 121 York Drive,	
	60/186,968	6 March 2000 (06.03.2000)	US	Princeton, NJ 08540 (US). DESNOYERS, Luc [CA/US];	
	60/189,328	14 March 2000 (14.03.2000)	US	2050 Stockton Street, San Francisco, CA 94133 (US).	
	60/189,320	14 March 2000 (14.03.2000)	US	GODDARD, Audrey [CA/US]; 110 Congo Street,	
	PCT/US00/06884	15 March 2000 (15.03.2000)	US	San Francisco, CA 94131 (US). GODOWSKI, Paul, J.	
	60/191,048	21 March 2000 (21.03.2000)	US	[US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US).	
	60/190,828	21 March 2000 (21.03.2000)	US	GURNEY, Austin, L. [US/US]; 1 Debbie Lane, Belmont,	
	60/191,314 60/191,007	21 March 2000 (21.03.2000) 21 March 2000 (21.03.2000)	US US	CA 94002 (US). PAN, James [CA/US]; 2705 Coronet	
	60/192,655	28 March 2000 (28.03.2000)	US	Boulevard, Belmont, CA 94002 (US). SMITH, Victoria	
	60/193,032	29 March 2000 (29.03.2000)	US	[AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US).	
	60/193,053	29 March 2000 (29.03.2000)	US	WATANABE, Colin, K. [US/US]; 128 Corliss Drive,	
	PCT/US00/08439	30 March 2000 (30.03.2000)	US	Moraga, CA 94556 (US). WOOD, William, I. [US/US];	
	60/194,647	4 April 2000 (04.04.2000)	US	35 Southdown Court, Hillsborough, CA 94010 (US).	
	60/194,449	4 April 2000 (04.04.2000)	US	ZHANG, Zemin [CN/US]; 876 Taurus Drive, Foster City,	
	60/196,820	11 April 2000 (11.04.2000)	US	CA 94404 (US).	
	60/195,975	11 April 2000 (11.04.2000)	US	(74) Agents, PADNES Fligsboth M et al. ale Generalesh	
	60/196,000	11 April 2000 (11.04.2000)	US	(74) Agents: BARNES, Elizabeth, M. et al.; c/o Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-	
	60/196,187	11 April 2000 (11.04.2000)	US	4990 (US).	
	60/196,690	11 April 2000 (11.04.2000)	US	4770 (03).	
	60/198,121	18 April 2000 (18.04.2000)	US	(81) Designated States (national): AE, AG, AL, AM, AT, AU,	
	60/198,585	18 April 2000 (18.04.2000)	US	AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,	
	60/199,654	25 April 2000 (25.04.2000)	US	DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,	
	60/199,397	25 April 2000 (25.04.2000)	US	HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,	
	60/199,550	25 April 2000 (25.04.2000)	US	LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,	
	60/201,516	3 May 2000 (03.05.2000)	US	NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,	
	PCT/US00/13705	17 May 2000 (17.05.2000)	US	TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.	
	PCT/US00/14042	22 May 2000 (22.05.2000)	US	(0.0 0.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	
	PCT/US00/14941	30 May 2000 (30.05.2000)	US	(84) Designated States (regional): ARIPO patent (GH, GM,	
	PCT/US00/15264	2 June 2000 (02.06.2000)	US	KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian	
	60/209,832	5 June 2000 (05.06.2000)	US	patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European	
	PCT/US00/20710	28 July 2000 (28.07.2000)	US	patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,	

[Continued on next page]

IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,

CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

US

22 August 2000 (22.08.2000)

24 August 2000 (24.08.2000)

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

PCT/US00/23328

09/644,848

WO 01/68848 A2



Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

5

10

15

20

25

30

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

FIELD OF THE INVENTION

The present invention relates generally to the identification and isolation of novel DNA and to the recombinant production of novel polypeptides.

BACKGROUND OF THE INVENTION

Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of action in the extracellular environment.

Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., Proc. Natl. Acad. Sci. 93:7108-7113 (1996); U.S. Patent No. 5,536,637)].

Membrane-bound proteins and receptors can play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesin molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and

nerve growth factor receptor.

Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

SUMMARY OF THE INVENTION

10

15

20

25

5

In one embodiment, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a PRO polypeptide.

In one aspect, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule encoding a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

30

35

In other aspects, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 94%

nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule comprising the coding sequence of a full-length PRO polypeptide cDNA as disclosed herein, the coding sequence of a PRO polypeptide lacking the signal peptide as disclosed herein, the coding sequence of an extracellular domain of a transmembrane PRO polypeptide, with or without the signal peptide, as disclosed herein or the coding sequence of any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

In a further aspect, the invention concerns an isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence id

Another aspect the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding a PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated, or is complementary to such encoding nucleotide sequence, wherein the transmembrane domain(s) of such polypeptide are disclosed herein. Therefore, soluble extracellular domains of the herein described PRO polypeptides are contemplated.

Another embodiment is directed to fragments of a PRO polypeptide coding sequence, or the complement thereof, that may find use as, for example, hybridization probes, for encoding fragments of a PRO polypeptide that may optionally encode a polypeptide comprising a binding site for an anti-PRO antibody or as antisense oligonucleotide probes. Such nucleic acid fragments are usually at least about 10 nucleotides in length, alternatively at least about 20 nucleotides in length, alternatively at least about 30 nucleotides in length, alternatively at least about 40 nucleotides in length, alternatively at least about 50 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 80 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 100 nucleotides in length, altern

alternatively at least about 130 nucleotides in length, alternatively at least about 140 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 160 nucleotides in length, alternatively at least about 170 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 190 nucleotides in length, alternatively at least about 200 nucleotides in length, alternatively at least about 250 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 350 nucleotides in length, alternatively at least about 400 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 500 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 700 nucleotides in length, alternatively at least about 800 nucleotides in length, alternatively at least about 900 nucleotides in length and alternatively at least about 1000 nucleotides in length, wherein in this context the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. It is noted that novel fragments of a PRO polypeptide-encoding nucleotide sequence may be determined in a routine manner by aligning the PRO polypeptide-encoding nucleotide sequence with other known nucleotide sequences using any of a number of well known sequence alignment programs and determining which PRO polypeptide-encoding nucleotide sequence fragment(s) are novel. All of such PRO polypeptide-encoding nucleotide sequences are contemplated herein. Also contemplated are the PRO polypeptide fragments encoded by these nucleotide molecule fragments, preferably those PRO polypeptide fragments that comprise a binding site for an anti-PRO antibody.

5

10

15

20

25

30

35

In another embodiment, the invention provides isolated PRO polypeptide encoded by any of the isolated nucleic acid sequences hereinabove identified.

In a certain aspect, the invention concerns an isolated PRO polypeptide, comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein.

In a further aspect, the invention concerns an isolated PRO polypeptide comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83%

amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to an amino acid sequence encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein.

In a specific aspect, the invention provides an isolated PRO polypeptide without the N-terminal signal sequence and/or the initiating methionine and is encoded by a nucleotide sequence that encodes such an amino acid sequence as hereinbefore described. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

10

15

20

25

30

35

Another aspect the invention provides an isolated PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

In yet another embodiment, the invention concerns agonists and antagonists of a native PRO polypeptide as defined herein. In a particular embodiment, the agonist or antagonist is an anti-PRO antibody or a small molecule.

In a further embodiment, the invention concerns a method of identifying agonists or antagonists to a PRO polypeptide which comprise contacting the PRO polypeptide with a candidate molecule and monitoring a biological activity mediated by said PRO polypeptide. Preferably, the PRO polypeptide is a native PRO polypeptide.

In a still further embodiment, the invention concerns a composition of matter comprising a PRO polypeptide, or an agonist or antagonist of a PRO polypeptide as herein described, or an anti-PRO antibody, in combination with a carrier. Optionally, the carrier is a pharmaceutically acceptable carrier.

Another embodiment of the present invention is directed to the use of a PRO polypeptide, or an agonist or antagonist thereof as hereinbefore described, or an anti-PRO antibody, for the preparation of a medicament useful in the treatment of a condition which is responsive to the PRO polypeptide, an agonist or antagonist thereof or an anti-PRO antibody.

In other embodiments of the present invention, the invention provides vectors comprising DNA encoding any of the herein described polypeptides. Host cell comprising any such vector are also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing any of the herein described

polypeptides is further provided and comprises culturing host cells under conditions suitable for expression of the desired polypeptide and recovering the desired polypeptide from the cell culture.

In other embodiments, the invention provides chimeric molecules comprising any of the herein described polypeptides fused to a heterologous polypeptide or amino acid sequence. Example of such chimeric molecules comprise any of the herein described polypeptides fused to an epitope tag sequence or a Fc region of an immunoglobulin.

5

10

15

20

25

30

35

In another embodiment, the invention provides an antibody which binds, preferably specifically, to any of the above or below described polypeptides. Optionally, the antibody is a monoclonal antibody, humanized antibody, antibody fragment or single-chain antibody.

In yet other embodiments, the invention provides oligonucleotide probes which may be useful for isolating genomic and cDNA nucleotide sequences, measuring or detecting expression of an associated gene or as antisense probes, wherein those probes may be derived from any of the above or below described nucleotide sequences. Preferred probe lengths are described above.

In yet other embodiments, the present invention is directed to methods of using the PRO polypeptides of the present invention for a variety of uses based upon the functional biological assay data presented in the Examples below.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a nucleotide sequence (SEQ ID NO:1) of a native sequence PRO276 cDNA, wherein SEQ ID NO:1 is a clone designated herein as "DNA16435-1208".

Figure 2 shows the amino acid sequence (SEQ ID NO:2) derived from the coding sequence of SEQ ID NO:1 shown in Figure 1.

Figure 3 shows a nucleotide sequence (SEQ ID NO:3) of a native sequence PRO284 cDNA, wherein SEQ ID NO:3 is a clone designated herein as "DNA23318-1211".

Figure 4 shows the amino acid sequence (SEQ ID NO:4) derived from the coding sequence of SEQ ID NO:3 shown in Figure 3.

Figure 5 shows a nucleotide sequence (SEQ ID NO:5) of a native sequence PRO193 cDNA, wherein SEQ ID NO:5 is a clone designated herein as "DNA23322-1393".

Figure 6 shows the amino acid sequence (SEQ ID NO:6) derived from the coding sequence of SEQ ID NO:5 shown in Figure 5.

Figure 7 shows a nucleotide sequence (SEQ ID NO:7) of a native sequence PRO190 cDNA, wherein SEQ ID NO:7 is a clone designated herein as "DNA23334-1392".

Figure 8 shows the amino acid sequence (SEQ ID NO:8) derived from the coding sequence of SEQ ID NO:7 shown in Figure 7.

Figure 9 shows a nucleotide sequence (SEQ ID NO:9) of a native sequence PRO180 cDNA, wherein SEQ ID NO:9 is a clone designated herein as "DNA26843-1389".

Figure 10 shows the amino acid sequence (SEQ ID NO:10) derived from the coding sequence of SEQ ID NO:9 shown in Figure 9.

Figure 11 shows a nucleotide sequence (SEQ ID NO:11) of a native sequence PRO194 cDNA, wherein SEQ ID NO:11 is a clone designated herein as "DNA26844-1394".

Figure 12 shows the amino acid sequence (SEQ ID NO:12) derived from the coding sequence of SEQ ID NO:11 shown in Figure 11.

Figure 13 shows a nucleotide sequence (SEQ ID NO:13) of a native sequence PRO218 cDNA, wherein SEQ ID NO:13 is a clone designated herein as "DNA30867-1335".

5

15

20

30

35

Figure 14 shows the amino acid sequence (SEQ ID NO:14) derived from the coding sequence of SEQ ID NO:13 shown in Figure 13.

Figure 15 shows a nucleotide sequence (SEQ ID NO:15) of a native sequence PRO260 cDNA, wherein SEQ ID NO:15 is a clone designated herein as "DNA33470-1175".

Figure 16 shows the amino acid sequence (SEQ ID NO:16) derived from the coding sequence of SEQ ID NO:15 shown in Figure 15.

Figure 17 shows a nucleotide sequence (SEQ ID NO:17) of a native sequence PRO233 cDNA, wherein SEQ ID NO:17 is a clone designated herein as "DNA34436-1238".

Figure 18 shows the amino acid sequence (SEQ ID NO:18) derived from the coding sequence of SEQ ID NO:17 shown in Figure 17.

Figure 19 shows a nucleotide sequence (SEQ ID NO:19) of a native sequence PRO234 cDNA, wherein SEQ ID NO:19 is a clone designated herein as "DNA35557-1137".

Figure 20 shows the amino acid sequence (SEQ ID NO:20) derived from the coding sequence of SEQ ID NO:19 shown in Figure 19.

Figure 21 shows a nucleotide sequence (SEQ ID NO:21) of a native sequence PRO236 cDNA, wherein SEQ ID NO:21 is a clone designated herein as "DNA35599-1168".

Figure 22 shows the amino acid sequence (SEQ ID NO:22) derived from the coding sequence of SEQ ID NO:21 shown in Figure 21.

Figure 23 shows a nucleotide sequence (SEQ ID NO:23) of a native sequence PRO244 cDNA, wherein SEQ ID NO:23 is a clone designated herein as "DNA35668-1171".

Figure 24 shows the amino acid sequence (SEQ ID NO:24) derived from the coding sequence of SEQ ID NO:23 shown in Figure 23.

Figure 25 shows a nucleotide sequence (SEQ ID NO:25) of a native sequence PRO262 cDNA, wherein SEQ ID NO:25 is a clone designated herein as "DNA36992-1168".

Figure 26 shows the amino acid sequence (SEQ ID NO:26) derived from the coding sequence of SEQ ID NO:25 shown in Figure 25.

Figure 27 shows a nucleotide sequence (SEQ ID NO:27) of a native sequence PRO271 cDNA, wherein SEQ ID NO:27 is a clone designated herein as "DNA39423-1182".

Figure 28 shows the amino acid sequence (SEQ ID NO:28) derived from the coding sequence of SEQ ID NO:27 shown in Figure 27.

Figure 29 shows a nucleotide sequence (SEQ ID NO:29) of a native sequence PRO268 cDNA, wherein SEQ ID NO:29 is a clone designated herein as "DNA39427-1179".

Figure 30 shows the amino acid sequence (SEQ ID NO:30) derived from the coding sequence of SEQ ID NO:29 shown in Figure 29.

Figure 31 shows a nucleotide sequence (SEQ ID NO:31) of a native sequence PRO270 cDNA, wherein SEQ ID NO:31 is a clone designated herein as "DNA39510-1181".

Figure 32 shows the amino acid sequence (SEQ ID NO:32) derived from the coding sequence of SEQ ID NO:31 shown in Figure 31.

5

15

20

25

30

35

Figure 33 shows a nucleotide sequence (SEQ ID NO:33) of a native sequence PRO355 cDNA, wherein SEQ ID NO:33 is a clone designated herein as "DNA39518-1247".

Figure 34 shows the amino acid sequence (SEQ ID NO:34) derived from the coding sequence of SEQ ID NO:33 shown in Figure 33.

Figure 35 shows a nucleotide sequence (SEQ ID NO:35) of a native sequence PRO298 cDNA, wherein SEQ ID NO:35 is a clone designated herein as "DNA39975-1210".

Figure 36 shows the amino acid sequence (SEQ ID NO:36) derived from the coding sequence of SEQ ID NO:35 shown in Figure 35.

Figure 37 shows a nucleotide sequence (SEQ ID NO:37) of a native sequence PRO299 cDNA, wherein SEQ ID NO:37 is a clone designated herein as "DNA39976-1215".

Figure 38 shows the amino acid sequence (SEQ ID NO:38) derived from the coding sequence of SEQ ID NO:37 shown in Figure 37.

Figure 39 shows a nucleotide sequence (SEQ ID NO:39) of a native sequence PRO296 cDNA, wherein SEQ ID NO:39 is a clone designated herein as "DNA39979-1213".

Figure 40 shows the amino acid sequence (SEQ ID NO:40) derived from the coding sequence of SEQ ID NO:39 shown in Figure 39.

Figure 41 shows a nucleotide sequence (SEQ ID NO:41) of a native sequence PRO329 cDNA, wherein SEQ ID NO:41 is a clone designated herein as "DNA40594-1233".

Figure 42 shows the amino acid sequence (SEQ ID NO:42) derived from the coding sequence of SEQ ID NO:41 shown in Figure 41.

Figure 43 shows a nucleotide sequence (SEQ ID NO:43) of a native sequence PRO330 cDNA, wherein SEQ ID NO:43 is a clone designated herein as "DNA40603-1232".

Figure 44 shows the amino acid sequence (SEQ ID NO:44) derived from the coding sequence of SEQ ID NO:43 shown in Figure 43.

Figure 45 shows a nucleotide sequence (SEQ ID NO:45) of a native sequence PRO294 cDNA, wherein SEQ ID NO:45 is a clone designated herein as "DNA40604-1187".

Figure 46 shows the amino acid sequence (SEQ ID NO:46) derived from the coding sequence of SEQ ID NO:45 shown in Figure 45.

Figure 47 shows a nucleotide sequence (SEQ ID NO:47) of a native sequence PRO300 cDNA, wherein SEQ ID NO:47 is a clone designated herein as "DNA40625-1189".

Figure 48 shows the amino acid sequence (SEQ ID NO:48) derived from the coding sequence of SEQ ID NO:47 shown in Figure 47.

Figure 49 shows a nucleotide sequence (SEQ ID NO:49) of a native sequence PRO307 cDNA, wherein SEQ ID NO:49 is a clone designated herein as "DNA41225-1217".

Figure 50 shows the amino acid sequence (SEQ ID NO:50) derived from the coding sequence of SEQ ID NO:49 shown in Figure 49.

Figure 51 shows a nucleotide sequence (SEQ ID NO:51) of a native sequence PRO334 cDNA, wherein SEQ ID NO:51 is a clone designated herein as "DNA41379-1236".

5

15

20

25 -

30

Figure 52 shows the amino acid sequence (SEQ ID NO:52) derived from the coding sequence of SEQ ID NO:51 shown in Figure 51.

Figure 53 shows a nucleotide sequence (SEQ ID NO:53) of a native sequence PRO352 cDNA, wherein SEQ ID NO:53 is a clone designated herein as "DNA41386-1316".

Figure 54 shows the amino acid sequence (SEQ ID NO:54) derived from the coding sequence of SEQ ID NO:53 shown in Figure 53.

Figure 55 shows a nucleotide sequence (SEQ ID NO:55) of a native sequence PRO710 cDNA, wherein SEQ ID NO:55 is a clone designated herein as "DNA44161-1434".

Figure 56 shows the amino acid sequence (SEQ ID NO:56) derived from the coding sequence of SEQ ID NO:55 shown in Figure 55.

Figure 57 shows a nucleotide sequence (SEQ ID NO:57) of a native sequence PRO873 cDNA, wherein SEQ ID NO:57 is a clone designated herein as "DNA44179-1362".

Figure 58 shows the amino acid sequence (SEQ ID NO:58) derived from the coding sequence of SEQ ID NO:57 shown in Figure 57.

Figure 59 shows a nucleotide sequence (SEQ ID NO:59) of a native sequence PRO354 cDNA, wherein SEQ ID NO:59 is a clone designated herein as "DNA44192-1246".

Figure 60 shows the amino acid sequence (SEQ ID NO:60) derived from the coding sequence of SEQ ID NO:59 shown in Figure 59.

Figure 61 shows a nucleotide sequence (SEQ ID NO:61) of a native sequence PRO1151 cDNA, wherein SEQ ID NO:61 is a clone designated herein as "DNA44694-1500".

Figure 62 shows the amino acid sequence (SEQ ID NO:62) derived from the coding sequence of SEQ ID NO:61 shown in Figure 61.

Figure 63 shows a nucleotide sequence (SEQ ID NO:63) of a native sequence PRO382 cDNA, wherein SEQ ID NO:63 is a clone designated herein as "DNA45234-1277".

Figure 64 shows the amino acid sequence (SEQ ID NO:64) derived from the coding sequence of SEQ ID NO:63 shown in Figure 63.

Figure 65 shows a nucleotide sequence (SEQ ID NO:65) of a native sequence PRO1864 cDNA, wherein SEQ ID NO:65 is a clone designated herein as "DNA45409-2511".

Figure 66 shows the amino acid sequence (SEQ ID NO:66) derived from the coding sequence of SEQ ID NO:65 shown in Figure 65.

Figure 67 shows a nucleotide sequence (SEQ ID NO:67) of a native sequence PRO386 cDNA, wherein SEQ ID NO:67 is a clone designated herein as "DNA45415-1318".

Figure 68 shows the amino acid sequence (SEQ ID NO:68) derived from the coding sequence of SEQ ID NO:67 shown in Figure 67.

Figure 69 shows a nucleotide sequence (SEQ ID NO:69) of a native sequence PRO541 cDNA, wherein SEQ ID NO:69 is a clone designated herein as "DNA45417-1432".

Figure 70 shows the amino acid sequence (SEQ ID NO:70) derived from the coding sequence of SEQ ID NO:69 shown in Figure 69.

5

10

15

25

30

35

Figure 71 shows a nucleotide sequence (SEQ ID NO:71) of a native sequence PRO852 cDNA, wherein SEQ ID NO:71 is a clone designated herein as "DNA45493-1349".

Figure 72 shows the amino acid sequence (SEQ ID NO:72) derived from the coding sequence of SEQ ID NO:71 shown in Figure 71.

Figure 73 shows a nucleotide sequence (SEQ ID NO:73) of a native sequence PRO700 cDNA, wherein SEQ ID NO:73 is a clone designated herein as "DNA46776-1284".

Figure 74 shows the amino acid sequence (SEQ ID NO:74) derived from the coding sequence of SEQ ID NO:73 shown in Figure 73.

Figures 75A-75B show a nucleotide sequence (SEQ ID NO:75) of a native sequence PRO708 cDNA, wherein SEQ ID NO:75 is a clone designated herein as "DNA48296-1292".

Figure 76 shows the amino acid sequence (SEQ ID NO:76) derived from the coding sequence of SEQ ID NO:75 shown in Figures 75A-75B.

Figure 77 shows a nucleotide sequence (SEQ ID NO:77) of a native sequence PRO707 cDNA, wherein SEQ ID NO:77 is a clone designated herein as "DNA48306-1291".

Figure 78 shows the amino acid sequence (SEQ ID NO:78) derived from the coding sequence of SEQ ID NO:77 shown in Figure 77.

Figure 79 shows a nucleotide sequence (SEQ ID NO:79) of a native sequence PRO864 cDNA, wherein SEQ ID NO:79 is a clone designated herein as "DNA48328-1355".

Figure 80 shows the amino acid sequence (SEQ ID NO:80) derived from the coding sequence of SEQ ID NO:79 shown in Figure 79.

Figure 81 shows a nucleotide sequence (SEQ ID NO:81) of a native sequence PRO706 cDNA, wherein SEQ ID NO:81 is a clone designated herein as "DNA48329-1290".

Figure 82 shows the amino acid sequence (SEQ ID NO:82) derived from the coding sequence of SEQ ID NO:81 shown in Figure 81.

Figure 83 shows a nucleotide sequence (SEQ ID NO:83) of a native sequence PRO732 cDNA, wherein SEQ ID NO:83 is a clone designated herein as "DNA48334-1435".

Figure 84 shows the amino acid sequence (SEQ ID NO:84) derived from the coding sequence of SEQ ID NO:83 shown in Figure 83.

Figure 85 shows a nucleotide sequence (SEQ ID NO:85) of a native sequence PRO537 cDNA, wherein SEQ ID NO:85 is a clone designated herein as "DNA49141-1431".

Figure 86 shows the amino acid sequence (SEQ ID NO:86) derived from the coding sequence of SEQ ID NO:85 shown in Figure 85.

Figure 87 shows a nucleotide sequence (SEQ ID NO:87) of a native sequence PRO545 cDNA, wherein SEQ ID NO:87 is a clone designated herein as "DNA49624-1279".

Figure 88 shows the amino acid sequence (SEQ ID NO:88) derived from the coding sequence of SEQ ID NO:87 shown in Figure 87.

Figure 89 shows a nucleotide sequence (SEQ ID NO:89) of a native sequence PRO718 cDNA, wherein SEQ ID NO:89 is a clone designated herein as "DNA49647-1398".

5

10

15

20

25

30

35

Figure 90 shows the amino acid sequence (SEQ ID NO:90) derived from the coding sequence of SEQ ID NO:89 shown in Figure 89.

Figure 91 shows a nucleotide sequence (SEQ ID NO:91) of a native sequence PRO872 cDNA, wherein SEQ ID NO:91 is a clone designated herein as "DNA49819-1439".

Figure 92 shows the amino acid sequence (SEQ ID NO:92) derived from the coding sequence of SEQ ID NO:91 shown in Figure 91.

Figure 93 shows a nucleotide sequence (SEQ ID NO:93) of a native sequence PRO704 cDNA, wherein SEQ ID NO:93 is a clone designated herein as "DNA50911-1288".

Figure 94 shows the amino acid sequence (SEQ ID NO:94) derived from the coding sequence of SEQ ID NO:93 shown in Figure 93.

Figure 95 shows a nucleotide sequence (SEQ ID NO:95) of a native sequence PRO705 cDNA, wherein SEQ ID NO:95 is a clone designated herein as "DNA50914-1289".

Figure 96 shows the amino acid sequence (SEQ ID NO:96) derived from the coding sequence of SEQ ID NO:95 shown in Figure 95.

Figure 97 shows a nucleotide sequence (SEQ ID NO:97) of a native sequence PRO871 cDNA, wherein SEQ ID NO:97 is a clone designated herein as "DNA50919-1361".

Figure 98 shows the amino acid sequence (SEQ ID NO:98) derived from the coding sequence of SEQ ID NO:97 shown in Figure 97.

Figure 99 shows a nucleotide sequence (SEQ ID NO:99) of a native sequence PRO702 cDNA, wherein SEQ ID NO:99 is a clone designated herein as "DNA50980-1286".

Figure 100 shows the amino acid sequence (SEQ ID NO:100) derived from the coding sequence of SEQ ID NO:99 shown in Figure 99.

Figure 101 shows a nucleotide sequence (SEQ ID NO:101) of a native sequence PRO944 cDNA, wherein SEQ ID NO:101 is a clone designated herein as "DNA52185-1370".

Figure 102 shows the amino acid sequence (SEQ ID NO:102) derived from the coding sequence of SEQ ID NO:101 shown in Figure 101.

Figure 103 shows a nucleotide sequence (SEQ ID NO:103) of a native sequence PRO739 cDNA, wherein SEQ ID NO:103 is a clone designated herein as "DNA52756".

Figure 104 shows the amino acid sequence (SEQ ID NO:104) derived from the coding sequence of SEQ ID NO:103 shown in Figure 103.

Figure 105 shows a nucleotide sequence (SEQ ID NO:105) of a native sequence PRO941 cDNA, wherein SEQ ID NO:105 is a clone designated herein as "DNA53906-1368".

Figure 106 shows the amino acid sequence (SEQ ID NO:106) derived from the coding sequence of SEQ ID NO:105 shown in Figure 105.

Figure 107 shows a nucleotide sequence (SEQ ID NO:107) of a native sequence PRO1082 cDNA, wherein SEQ ID NO:107 is a clone designated herein as "DNA53912-1457".

Figure 108 shows the amino acid sequence (SEQ ID NO:108) derived from the coding sequence of SEQ ID NO:107 shown in Figure 107.

5

15

20

25

30

35

Figure 109 shows a nucleotide sequence (SEQ ID NO:109) of a native sequence PRO1133 cDNA, wherein SEQ ID NO:109 is a clone designated herein as "DNA53913-1490".

Figure 110 shows the amino acid sequence (SEQ ID NO:110) derived from the coding sequence of SEQ ID NO:109 shown in Figure 109.

Figure 111 shows a nucleotide sequence (SEQ ID NO:111) of a native sequence PRO983 cDNA, wherein SEQ ID NO:111 is a clone designated herein as "DNA53977-1371".

Figure 112 shows the amino acid sequence (SEQ ID NO:112) derived from the coding sequence of SEQ ID NO:111 shown in Figure 111.

Figure 113 shows a nucleotide sequence (SEQ ID NO:113) of a native sequence PRO784 cDNA, wherein SEQ ID NO:113 is a clone designated herein as "DNA53978-1443".

Figure 114 shows the amino acid sequence (SEQ ID NO:114) derived from the coding sequence of SEQ ID NO:113 shown in Figure 113.

Figure 115 shows a nucleotide sequence (SEQ ID NO:115) of a native sequence PRO783 cDNA, wherein SEQ ID NO:115 is a clone designated herein as "DNA53996-1442".

Figure 116 shows the amino acid sequence (SEQ ID NO:116) derived from the coding sequence of SEQ ID NO:115 shown in Figure 115.

Figure 117 shows a nucleotide sequence (SEQ ID NO:117) of a native sequence PRO940 cDNA, wherein SEQ ID NO:117 is a clone designated herein as "DNA54002-1367".

Figure 118 shows the amino acid sequence (SEQ ID NO:118) derived from the coding sequence of SEQ ID NO:117 shown in Figure 117.

Figure 119 shows a nucleotide sequence (SEQ ID NO:119) of a native sequence PRO768 cDNA, wherein SEQ ID NO:119 is a clone designated herein as "DNA55737-1345".

Figure 120 shows the amino acid sequence (SEQ ID NO:120) derived from the coding sequence of SEQ ID NO:119 shown in Figure 119.

Figure 121 shows a nucleotide sequence (SEQ ID NO:121) of a native sequence PRO1079 cDNA, wherein SEQ ID NO:121 is a clone designated herein as "DNA56050-1455".

Figure 122 shows the amino acid sequence (SEQ ID NO:122) derived from the coding sequence of SEQ ID NO:121 shown in Figure 121.

Figure 123 shows a nucleotide sequence (SEQ ID NO:123) of a native sequence PRO1078 cDNA, wherein SEQ ID NO:123 is a clone designated herein as "DNA56052-1454".

Figure 124 shows the amino acid sequence (SEQ ID NO:124) derived from the coding sequence of SEQ ID NO:123 shown in Figure 123.

Figure 125 shows a nucleotide sequence (SEQ ID NO:125) of a native sequence PRO1018 cDNA, wherein SEQ ID NO:125 is a clone designated herein as "DNA56107-1415".

Figure 126 shows the amino acid sequence (SEQ ID NO:126) derived from the coding sequence of SEQ ID NO:125 shown in Figure 125.

Figure 127 shows a nucleotide sequence (SEQ ID NO:127) of a native sequence PRO793 cDNA, wherein SEQ ID NO:127 is a clone designated herein as "DNA56110-1437".

5

15

20

25

30

35

Figure 128 shows the amino acid sequence (SEQ ID NO:128) derived from the coding sequence of SEQ ID NO:127 shown in Figure 127.

Figure 129 shows a nucleotide sequence (SEQ ID NO:129) of a native sequence PRO1773 cDNA, wherein SEQ ID NO:129 is a clone designated herein as "DNA56406-1704".

Figure 130 shows the amino acid sequence (SEQ ID NO:130) derived from the coding sequence of SEQ ID NO:129 shown in Figure 129.

Figure 131 shows a nucleotide sequence (SEQ ID NO:131) of a native sequence PRO1014 cDNA, wherein SEQ ID NO:131 is a clone designated herein as "DNA56409-1377".

Figure 132 shows the amino acid sequence (SEQ ID NO:132) derived from the coding sequence of SEQ ID NO:131 shown in Figure 131.

Figure 133 shows a nucleotide sequence (SEQ ID NO:133) of a native sequence PRO1013 cDNA, wherein SEQ ID NO:133 is a clone designated herein as "DNA56410-1414".

Figure 134 shows the amino acid sequence (SEQ ID NO:134) derived from the coding sequence of SEQ ID NO:133 shown in Figure 133.

Figure 135 shows a nucleotide sequence (SEQ ID NO:135) of a native sequence PRO937 cDNA, wherein SEQ ID NO:135 is a clone designated herein as "DNA56436-1448".

Figure 136 shows the amino acid sequence (SEQ ID NO:136) derived from the coding sequence of SEQ ID NO:135 shown in Figure 135.

Figure 137 shows a nucleotide sequence (SEQ ID NO:137) of a native sequence PRO1477 cDNA, wherein SEQ ID NO:137 is a clone designated herein as "DNA56529-1647".

Figure 138 shows the amino acid sequence (SEQ ID NO:138) derived from the coding sequence of SEQ ID NO:137 shown in Figure 137.

Figure 139 shows a nucleotide sequence (SEQ ID NO:139) of a native sequence PRO842 cDNA, wherein SEQ ID NO:139 is a clone designated herein as "DNA56855-1447".

Figure 140 shows the amino acid sequence (SEQ ID NO:140) derived from the coding sequence of SEQ ID NO:139 shown in Figure 139.

Figure 141 shows a nucleotide sequence (SEQ ID NO:141) of a native sequence PRO839 cDNA, wherein SEQ ID NO:141 is a clone designated herein as "DNA56859-1445".

Figure 142 shows the amino acid sequence (SEQ ID NO:142) derived from the coding sequence of SEQ ID NO:141 shown in Figure 141.

Figure 143 shows a nucleotide sequence (SEQ ID NO:143) of a native sequence PRO1180 cDNA, wherein SEQ ID NO:143 is a clone designated herein as "DNA56860-1510".

Figure 144 shows the amino acid sequence (SEQ ID NO:144) derived from the coding sequence of SEQ ID NO:143 shown in Figure 143.

Figure 145 shows a nucleotide sequence (SEQ ID NO:145) of a native sequence PRO1134 cDNA, wherein SEQ ID NO:145 is a clone designated herein as "DNA56865-1491".

Figure 146 shows the amino acid sequence (SEQ ID NO:146) derived from the coding sequence of SEQ ID NO:145 shown in Figure 145.

5

15

20

25

30

35

Figure 147 shows a nucleotide sequence (SEQ ID NO:147) of a native sequence PRO1115 cDNA, wherein SEQ ID NO:147 is a clone designated herein as "DNA56868-1478".

Figure 148 shows the amino acid sequence (SEQ ID NO:148) derived from the coding sequence of SEQ ID NO:147 shown in Figure 147.

Figure 149 shows a nucleotide sequence (SEQ ID NO:149) of a native sequence PRO1277 cDNA, wherein SEQ ID NO:149 is a clone designated herein as "DNA56869-1545".

Figure 150 shows the amino acid sequence (SEQ ID NO:150) derived from the coding sequence of SEQ ID NO:149 shown in Figure 149.

Figure 151 shows a nucleotide sequence (SEQ ID NO:151) of a native sequence PRO1135 cDNA, wherein SEQ ID NO:151 is a clone designated herein as "DNA56870-1492".

Figure 152 shows the amino acid sequence (SEQ ID NO:152) derived from the coding sequence of SEQ ID NO:151 shown in Figure 151.

Figure 153 shows a nucleotide sequence (SEQ ID NO:153) of a native sequence PRO827 cDNA, wherein SEQ ID NO:153 is a clone designated herein as "DNA57039-1402".

Figure 154 shows the amino acid sequence (SEQ ID NO:154) derived from the coding sequence of SEQ ID NO:153 shown in Figure 153.

Figure 155 shows a nucleotide sequence (SEQ ID NO:155) of a native sequence PRO1057 cDNA, wherein SEQ ID NO:155 is a clone designated herein as "DNA57253-1382".

Figure 156 shows the amino acid sequence (SEQ ID NO:156) derived from the coding sequence of SEQ ID NO:155 shown in Figure 155.

Figure 157 shows a nucleotide sequence (SEQ ID NO:157) of a native sequence PRO1113 cDNA, wherein SEQ ID NO:157 is a clone designated herein as "DNA57254-1477".

Figure 158 shows the amino acid sequence (SEQ ID NO:158) derived from the coding sequence of SEQ ID NO:157 shown in Figure 157.

Figure 159 shows a nucleotide sequence (SEQ ID NO:159) of a native sequence PRO1006 cDNA, wherein SEO ID NO:159 is a clone designated herein as "DNA57699-1412".

Figure 160 shows the amino acid sequence (SEQ ID NO:160) derived from the coding sequence of SEQ ID NO:159 shown in Figure 159.

Figure 161 shows a nucleotide sequence (SEQ ID NO:161) of a native sequence PRO1074 cDNA, wherein SEQ ID NO:161 is a clone designated herein as "DNA57704-1452".

Figure 162 shows the amino acid sequence (SEQ ID NO:162) derived from the coding sequence of SEQ ID NO:161 shown in Figure 161.

Figure 163 shows a nucleotide sequence (SEQ ID NO:163) of a native sequence PRO1073 cDNA, wherein SEQ ID NO:163 is a clone designated herein as "DNA57710-1451".

Figure 164 shows the amino acid sequence (SEQ ID NO:164) derived from the coding sequence of SEQ ID NO:163 shown in Figure 163.

Figure 165 shows a nucleotide sequence (SEQ ID NO:165) of a native sequence PRO1136 cDNA, wherein SEQ ID NO:165 is a clone designated herein as "DNA57827-1493". .

5

15

20

25

30

35

Figure 166 shows the amino acid sequence (SEQ ID NO:166) derived from the coding sequence of SEQ ID NO:165 shown in Figure 165.

Figure 167 shows a nucleotide sequence (SEQ ID NO:167) of a native sequence PRO1004 cDNA, wherein SEQ ID NO:167 is a clone designated herein as "DNA57844-1410".

Figure 168 shows the amino acid sequence (SEQ ID NO:168) derived from the coding sequence of SEQ ID NO:167 shown in Figure 167.

Figure 169 shows a nucleotide sequence (SEQ ID NO:169) of a native sequence PRO1344 cDNA, wherein SEQ ID NO:169 is a clone designated herein as "DNA58723-1588".

Figure 170 shows the amino acid sequence (SEQ ID NO:170) derived from the coding sequence of SEQ ID NO:169 shown in Figure 169.

Figure 171 shows a nucleotide sequence (SEQ ID NO:171) of a native sequence PRO1110 cDNA, wherein SEQ ID NO:171 is a clone designated herein as "DNA58727-1474".

Figure 172 shows the amino acid sequence (SEQ ID NO:172) derived from the coding sequence of SEQ ID NO:171 shown in Figure 171.

Figure 173 shows a nucleotide sequence (SEQ ID NO:173) of a native sequence PRO1378 cDNA, wherein SEQ ID NO:173 is a clone designated herein as "DNA58730-1607".

Figure 174 shows the amino acid sequence (SEQ ID NO:174) derived from the coding sequence of SEQ ID NO:173 shown in Figure 173.

Figure 175 shows a nucleotide sequence (SEQ ID NO:175) of a native sequence PRO1481 cDNA, wherein SEQ ID NO:175 is a clone designated herein as "DNA58732-1650".

Figure 176 shows the amino acid sequence (SEQ ID NO:176) derived from the coding sequence of SEQ ID NO:175 shown in Figure 175.

Figure 177 shows a nucleotide sequence (SEQ ID NO:177) of a native sequence PRO1109 cDNA, wherein SEQ ID NO:177 is a clone designated herein as "DNA58737-1473".

Figure 178 shows the amino acid sequence (SEQ ID NO:178) derived from the coding sequence of SEQ ID NO:177 shown in Figure 177.

Figure 179 shows a nucleotide sequence (SEQ ID NO:179) of a native sequence PRO1383 cDNA, wherein SEQ ID NO:179 is a clone designated herein as "DNA58743-1609".

Figure 180 shows the amino acid sequence (SEQ ID NO:180) derived from the coding sequence of SEQ ID NO:179 shown in Figure 179.

Figure 181 shows a nucleotide sequence (SEQ ID NO:181) of a native sequence PRO1072 cDNA, wherein SEQ ID NO:181 is a clone designated herein as "DNA58747-1384".

Figure 182 shows the amino acid sequence (SEQ ID NO:182) derived from the coding sequence of SEQ ID NO:181 shown in Figure 181.

Figure 183 shows a nucleotide sequence (SEQ ID NO:183) of a native sequence PRO1189 cDNA, wherein SEQ ID NO:183 is a clone designated herein as "DNA58828-1519".

Figure 184 shows the amino acid sequence (SEQ ID NO:184) derived from the coding sequence of SEQ ID NO:183 shown in Figure 183.

5

15

20

25

30

35

Figure 185 shows a nucleotide sequence (SEQ ID NO:185) of a native sequence PRO1003 cDNA, wherein SEQ ID NO:185 is a clone designated herein as "DNA58846-1409".

Figure 186 shows the amino acid sequence (SEQ ID NO:186) derived from the coding sequence of SEQ ID NO:185 shown in Figure 185.

Figure 187 shows a nucleotide sequence (SEQ ID NO:187) of a native sequence PRO1108 cDNA, wherein SEQ ID NO:187 is a clone designated herein as "DNA58848-1472".

Figure 188 shows the amino acid sequence (SEQ ID NO:188) derived from the coding sequence of SEQ ID NO:187 shown in Figure 187.

Figure 189 shows a nucleotide sequence (SEQ ID NO:189) of a native sequence PRO1137 cDNA, wherein SEQ ID NO:189 is a clone designated herein as "DNA58849-1494".

Figure 190 shows the amino acid sequence (SEQ ID NO:190) derived from the coding sequence of SEQ ID NO:189 shown in Figure 189.

Figure 191 shows a nucleotide sequence (SEQ ID NO:191) of a native sequence PRO1138 cDNA, wherein SEQ ID NO:191 is a clone designated herein as "DNA58850-1495".

Figure 192 shows the amino acid sequence (SEQ ID NO:192) derived from the coding sequence of SEQ ID NO:191 shown in Figure 191.

Figure 193 shows a nucleotide sequence (SEQ ID NO:193) of a native sequence PRO1415 cDNA, wherein SEQ ID NO:193 is a clone designated herein as "DNA58852-1637".

Figure 194 shows the amino acid sequence (SEQ ID NO:194) derived from the coding sequence of SEQ ID NO:193 shown in Figure 193.

Figure 195 shows a nucleotide sequence (SEQ ID NO:195) of a native sequence PRO1054 cDNA, wherein SEO ID NO:195 is a clone designated herein as "DNA58853-1423".

Figure 196 shows the amino acid sequence (SEQ ID NO:196) derived from the coding sequence of SEQ ID NO:195 shown in Figure 195.

Figure 197 shows a nucleotide sequence (SEQ ID NO:197) of a native sequence PRO994 cDNA, wherein SEQ ID NO:197 is a clone designated herein as "DNA58855-1422".

Figure 198 shows the amino acid sequence (SEQ ID NO:198) derived from the coding sequence of SEQ ID NO:197 shown in Figure 197.

Figure 199 shows a nucleotide sequence (SEQ ID NO:199) of a native sequence PRO1069 cDNA, wherein SEQ ID NO:199 is a clone designated herein as "DNA59211-1450".

Figure 200 shows the amino acid sequence (SEQ ID NO:200) derived from the coding sequence of SEQ ID NO:199 shown in Figure 199.

Figure 201 shows a nucleotide sequence (SEQ ID NO:201) of a native sequence PRO1411 cDNA, wherein SEQ ID NO:201 is a clone designated herein as "DNA59212-1627".

Figure 202 shows the amino acid sequence (SEQ ID NO:202) derived from the coding sequence of SEQ ID NO:201 shown in Figure 201.

Figure 203 shows a nucleotide sequence (SEQ ID NO:203) of a native sequence PRO1129 cDNA, wherein SEQ ID NO:203 is a clone designated herein as "DNA59213-1487".

5

10

15

20

25

30

35

Figure 204 shows the amino acid sequence (SEQ ID NO:204) derived from the coding sequence of SEQ ID NO:203 shown in Figure 203.

Figure 205 shows a nucleotide sequence (SEQ ID NO:205) of a native sequence PRO1359 cDNA, wherein SEQ ID NO:205 is a clone designated herein as "DNA59219-1613".

Figure 206 shows the amino acid sequence (SEQ ID NO:206) derived from the coding sequence of SEQ ID NO:205 shown in Figure 205.

Figure 207 shows a nucleotide sequence (SEQ ID NO:207) of a native sequence PRO1139 cDNA, wherein SEQ ID NO:207 is a clone designated herein as "DNA59497-1496".

Figure 208 shows the amino acid sequence (SEQ ID NO:208) derived from the coding sequence of SEQ ID NO:207 shown in Figure 207.

Figure 209 shows a nucleotide sequence (SEQ ID NO:209) of a native sequence PRO1065 cDNA, wherein SEQ ID NO:209 is a clone designated herein as "DNA59602-1436".

Figure 210 shows the amino acid sequence (SEQ ID NO:210) derived from the coding sequence of SEQ ID NO:209 shown in Figure 209.

Figure 211 shows a nucleotide sequence (SEQ ID NO:211) of a native sequence PRO1028 cDNA, wherein SEQ ID NO:211 is a clone designated herein as "DNA59603-1419".

Figure 212 shows the amino acid sequence (SEQ ID NO:212) derived from the coding sequence of SEQ ID NO:211 shown in Figure 211.

Figure 213 shows a nucleotide sequence (SEQ ID NO:213) of a native sequence PRO1027 cDNA, wherein SEQ ID NO:213 is a clone designated herein as "DNA59605-1418".

Figure 214 shows the amino acid sequence (SEQ ID NO:214) derived from the coding sequence of SEQ ID NO:213 shown in Figure 213.

Figure 215 shows a nucleotide sequence (SEQ ID NO:215) of a native sequence PRO1140 cDNA, wherein SEQ ID NO:215 is a clone designated herein as "DNA59607-1497".

Figure 216 shows the amino acid sequence (SEQ ID NO:216) derived from the coding sequence of SEQ ID NO:215 shown in Figure 215.

Figure 217 shows a nucleotide sequence (SEQ ID NO:217) of a native sequence PRO1291 cDNA, wherein SEQ ID NO:217 is a clone designated herein as "DNA59610-1556".

Figure 218 shows the amino acid sequence (SEQ ID NO:218) derived from the coding sequence of SEQ ID NO:217 shown in Figure 217.

Figure 219 shows a nucleotide sequence (SEQ ID NO:219) of a native sequence PRO1105 cDNA, wherein SEQ ID NO:219 is a clone designated herein as "DNA59612-1466".

Figure 220 shows the amino acid sequence (SEQ ID NO:220) derived from the coding sequence of SEQ ID NO:219 shown in Figure 219.

Figure 221 shows a nucleotide sequence (SEQ ID NO:221) of a native sequence PRO1026 cDNA, wherein SEQ ID NO:221 is a clone designated herein as "DNA59613-1417".

Figure 222 shows the amino acid sequence (SEQ ID NO:222) derived from the coding sequence of SEQ ID NO:221 shown in Figure 221.

5

15

20

25

30

35

Figure 223 shows a nucleotide sequence (SEQ ID NO:223) of a native sequence PRO1104 cDNA, wherein SEQ ID NO:223 is a clone designated herein as "DNA59616-1465".

Figure 224 shows the amino acid sequence (SEQ ID NO:224) derived from the coding sequence of SEQ ID NO:223 shown in Figure 223.

Figure 225 shows a nucleotide sequence (SEQ ID NO:225) of a native sequence PRO1100 cDNA, wherein SEQ ID NO:225 is a clone designated herein as "DNA59619-1464".

Figure 226 shows the amino acid sequence (SEQ ID NO:226) derived from the coding sequence of SEQ ID NO:225 shown in Figure 225.

Figure 227 shows a nucleotide sequence (SEQ ID NO:227) of a native sequence PRO1141 cDNA, wherein SEQ ID NO:227 is a clone designated herein as "DNA59625-1498".

Figure 228 shows the amino acid sequence (SEQ ID NO:228) derived from the coding sequence of SEQ ID NO:227 shown in Figure 227.

Figure 229 shows a nucleotide sequence (SEQ ID NO:229) of a native sequence PRO1772 cDNA, wherein SEQ ID NO:229 is a clone designated herein as "DNA59817-1703".

Figure 230 shows the amino acid sequence (SEQ ID NO:230) derived from the coding sequence of SEQ ID NO:229 shown in Figure 229.

Figure 231 shows a nucleotide sequence (SEQ ID NO:231) of a native sequence PRO1064 cDNA, wherein SEQ ID NO:231 is a clone designated herein as "DNA59827-1426".

Figure 232 shows the amino acid sequence (SEQ ID NO:232) derived from the coding sequence of SEQ ID NO:231 shown in Figure 231.

Figure 233 shows a nucleotide sequence (SEQ ID NO:233) of a native sequence PRO1379 cDNA, wherein SEQ ID NO:233 is a clone designated herein as "DNA59828-1608".

Figure 234 shows the amino acid sequence (SEQ ID NO:234) derived from the coding sequence of SEQ ID NO:233 shown in Figure 233.

Figure 235 shows a nucleotide sequence (SEQ ID NO:235) of a native sequence PRO3573 cDNA, wherein SEQ ID NO:235 is a clone designated herein as "DNA59837-2545".

Figure 236 shows the amino acid sequence (SEQ ID NO:236) derived from the coding sequence of SEQ ID NO:235 shown in Figure 235.

Figure 237 shows a nucleotide sequence (SEQ ID NO:237) of a native sequence PRO3566 cDNA, wherein SEQ ID NO:237 is a clone designated herein as "DNA59844-2542".

Figure 238 shows the amino acid sequence (SEQ ID NO:238) derived from the coding sequence of SEQ ID NO:237 shown in Figure 237.

Figure 239 shows a nucleotide sequence (SEQ ID NO:239) of a native sequence PRO1156 cDNA, wherein SEQ ID NO:239 is a clone designated herein as "DNA59853-1505".

Figure 240 shows the amino acid sequence (SEQ ID NO:240) derived from the coding sequence of SEQ ID NO:239 shown in Figure 239.

Figure 241 shows a nucleotide sequence (SEQ ID NO:241) of a native sequence PRO1098 cDNA, wherein SEQ ID NO:241 is a clone designated herein as "DNA59854-1459".

5

15

20

25

30

35

Figure 242 shows the amino acid sequence (SEQ ID NO:242) derived from the coding sequence of SEQ ID NO:241 shown in Figure 241.

Figure 243 shows a nucleotide sequence (SEQ ID NO:243) of a native sequence PRO1128 cDNA, wherein SEQ ID NO:243 is a clone designated herein as "DNA59855-1485".

Figure 244 shows the amino acid sequence (SEQ ID NO:244) derived from the coding sequence of SEQ ID NO:243 shown in Figure 243.

Figure 245 shows a nucleotide sequence (SEQ ID NO:245) of a native sequence PRO1248 cDNA, wherein SEQ ID NO:245 is a clone designated herein as "DNA60278-1530".

Figure 246 shows the amino acid sequence (SEQ ID NO:246) derived from the coding sequence of SEQ ID NO:245 shown in Figure 245.

Figure 247 shows a nucleotide sequence (SEQ ID NO:247) of a native sequence PRO1127 cDNA, wherein SEQ ID NO:247 is a clone designated herein as "DNA60283-1484".

Figure 248 shows the amino acid sequence (SEQ ID NO:248) derived from the coding sequence of SEQ ID NO:247 shown in Figure 247.

Figure 249 shows a nucleotide sequence (SEQ ID NO:249) of a native sequence PRO1316 cDNA, wherein SEQ ID NO:249 is a clone designated herein as "DNA60608-1577".

Figure 250 shows the amino acid sequence (SEQ ID NO:250) derived from the coding sequence of SEQ ID NO:249 shown in Figure 249.

Figure 251 shows a nucleotide sequence (SEQ ID NO:251) of a native sequence PRO1197 cDNA, wherein SEQ ID NO:251 is a clone designated herein as "DNA60611-1524".

Figure 252 shows the amino acid sequence (SEQ ID NO:252) derived from the coding sequence of SEQ ID NO:251 shown in Figure 251.

Figure 253 shows a nucleotide sequence (SEQ ID NO:253) of a native sequence PRO1125 cDNA, wherein SEQ ID NO:253 is a clone designated herein as "DNA60619-1482".

Figure 254 shows the amino acid sequence (SEQ ID NO:254) derived from the coding sequence of SEQ ID NO:253 shown in Figure 253.

Figure 255 shows a nucleotide sequence (SEQ ID NO:255) of a native sequence PRO1158 cDNA, wherein SEQ ID NO:255 is a clone designated herein as "DNA60625-1507".

Figure 256 shows the amino acid sequence (SEQ ID NO:256) derived from the coding sequence of SEQ ID NO:255 shown in Figure 255.

Figure 257 shows a nucleotide sequence (SEQ ID NO:257) of a native sequence PRO1124 cDNA, wherein SEQ ID NO:257 is a clone designated herein as "DNA60629-1481".

Figure 258 shows the amino acid sequence (SEQ ID NO:258) derived from the coding sequence of SEQ ID NO:257 shown in Figure 257.

Figure 259 shows a nucleotide sequence (SEQ ID NO:259) of a native sequence PRO1380 cDNA, wherein SEQ ID NO:259 is a clone designated herein as "DNA60740-1615".

Figure 260 shows the amino acid sequence (SEQ ID NO:260) derived from the coding sequence of SEQ ID NO:259 shown in Figure 259.

5

10

15

20

25

30

35

Figure 261 shows a nucleotide sequence (SEQ ID NO:261) of a native sequence PRO1377 cDNA, wherein SEQ ID NO:261 is a clone designated herein as "DNA61608-1606".

Figure 262 shows the amino acid sequence (SEQ ID NO:262) derived from the coding sequence of SEQ ID NO:261 shown in Figure 261.

Figure 263 shows a nucleotide sequence (SEQ ID NO:263) of a native sequence PRO1287 cDNA, wherein SEQ ID NO:263 is a clone designated herein as "DNA61755-1554".

Figure 264 shows the amino acid sequence (SEQ ID NO:264) derived from the coding sequence of SEQ ID NO:263 shown in Figure 263.

Figure 265 shows a nucleotide sequence (SEQ ID NO:265) of a native sequence PRO1249 cDNA, wherein SEQ ID NO:265 is a clone designated herein as "DNA62809-1531".

Figure 266 shows the amino acid sequence (SEQ ID NO:266) derived from the coding sequence of SEQ ID NO:265 shown in Figure 265.

Figure 267 shows a nucleotide sequence (SEQ ID NO:267) of a native sequence PRO1335 cDNA, wherein SEQ ID NO:267 is a clone designated herein as "DNA62812-1594".

Figure 268 shows the amino acid sequence (SEQ ID NO:268) derived from the coding sequence of SEQ ID NO:267 shown in Figure 267.

Figure 269 shows a nucleotide sequence (SEQ ID NO:269) of a native sequence PRO3572 cDNA, wherein SEQ ID NO:269 is a clone designated herein as "DNA62813-2544".

Figure 270 shows the amino acid sequence (SEQ ID NO:270) derived from the coding sequence of SEQ ID NO:269 shown in Figure 269.

Figure 271 shows a nucleotide sequence (SEQ ID NO:271) of a native sequence PRO1599 cDNA, wherein SEQ ID NO:271 is a clone designated herein as "DNA62845-1684".

Figure 272 shows the amino acid sequence (SEQ ID NO:272) derived from the coding sequence of SEQ ID NO:271 shown in Figure 271.

Figure 273 shows a nucleotide sequence (SEQ ID NO:273) of a native sequence PRO1374 cDNA, wherein SEQ ID NO:273 is a clone designated herein as "DNA64849-1604".

Figure 274 shows the amino acid sequence (SEQ ID NO:274) derived from the coding sequence of SEQ ID NO:273 shown in Figure 273.

Figure 275 shows a nucleotide sequence (SEQ ID NO:275) of a native sequence PRO1345 cDNA, wherein SEQ ID NO:275 is a clone designated herein as "DNA64852-1589".

Figure 276 shows the amino acid sequence (SEQ ID NO:276) derived from the coding sequence of SEQ ID NO:275 shown in Figure 275.

Figure 277 shows a nucleotide sequence (SEQ ID NO:277) of a native sequence PRO1311 cDNA, wherein SEQ ID NO:277 is a clone designated herein as "DNA64863-1573".

Figure 278 shows the amino acid sequence (SEQ ID NO:278) derived from the coding sequence of SEQ ID NO:277 shown in Figure 277.

Figure 279 shows a nucleotide sequence (SEQ ID NO:279) of a native sequence PRO1357 cDNA, wherein SEQ ID NO:279 is a clone designated herein as "DNA64881-1602".

5

15

20

25

30

35

Figure 280 shows the amino acid sequence (SEQ ID NO:280) derived from the coding sequence of SEQ ID NO:279 shown in Figure 279.

Figure 281 shows a nucleotide sequence (SEQ ID NO:281) of a native sequence PRO1557 cDNA, wherein SEQ ID NO:281 is a clone designated herein as "DNA64902-1667".

Figure 282 shows the amino acid sequence (SEQ ID NO:282) derived from the coding sequence of SEQ ID NO:281 shown in Figure 281.

Figure 283 shows a nucleotide sequence (SEQ ID NO:283) of a native sequence PRO1305 cDNA, wherein SEQ ID NO:283 is a clone designated herein as "DNA64952-1568".

Figure 284 shows the amino acid sequence (SEQ ID NO:284) derived from the coding sequence of SEQ ID NO:283 shown in Figure 283.

Figure 285 shows a nucleotide sequence (SEQ ID NO:285) of a native sequence PRO1302 cDNA, wherein SEQ ID NO:285 is a clone designated herein as "DNA65403-1565".

Figure 286 shows the amino acid sequence (SEQ ID NO:286) derived from the coding sequence of SEQ ID NO:285 shown in Figure 285.

Figure 287 shows a nucleotide sequence (SEQ ID NO:287) of a native sequence PRO1266 cDNA, wherein SEQ ID NO:287 is a clone designated herein as "DNA65413-1534".

Figure 288 shows the amino acid sequence (SEQ ID NO:288) derived from the coding sequence of SEQ ID NO:287 shown in Figure 287.

Figures 289A-289B show a nucleotide sequence (SEQ ID NO:289) of a native sequence PRO1336 cDNA, wherein SEQ ID NO:289 is a clone designated herein as "DNA65423-1595".

Figure 290 shows the amino acid sequence (SEQ ID NO:290) derived from the coding sequence of SEQ ID NO:289 shown in Figures 289A-289B.

Figure 291 shows a nucleotide sequence (SEQ ID NO:291) of a native sequence PRO1278 cDNA, wherein SEQ ID NO:291 is a clone designated herein as "DNA66304-1546".

Figure 292 shows the amino acid sequence (SEQ ID NO:292) derived from the coding sequence of SEQ ID NO:291 shown in Figure 291.

Figure 293 shows a nucleotide sequence (SEQ ID NO:293) of a native sequence PRO1270 cDNA, wherein SEQ ID NO:293 is a clone designated herein as "DNA66308-1537".

Figure 294 shows the amino acid sequence (SEQ ID NO:294) derived from the coding sequence of SEQ ID NO:293 shown in Figure 293.

Figure 295 shows a nucleotide sequence (SEQ ID NO:295) of a native sequence PRO1298 cDNA, wherein SEQ ID NO:295 is a clone designated herein as "DNA66511-1563".

Figure 296 shows the amino acid sequence (SEQ ID NO:296) derived from the coding sequence of SEQ ID NO:295 shown in Figure 295.

Figure 297 shows a nucleotide sequence (SEQ ID NO:297) of a native sequence PRO1301 cDNA, wherein SEQ ID NO:297 is a clone designated herein as "DNA66512-1564".

Figure 298 shows the amino acid sequence (SEQ ID NO:298) derived from the coding sequence of SEQ ID NO:297 shown in Figure 297.

5

15

20

25

30

35

Figure 299 shows a nucleotide sequence (SEQ ID NO:299) of a native sequence PRO1268 cDNA, wherein SEQ ID NO:299 is a clone designated herein as "DNA66519-1535".

Figure 300 shows the amino acid sequence (SEQ ID NO:300) derived from the coding sequence of SEQ ID NO:299 shown in Figure 299.

Figure 301 shows a nucleotide sequence (SEQ ID NO:301) of a native sequence PRO1327 cDNA, wherein SEQ ID NO:301 is a clone designated herein as "DNA66521-1583".

Figure 302 shows the amino acid sequence (SEQ ID NO:302) derived from the coding sequence of SEQ ID NO:301 shown in Figure 301.

Figure 303 shows a nucleotide sequence (SEQ ID NO:303) of a native sequence PRO1328 cDNA, wherein SEQ ID NO:303 is a clone designated herein as "DNA66658-1584".

Figure 304 shows the amino acid sequence (SEQ ID NO:304) derived from the coding sequence of SEQ ID NO:303 shown in Figure 303.

Figure 305 shows a nucleotide sequence (SEQ ID NO:305) of a native sequence PRO1329 cDNA, wherein SEQ ID NO:305 is a clone designated herein as "DNA66660-1585".

Figure 306 shows the amino acid sequence (SEQ ID NO:306) derived from the coding sequence of SEQ ID NO:305 shown in Figure 305.

Figure 307 shows a nucleotide sequence (SEQ ID NO:307) of a native sequence PRO1339 cDNA, wherein SEQ ID NO:307 is a clone designated herein as "DNA66669-1597".

Figure 308 shows the amino acid sequence (SEQ ID NO:308) derived from the coding sequence of SEQ ID NO:307 shown in Figure 307.

Figure 309 shows a nucleotide sequence (SEQ ID NO:309) of a native sequence PRO1342 cDNA, wherein SEQ ID NO:309 is a clone designated herein as "DNA66674-1599".

Figure 310 shows the amino acid sequence (SEQ ID NO:310) derived from the coding sequence of SEQ ID NO:309 shown in Figure 309.

Figures 311A-311B show a nucleotide sequence (SEQ ID NO:311) of a native sequence PRO1487 cDNA, wherein SEQ ID NO:311 is a clone designated herein as "DNA68836-1656".

Figure 312 shows the amino acid sequence (SEQ ID NO:312) derived from the coding sequence of SEQ ID NO:311 shown in Figures 311A-311B.

Figure 313 shows a nucleotide sequence (SEQ ID NO:313) of a native sequence PRO3579 cDNA, wherein SEQ ID NO:313 is a clone designated herein as "DNA68862-2546".

Figure 314 shows the amino acid sequence (SEQ ID NO:314) derived from the coding sequence of SEQ ID NO:313 shown in Figure 313.

Figure 315 shows a nucleotide sequence (SEQ ID NO:315) of a native sequence PRO1472 cDNA, wherein SEQ ID NO:315 is a clone designated herein as "DNA68866-1644".

Figure 316 shows the amino acid sequence (SEQ ID NO:316) derived from the coding sequence of SEQ ID NO:315 shown in Figure 315.

Figure 317 shows a nucleotide sequence (SEQ ID NO:317) of a native sequence PRO1385 cDNA, wherein SEQ ID NO:317 is a clone designated herein as "DNA68869-1610".

5

15

20

25

30

35

Figure 318 shows the amino acid sequence (SEQ ID NO:318) derived from the coding sequence of SEQ ID NO:317 shown in Figure 317.

Figure 319 shows a nucleotide sequence (SEQ ID NO:319) of a native sequence PRO1461 cDNA, wherein SEQ ID NO:319 is a clone designated herein as "DNA68871-1638".

Figure 320 shows the amino acid sequence (SEQ ID NO:320) derived from the coding sequence of SEQ ID NO:319 shown in Figure 319.

Figure 321 shows a nucleotide sequence (SEQ ID NO:321) of a native sequence PRO1429 cDNA, wherein SEQ ID NO:321 is a clone designated herein as "DNA68879-1631".

Figure 322 shows the amino acid sequence (SEQ ID NO:322) derived from the coding sequence of SEQ ID NO:321 shown in Figure 321.

Figure 323 shows a nucleotide sequence (SEQ ID NO:323) of a native sequence PRO1568 cDNA, wherein SEQ ID NO:323 is a clone designated herein as "DNA68880-1676".

Figure 324 shows the amino acid sequence (SEQ ID NO:324) derived from the coding sequence of SEQ ID NO:323 shown in Figure 323.

Figure 325 shows a nucleotide sequence (SEQ ID NO:325) of a native sequence PRO1569 cDNA, wherein SEQ ID NO:325 is a clone designated herein as "DNA68882-1677".

Figure 326 shows the amino acid sequence (SEQ ID NO:326) derived from the coding sequence of SEQ ID NO:325 shown in Figure 325.

Figure 327 shows a nucleotide sequence (SEQ ID NO:327) of a native sequence PRO1753 cDNA, wherein SEQ ID NO:327 is a clone designated herein as "DNA68883-1691".

Figure 328 shows the amino acid sequence (SEQ ID NO:328) derived from the coding sequence of SEQ ID NO:327 shown in Figure 327.

Figure 329 shows a nucleotide sequence (SEQ ID NO:329) of a native sequence PRO1570 cDNA, wherein SEQ ID NO:329 is a clone designated herein as "DNA68885-1678".

Figure 330 shows the amino acid sequence (SEQ ID NO:330) derived from the coding sequence of SEQ ID NO:329 shown in Figure 329.

Figure 331 shows a nucleotide sequence (SEQ ID NO:331) of a native sequence PRO1559 cDNA, wherein SEQ ID NO:331 is a clone designated herein as "DNA68886".

Figure 332 shows the amino acid sequence (SEQ ID NO:332) derived from the coding sequence of SEQ ID NO:331 shown in Figure 331.

Figure 333 shows a nucleotide sequence (SEQ ID NO:333) of a native sequence PRO1486 cDNA, wherein SEQ ID NO:333 is a clone designated herein as "DNA71180-1655".

Figure 334 shows the amino acid sequence (SEQ ID NO:334) derived from the coding sequence of SEQ ID NO:333 shown in Figure 333.

Figure 335 shows a nucleotide sequence (SEQ ID NO:335) of a native sequence PRO1433 cDNA, wherein SEQ ID NO:335 is a clone designated herein as "DNA71184-1634".

Figure 336 shows the amino acid sequence (SEQ ID NO:336) derived from the coding sequence of SEQ ID NO:335 shown in Figure 335.

5

10

15

20

25

30

35

Figure 337 shows a nucleotide sequence (SEQ ID NO:337) of a native sequence PRO1490 cDNA, wherein SEQ ID NO:337 is a clone designated herein as "DNA71213-1659".

Figure 338 shows the amino acid sequence (SEQ ID NO:338) derived from the coding sequence of SEQ ID NO:337 shown in Figure 337.

Figure 339 shows a nucleotide sequence (SEQ ID NO:339) of a native sequence PRO1482 cDNA, wherein SEQ ID NO:339 is a clone designated herein as "DNA71234-1651".

Figure 340 shows the amino acid sequence (SEQ ID NO:340) derived from the coding sequence of SEQ ID NO:339 shown in Figure 339.

Figure 341 shows a nucleotide sequence (SEQ ID NO:341) of a native sequence PRO1409 cDNA, wherein SEQ ID NO:341 is a clone designated herein as "DNA71269-1621".

Figure 342 shows the amino acid sequence (SEQ ID NO:342) derived from the coding sequence of SEQ ID NO:341 shown in Figure 341.

Figure 343 shows a nucleotide sequence (SEQ ID NO:343) of a native sequence PRO1446 cDNA, wherein SEQ ID NO:343 is a clone designated herein as "DNA71277-1636".

Figure 344 shows the amino acid sequence (SEQ ID NO:344) derived from the coding sequence of SEQ ID NO:343 shown in Figure 343.

Figure 345 shows a nucleotide sequence (SEQ ID NO:345) of a native sequence PRO1604 cDNA, wherein SEQ ID NO:345 is a clone designated herein as "DNA71286-1687".

Figure 346 shows the amino acid sequence (SEQ ID NO:346) derived from the coding sequence of SEQ ID NO:345 shown in Figure 345.

Figure 347 shows a nucleotide sequence (SEQ ID NO:347) of a native sequence PRO1491 cDNA, wherein SEQ ID NO:347 is a clone designated herein as "DNA71883-1660".

Figure 348 shows the amino acid sequence (SEQ ID NO:348) derived from the coding sequence of SEQ ID NO:347 shown in Figure 347.

Figure 349 shows a nucleotide sequence (SEQ ID NO:349) of a native sequence PRO1431 cDNA, wherein SEQ ID NO:349 is a clone designated herein as "DNA73401-1633".

Figure 350 shows the amino acid sequence (SEQ ID NO:350) derived from the coding sequence of SEQ ID NO:349 shown in Figure 349.

Figures 351A-351B show a nucleotide sequence (SEQ ID NO:351) of a native sequence PRO1563 cDNA, wherein SEQ ID NO:351 is a clone designated herein as "DNA73492-1671".

Figure 352 shows the amino acid sequence (SEQ ID NO:352) derived from the coding sequence of SEQ ID NO:351 shown in Figures 351A-351B.

Figure 353 shows a nucleotide sequence (SEQ ID NO:353) of a native sequence PRO1571 cDNA, wherein SEQ ID NO:353 is a clone designated herein as "DNA73730-1679".

Figure 354 shows the amino acid sequence (SEQ ID NO:354) derived from the coding sequence of SEQ ID NO:353 shown in Figure 353.

Figure 355 shows a nucleotide sequence (SEQ ID NO:355) of a native sequence PRO1572 cDNA, wherein SEQ ID NO:355 is a clone designated herein as "DNA73734-1680".

5

15

20

25

30

35

Figure 356 shows the amino acid sequence (SEQ ID NO:356) derived from the coding sequence of SEQ ID NO:355 shown in Figure 355.

Figure 357 shows a nucleotide sequence (SEQ ID NO:357) of a native sequence PRO1573 cDNA, wherein SEQ ID NO:357 is a clone designated herein as "DNA73735-1681".

Figure 358 shows the amino acid sequence (SEQ ID NO:358) derived from the coding sequence of SEQ ID NO:357 shown in Figure 357.

Figure 359 shows a nucleotide sequence (SEQ ID NO:359) of a native sequence PRO1508 cDNA, wherein SEQ ID NO:359 is a clone designated herein as "DNA73742-1662".

Figure 360 shows the amino acid sequence (SEQ ID NO:360) derived from the coding sequence of SEQ ID NO:359 shown in Figure 359.

Figure 361 shows a nucleotide sequence (SEQ ID NO:361) of a native sequence PRO1485 cDNA, wherein SEQ ID NO:361 is a clone designated herein as "DNA73746-1654".

Figure 362 shows the amino acid sequence (SEQ ID NO:362) derived from the coding sequence of SEQ ID NO:361 shown in Figure 361.

Figure 363 shows a nucleotide sequence (SEQ ID NO:363) of a native sequence PRO1564 cDNA, wherein SEQ ID NO:363 is a clone designated herein as "DNA73760-1672".

Figure 364 shows the amino acid sequence (SEQ ID NO:364) derived from the coding sequence of SEQ ID NO:363 shown in Figure 363.

Figure 365 shows a nucleotide sequence (SEQ ID NO:365) of a native sequence PRO1550 cDNA, wherein SEQ ID NO:365 is a clone designated herein as "DNA76393-1664".

Figure 366 shows the amino acid sequence (SEQ ID NO:366) derived from the coding sequence of SEQ ID NO:365 shown in Figure 365.

Figure 367 shows a nucleotide sequence (SEQ ID NO:367) of a native sequence PRO1757 cDNA, wherein SEQ ID NO:367 is a clone designated herein as "DNA76398-1699".

Figure 368 shows the amino acid sequence (SEQ ID NO:368) derived from the coding sequence of SEQ ID NO:367 shown in Figure 367.

Figure 369 shows a nucleotide sequence (SEQ ID NO:369) of a native sequence PRO1758 cDNA, wherein SEQ ID NO:369 is a clone designated herein as "DNA76399-1700".

Figure 370 shows the amino acid sequence (SEQ ID NO:370) derived from the coding sequence of SEQ ID NO:369 shown in Figure 369.

Figure 371 shows a nucleotide sequence (SEQ ID NO:371) of a native sequence PRO1781 cDNA, wherein SEQ ID NO:371 is a clone designated herein as "DNA76522-2500".

Figure 372 shows the amino acid sequence (SEQ ID NO:372) derived from the coding sequence of SEQ ID NO:371 shown in Figure 371.

Figure 373 shows a nucleotide sequence (SEQ ID NO:373) of a native sequence PRO1606 cDNA, wherein SEQ ID NO:373 is a clone designated herein as "DNA76533-1689".

Figure 374 shows the amino acid sequence (SEQ ID NO:374) derived from the coding sequence of SEQ ID NO:373 shown in Figure 373.

5

10

15

20

25

30

35

Figure 375 shows a nucleotide sequence (SEQ ID NO:375) of a native sequence PRO1784 cDNA, wherein SEQ ID NO:375 is a clone designated herein as "DNA77303-2502".

Figure 376 shows the amino acid sequence (SEQ ID NO:376) derived from the coding sequence of SEQ ID NO:375 shown in Figure 375.

Figure 377 shows a nucleotide sequence (SEQ ID NO:377) of a native sequence PRO1774 cDNA, wherein SEQ ID NO:377 is a clone designated herein as "DNA77626-1705".

Figure 378 shows the amino acid sequence (SEQ ID NO:378) derived from the coding sequence of SEQ ID NO:377 shown in Figure 377.

Figure 379 shows a nucleotide sequence (SEQ ID NO:379) of a native sequence PRO1605 cDNA, wherein SEQ ID NO:379 is a clone designated herein as "DNA77648-1688".

Figure 380 shows the amino acid sequence (SEQ ID NO:380) derived from the coding sequence of SEQ ID NO:379 shown in Figure 379.

Figure 381 shows a nucleotide sequence (SEQ ID NO:381) of a native sequence PRO1928 cDNA, wherein SEQ ID NO:381 is a clone designated herein as "DNA81754-2532".

Figure 382 shows the amino acid sequence (SEQ ID NO:382) derived from the coding sequence of SEQ ID NO:381 shown in Figure 381.

Figure 383 shows a nucleotide sequence (SEQ ID NO:383) of a native sequence PRO1865 cDNA, wherein SEQ ID NO:383 is a clone designated herein as "DNA81757-2512".

Figure 384 shows the amino acid sequence (SEQ ID NO:384) derived from the coding sequence of SEQ ID NO:383 shown in Figure 383.

Figure 385 shows a nucleotide sequence (SEQ ID NO:385) of a native sequence PRO1925 cDNA, wherein SEQ ID NO:385 is a clone designated herein as "DNA82302-2529".

Figure 386 shows the amino acid sequence (SEQ ID NO:386) derived from the coding sequence of SEQ ID NO:385 shown in Figure 385.

Figure 387 shows a nucleotide sequence (SEQ ID NO:387) of a native sequence PRO1926 cDNA, wherein SEQ ID NO:387 is a clone designated herein as "DNA82340-2530".

Figure 388 shows the amino acid sequence (SEQ ID NO:388) derived from the coding sequence of SEQ ID NO:387 shown in Figure 387.

Figure 389 shows a nucleotide sequence (SEQ ID NO:389) of a native sequence PRO2630 cDNA, wherein SEQ ID NO:389 is a clone designated herein as "DNA83551".

Figure 390 shows the amino acid sequence (SEQ ID NO:390) derived from the coding sequence of SEQ ID NO:389 shown in Figure 389.

Figure 391 shows a nucleotide sequence (SEQ ID NO:391) of a native sequence PRO3443 cDNA, wherein SEQ ID NO:391 is a clone designated herein as "DNA87991-2540".

Figure 392 shows the amino acid sequence (SEQ ID NO:392) derived from the coding sequence of SEQ ID NO:391 shown in Figure 391.

Figure 393 shows a nucleotide sequence (SEQ ID NO:393) of a native sequence PRO3301 cDNA, wherein SEQ ID NO:393 is a clone designated herein as "DNA88002".

5

15

20

25

30

35

Figure 394 shows the amino acid sequence (SEQ ID NO:394) derived from the coding sequence of SEQ ID NO:393 shown in Figure 393.

Figure 395 shows a nucleotide sequence (SEQ ID NO:395) of a native sequence PRO3442 cDNA, wherein SEQ ID NO:395 is a clone designated herein as "DNA92238-2539".

Figure 396 shows the amino acid sequence (SEQ ID NO:396) derived from the coding sequence of SEQ ID NO:395 shown in Figure 395.

Figure 397 shows a nucleotide sequence (SEQ ID NO:397) of a native sequence PRO4978 cDNA, wherein SEQ ID NO:397 is a clone designated herein as "DNA95930".

Figure 398 shows the amino acid sequence (SEQ ID NO:398) derived from the coding sequence of SEQ ID NO:397 shown in Figure 397.

Figure 399 shows a nucleotide sequence (SEQ ID NO:399) of a native sequence PRO5801 cDNA, wherein SEQ ID NO:399 is a clone designated herein as "DNA115291-2681".

Figure 400 shows the amino acid sequence (SEQ ID NO:400) derived from the coding sequence of SEQ ID NO:399 shown in Figure 399.

Figure 401 shows a nucleotide sequence (SEQ ID NO:401) of a native sequence PRO19630 cDNA, wherein SEQ ID NO:401 is a clone designated herein as "DNA23336-2861".

Figure 402 shows the amino acid sequence (SEQ ID NO:402) derived from the coding sequence of SEQ ID NO:401 shown in Figure 401.

Figure 403 shows a nucleotide sequence (SEQ ID NO:403) of a native sequence PRO203 cDNA, wherein SEQ ID NO:403 is a clone designated herein as "DNA30862-1396".

Figure 404 shows the amino acid sequence (SEQ ID NO:404) derived from the coding sequence of SEQ ID NO:403 shown in Figure 403.

Figure 405 shows a nucleotide sequence (SEQ ID NO:405) of a native sequence PRO204 cDNA, wherein SEQ ID NO:405 is a clone designated herein as "DNA30871-1157".

Figure 406 shows the amino acid sequence (SEQ ID NO:406) derived from the coding sequence of SEQ ID NO:405 shown in Figure 405.

Figure 407 shows a nucleotide sequence (SEQ ID NO:407) of a native sequence PRO210 cDNA, wherein SEQ ID NO:407 is a clone designated herein as "DNA32279-1131".

Figure 408 shows the amino acid sequence (SEQ ID NO:408) derived from the coding sequence of SEQ ID NO:407 shown in Figure 407.

Figure 409 shows a nucleotide sequence (SEQ ID NO:409) of a native sequence PRO223 cDNA, wherein SEQ ID NO:409 is a clone designated herein as "DNA33206-1165".

Figure 410 shows the amino acid sequence (SEQ ID NO:410) derived from the coding sequence of SEQ ID NO:409 shown in Figure 409.

Figure 411 shows a nucleotide sequence (SEQ ID NO:411) of a native sequence PRO247 cDNA, wherein SEQ ID NO:411 is a clone designated herein as "DNA35673-1201".

Figure 412 shows the amino acid sequence (SEQ ID NO:412) derived from the coding sequence of SEQ ID NO:411 shown in Figure 411.

5

10

15

20

25

30

35

Figure 413 shows a nucleotide sequence (SEQ ID NO:413) of a native sequence PRO358 cDNA, wherein SEQ ID NO:413 is a clone designated herein as "DNA47361-1154-2".

Figure 414 shows the amino acid sequence (SEQ ID NO:414) derived from the coding sequence of SEQ ID NO:413 shown in Figure 413.

Figure 415 shows a nucleotide sequence (SEQ ID NO:415) of a native sequence PRO724 cDNA, wherein SEQ ID NO:415 is a clone designated herein as "DNA49631-1328".

Figure 416 shows the amino acid sequence (SEQ ID NO:416) derived from the coding sequence of SEQ ID NO:415 shown in Figure 415.

Figure 417 shows a nucleotide sequence (SEQ ID NO:417) of a native sequence PRO868 cDNA, wherein SEQ ID NO:417 is a clone designated herein as "DNA52594-1270".

Figure 418 shows the amino acid sequence (SEQ ID NO:418) derived from the coding sequence of SEQ ID NO:417 shown in Figure 417.

Figure 419 shows a nucleotide sequence (SEQ ID NO:419) of a native sequence PRO740 cDNA, wherein SEQ ID NO:419 is a clone designated herein as "DNA55800-1263".

Figure 420 shows the amino acid sequence (SEQ ID NO:420) derived from the coding sequence of SEQ ID NO:419 shown in Figure 419.

Figure 421 shows a nucleotide sequence (SEQ ID NO:421) of a native sequence PRO1478 cDNA, wherein SEQ ID NO:421 is a clone designated herein as "DNA56531-1648".

Figure 422 shows the amino acid sequence (SEQ ID NO:422) derived from the coding sequence of SEQ ID NO:421 shown in Figure 421.

Figure 423 shows a nucleotide sequence (SEQ ID NO:423) of a native sequence PRO162 cDNA, wherein SEQ ID NO:423 is a clone designated herein as "DNA56965-1356".

Figure 424 shows the amino acid sequence (SEQ ID NO:424) derived from the coding sequence of SEQ ID NO:423 shown in Figure 423.

Figure 425 shows a nucleotide sequence (SEQ ID NO:425) of a native sequence PRO828 cDNA, wherein SEQ ID NO:425 is a clone designated herein as "DNA57037-1444".

Figure 426 shows the amino acid sequence (SEQ ID NO:426) derived from the coding sequence of SEQ ID NO:425 shown in Figure 425.

Figure 427 shows a nucleotide sequence (SEQ ID NO:427) of a native sequence PRO819 cDNA, wherein SEQ ID NO:427 is a clone designated herein as "DNA57695-1340".

Figure 428 shows the amino acid sequence (SEQ ID NO:428) derived from the coding sequence of SEQ ID NO:427 shown in Figure 427.

Figure 429 shows a nucleotide sequence (SEQ ID NO:429) of a native sequence PRO813 cDNA, wherein SEQ ID NO:429 is a clone designated herein as "DNA57834-1339".

Figure 430 shows the amino acid sequence (SEQ ID NO:430) derived from the coding sequence of SEQ ID NO:429 shown in Figure 429.

Figure 431 shows a nucleotide sequence (SEQ ID NO:431) of a native sequence PRO1194 cDNA, wherein SEQ ID NO:431 is a clone designated herein as "DNA57841-1522".

5

15

25

30

35

Figure 432 shows the amino acid sequence (SEQ ID NO:432) derived from the coding sequence of SEQ ID NO:431 shown in Figure 431.

Figure 433 shows a nucleotide sequence (SEQ ID NO:433) of a native sequence PRO887 cDNA, wherein SEQ ID NO:433 is a clone designated herein as "DNA58130".

Figure 434 shows the amino acid sequence (SEQ ID NO:434) derived from the coding sequence of SEQ ID NO:433 shown in Figure 433.

Figure 435 shows a nucleotide sequence (SEQ ID NO:435) of a native sequence PRO1071 cDNA, wherein SEQ ID NO:435 is a clone designated herein as "DNA58847-1383".

Figure 436 shows the amino acid sequence (SEQ ID NO:436) derived from the coding sequence of SEQ ID NO:435 shown in Figure 435.

Figure 437 shows a nucleotide sequence (SEQ ID NO:437) of a native sequence PRO1029 cDNA, wherein SEQ ID NO:437 is a clone designated herein as "DNA59493-1420".

Figure 438 shows the amino acid sequence (SEQ ID NO:438) derived from the coding sequence of SEQ ID NO:437 shown in Figure 437.

Figure 439 shows a nucleotide sequence (SEQ ID NO:439) of a native sequence PRO1190 cDNA, wherein SEQ ID NO:439 is a clone designated herein as "DNA59586-1520".

Figure 440 shows the amino acid sequence (SEQ ID NO:440) derived from the coding sequence of SEQ ID NO:439 shown in Figure 439.

Figure 441 shows a nucleotide sequence (SEQ ID NO:441) of a native sequence PRO4334 cDNA, wherein SEQ ID NO:441 is a clone designated herein as "DNA59608-2577".

Figure 442 shows the amino acid sequence (SEQ ID NO:442) derived from the coding sequence of SEQ ID NO:441 shown in Figure 441.

Figure 443 shows a nucleotide sequence (SEQ ID NO:443) of a native sequence PRO1155 cDNA, wherein SEQ ID NO:443 is a clone designated herein as "DNA59849-1504".

Figure 444 shows the amino acid sequence (SEQ ID NO:444) derived from the coding sequence of SEQ ID NO:443 shown in Figure 443.

Figure 445 shows a nucleotide sequence (SEQ ID NO:445) of a native sequence PRO1157 cDNA, wherein SEQ ID NO:445 is a clone designated herein as "DNA60292-1506".

Figure 446 shows the amino acid sequence (SEQ ID NO:446) derived from the coding sequence of SEQ ID NO:445 shown in Figure 445.

Figure 447 shows a nucleotide sequence (SEQ ID NO:447) of a native sequence PRO1122 cDNA, wherein SEQ ID NO:447 is a clone designated herein as "DNA62377-1381-1".

Figure 448 shows the amino acid sequence (SEQ ID NO:448) derived from the coding sequence of SEQ ID NO:447 shown in Figure 447.

Figure 449 shows a nucleotide sequence (SEQ ID NO:449) of a native sequence PRO1183 cDNA, wherein SEQ ID NO:449 is a clone designated herein as "DNA62880-1513".

Figure 450 shows the amino acid sequence (SEQ ID NO:450) derived from the coding sequence of SEQ ID NO:449 shown in Figure 449.

5

10

15

20

25

30

35

Figure 451 shows a nucleotide sequence (SEQ ID NO:451) of a native sequence PRO1337 cDNA, wherein SEQ ID NO:451 is a clone designated herein as "DNA66672-1586".

Figure 452 shows the amino acid sequence (SEQ ID NO:452) derived from the coding sequence of SEQ ID NO:451 shown in Figure 451.

Figure 453 shows a nucleotide sequence (SEQ ID NO:453) of a native sequence PRO1480 cDNA, wherein SEQ ID NO:453 is a clone designated herein as "DNA67962-1649".

Figure 454 shows the amino acid sequence (SEQ ID NO:454) derived from the coding sequence of SEQ ID NO:453 shown in Figure 453.

Figure 455 shows a nucleotide sequence (SEQ ID NO:455) of a native sequence PRO19645 cDNA, wherein SEQ ID NO:455 is a clone designated herein as "DNA69555-2867".

Figure 456 shows the amino acid sequence (SEQ ID NO:456) derived from the coding sequence of SEQ ID NO:455 shown in Figure 455.

Figure 457 shows a nucleotide sequence (SEQ ID NO:457) of a native sequence PRO9782 cDNA, wherein SEQ ID NO:457 is a clone designated herein as "DNA71162-2764".

Figure 458 shows the amino acid sequence (SEQ ID NO:458) derived from the coding sequence of SEQ ID NO:457 shown in Figure 457.

Figure 459 shows a nucleotide sequence (SEQ ID NO:459) of a native sequence PRO1419 cDNA, wherein SEQ ID NO:459 is a clone designated herein as "DNA71290-1630".

Figure 460 shows the amino acid sequence (SEQ ID NO:460) derived from the coding sequence of SEQ ID NO:459 shown in Figure 459.

Figure 461 shows a nucleotide sequence (SEQ ID NO:461) of a native sequence PRO1575 cDNA, wherein SEQ ID NO:461 is a clone designated herein as "DNA76401-1683".

Figure 462 shows the amino acid sequence (SEQ ID NO:462) derived from the coding sequence of SEQ ID NO:461 shown in Figure 461.

Figure 463 shows a nucleotide sequence (SEQ ID NO:463) of a native sequence PRO1567 cDNA, wherein SEQ ID NO:463 is a clone designated herein as "DNA76541-1675".

Figure 464 shows the amino acid sequence (SEQ ID NO:464) derived from the coding sequence of SEQ ID NO:463 shown in Figure 463.

Figure 465 shows a nucleotide sequence (SEQ ID NO:465) of a native sequence PRO1891 cDNA, wherein SEQ ID NO:465 is a clone designated herein as "DNA76788-2526".

Figure 466 shows the amino acid sequence (SEQ ID NO:466) derived from the coding sequence of SEQ ID NO:465 shown in Figure 465.

Figure 467 shows a nucleotide sequence (SEQ ID NO:467) of a native sequence PRO1889 cDNA, wherein SEQ ID NO:467 is a clone designated herein as "DNA77623-2524".

Figure 468 shows the amino acid sequence (SEQ ID NO:468) derived from the coding sequence of SEQ ID NO:467 shown in Figure 467.

Figure 469 shows a nucleotide sequence (SEQ ID NO:469) of a native sequence PRO1785 cDNA, wherein SEQ ID NO:469 is a clone designated herein as "DNA80136-2503".

5

15

20

25

30

35

Figure 470 shows the amino acid sequence (SEQ ID NO:470) derived from the coding sequence of SEQ ID NO:469 shown in Figure 469.

Figure 471 shows a nucleotide sequence (SEQ ID NO:471) of a native sequence PRO6003 cDNA, wherein SEQ ID NO:471 is a clone designated herein as "DNA83568-2692".

Figure 472 shows the amino acid sequence (SEQ ID NO:472) derived from the coding sequence of SEQ ID NO:471 shown in Figure 471.

Figure 473 shows a nucleotide sequence (SEQ ID NO:473) of a native sequence PRO4333 cDNA, wherein SEQ ID NO:473 is a clone designated herein as "DNA84210-2576".

Figure 474 shows the amino acid sequence (SEQ ID NO:474) derived from the coding sequence of SEQ ID NO:473 shown in Figure 473.

Figure 475 shows a nucleotide sequence (SEQ ID NO:475) of a native sequence PRO4356 cDNA, wherein SEQ ID NO:475 is a clone designated herein as "DNA86576-2595".

Figure 476 shows the amino acid sequence (SEQ ID NO:476) derived from the coding sequence of SEQ ID NO:475 shown in Figure 475.

Figure 477 shows a nucleotide sequence (SEQ ID NO:477) of a native sequence PRO4352 cDNA, wherein SEQ ID NO:477 is a clone designated herein as "DNA87976-2593".

Figure 478 shows the amino acid sequence (SEQ ID NO:478) derived from the coding sequence of SEQ ID NO:477 shown in Figure 477.

Figure 479 shows a nucleotide sequence (SEQ ID NO:479) of a native sequence PRO4354 cDNA, wherein SEQ ID NO:479 is a clone designated herein as "DNA92256-2596".

Figure 480 shows the amino acid sequence (SEQ ID NO:480) derived from the coding sequence of SEQ ID NO:479 shown in Figure 479.

Figure 481 shows a nucleotide sequence (SEQ ID NO:481) of a native sequence PRO4369 cDNA, wherein SEQ ID NO:481 is a clone designated herein as "DNA92289-2598".

Figure 482 shows the amino acid sequence (SEQ ID NO:482) derived from the coding sequence of SEQ ID NO:481 shown in Figure 481.

Figure 483 shows a nucleotide sequence (SEQ ID NO:483) of a native sequence PRO6030 cDNA, wherein SEQ ID NO:483 is a clone designated herein as "DNA96850-2705".

Figure 484 shows the amino acid sequence (SEQ ID NO:484) derived from the coding sequence of SEQ ID NO:483 shown in Figure 483.

Figure 485 shows a nucleotide sequence (SEQ ID NO:485) of a native sequence PRO4433 cDNA, wherein SEQ ID NO:485 is a clone designated herein as "DNA96855-2629".

Figure 486 shows the amino acid sequence (SEQ ID NO:486) derived from the coding sequence of SEQ ID NO:485 shown in Figure 485.

Figure 487 shows a nucleotide sequence (SEQ ID NO:487) of a native sequence PRO4424 cDNA, wherein SEQ ID NO:487 is a clone designated herein as "DNA96857-2636".

Figure 488 shows the amino acid sequence (SEQ ID NO:488) derived from the coding sequence of SEQ ID NO:487 shown in Figure 487.

5

15

20

25

30

35

Figure 489 shows a nucleotide sequence (SEQ ID NO:489) of a native sequence PRO6017 cDNA, wherein SEQ ID NO:489 is a clone designated herein as "DNA96860-2700".

Figure 490 shows the amino acid sequence (SEQ ID NO:490) derived from the coding sequence of SEQ ID NO:489 shown in Figure 489.

Figure 491 shows a nucleotide sequence (SEQ ID NO:491) of a native sequence PRO19563 cDNA, wherein SEQ ID NO:491 is a clone designated herein as "DNA96861-2844".

Figure 492 shows the amino acid sequence (SEQ ID NO:492) derived from the coding sequence of SEQ ID NO:491 shown in Figure 491.

Figure 493 shows a nucleotide sequence (SEQ ID NO:493) of a native sequence PRO6015 cDNA, wherein SEQ ID NO:493 is a clone designated herein as "DNA96866-2698".

Figure 494 shows the amino acid sequence (SEQ ID NO:494) derived from the coding sequence of SEQ ID NO:493 shown in Figure 493.

Figure 495 shows a nucleotide sequence (SEQ ID NO:495) of a native sequence PRO5779 cDNA, wherein SEQ ID NO:495 is a clone designated herein as "DNA96870-2676".

Figure 496 shows the amino acid sequence (SEQ ID NO:496) derived from the coding sequence of SEQ ID NO:495 shown in Figure 495.

Figure 497 shows a nucleotide sequence (SEQ ID NO:497) of a native sequence PRO5776 cDNA, wherein SEQ ID NO:497 is a clone designated herein as "DNA96872-2674".

Figure 498 shows the amino acid sequence (SEQ ID NO:498) derived from the coding sequence of SEQ ID NO:497 shown in Figure 497.

Figure 499 shows a nucleotide sequence (SEQ ID NO:499) of a native sequence PRO4430 cDNA, wherein SEQ ID NO:499 is a clone designated herein as "DNA96878-2626".

Figure 500 shows the amino acid sequence (SEQ ID NO:500) derived from the coding sequence of SEQ ID NO:499 shown in Figure 499.

Figure 501 shows a nucleotide sequence (SEQ ID NO:501) of a native sequence PRO4421 cDNA, wherein SEQ ID NO:501 is a clone designated herein as "DNA96879-2619".

Figure 502 shows the amino acid sequence (SEQ ID NO:502) derived from the coding sequence of SEQ ID NO:501 shown in Figure 501.

Figure 503 shows a nucleotide sequence (SEQ ID NO:503) of a native sequence PRO4499 cDNA, wherein SEQ ID NO:503 is a clone designated herein as "DNA96889-2641".

Figure 504 shows the amino acid sequence (SEQ ID NO:504) derived from the coding sequence of SEQ ID NO:503 shown in Figure 503.

Figure 505 shows a nucleotide sequence (SEQ ID NO:505) of a native sequence PRO4423 cDNA, wherein SEQ ID NO:505 is a clone designated herein as "DNA96893-2621".

Figure 506 shows the amino acid sequence (SEQ ID NO:506) derived from the coding sequence of SEQ ID NO:505 shown in Figure 505.

Figure 507 shows a nucleotide sequence (SEQ ID NO:507) of a native sequence PRO5998 cDNA, wherein SEQ ID NO:507 is a clone designated herein as "DNA96897-2688".

5

15

20

25

30

35

Figure 508 shows the amino acid sequence (SEQ ID NO:508) derived from the coding sequence of SEQ ID NO:507 shown in Figure 507.

Figure 509 shows a nucleotide sequence (SEQ ID NO:509) of a native sequence PRO4501 cDNA, wherein SEQ ID NO:509 is a clone designated herein as "DNA98564-2643".

Figure 510 shows the amino acid sequence (SEQ ID NO:510) derived from the coding sequence of SEQ ID NO:509 shown in Figure 509.

Figure 511 shows a nucleotide sequence (SEQ ID NO:511) of a native sequence PRO6240 cDNA, wherein SEQ ID NO:511 is a clone designated herein as "DNA107443-2718".

Figure 512 shows the amino acid sequence (SEQ ID NO:512) derived from the coding sequence of SEQ ID NO:511 shown in Figure 511.

Figure 513 shows a nucleotide sequence (SEQ ID NO:513) of a native sequence PRO6245 cDNA, wherein SEQ ID NO:513 is a clone designated herein as "DNA107786-2723".

Figure 514 shows the amino acid sequence (SEQ ID NO:514) derived from the coding sequence of SEQ ID NO:513 shown in Figure 513.

Figure 515 shows a nucleotide sequence (SEQ ID NO:515) of a native sequence PRO6175 cDNA, wherein SEQ ID NO:515 is a clone designated herein as "DNA108682-2712".

Figure 516 shows the amino acid sequence (SEQ ID NO:516) derived from the coding sequence of SEQ ID NO:515 shown in Figure 515.

Figure 517 shows a nucleotide sequence (SEQ ID NO:517) of a native sequence PRO9742 cDNA, wherein SEQ ID NO:517 is a clone designated herein as "DNA108684-2761".

Figure 518 shows the amino acid sequence (SEQ ID NO:518) derived from the coding sequence of SEQ ID NO:517 shown in Figure 517.

Figure 519 shows a nucleotide sequence (SEQ ID NO:519) of a native sequence PRO7179 cDNA, wherein SEQ ID NO:519 is a clone designated herein as "DNA108701-2749".

Figure 520 shows the amino acid sequence (SEQ ID NO:520) derived from the coding sequence of SEQ ID NO:519 shown in Figure 519.

Figure 521 shows a nucleotide sequence (SEQ ID NO:521) of a native sequence PRO6239 cDNA, wherein SEQ ID NO:521 is a clone designated herein as "DNA108720-2717".

Figure 522 shows the amino acid sequence (SEQ ID NO:522) derived from the coding sequence of SEQ ID NO:521 shown in Figure 521.

Figure 523 shows a nucleotide sequence (SEQ ID NO:523) of a native sequence PRO6493 cDNA, wherein SEQ ID NO:523 is a clone designated herein as "DNA108726-2729".

Figure 524 shows the amino acid sequence (SEQ ID NO:524) derived from the coding sequence of SEQ ID NO:523 shown in Figure 523.

Figures 525A-525B show a nucleotide sequence (SEQ ID NO:525) of a native sequence PRO9741 cDNA, wherein SEQ ID NO:525 is a clone designated herein as "DNA108728-2760".

Figure 526 shows the amino acid sequence (SEQ ID NO:526) derived from the coding sequence of SEQ ID NO:525 shown in Figures 525A-525B.

5

15

20

25

30

35

Figure 527 shows a nucleotide sequence (SEQ ID NO:527) of a native sequence PRO9822 cDNA, wherein SEQ ID NO:527 is a clone designated herein as "DNA108738-2767".

Figure 528 shows the amino acid sequence (SEQ ID NO:528) derived from the coding sequence of SEQ ID NO:527 shown in Figure 527.

Figure 529 shows a nucleotide sequence (SEQ ID NO:529) of a native sequence PRO6244 cDNA, wherein SEQ ID NO:529 is a clone designated herein as "DNA108743-2722".

Figure 530 shows the amino acid sequence (SEQ ID NO:530) derived from the coding sequence of SEQ ID NO:529 shown in Figure 529.

Figure 531 shows a nucleotide sequence (SEQ ID NO:531) of a native sequence PRO9740 cDNA, wherein SEQ ID NO:531 is a clone designated herein as "DNA108758-2759".

Figure 532 shows the amino acid sequence (SEQ ID NO:532) derived from the coding sequence of SEQ ID NO:531 shown in Figure 531.

Figure 533 shows a nucleotide sequence (SEQ ID NO:533) of a native sequence PRO9739 cDNA, wherein SEQ ID NO:533 is a clone designated herein as "DNA108765-2758".

Figure 534 shows the amino acid sequence (SEQ ID NO:534) derived from the coding sequence of SEQ ID NO:533 shown in Figure 533.

Figure 535 shows a nucleotide sequence (SEQ ID NO:535) of a native sequence PRO7177 cDNA, wherein SEQ ID NO:535 is a clone designated herein as "DNA108783-2747".

Figure 536 shows the amino acid sequence (SEQ ID NO:536) derived from the coding sequence of SEQ ID NO:535 shown in Figure 535.

Figure 537 shows a nucleotide sequence (SEQ ID NO:537) of a native sequence PRO7178 cDNA, wherein SEQ ID NO:537 is a clone designated herein as "DNA108789-2748".

Figure 538 shows the amino acid sequence (SEQ ID NO:538) derived from the coding sequence of SEQ ID NO:537 shown in Figure 537.

Figure 539 shows a nucleotide sequence (SEQ ID NO:539) of a native sequence PRO6246 cDNA, wherein SEQ ID NO:539 is a clone designated herein as "DNA108806-2724".

Figure 540 shows the amino acid sequence (SEQ ID NO:540) derived from the coding sequence of SEQ ID NO:539 shown in Figure 539.

Figure 541 shows a nucleotide sequence (SEQ ID NO:541) of a native sequence PRO6241 cDNA, wherein SEQ ID NO:541 is a clone designated herein as "DNA108936-2719".

Figure 542 shows the amino acid sequence (SEQ ID NO:542) derived from the coding sequence of SEQ ID NO:541 shown in Figure 541.

Figure 543 shows a nucleotide sequence (SEQ ID NO:543) of a native sequence PRO9835 cDNA, wherein SEQ ID NO:543 is a clone designated herein as "DNA119510-2771".

Figure 544 shows the amino acid sequence (SEQ ID NO:544) derived from the coding sequence of SEQ ID NO:543 shown in Figure 543.

Figure 545 shows a nucleotide sequence (SEQ ID NO:545) of a native sequence PRO9857 cDNA, wherein SEQ ID NO:545 is a clone designated herein as "DNA119517-2778".

5

10

15

20

25

30

Figure 546 shows the amino acid sequence (SEQ ID NO:546) derived from the coding sequence of SEQ ID NO:545 shown in Figure 545.

Figure 547 shows a nucleotide sequence (SEQ ID NO:547) of a native sequence PRO7436 cDNA, wherein SEQ ID NO:547 is a clone designated herein as "DNA119535-2756".

Figure 548 shows the amino acid sequence (SEQ ID NO:548) derived from the coding sequence of SEQ ID NO:547 shown in Figure 547.

Figure 549 shows a nucleotide sequence (SEQ ID NO:549) of a native sequence PRO9856 cDNA, wherein SEQ ID NO:549 is a clone designated herein as "DNA119537-2777".

Figure 550 shows the amino acid sequence (SEQ ID NO:550) derived from the coding sequence of SEQ ID NO:549 shown in Figure 549.

Figure 551 shows a nucleotide sequence (SEQ ID NO:551) of a native sequence PRO19605 cDNA, wherein SEQ ID NO:551 is a clone designated herein as "DNA119714-2851".

Figure 552 shows the amino acid sequence (SEQ ID NO:552) derived from the coding sequence of SEQ ID NO:551 shown in Figure 551.

Figure 553 shows a nucleotide sequence (SEQ ID NO:553) of a native sequence PRO9859 cDNA, wherein SEQ ID NO:553 is a clone designated herein as "DNA125170-2780".

Figure 554 shows the amino acid sequence (SEQ ID NO:554) derived from the coding sequence of SEQ ID NO:553 shown in Figure 553.

Figure 555 shows a nucleotide sequence (SEQ ID NO:555) of a native sequence PRO12970 cDNA, wherein SEQ ID NO:555 is a clone designated herein as "DNA129594-2841".

Figure 556 shows the amino acid sequence (SEQ ID NO:556) derived from the coding sequence of SEQ ID NO:555 shown in Figure 555.

Figure 557 shows a nucleotide sequence (SEQ ID NO:557) of a native sequence PRO19626 cDNA, wherein SEQ ID NO:557 is a clone designated herein as "DNA129793-2857".

Figure 558 shows the amino acid sequence (SEQ ID NO:558) derived from the coding sequence of SEQ ID NO:557 shown in Figure 557.

Figure 559 shows a nucleotide sequence (SEQ ID NO:559) of a native sequence PRO9833 cDNA, wherein SEQ ID NO:559 is a clone designated herein as "DNA130809-2769".

Figure 560 shows the amino acid sequence (SEQ ID NO:560) derived from the coding sequence of SEQ ID NO:559 shown in Figure 559.

Figure 561 shows a nucleotide sequence (SEQ ID NO:561) of a native sequence PRO19670 cDNA, wherein SEQ ID NO:561 is a clone designated herein as "DNA131639-2874".

Figure 562 shows the amino acid sequence (SEQ ID NO:562) derived from the coding sequence of SEQ ID NO:561 shown in Figure 561.

Figure 563 shows a nucleotide sequence (SEQ ID NO:563) of a native sequence PRO19624 cDNA, wherein SEQ ID NO:563 is a clone designated herein as "DNA131649-2855".

Figure 564 shows the amino acid sequence (SEQ ID NO:564) derived from the coding sequence of SEQ ID NO:563 shown in Figure 563.

5

15

20

25

30

35

Figure 565 shows a nucleotide sequence (SEQ ID NO:565) of a native sequence PRO19680 cDNA, wherein SEQ ID NO:565 is a clone designated herein as "DNA131652-2876".

Figure 566 shows the amino acid sequence (SEQ ID NO:566) derived from the coding sequence of SEQ ID NO:565 shown in Figure 565.

Figure 567 shows a nucleotide sequence (SEQ ID NO:567) of a native sequence PRO19675 cDNA, wherein SEQ ID NO:567 is a clone designated herein as "DNA131658-2875".

Figure 568 shows the amino acid sequence (SEQ ID NO:568) derived from the coding sequence of SEQ ID NO:567 shown in Figure 567.

Figure 569 shows a nucleotide sequence (SEQ ID NO:569) of a native sequence PRO9834 cDNA, wherein SEQ ID NO:569 is a clone designated herein as "DNA132162-2770".

Figure 570 shows the amino acid sequence (SEQ ID NO:570) derived from the coding sequence of SEQ ID NO:569 shown in Figure 569.

Figure 571 shows a nucleotide sequence (SEQ ID NO:571) of a native sequence PRO9744 cDNA, wherein SEQ ID NO:571 is a clone designated herein as "DNA136110-2763".

Figure 572 shows the amino acid sequence (SEQ ID NO:572) derived from the coding sequence of SEQ ID NO:571 shown in Figure 571.

Figure 573 shows a nucleotide sequence (SEQ ID NO:573) of a native sequence PRO19644 cDNA, wherein SEQ ID NO:573 is a clone designated herein as "DNA139592-2866".

Figure 574 shows the amino acid sequence (SEQ ID NO:574) derived from the coding sequence of SEQ ID NO:573 shown in Figure 573.

Figure 575 shows a nucleotide sequence (SEQ ID NO:575) of a native sequence PRO19625 cDNA, wherein SEQ ID NO:575 is a clone designated herein as "DNA139608-2856".

Figure 576 shows the amino acid sequence (SEQ ID NO:576) derived from the coding sequence of SEQ ID NO:575 shown in Figure 575.

Figure 577 shows a nucleotide sequence (SEQ ID NO:577) of a native sequence PRO19597 cDNA, wherein SEQ ID NO:577 is a clone designated herein as "DNA143292-2848".

Figure 578 shows the amino acid sequence (SEQ ID NO:578) derived from the coding sequence of SEQ ID NO:577 shown in Figure 577.

Figure 579 shows a nucleotide sequence (SEQ ID NO:579) of a native sequence PRO16090 cDNA, wherein SEQ ID NO:579 is a clone designated herein as "DNA144844-2843".

Figure 580 shows the amino acid sequence (SEQ ID NO:580) derived from the coding sequence of SEQ ID NO:579 shown in Figure 579.

Figure 581 shows a nucleotide sequence (SEQ ID NO:581) of a native sequence PRO19576 cDNA, wherein SEQ ID NO:581 is a clone designated herein as "DNA144857-2845".

Figure 582 shows the amino acid sequence (SEQ ID NO:582) derived from the coding sequence of SEQ ID NO:581 shown in Figure 581.

Figure 583 shows a nucleotide sequence (SEQ ID NO:583) of a native sequence PRO19646 cDNA, wherein SEQ ID NO:583 is a clone designated herein as "DNA145841-2868".

5

15

20

25

30

35

Figure 584 shows the amino acid sequence (SEQ ID NO:584) derived from the coding sequence of SEQ ID NO:583 shown in Figure 583.

Figure 585 shows a nucleotide sequence (SEQ ID NO:585) of a native sequence PRO19814 cDNA, wherein SEQ ID NO:585 is a clone designated herein as "DNA148004-2882".

Figure 586 shows the amino acid sequence (SEQ ID NO:586) derived from the coding sequence of SEQ ID NO:585 shown in Figure 585.

Figure 587 shows a nucleotide sequence (SEQ ID NO:587) of a native sequence PRO19669 cDNA, wherein SEQ ID NO:587 is a clone designated herein as "DNA149893-2873".

Figure 588 shows the amino acid sequence (SEQ ID NO:588) derived from the coding sequence of SEQ ID NO:587 shown in Figure 587.

Figure 589 shows a nucleotide sequence (SEQ ID NO:589) of a native sequence PRO19818 cDNA, wherein SEQ ID NO:589 is a clone designated herein as "DNA149930-2884".

Figure 590 shows the amino acid sequence (SEQ ID NO:590) derived from the coding sequence of SEQ ID NO:589 shown in Figure 589.

Figure 591 shows a nucleotide sequence (SEQ ID NO:591) of a native sequence PRO20088 cDNA, wherein SEQ ID NO:591 is a clone designated herein as "DNA150157-2898".

Figure 592 shows the amino acid sequence (SEQ ID NO:592) derived from the coding sequence of SEQ ID NO:591 shown in Figure 591.

Figure 593 shows a nucleotide sequence (SEQ ID NO:593) of a native sequence PRO16089 cDNA, wherein SEQ ID NO:593 is a clone designated herein as "DNA150163-2842".

Figure 594 shows the amino acid sequence (SEQ ID NO:594) derived from the coding sequence of SEQ ID NO:593 shown in Figure 593.

Figure 595 shows a nucleotide sequence (SEQ ID NO:595) of a native sequence PRO20025 cDNA, wherein SEQ ID NO:595 is a clone designated herein as "DNA153579-2894".

Figure 596 shows the amino acid sequence (SEQ ID NO:596) derived from the coding sequence of SEQ ID NO:595 shown in Figure 595.

Figure 597 shows a nucleotide sequence (SEQ ID NO:597) of a native sequence PRO20040 cDNA, wherein SEQ ID NO:597 is a clone designated herein as "DNA164625-2890".

Figure 598 shows the amino acid sequence (SEQ ID NO:598) derived from the coding sequence of SEQ ID NO:597 shown in Figure 597.

Figure 599 shows a nucleotide sequence (SEQ ID NO:599) of a native sequence PRO791 cDNA, wherein SEQ ID NO:599 is a clone designated herein as "DNA57838-1337".

Figure 600 shows the amino acid sequence (SEQ ID NO:600) derived from the coding sequence of SEQ ID NO:599 shown in Figure 599.

Figure 601 shows a nucleotide sequence (SEQ ID NO:601) of a native sequence PRO1131 cDNA, wherein SEQ ID NO:601 is a clone designated herein as "DNA59777-1480".

Figure 602 shows the amino acid sequence (SEQ ID NO:602) derived from the coding sequence of SEQ ID NO:601 shown in Figure 601.

Figure 603 shows a nucleotide sequence (SEQ ID NO:603) of a native sequence PRO1343 cDNA, wherein SEQ ID NO:603 is a clone designated herein as "DNA66675-1587".

Figure 604 shows the amino acid sequence (SEQ ID NO:604) derived from the coding sequence of SEQ ID NO:603 shown in Figure 603.

Figure 605 shows a nucleotide sequence (SEQ ID NO:605) of a native sequence PRO1760 cDNA, wherein SEQ ID NO:605 is a clone designated herein as "DNA76532-1702".

Figure 606 shows the amino acid sequence (SEQ ID NO:606) derived from the coding sequence of SEQ ID NO:605 shown in Figure 605.

Figure 607 shows a nucleotide sequence (SEQ ID NO:607) of a native sequence PRO6029 cDNA, wherein SEQ ID NO:607 is a clone designated herein as "DNA105849-2704".

Figure 608 shows the amino acid sequence (SEQ ID NO:608) derived from the coding sequence of SEQ ID NO:607 shown in Figure 607.

Figure 609 shows a nucleotide sequence (SEQ ID NO:609) of a native sequence PRO1801 cDNA, wherein SEQ ID NO:609 is a clone designated herein as "DNA83500-2506".

Figure 610 shows the amino acid sequence (SEQ ID NO:610) derived from the coding sequence of SEQ ID NO:609 shown in Figure 609.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. <u>Definitions</u>

5

10

15

20

25

30

35

The terms "PRO polypeptide" and "PRO" as used herein and when immediately followed by a numerical designation refer to various polypeptides, wherein the complete designation (i.e., PRO/number) refers to specific polypeptide sequences as described herein. The terms "PRO/number polypeptide" and "PRO/number" wherein the term "number" is provided as an actual numerical designation as used herein encompass native sequence polypeptides and polypeptide variants (which are further defined herein). The PRO polypeptides described herein may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods. The term "PRO polypeptide" refers to each individual PRO/number polypeptide disclosed herein. All disclosures in this specification which refer to the "PRO polypeptide" refer to each of the polypeptides individually as well as jointly. For example, descriptions of the preparation of, purification of, derivation of, formation of antibodies to or against, administration of, compositions containing, treatment of a disease with, etc., pertain to each polypeptide of the invention individually. The term "PRO polypeptide" also includes variants of the PRO/number polypeptides disclosed herein.

A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as

the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses naturally-occurring truncated or secreted forms of the specific PRO polypeptide (e.g., an extracellular domain sequence), naturally-occurring variant forms (e.g., alternatively spliced forms) and naturally-occurring allelic variants of the polypeptide. In various embodiments of the invention, the native sequence PRO polypeptides disclosed herein are mature or full-length native sequence polypeptides comprising the full-length amino acids sequences shown in the accompanying figures. Start and stop codons are shown in bold font and underlined in the figures. However, while the PRO polypeptide disclosed in the accompanying figures are shown to begin with methionine residues designated herein as amino acid position 1 in the figures, it is conceivable and possible that other methionine residues located either upstream or downstream from the amino acid position 1 in the figures may be employed as the starting amino acid residue for the PRO polypeptides.

The PRO polypeptide "extracellular domain" or "ECD" refers to a form of the PRO polypeptide which is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, a PRO polypeptide ECD will have less than 1% of such transmembrane and/or cytoplasmic domains and preferably, will have less than 0.5% of such domains. It will be understood that any transmembrane domains identified for the PRO polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but most likely by no more than about 5 amino acids at either end of the domain as initially identified herein. Optionally, therefore, an extracellular domain of a PRO polypeptide may contain from about 5 or fewer amino acids on either side of the transmembrane domain/extracellular domain boundary as identified in the Examples or specification and such polypeptides, with or without the associated signal peptide, and nucleic acid encoding them, are comtemplated by the present invention.

The approximate location of the "signal peptides" of the various PRO polypeptides disclosed herein are shown in the present specification and/or the accompanying figures. It is noted, however, that the C-terminal boundary of a signal peptide may vary, but most likely by no more than about 5 amino acids on either side of the signal peptide C-terminal boundary as initially identified herein, wherein the C-terminal boundary of the signal peptide may be identified pursuant to criteria routinely employed in the art for identifying that type of amino acid sequence element (e.g., Nielsen et al., <u>Prot. Eng.</u> 10:1-6 (1997) and von Heinje et al., <u>Nucl. Acids. Res.</u> 14:4683-4690 (1986)). Moreover, it is also recognized that, in some cases, cleavage of a signal sequence from a secreted polypeptide is not entirely uniform, resulting in more than one secreted species. These mature polypeptides, where the signal peptide is cleaved within no more than about 5 amino acids on either side of the C-terminal boundary of the signal peptide as identified herein, and the polynucleotides encoding them, are contemplated by the present invention.

"PRO polypeptide variant" means an active PRO polypeptide as defined above or below having at least about 80% amino acid sequence identity with a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Such PRO polypeptide variants include, for instance, PRO

5

10

15

20

25

30

35

polypeptides wherein one or more amino acid residues are added, or deleted, at the N- or C-terminus of the fulllength native amino acid sequence. Ordinarily, a PRO polypeptide variant will have at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, PRO variant polypeptides are at least about 10 amino acids in length, alternatively at least about 20 amino acids in length, alternatively at least about 30 amino acids in length, alternatively at least about 40 amino acids in length, alternatively at least about 50 amino acids in length, alternatively at least about 60 amino acids in length, alternatively at least about 70 amino acids in length, alternatively at least about 80 amino acids in length, alternatively at least about 90 amino acids in length, alternatively at least about 100 amino acids in length, alternatively at least about 150 amino acids in length, alternatively at least about 200 amino acids in length, alternatively at least about 300 amino acids in length, or more.

"Percent (%) amino acid sequence identity" with respect to the PRO polypeptide sequences identified herein is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the specific PRO polypeptide sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through

Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

5

10

15

20

25

30

35

100 times the fraction X/Y

where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations using this method, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO", wherein "PRO" represents the amino acid sequence of a hypothetical PRO polypeptide of interest, "Comparison Protein" represents the amino acid sequence of a polypeptide against which the "PRO" polypeptide of interest is being compared, and "X, "Y" and "Z" each represent different hypothetical amino acid residues.

Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % amino acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % amino acid sequence identity value is determined by dividing (a) the number of matching identical amino acid residues between the amino acid sequence of the PRO polypeptide of interest having a sequence derived from the native PRO polypeptide and the comparison amino acid sequence of interest (i.e., the sequence against which the PRO polypeptide of interest is being compared which may be a PRO variant polypeptide) as determined by WU-BLAST-2 by (b) the total number of amino acid residues of the PRO polypeptide of interest. For example, in the statement "a polypeptide comprising an the amino acid sequence A which has or having at least 80% amino acid sequence identity to the amino acid sequence B", the amino acid sequence of the PRO polypeptide of interest.

Percent amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., <u>Nucleic Acids Res.</u> 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from http://www.ncbi.nlm.nih.gov or otherwise obtained from the

National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

100 times the fraction X/Y

10

15

20

25

30

35

5

where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

"PRO variant polynucleotide" or "PRO variant nucleic acid sequence" means a nucleic acid molecule which encodes an active PRO polypeptide as defined below and which has at least about 80% nucleic acid sequence identity with a nucleotide acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, a PRO variant polynucleotide will have at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity with a nucleic acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal sequence, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Variants do not encompass the native nucleotide sequence.

WO 01/68848

5

10

15

20

25

30

35

Ordinarily, PRO variant polynucleotides are at least about 30 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 210 nucleotides in length, alternatively at least about 240 nucleotides in length, alternatively at least about 270 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 900 nucleotides in length, or more.

PCT/US01/06520

"Percent (%) nucleic acid sequence identity" with respect to PRO-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in the PRO nucleic acid sequence of interest, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. For purposes herein, however, % nucleic acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for nucleic acid sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

100 times the fraction W/Z

where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5, demonstrate how to calculate the % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid sequence designated "PRO-DNA", wherein "PRO-DNA" represents a hypothetical PRO-encoding nucleic acid sequence of interest, "Comparison DNA" represents the nucleotide sequence of a nucleic acid molecule against which the "PRO-DNA" nucleic acid molecule of interest is being compared, and "N", "L" and "V" each represent

different hypothetical nucleotides.

5

10

15

20

25

30

35

Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % nucleic acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % nucleic acid sequence identity value is determined by dividing (a) the number of matching identical nucleotides between the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest having a sequence derived from the native sequence PRO polypeptide-encoding nucleic acid and the comparison nucleic acid molecule of interest (i.e., the sequence against which the PRO polypeptide-encoding nucleic acid molecule of interest is being compared which may be a variant PRO polynucleotide) as determined by WU-BLAST-2 by (b) the total number of nucleotides of the PRO polypeptide-encoding nucleic acid molecule of interest. For example, in the statement "an isolated nucleic acid molecule comprising a nucleic acid sequence A which has or having at least 80% nucleic acid sequence identity to the nucleic acid sequence B", the nucleic acid sequence A is the comparison nucleic acid molecule of interest and the nucleic acid sequence B is the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest.

Percent nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., <u>Nucleic Acids Res.</u> 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from http://www.ncbi.nlm.nih.gov or otherwise obtained from the National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

100 times the fraction W/Z

where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C.

In other embodiments, PRO variant polynucleotides are nucleic acid molecules that encode an active PRO polypeptide and which are capable of hybridizing, preferably under stringent hybridization and wash conditions,

to nucleotide sequences encoding a full-length PRO polypeptide as disclosed herein. PRO variant polypeptides may be those that are encoded by a PRO variant polynucleotide.

"Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide in situ within recombinant cells, since at least one component of the PRO polypeptide natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

5

10

15

20

25

30

35

An "isolated" PRO polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide-encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal location different from that of natural cells.

The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-PRO monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-PRO antibody compositions with polyepitopic specificity, single chain anti-PRO antibodies, and fragments of anti-PRO antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially

homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

"Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which can be used. As a result, it follows that higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel et al., Current Protocols in Molecular Biology, Wiley Interscience Publishers, (1995).

5

10

15

20

25

30

35

"Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1% sodium dodecyl sulfate at 50°C; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1% bovine serum albumin/0.1% Ficoil/0.1% polyvinylpyrrolidone/50mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42°C; or (3) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

"Moderately stringent conditions" may be identified as described by Sambrook et al., Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and %SDS) less stringent that those described above. An example of moderately stringent conditions is overnight incubation at 37°C in a solution comprising: 20% formamide, 5 x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5 x Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1 x SSC at about 37-50°C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a PRO polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding

specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

5

"Active" or "activity" for the purposes herein refers to form(s) of a PRO polypeptide which retain a biological and/or an immunological activity of native or naturally-occurring PRO, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring PRO other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO and an "immunological" activity refers to the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO.

10

15

The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native PRO polypeptide disclosed herein. In a similar manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native PRO polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native PRO polypeptides, peptides, antisense oligonucleotides, small organic molecules, etc. Methods for identifying agonists or antagonists of a PRO polypeptide may comprise contacting a PRO polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the PRO polypeptide.

20

"Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

25

"Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

"Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

30

Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

35

"Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are nontoxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine,

asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, polyethylene glycol (PEG), and PLURONICSTM.

"Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al., <u>Protein Eng.</u> 8(10): 1057-1062 [1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

5

10

15

20

25

30

35

Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

"Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H - V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

"Single-chain Fv" or "sFv" antibody fragments comprise the V_H and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthun in <u>The Pharmacology of Monoclonal Antibodies</u>, vol. 113, Rosenburg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) in the same

polypeptide chain (V_H-V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical alteration of a substrate compound or composition which is detectable.

By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes a discontinuous solid phase of discrete particles, such as those described in U.S. Patent No. 4,275,149.

A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a PRO polypeptide or antibody thereto) to a mammal. The components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of biological membranes.

A "small molecule" is defined herein to have a molecular weight below about 500 Daltons.

An "effective amount" of a polypeptide disclosed herein or an agonist or antagonist thereof is an amount sufficient to carry out a specifically stated purpose. An "effective amount" may be determined empirically and in a routine manner, in relation to the stated purpose.

5

10

15

20

25

30

Table 1

```
* C-C increased from 12 to 15
          * Z is average of EQ
 5
          * B is average of ND
          * match with stop is M; stop-stop = 0; J (joker) match = 0
         #define M
                                       /* value of a match with a stop */
10
         int
                    day[26][26] = {
                 ABCDEFGHIJKLMNOPQRSTUVWXYZ*/
         /* A */
                     \{2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0\},\
         /* B */
                     { 0, 3,-4, 3, 2,-5, 0, 1,-2, 0, 0,-3,-2, 2, M,-1, 1, 0, 0, 0, 0,-2,-5, 0,-3, 1}, {-2,-4,15,-5,-5,-4,-3,-3,-2, 0,-5,-6,-5,-4, M,-3,-5,-4, 0,-2, 0,-2,-8, 0, 0,-5},
         /* C */
15
         /* D */
                     { 0, 3,-5, 4, 3,-6, 1, 1,-2, 0, 0,-4,-3, 2, M,-1, 2,-1, 0, 0, 0,-2,-7, 0,-4, 2},
         /* E */
                     { 0, 2,-5, 3, 4,-5, 0, 1,-2, 0, 0,-3,-2, 1,_M,-1, 2,-1, 0, 0, 0,-2,-7, 0,-4, 3},
         /* F */
                     {-4,-5,-4,-6,-5, 9,-5,-2, 1, 0,-5, 2, 0,-4, M,-5,-5,-4,-3,-3, 0,-1, 0, 0, 7,-5},
         /* G */
                     { 1, 0,-3, 1, 0,-5, 5,-2,-3, 0,-2,-4,-3, 0,_M,-1,-1,-3, 1, 0, 0,-1,-7, 0,-5, 0},
         /* H */
                     {-1, 1,-3, 1, 1,-2,-2, 6,-2, 0, 0,-2,-2, 2, M, 0, 3, 2,-1,-1, 0,-2,-3, 0, 0, 2},
20
                     {-1,-2,-2,-2,-1,-3,-2, 5, 0,-2, 2, 2,-2, M,-2,-2,-2,-1, 0, 0, 4,-5, 0,-1,-2},
         /* I */
                     /* J */
         /* K */
                     \{-1, 0, -5, 0, 0, -5, -2, 0, -2, 0, 5, -3, 0, 1, M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0\},\
         /* L */
                     {-2,-3,-6,-4,-3, 2,-4,-2, 2, 0,-3, 6, 4,-3,_M,-3,-2,-3,-3,-1, 0, 2,-2, 0,-1,-2},
                     {-1,-2,-5,-3,-2, 0,-3,-2, 2, 0, 0, 4, 6,-2,_M,-2,-1, 0,-2,-1, 0, 2,-4, 0,-2,-1}, { 0, 2,-4, 2, 1,-4, 0, 2,-2, 0, 1,-3,-2, 2,_M,-1, 1, 0, 1, 0, 0,-2,-4, 0,-2, 1},
         /* M */
25
         /* N */
         /* O */
                     /* P */
                     {1,-1,-3,-1,-1,-5,-1, 0,-2, 0,-1,-3,-2,-1, M, 6, 0, 0, 1, 0, 0,-1,-6, 0,-5, 0},
         /* Q */
                     { 0, 1,-5, 2, 2,-5,-1, 3,-2, 0, 1,-2,-1, 1,_M, 0, 4, 1,-1,-1, 0,-2,-5, 0,-4, 3},
         /* R */
                     {-2, 0,-4,-1,-1,-4,-3, 2,-2, 0, 3,-3, 0, 0,_M, 0, 1, 6, 0,-1, 0,-2, 2, 0,-4, 0},
30
                     { 1, 0, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0}, { 1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0},
         /* S */
         /* T */
         /* U */
                     /* V */
                     { 0,-2,-2,-2,-1,-1,-2, 4, 0,-2, 2, 2,-2,_M,-1,-2,-2,-1, 0, 0, 4,-6, 0,-2,-2},
         /* W */
                     {-6,-5,-8,-7,-7, 0,-7,-3,-5, 0,-3,-2,-4,-4,_M,-6,-5, 2,-2,-5, 0,-6,17, 0, 0,-6},
35
         /* X */
                     /* Y */
                     {-3,-3, 0,-4,-4, 7,-5, 0,-1, 0,-4,-1,-2,-2, M,-5,-4,-4,-3,-3, 0,-2, 0, 0,10,-4}, { 0, 1,-5, 2, 3,-5, 0, 2,-2, 0, 0,-2,-1, 1, M, 0, 3, 0, 0, 0, 0,-2,-6, 0,-4, 4}
         /* Z */
         };
```

40

45

50

55

```
/*
           */
          #include <stdio.h>
          #include < ctype.h >
   5
          #define MAXJMP
                                       16
                                                /* max jumps in a diag */
          #define MAXGAP
                                       24
                                                /* don't continue to penalize gaps larger than this */
          #define JMPS
                                       1024
                                                /* max jmps in an path */
          #define MX
                                                /* save if there's at least MX-1 bases since last jmp */
 10
          #define DMAT
                                      3
                                                /* value of matching bases */
          #define DMIS
                                      0
                                                /* penalty for mismatched bases */
          #define DINSO
                                                /* penalty for a gap */
                                      8
          #define DINS1
                                                /* penalty per base */
                                      1
 15
          #define PINSO
                                                /* penalty for a gap */
                                      8
          #define PINS1
                                                /* penalty per residue */
          struct jmp {
                                                         /* size of jmp (neg for dely) */
                   short
                                      n[MAXJMP]:
 20
                   unsigned short
                                      x[MAXJMP];
                                                         /* base no. of jmp in seq x */
         };
                                                         /* limits seq to 2^16 -1 */
          struct diag {
                   int
                                      score;
                                                         /* score at last jmp */
25
                   long
                                      offset;
                                                         /* offset of prev block */
                   short
                                      ijmp;
                                                         /* current jmp index */
                   struct imp
                                      jp;
                                                         /* list of jmps */
         };
30
         struct path {
                   int
                                                /* number of leading spaces */
                            n[JMPS]; /* size of jmp (gap) */
                   short
                            x[JMPS]; /* loc of jmp (last elem before gap) */
         };
35
         char
                            *ofile;
                                                         /* output file name */
         char
                            *namex[2];
                                                         /* seq names: getseqs() */
         char
                            *prog;
                                                         /* prog name for err msgs */
         char
                            *seqx[2];
                                                         /* seqs: getseqs() */
40
         int
                            dmax;
                                                         /* best diag: nw() */
         int
                            dmax0;
                                                         /* final diag */
         int
                                                         /* set if dna: main() */
                            dna;
         int
                            endgaps;
                                                         /* set if penalizing end gaps */
         int
                            gapx, gapy;
                                                         /* total gaps in seqs */
45
         int
                            len0, len1;
                                                         /* seq lens */
         int
                            ngapx, ngapy;
                                                         /* total size of gaps */
         int
                            smax;
                                                         /* max score: nw() */
         int
                            *xbm;
                                                         /* bitmap for matching */
         long
                            offset;
                                                         /* current offset in jmp file */
50
         struct
                  diag
                            *dx;
                                                         /* holds diagonals */
         struct
                  path
                            pp[2];
                                                         /* holds path for seqs */
         char
                            *calloc(), *malloc(), *index(), *strcpy();
         char
                            *getseq(), *g_calloc();
55
```

```
/* Needleman-Wunsch alignment program
           usage: progs file1 file2
            where file1 and file2 are two dna or two protein sequences.
 5
             The sequences can be in upper- or lower-case an may contain ambiguity
             Any lines beginning with ';', '>' or '<' are ignored
            Max file length is 65535 (limited by unsigned short x in the jmp struct)
             A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
             Output is in the file "align.out"
10
          * The program may create a tmp file in /tmp to hold info about traceback.
          * Original version developed under BSD 4.3 on a vax 8650
         #include "nw.h"
15
         #include "day.h"
        static
                   dbval[26] = {
                  1,14,2,13,0,0,4,11,0,0,12,0,3,15,0,0,0,5,6,8,8,7,9,0,10,0
        };
20
        static
                   pbval[26] = {
                  1, 2|(1<<('D'-'A'))|(1<<('N'-'A')), 4, 8, 16, 32, 64,
                  128, 256, 0xFFFFFFF, 1 < < 10, 1 < < 11, 1 < < 12, 1 < < 13, 1 < < 14,
                  1<<15, 1<<16, 1<<17, 1<<18, 1<<19, 1<<20, 1<<21, 1<<22,
25
                  1 < < 23, 1 < < 24, 1 < < 25 | (1 < < ('E'-'A')) | (1 < < ('Q'-'A'))
        };
                                                                                                                         main
        main(ac, av)
                  int
                            ac;
30
                            *av∏;
         {
                  prog = av[0];
                  if (ac! = 3) {
                           fprintf(stderr, "usage: %s file1 file2\n", prog);
35
                           fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
                           fprintf(stderr, "The sequences can be in upper- or lower-case\n");
                           fprintf(stderr, "Any lines beginning with ';' or '<' are ignored\n");
                           fprintf(stderr, "Output is in the file \"align.out\"\n");
                           exit(1);
40
                  }
                  namex[0] = av[1];
                  namex[1] = av[2];
                  seqx[0] = getseq(namex[0], \&len0);
                  seqx[1] = getseq(namex[1], &len1);
45
                  xbm = (dna)? dbval : pbval;
                  endgaps = 0;
                                                        /* 1 to penalize endgaps */
                  ofile = "align.out";
                                                        /* output file */
50
                  nw();
                                     /* fill in the matrix, get the possible imps */
                  readjmps();
                                     /* get the actual jmps */
                  print();
                                     /* print stats, alignment */
                                     /* unlink any tmp files */
                  cleanup(0);
55
        }
```

Table 1 (cont')

```
/* do the alignment, return best score: main()
         * dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
         * pro: PAM 250 values
         * When scores are equal, we prefer mismatches to any gap, prefer
 5
         * a new gap to extending an ongoing gap, and prefer a gap in seqx
         * to a gap in seq y.
         */
                                                                                                                             nw
         nw()
         {
10
                                                        /* segs and ptrs */
                  char
                                      *px, *py;
                                                        /* keep track of dely */
                  int
                                      *ndely, *dely;
                                                        /* keep track of delx */
                  int
                                      ndelx, delx;
                                                         /* for swapping row0, row1 */
                  int
                                      *tmp;
                  int
                                      mis;
                                                         /* score for each type */
                                                        /* insertion penalties */
15
                                      ins0, ins1;
                  int
                  register
                                      id;
                                                        /* diagonal index */
                  register
                                                        /* jmp index */
                                      ij;
                                      *col0, *col1;
                                                        /* score for curr, last row */
                  register
                  register
                                                        /* index into seqs */
                                      xx, yy;
20
                  dx = (struct diag *)g_calloc("to get diags", len0+len1+1, sizeof(struct diag));
                  ndely = (int *)g_calloc("to get ndely", len1+1, sizeof(int));
                  dely = (int *)g_calloc("to get dely", len1+1, sizeof(int));
25
                  col0 = (int *)g_calloc("to get col0", len1+1, sizeof(int));
                  col1 = (int *)g_calloc("to get col1", len1+1, sizeof(int));
                  ins0 = (dna)? DINS0 : PINS0;
                  ins1 = (dna)? DINS1: PINS1;
30
                  smax = -10000;
                  if (endgaps) {
                            for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy ++) {
                                      col0[yy] = dely[yy] = col0[yy-1] - ins1;
                                      ndely[yy] = yy;
35
                                               /* Waterman Bull Math Biol 84 */
                            col0[0] = 0;
                  }
                  else
                            for (yy = 1; yy \le leni; yy++)
40
                                      dely[yy] = -ins0;
                  /* fill in match matrix
                  for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
45
                            /* initialize first entry in col
                            if (endgaps) {
                                      if (xx == 1)
                                               col1[0] = delx = -(ins0+ins1);
50
                                               col1[0] = delx = col0[0] - ins1;
                                      ndelx = xx;
                            }
                            else {
55
                                      col1[0] = 0;
                                      delx = -ins0;
                                      ndelx = 0;
                            }
```

60

Table 1 (cont')

```
...nw
                           for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
                                    mis = col0[yy-1];
if (dna)
 5
                                             mis += (xbm[*px-'A']&xbm[*py-'A'])? DMAT : DMIS;
                                    else
                                             mis += _day[*px-'A'][*py-'A'];
                                    /* update penalty for del in x seq;
10
                                     * favor new del over ongong del
                                     * ignore MAXGAP if weighting endgaps
                                    if (endgaps | | ndely[yy] < MAXGAP) {
                                             if (col0[yy] - ins0 > = dely[yy]) {
15
                                                       dely[yy] = col0[yy] - (ins0+ins1);
                                                       ndely[yy] = 1;
                                             } else {
                                                       dely[yy] -= ins1;
                                                       ndely[yy] + +;
20
                                    } else {
                                              if (col0[yy] - (ins0+ins1) > = dely[yy]) {
                                                       dely[yy] = col0[yy] - (ins0+ins1);
                                                       ndely[yy] = 1;
25
                                              } else
                                                       ndely[yy]++;
                                     }
                                    /* update penalty for del in y seq;
30
                                     * favor new del over ongong del
                                    if (endgaps || ndelx < MAXGAP) {</pre>
                                              if (coll[yy-1] - ins0 > = delx) {
                                                       delx = col1[yy-1] - (ins0+ins1);
35
                                                       ndelx = 1;
                                              } else {
                                                       delx -= ins1;
                                                       ndelx++;
40
                                    } else {
                                              if (col1[yy-1] - (ins0+ins1) > = delx) {
                                                       delx = col1[yy-1] - (ins0 + ins1);
                                                       ndelx = 1;
                                              } else
45
                                                       ndelx++;
                                    }
                                    /* pick the maximum score; we're favoring
                                     * mis over any del and delx over dely
50
```

55

60

```
...nw
                                     id = xx - yy + len1 - 1;
                                     if (mis > = delx && mis > = dely[yy])
                                              coll[yy] = mis;
 5
                                     else if (delx > = dely[yy]) {
                                              col1[yy] = delx;
                                              ij = dx[id].ijmp;
                                              if (dx[id].jp.n[0] && (!dna || (ndelx > = MAXJMP
                                              && xx > dx[id].jp.x[ij]+MX) \mid mis > dx[id].score+DINS0)) {
10
                                                       dx(id).ijmp++;
                                                       if (++ij > = MAXJMP) {
                                                                 writejmps(id);
                                                                 ij = dx[id].ijmp = 0;
                                                                 dx[id].offset = offset;
15
                                                                 offset += sizeof(struct imp) + sizeof(offset);
                                                       }
                                              dx[id].jp.n[ij] = ndelx;
                                              dx[id].jp.x[ij] = xx;
20
                                              dx[id].score = delx;
                                     }
                                     else {
                                              col1[yy] = dely[yy];
                                              ij = dx[id].ijmp;
25
                  if (dx[id].jp.n[0] && (!dna | | (ndely[yy]) > = MAXJMP
                                              && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
                                                       dx[id].ijmp++;
if (++ij >= MAXJMP) {
                                                                 writejmps(id);
30
                                                                 ij = dx[id].ijmp = 0;
                                                                 dx[id].offset = offset;
                                                                 offset += sizeof(struct jmp) + sizeof(offset);
                                                       }
35
                                              dx[id].jp.n[ij] = -ndely[yy];
                                              dx[id].jp.x[ij] = xx;
                                              dx[id].score = dely[yy];
                                     if (xx == len0 && yy < len1) {
40.
                                              /* last col
                                               */
                                              if (endgaps)
                                                       col1[yy] -= ins0 + ins1*(len1-yy);
                                              if (coll[yy] > smax) {
45
                                                       smax = coll[yy];
                                                       dmax = id;
                                              }
                                     }
50
                           if (endgaps && xx < len0)
                                     col1[yy-1] = ins0 + ins1*(len0-xx);
                           if (col1[yy-1] > smax) {
                                     smax = col1[yy-1];
                                     dmax = id;
55
                           tmp = col0; col0 = col1; col1 = tmp;
                  (void) free((char *)ndely);
                  (void) free((char *)dely);
60
                  (void) free((char *)col0);
                  (void) free((char *)col1);
                                                                 }
```

Table 1 (cont')

```
* print() -- only routine visible outside this module
 5
          * getmat() -- trace back best path, count matches: print()
          * pr_align() -- print alignment of described in array p[]: print()
          * dumpblock() -- dump a block of lines with numbers, stars: pr_align()
          * nums() -- put out a number line: dumpblock()
10
          * putline() -- put out a line (name, [num], seq, [num]): dumpblock()
          * stars() - -put a line of stars: dumpblock()
          * stripname() - strip any path and prefix from a seqname
15
         #include "nw.h"
         #define SPC
         #define P_LINE
                             256
                                        /* maximum output line */
         #define P_SPC
                             3
                                        /* space between name or num and seq */
20
         extern
                    _day[26][26];
         int
                                        /* set output line length */
                   olen;
         FILE
                   *fx;
                                        /* output file */
                                                                                                                                 print
25
         print()
         {
                   int
                             lx, ly, firstgap, lastgap;
                                                            /* overlap */
                    if ((fx = fopen(ofile, "w")) == 0) {
30
                              fprintf(stderr, "%s: can't write %s\n", prog, ofile);
                             cleanup(1);
                   fprintf(fx, "<first sequence: %s (length = %d)\n", namex[0], len0);
fprintf(fx, "<second sequence: %s (length = %d)\n", namex[1], len1);
35
                   olen = 60:
                   lx = len0;
                   ly = len1;
                    firstgap = lastgap = 0;
                   if (dmax < len1 - 1) {
                                                  /* leading gap in x */
40
                             pp[0].spc = firstgap = len1 - dmax - 1;
                             ly -= pp[0].spc;
                   else if (dmax > len1 - 1) { /* leading gap in y */
                             pp[1].spc = firstgap = dmax - (len1 - 1);
45
                             lx -= pp[1].spc;
                    if (dmax0 < len0 - 1) {
                                                  /* trailing gap in x */
                             lastgap = len0 - dmax0 - 1;
                             lx -= lastgap;
50
                    else if (dmax0 > len0 - 1) { /* trailing gap in y */
                             lastgap = dmax0 - (len0 - 1);
                             ly -= lastgap;
55
                   getmat(lx, ly, firstgap, lastgap);
                   pr align();
         }
```

60

```
* trace back the best path, count matches
        static
 5
                                                                                                                         getmat
         getmat(lx, ly, firstgap, lastgap)
                                                         /* "core" (minus endgaps) */
                  int
                            lx, ly;
                                                         /* leading trailing overlap */
                  int
                            firstgap, lastgap;
         {
                  int
                                      nm, i0, i1, siz0, siz1;
10
                  char
                                      outx[32];
                                      pct;
                  double
                  register
                                      n0, n1;
                   register char
                                      *p0, *p1;
15
                  /* get total matches, score
                   */
                  i0 = i1 = siz0 = siz1 = 0;
                  p0 = seqx[0] + pp[1].spc;
                  p1 = seqx[1] + pp[0].spc;
20
                   n0 = pp[1].spc + 1;
                  n1 = pp[0].spc + 1;
                  nm = 0;
                   while ( *p0 && *p1 ) {
25
                            if (siz0) {
                                      p1++;
                                      n1++;
                                      siz0--;
30
                            else if (siz1) {
                                      p0++;
                                      n0++;
                                      siz1--;
                            }
35
                            else {
                                      if (xbm[*p0-'A']&xbm[*p1-'A'])
                                                nm++;
                                      if (n0++==pp[0].x[i0])
                                                siz0 = pp[0].n[i0++];
40
                                      if (n1++==pp[1].x[i1])
                                                siz1 = pp[1].n[i1++];
                                      p0++;
                                     p1++;
                            }
45
                   }
                   /* pct homology:
                   * if penalizing endgaps, base is the shorter seq
                   * else, knock off overhangs and take shorter core
50
                   if (endgaps)
                            lx = (len0 < len1)? len0 : len1;
                            lx = (lx < ly)? lx : ly;
                   pct = 100.*(double)nm/(double)lx;
fprintf(fx, "\n");
fprintf(fx, "<%d match%s in an overlap of %d: %.2f percent similarity\n",
55
                            nm, (nm == 1)? "": "es", 1x, pct);
60
```

```
fprintf(fx, " < gaps in first sequence: %d", gapx);
                                                                                                                         ...getmat
                   if (gapx) {
                             (void) sprintf(outx, " (%d %s%s)",
                                       ngapx, (dna)? "base": "residue", (ngapx == 1)? "": "s");
 5
                             fprintf(fx, "%s", outx);
                   fprintf(fx, ", gaps in second sequence: %d", gapy);
                   if (gapy) {
                             (void) sprintf(outx, " (%d %s%s)",
10
                                       ngapy, (dna)? "base": "residue", (ngapy == 1)? "": "s");
                             fprintf(fx, "%s", outx);
                   }
if (dna)
                             fprintf(fx,
15
                             "\n < score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
                             smax, DMAT, DMIS, DINSO, DINS1);
                   else
                             fprintf(fx,
                             "\n < score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
20
                            smax, PINS0, PINS1);
                   if (endgaps)
                             fprintf(fx,
                             "<endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
                            firstgap, (dna)? "base": "residue", (firstgap == 1)? "": "s", lastgap, (dna)? "base": "residue", (lastgap == 1)? "": "s");
25
                   else
                             fprintf(fx, "<endgaps not penalized\n");
         }
30
          static
                             nm;
                                                 /* matches in core -- for checking */
                                                 /* lengths of stripped file names */
          static
                             lmax;
                                                 /* jmp index for a path */
          static
                             ij[2];
                                                 /* number at start of current line */
          static
                             nc[2];
                                                 /* current elem number -- for gapping */
          static
                             ni[2];
35
          static
                             siz[2];
          static char
                             *ps[2];
                                                 /* ptr to current element */
          static char
                             *po[2];
                                                 /* ptr to next output char slot */
                             out[2][P_LINE];
                                                /* output line */
          static char
                             star[P_LINE];
                                                 /* set by stars() */
          static char
40
          * print alignment of described in struct path pp[]
         static
45
                                                                                                                          pr align
         pr_align()
         {
                                                 /* char count */
                   int
                                       nn:
                   int
                                       more;
                   register
                                       i;
50
                   for (i = 0, Imax = 0; i < 2; i++)
                             nn = stripname(namex[i]);
                             if (nn > lmax)
                                       lmax = nn;
55
                             nc[i] = 1;
                             ni[i] = 1;
                             siz[i] = ij[i] = 0;
                             ps[i] = seqx[i];
60
                             po[i] = out[i];
                                                                     }
```

```
...pr align
               for (nn = nm = 0, more = 1; more;)
                        for (i = more = 0; i < 2; i++)
 5
                                 * do we have more of this sequence?
                                 if (!*ps[i])
                                         continue;
10
                                 more++;
                                 pp[i].spc--;
15
                                 siz[i]--;
20
                                 else {
                                                 /* we're putting a seq element
                                         *po[i] = *ps[i];
                                         if (islower(*ps[i]))
                                                 *ps[i] = toupper(*ps[i]);
25
                                         ps[i]++;
                                          * are we at next gap for this seq?
30
                                         if (ni[i] == pp[i].x[ij[i]]) {
                                                  * we need to merge all gaps
                                                  * at this location
35
                                                 siz[i] = pp[i].n[ij[i]++];
                                                 while (ni[i] == pp[i].x[ij[i]])
                                                          siz[i] += pp[i].n[ij[i]++];
                                         ni[i]++;
40
                        if (++nn == olen | | !more && nn) {
                                 dumpblock();
45
                                 for (i = 0; i < 2; i++)
                                        po[i] = out[i];
                        }
                }
50
       }
        * dump a block of lines, including numbers, stars: pr_align()
        */ ·
55
       static
                                                                                                    dumpblock
       dumpblock()
                register i;
60
                for (i = 0; i < 2; i++)
                        *po[i]- = '\0';
```

Table 1 (cont')

...dumpblock (void) putc('\n', fx); for (i = 0; i < 2; i++) { 5 if (*out[i] && (*out[i] != ' ' | | *(po[i]) != ' ')) { if (i == 0)nums(i); if (i == 0 && *out[1])stars(); 10 putline(i); if (i == 0 && *out[1])fprintf(fx, star); if (i == 1)nums(i); 15 } } } 20 * put out a number line: dumpblock() static nuṃs(ix) nums int /* index in out[] holding seq line */ ix; 25 { nline[P_LINE]; register i, j; *pn, *px, *py; register char 30 for $(pn = nline, i = 0; i < lmax+P_SPC; i++, pn++)$ *pn = ' '; for $(i = nc[ix], py = out[ix]; *py; py++, pn++) {$ 35 else { if $(i\%10 == 0 \mid \mid (i == 1 \&\& nc[ix] != 1))$ { j = (i < 0)? -i : i;for (px = pn; j; j /= 10, px--)*px = j%10 + '0';40 if (i < 0)*px = '-'; } else *pn = ' '; 45 `i++; } *pn = '\0'; nc[ix] = i;50 for (pn = nline; *pn; pn++) (void) putc(*pn, fx); (void) putc('\n', fx); } 55 * put out a line (name, [num], seq, [num]): dumpblock() */ static putline putline(ix)

{

60

int

ix;

Table 1 (cont')

```
...putline
                int
                                 i;
                register char
                                 *px;
 5.
                for (px = namex[ix], i = 0; *px && *px != ':'; px++, i++)
                        (void) putc(*px, fx);
                for (; i < lmax+P_SPC; i++)
                        (void) putc(' ', fx);
10
                /* these count from 1:
                 * ni[] is current element (from 1)
                 * nc is number at start of current line
15
                for (px = out[ix]; *px; px++)
                        (void) putc(*px&0x7F, fx);
                (void) putc('\n', fx);
       }
20
        * put a line of stars (seqs always in out[0], out[1]): dumpblock() */
       static
25
                                                                                                             stars
        stars()
        {
                register char
                                 *p0, *p1, cx, *px;
                30
                px = star;
                for (i = lmax + P\_SPC; i; i-)
35
                        *px++=''
                for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
                        if (isalpha(*p0) && isalpha(*p1)) {
40
                                 if (xbm[*p0-'A']&xbm[*p1-'A']) {
                                          cx = '*';
                                          nm++;
                                 else if (!dna && _day[*p0-'A'][*p1-'A'] > 0)
45
                                          cx = '.';
                                 else
                                          cx = ' ';
                        }
                        else
50
                                 cx =
                        *px++ = cx;
                *px++ = '\n';
                *px = '0';
55
       }
```

60

55

60

	/*										
	* strip	path or pro	efix from	pn, return len:	pr_align()						
	*/	_									
	static										
5	stripname(pn)										
	•	char	*pn;	/* file name (may be path) *	:/				stripname	
	{		F-,	, ,	,						
	`	register	char	*px, *py;							
10		py = 0;									
		for (px	= pn; *px	x; px++)							
			if (*px	== '/')							
		*6 ()		py = px + 1	;						
15		if (py)	(biout)	trcpy(pn, py);							
13	return(strlen(pn));			псру(ра, ру); ·	(hir' h)),						
		remin.	менфия	,,							
	}										
	•									•	
20											
						•					
25										•	
25											
							•				
30	•								•		
				÷				•			
35			-								
40							*				
40										•	
				•							
45											
50		•									
J U				•							

```
* cleanup() -- cleanup any tmp file
          * getseq() -- read in seq, set dna, len, maxlen
          * g_calloc() -- calloc() with error checkin
  5
          * readjmps() -- get the good jmps, from tmp file if necessary
          * writejmps() - write a filled array of jmps to a tmp file: nw()
         #include "nw.h"
         #include < sys/file.h>
10
         char
                   *jname = "/tmp/homgXXXXXX";
                                                                     /* tmp file for jmps */
         FILE
         int
                   cleanup();
                                                                      /* cleanup tmp file */
15
         long
                   Iseek();
          * remove any tmp file if we blow
20
                                                                                                                            cleanup
         cleanup(i)
                   int
                             i;
         {
                   if (fj)
                             (void) unlink(jname);
25
                   exit(i);
         }
          * read, return ptr to seq, set dna, len, maxlen
30
          * skip lines starting with ';', '<', or '>'
          * seq in upper or lower case
          */
         char
                                                                                                                              getseq
         getseq(file, len)
35
                                       /* file name */
                   char
                             *file;
                                       /* seq len */
                                       line[1024], *pseq;
                   char
                   register char
                                        *px, *py;
40
                   int
                                       natge, tlen;
                   FILE
                                        *fp;
                   if ((fp = fopen(file, "r")) == 0) {
                             fprintf(stderr, "%s: can't read %s\n", prog, file);
45
                             exit(1);
                   tlen = natgc = 0;
                   while (fgets(line, 1024, fp)) {
    if (*line == ';' || *line == '<' || *line == '>')
50
                                       continue;
                             for (px = line; *px != '\n'; px++)
if (isupper(*px) | | islower(*px))
                                                 tlen++;
55
                   if ((pseq = malloc((unsigned)(tlen+6))) = = 0) {
                             fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
                             exit(1);
                   pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';
60
```

```
...getseq
                  py = pseq + 4;
                  *len = tlen;
                  rewind(fp);
 5
                  while (fgets(line, 1024, fp)) {
    if (*line == ';' || *line == '<' || *line == '>')
                                     continue;
                            for (px = line; *px != '\n'; px++) {
10
                                     if (isupper(*px))
                                               *py++ = *px;
                                     else if (islower(*px))
                                     *py++ = toupper(*px);
if (index("ATGCU",*(py-1)))
15
                                               natgc++;
                            }
                   *py++ = '\0';
                  *py = '\0';
20
                  (void) fclose(fp);
                  dna = natgc > (tlen/3);
                  return(pseq+4);
        }
25
        char
                                                                                                                       g_calloc
        g_calloc(msg, nx, sz)
                  char
                            *msg;
                                               /* program, calling routine */
                  int
                            πx, sz;
                                               /* number and size of elements */
        {
30
                  char
                                     *px, *calloc();
                  if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
                            if (*msg) {
                                      fprintf(stderr, "%s: g_calloc() failed %s (n=%d, sz=%d)\n", prog, msg, nx, sz);
35
                  }
                  return(px);
        }
40
         * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
                                                                                                                    readjmps
        readjmps()
45
        {
                  int
                                     fd = -1;
                                     siz, i0, i1;
                  register i, j, xx;
50
                  if (fj) {
                            (void) fclose(fj);
                            if ((fd = open(jname, O_RDONLY, 0)) < 0) {
                                     fprintf(stderr, "%s: can't open() %s\n", prog, jname);
                                      cleanup(1);
55
                            }
                  for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; ; i++) {
                            while (1) {
                                     for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
60
```

```
...readimps
                                     if (j < 0 \&\& dx[dmax].offset \&\& fj) {
                                               (void) lseek(fd, dx[dmax].offset, 0);
                                               (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
  5
                                               (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
                                               dx[dmax].ijmp = MAXJMP-1;
                                     }
                                     else
                                              break;
10
                            if (i > = JMPS) {
                                     fprintf(stderr, "%s: too many gaps in alignment\n", prog);
                                     cleanup(1);
15
                            if (j > = 0) {
                                     siz = dx[dmax].jp.n[j];
                                     xx = dx[dmax].jp.x[j];
                                     dmax += siz;
                                     if (siz < 0) {
                                                                 /* gap in second seq */
20
                                              pp[1].n[i1] = -siz;
                                              xx += siz;
                                              /* id = xx - yy + len1 - 1
                                              pp[1].x[i1] = xx - dmax + len1 - 1;
25
                                              gapy++;
                                              ngapy -= siz;
         /* ignore MAXGAP when doing endgaps */
                                              siz = (-siz < MAXGAP | | endgaps)? -siz : MAXGAP;
30
                                     else if (siz > 0) { /* gap in first seq */
                                              pp[0].n[i0] = siz;
                                              pp[0].x[i0] = xx;
                                              gapx++;
35
                                              ngapx += siz;
         /* ignore MAXGAP when doing endgaps */
                                              siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
                                     }
40
                           }
                           else
                                     break;
                  }
45
                  /* reverse the order of jmps
                  for (j = 0, i0--; j < i0; j++, i0--)
                           i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
                           i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
50
                  for (j = 0, i1--; j < i1; j++, i1--)
                           i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
                           i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
55
                  if (fd > = 0)
                           (void) close(fd);
                 if (fj) {
                           (void) unlink(jname);
                           f_j = 0;
60
                           offset = 0;
                 }
                                                       }
```

```
* write a filled jmp struct offset of the prev one (if any): nw()
                                                                                                                                                                  writejmps
  5
            writejmps(ix)
                          int
                                       ix;
                          char
                                        *mktemp();
10
                          if (!fj) {
                                        \begin{array}{ll} \mbox{if (mktemp(jname)} < 0) \ \{ \\ \mbox{fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);} \end{array} 
                                                     cleanup(1);

}
if ((fj = fopen(jname, "w")) == 0) {
    fprintf(stderr, "%s: can't write %s\n", prog, jname);
}

15
20
                          (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
(void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
            }
25
30
35
40
45
50
55
60
```

Table 2

PRO XXXXXXXXXXXXXXX (Length = 15 amino acids)
Comparison Protein XXXXXYYYYYYY (Length = 12 amino acids)

5 % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10 5 divided by 15 = 33.3%

Table 3

PRO XXXXXXXXXX (Length = 10 amino acids)

Comparison Protein XXXXXYYYYYYZZYZ (Length = 15 amino acids)

% amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

5 divided by 10 = 50%

Table 4

25

15

PRO-DNA NNNNNNNNNNNNNN

(Length = 14 nucleotides)

Comparison DNA

NNNNNNLLLLLLLLL(Length = 16 nucleotides)

% nucleic acid sequence identity =

30

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-

2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

6 divided by 14 = 42.9%

35

Table 5

PRO-DNA

NNNNNNNNNN

(Length = 12 nucleotides)

Comparison DNA

NNNNLLLVV

(Length = 9 nucleotides)

5 % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10 4 divided by 12 = 33.3%

15

20

25

30

35

II. Compositions and Methods of the Invention

A. Full-Length PRO Polypeptides

The present invention provides newly identified and isolated nucleotide sequences encoding polypeptides referred to in the present application as PRO polypeptides. In particular, cDNAs encoding various PRO polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. It is noted that proteins produced in separate expression rounds may be given different PRO numbers but the UNQ number is unique for any given DNA and the encoded protein, and will not be changed. However, for sake of simplicity, in the present specification the protein encoded by the full length native nucleic acid molecules disclosed herein as well as all further native homologues and variants included in the foregoing definition of PRO, will be referred to as "PRO/number", regardless of their origin or mode of preparation.

As disclosed in the Examples below, various cDNA clones have been deposited with the ATCC. The actual nucleotide sequences of those clones can readily be determined by the skilled artisan by sequencing of the deposited clone using routine methods in the art. The predicted amino acid sequence can be determined from the nucleotide sequence using routine skill. For the PRO polypeptides and encoding nucleic acids described herein, Applicants have identified what is believed to be the reading frame best identifiable with the sequence information available at the time.

B. PRO Polypeptide Variants

In addition to the full-length native sequence PRO polypeptides described herein, it is contemplated that PRO variants can be prepared. PRO variants can be prepared by introducing appropriate nucleotide changes into the PRO DNA, and/or by synthesis of the desired PRO polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the PRO, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

. Variations in the native full-length sequence PRO or in various domains of the PRO described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative

mutations set forth, for instance, in U.S. Patent No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the PRO that results in a change in the amino acid sequence of the PRO as compared with the native sequence PRO. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the PRO. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence of the PRO with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

PRO polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the PRO polypeptide.

10

15

20

25

PRO fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating PRO fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, PRO polypeptide fragments share at least one biological and/or immunological activity with the native PRO polypeptide disclosed herein.

In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.



	Original	Exemplary	Preferred
	Residue	Substitutions	Substitutions
5	Ala (A)	val; leu; ile	val
	Arg (R)	lys; gln; asn	lys
	Asn (N)	gln; his; lys; arg	gln
	Asp (D)	glu	glu
	Cys (C)	ser	ser
10	Gln (Q)	asn	asn
	Glu (E)	asp	asp
	Gly (G)	pro; ala	ala
	His (H)	asn; gln; lys; arg	arg
	Ile (I)	leu; val; met; ala; phe;	
15		norleucine	leu
	Leu (L)	norleucine; ile; val;	
		met; ala; phe	ile
	Lys (K)	arg; gln; asn	arg
	Met (M)	leu; phe; ile	leu
20	Phe (F)	leu; val; ile; ala; tyr	leu
	Pro (P)	ala	ala
	Ser (S)	thr	thr
	Thr (T)	ser	ser
	Trp (W)	tyr; phe	tyr
25	Tyr (Y)	trp; phe; thr; ser	phe
	Val (V)	ile; leu; met; phe;	
		ala; norleucine	leu

Substantial modifications in function or immunological identity of the PRO polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

- 35 (1) hydrophobic: norleucine, met, ala, val, leu, ile;
 - (2) neutral hydrophilic: cys, ser, thr;
 - (3) acidic: asp, glu;
 - (4) basic: asn, gln, his, lys, arg;
 - (5) residues that influence chain orientation: gly, pro; and
- 40 (6) aromatic: trp, tyr, phe.

45

Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al.,

Gene, 34:315 (1985)], restriction selection mutagenesis [Wells et al., <u>Philos. Trans. R. Soc. London SerA</u>, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the PRO variant DNA.

Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

C. Modifications of PRO

5

10

15

20

25

30

35

Covalent modifications of PRO are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a PRO polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C- terminal residues of the PRO. Derivatization with bifunctional agents is useful, for instance, for crosslinking PRO to a water-insoluble support matrix or surface for use in the method for purifying anti-PRO antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimidate.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, <u>Proteins: Structure and Molecular Properties</u>, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the PRO polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence PRO (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence PRO. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

Addition of glycosylation sites to the PRO polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence PRO (for O-linked glycosylation sites). The PRO amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding

the PRO polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the PRO polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, <u>CRC Crit. Rev. Biochem.</u>, pp. 259-306 (1981).

5

10

15

20

25

30

35

Removal of carbohydrate moieties present on the PRO polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., <u>Arch. Biochem. Biophys.</u>, <u>259</u>:52 (1987) and by Edge et al., <u>Anal. Biochem.</u>, <u>118</u>:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., <u>Meth. Enzymol.</u>, <u>138</u>:350 (1987).

Another type of covalent modification of PRO comprises linking the PRO polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

The PRO of the present invention may also be modified in a way to form a chimeric molecule comprising PRO fused to another, heterologous polypeptide or amino acid sequence.

In one embodiment, such a chimeric molecule comprises a fusion of the PRO with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl- terminus of the PRO. The presence of such epitope-tagged forms of the PRO can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the PRO to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an α-tubulin epitope peptide [Skinner et al., I. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

In an alternative embodiment, the chimeric molecule may comprise a fusion of the PRO with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a PRO polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also US Patent No. 5,428,130 issued June 27,

1995.

5

10

15

20

25

30

35

D. Preparation of PRO

The description below relates primarily to production of PRO by culturing cells transformed or transfected with a vector containing PRO nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare PRO. For instance, the PRO sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, CA (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)]. In vitro protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, CA) using manufacturer's instructions. Various portions of the PRO may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length PRO.

1. Isolation of DNA Encoding PRO

DNA encoding PRO may be obtained from a cDNA library prepared from tissue believed to possess the PRO mRNA and to express it at a detectable level. Accordingly, human PRO DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The PRO-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

Libraries can be screened with probes (such as antibodies to the PRO or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding PRO is to use PCR methodology [Sambrook et al., supra; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like ³²P-labeled ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., supra.

Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., <u>supra</u>, to detect precursors and

processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

Selection and Transformation of Host Cells

Host cells are transfected or transformed with expression or cloning vectors described herein for PRO production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

10

15

20

5

Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, CaCl₂, CaPO₄, liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with Agrobacterium tumefaciens is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published 29 June 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

25

30

35

Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as E. coli. Various E. coli strains are publicly available, such as E. coli K12 strain MM294 (ATCC 31,446); E. coli X1776 (ATCC 31,537); E. coli strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include Enterobacteriaceae such as Escherichia, e.g., E. coli, Enterobacter, Erwinia, Klebsiella, Proteus, Salmonella, e.g., Salmonella typhimurium, Serratia, e.g., Serratia marcescans, and Shigella, as well as Bacilli such as B. subtilis and B. licheniformis (e.g., B. licheniformis 41P disclosed in DD 266,710 published 12 April 1989), Pseudomonas such as P. aeruginosa, and Streptomyces. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including E. coli W3110 strain 1A2, which has the complete genotype tonA; E. coli W3110 strain 27C7 (ATCC

55,244), which has the complete genotype tonA ptr3 phoA E15 (argF-lac)169 degP ompT karr; E. coli W3110 strain 37D6, which has the complete genotype tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG karr; E. coli W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant degP deletion mutation; and an E. coli strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued 7 August 1990. Alternatively, in vitro methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

5

10

15

20

25

30

35

In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for PRO-encoding vectors. Saccharomyces cerevisiae is a commonly used lower eukaryotic host microorganism. Others include Schizosaccharomyces pombe (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); Kluyveromyces hosts (U.S. Patent No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., K. lactis (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 154(2):737-742 [1983]), K. fragilis (ATCC 12,424), K. bulgaricus (ATCC 16,045), K. wickeramii (ATCC 24,178), K. waltii (ATCC 56,500), K. drosophilarum (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), K. thermotolerans, and K. marxianus; yarrowia (EP 402,226); Pichia pastoris (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); Candida; Trichoderma reesia (EP 244,234); Neurospora crassa (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); Schwanniomyces such as Schwanniomyces occidentalis (EP 394,538 published 31 October 1990); and filamentous fungi such as, e.g., Neurospora, Penicillium, Tolypocladium (WO 91/00357 published 10 January 1991), and Aspergillus hosts such as A. nidulans (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al., Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and A. niger (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylotropic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of Hansenula, Candida, Kloeckera, Pichia, Saccharomyces, Torulopsis, and Rhodotorula. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylotrophs, 269 (1982).

Suitable host cells for the expression of glycosylated PRO are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as Drosophila S2 and Spodoptera Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J. Gen Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

3. Selection and Use of a Replicable Vector

The nucleic acid (e.g., cDNA or genomic DNA) encoding PRO may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an

appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

5

10

15

20

25

30

35

The PRO may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the PRO-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including Saccharomyces and Kluyveromyces α-factor leaders, the latter described in U.S. Patent No. 5,010,182), or acid phosphatase leader, the C. albicans glucoamylase leader (EP 362,179 published 4 April 1990), or the signal described in WO 90/13646 published 15 November 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the protein, such as signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2μ plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for cloning vectors in mammalian cells.

Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the PRO-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., <u>Proc. Natl. Acad. Sci. USA</u>, 77:4216 (1980). A suitable selection gene for use in yeast is the *trp*1 gene present in the yeast plasmid YRp7 [Stinchcomb et al., <u>Nature</u>, 282:39 (1979); Kingsman et al., <u>Gene</u>, 7:141 (1979); Tschemper et al., <u>Gene</u>, 10:157 (1980)]. The *trp*1 gene provides a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, <u>Genetics</u>, 85:12 (1977)].

Expression and cloning vectors usually contain a promoter operably linked to the PRO-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well known. Promoters suitable for use with prokaryotic hosts include the β-lactamase and lactose promoter systems [Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)], alkaline phosphatase, a tryptophan (trp) promoter system [Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776], and hybrid

promoters such as the tac promoter [deBoer et al., <u>Proc. Natl. Acad. Sci. USA</u>, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding PRO.

Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., <u>J. Biol. Chem.</u>, 255:2073 (1980)] or other glycolytic enzymes [Hess et al., <u>J. Adv. Enzyme Reg.</u>, 7:149 (1968); Holland, <u>Biochemistry</u>, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

5

10

15

20

25

30

35

Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

PRO transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published 5 July 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

Transcription of a DNA encoding the PRO by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, α-fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the PRO coding sequence, but is preferably located at a site 5' from the promoter.

Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding PRO.

Still other methods, vectors, and host cells suitable for adaptation to the synthesis of PRO in recombinant vertebrate cell culture are described in Gething et al., <u>Nature</u>, 293:620-625 (1981); Mantei et al., <u>Nature</u>, 281:40-46 (1979); EP 117,060; and EP 117,058.

4. <u>Detecting Gene Amplification/Expression</u>

Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or in situ hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence PRO polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to PRO DNA and encoding a specific antibody epitope.

15

20

25

10

5

5. Purification of Polypeptide

Forms of PRO may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of PRO can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

It may be desired to purify PRO from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitopetagged forms of the PRO. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular PRO produced.

30

35

E. Uses for PRO

Nucleotide sequences (or their complement) encoding PRO have various applications in the art of molecular biology, including uses as hybridization probes, in chromosome and gene mapping and in the generation of anti-sense RNA and DNA. PRO nucleic acid will also be useful for the preparation of PRO polypeptides by the recombinant techniques described herein.

The full-length native sequence PRO gene, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length PRO cDNA or to isolate still other cDNAs (for instance, those encoding

naturally-occurring variants of PRO or PRO from other species) which have a desired sequence identity to the native PRO sequence disclosed herein. Optionally, the length of the probes will be about 20 to about 50 bases. The hybridization probes may be derived from at least partially novel regions of the full length native nucleotide sequence wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence PRO. By way of example, a screening method will comprise isolating the coding region of the PRO gene using the known DNA sequence to synthesize a selected probe of about 40 bases. Hybridization probes may be labeled by a variety of labels, including radionucleotides such as ³²P or ³⁵S, or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the PRO gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

5

10

15

20

25

30

35

Any EST sequences disclosed in the present application may similarly be employed as probes, using the methods disclosed herein.

Other useful fragments of the PRO nucleic acids include antisense or sense oligonucleotides comprising a singe-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target PRO mRNA (sense) or PRO DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of PRO DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (Cancer Res. 48:2659, 1988) and van der Krol et al. (BioTechniques 6:958, 1988).

Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means. The antisense oligonucleotides thus may be used to block expression of PRO proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable *in vivo* (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increases affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target nucleotide sequence.

Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO₄-mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an

antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic acid sequence is contacted with the recombinant retroviral vector, either *in vivo* or *ex vivo*. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retrovirus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

5

Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

10

Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

15

Antisense or sense RNA or DNA molecules are generally at least about 5 bases in length, about 10 bases in length, about 15 bases in length, about 20 bases in length, about 25 bases in length, about 30 bases in length, about 35 bases in length, about 40 bases in length, about 45 bases in length, about 50 bases in length, about 55 bases in length, about 60 bases in length, about 65 bases in length, about 70 bases in length, about 75 bases in length, about 80 bases in length, about 85 bases in length, about 90 bases in length, about 95 bases in length, about 100 bases in length, or more.

20

The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related PRO coding sequences.

25

Nucleotide sequences encoding a PRO can also be used to construct hybridization probes for mapping the gene which encodes that PRO and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome using known techniques, such as *in situ* hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

30

When the coding sequences for PRO encode a protein which binds to another protein (example, where the PRO is a receptor), the PRO can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified. Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor PRO can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native PRO or a receptor for PRO. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small molecules contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

35

Nucleic acids which encode PRO or its modified forms can also be used to generate either transgenic animals or "knock out" animals which, in turn, are useful in the development and screening of therapeutically useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques and the genomic sequences used to generate transgenic animals that contain cells which express DNA encoding PRO. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for PRO transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding PRO introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression of DNA encoding PRO. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

5

10

15

20

25

30

35

Alternatively, non-human homologues of PRO can be used to construct a PRO "knock out" animal which has a defective or altered gene encoding PRO as a result of homologous recombination between the endogenous gene encoding PRO and altered genomic DNA encoding PRO introduced into an embryonic stem cell of the animal. For example, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques. A portion of the genomic DNA encoding PRO can be deleted or replaced with another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, Cell, 51:503 (1987) for a description of homologous recombination vectors]. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., Cell, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a "knock out" animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knockout animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the PRO polypeptide.

Nucleic acid encoding the PRO polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve *in vivo* synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. "Gene therapy" includes both conventional

gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes in vivo. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane. (Zamecnik et al., Proc. Natl. Acad. Sci. USA 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

5

10

15

20

25

30

35

There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells in vitro, or in vivo in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells in vitro include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation method, etc. The currently preferred in vivo gene transfer techniques include transfection with viral (typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau et al., Trends in Biotechnology 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu et al., J. Biol. Chem. 262, 4429-4432 (1987); and Wagner et al., Proc. Natl. Acad. Sci. USA 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson et al., Science 256, 808-813 (1992).

The PRO polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes and the isolated nucleic acid sequences may be used for recombinantly expressing those markers.

The nucleic acid molecules encoding the PRO polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each PRO nucleic acid molecule of the present invention can be used as a chromosome marker.

The PRO polypeptides and nucleic acid molecules of the present invention may also be used diagnostically for tissue typing, wherein the PRO polypeptides of the present invention may be differentially expressed in one tissue as compared to another, preferably in a diseased tissue as compared to a normal tissue of the same tissue type. PRO nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

The PRO polypeptides described herein may also be employed as therapeutic agents. The PRO polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the PRO product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient

having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, PLURONICSTM or PEG.

5

10

15

20

25

30

35

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

The route of administration is in accord with known methods, e.g. injection or infusion by intravenous, intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling in toxicokinetics" In Toxicokinetics and New Drug Development, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

When in vivo administration of a PRO polypeptide or agonist or antagonist thereof is employed, normal dosage amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day, preferably about 1 μ g/kg/day to 10 mg/kg/day, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may necessitate delivery in a manner different from that to another organ or tissue.

Where sustained-release administration of a PRO polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the PRO polypeptide, microencapsulation of the PRO polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon-(rhIFN-), interleukin-2, and MN rgp120. Johnson et al., Nat. Med., 2:795-799 (1996); Yasuda, Biomed. Ther., 27:1221-1223 (1993); Hora et al., Bio/Technology, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Polylactide Polyglycolide Microsphere Systems," in Vaccine Design: The Subunit

and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462; WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

The sustained-release formulations of these proteins were developed using poly-lactic-coglycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation products of PLGA; lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990), pp. 1-41.

5

10

15

20

25

30

35

This invention encompasses methods of screening compounds to identify those that mimic the PRO polypeptide (agonists) or prevent the effect of the PRO polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the PRO polypeptides encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

All assays for antagonists are common in that they call for contacting the drug candidate with a PRO polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction mixture. In a particular embodiment, the PRO polypeptide encoded by the gene identified herein or the drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the PRO polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the PRO polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody specifically binding the immobilized complex.

If the candidate compound interacts with but does not bind to a particular PRO polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, Nature (London), 340:245-246 (1989); Chien et al., Proc. Natl. Acad. Sci. USA, 88:9578-9582

(1991)) as disclosed by Chevray and Nathans, <u>Proc. Natl. Acad. Sci. USA</u>, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GALA, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GALA, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-lacZ reporter gene under control of a GALA-activated promoter depends on reconstitution of GALA activity via protein-protein interaction. Colonies containing interacting polypeptides are detected with a chromogenic substrate for β-galactosidase. A complete kit (MATCHMAKERTM) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

5

10

15

20

25

30

35

Compounds that interfere with the interaction of a gene encoding a PRO polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

To assay for antagonists, the PRO polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence of the PRO polypeptide indicates that the compound is an antagonist to the PRO polypeptide. Alternatively, antagonists may be detected by combining the PRO polypeptide and a potential antagonist with membrane-bound PRO polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The PRO polypeptide can be labeled, such as by radioactivity, such that the number of PRO polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting. Coligan et al., Current Protocols in Immun., 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the PRO polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the PRO polypeptide. Transfected cells that are grown on glass slides are exposed to labeled PRO polypeptide. The PRO polypeptide can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single

clone that encodes the putative receptor.

5

10

15

20

25

30

35

As an alternative approach for receptor identification, labeled PRO polypeptide can be photoaffinity-linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro- sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled PRO polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with PRO polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain antibodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the PRO polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the PRO polypeptide.

Another potential PRO polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature PRO polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al., Science, 241: 456 (1988); Dervan et al., Science, 251:1360 (1991)), thereby preventing transcription and the production of the PRO polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into the PRO polypeptide (antisense - Okano, Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, FL, 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of the PRO polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the PRO polypeptide, thereby blocking the normal biological activity of the PRO polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA.

Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, <u>Current Biology</u>, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published September 18, 1997).

Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, supra.

These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

Diagnostic and therapeutic uses of the herein disclosed molecules may also be based upon the positive functional assay hits disclosed and described below.

F. Anti-PRO Antibodies

5

10

15

20

25

30

35

The present invention further provides anti-PRO antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

1. Polyclonal Antibodies

The anti-PRO antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the PRO polypeptide or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

2. <u>Monoclonal Antibodies</u>

The anti-PRO antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*.

The immunizing agent will typically include the PRO polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or

lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

10

5

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

15

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against PRO. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an *in vitro* binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

20

After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, <u>supra</u>]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells may be grown *in vivo* as ascites in a mammal.

25

The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

30

35

The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding

sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Patent No. 4,816,567; Morrison et al., <u>supral</u> or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking.

In vitro methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known in the art.

3. Human and Humanized Antibodies

5

10

15

20

25

30

35

The anti-PRO antibodies of the invention may further comprise humanized antibodies or human Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances. Fy framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol., <u>2</u>:593-596 (1992)].

Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeyen et al., Science, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Patent No.

4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, p. 77 (1985) and Boerner et al., J. Immunol., 147(1):86-95 (1991)]. Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10, 779-783 (1992); Lonberg et al., Nature 368 856-859 (1994); Morrison, Nature 368, 812-13 (1994); Fishwild et al., Nature Biotechnology 14, 845-51 (1996); Neuberger, Nature Biotechnology 14, 826 (1996); Lonberg and Huszar, Intern. Rev. Immunol. 13 65-93 (1995).

The antibodies may also be affinity matured using known selection and/or mutagenesis methods as described above. Preferred affinity matured antibodies have an affinity which is five times, more preferably 10 times, even more preferably 20 or 30 times greater than the starting antibody (generally murine, humanized or human) from which the matured antibody is prepared.

4. <u>Bispecific Antibodies</u>

5

10

15

20

25

30

35

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the PRO, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities [Milstein and Cuello, Nature, 305:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker et al., EMBO J., 10:3655-3659 (1991).

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least

one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh et al., Methods in Enzymology, 121:210 (1986).

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

5

10

15

20

25

30

35

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared can be prepared using chemical linkage. Brennan *et al.*, Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby *et al.*, <u>J. Exp. Med.</u> 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling *in vitro* to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny et al., J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary

 V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber *et al.*, J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt *et al.*, <u>J. Immunol.</u> 147:60 (1991).

Exemplary bispecific antibodies may bind to two different epitopes on a given PRO polypeptide herein. Alternatively, an anti-PRO polypeptide arm may be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular PRO polypeptide. Bispecific antibodies may also be used to localize cytotoxic agents to cells which express a particular PRO polypeptide. These antibodies possess a PRO-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the PRO polypeptide and further binds tissue factor (TF).

5. <u>Heteroconjugate Antibodies</u>

15

10

5

Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Patent No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared *in vitro* using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example, immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

6. <u>Effector Function Engineering</u>

25

20

It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron et al., J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff et al. Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson et al., Anti-Cancer Drug Design, 3: 219-230 (1989).

35

30

7. <u>Immunoconjugates</u>

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent

such as a chemotherapeutic agent, toxin (e.g., an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (i.e., a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolaca americana* proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, sapaonaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ²¹²Bi, ¹³¹In, ⁹⁰Y, and ¹⁸⁶Re.

Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutareldehyde), bis-azido compounds (such as bis (p-azidobenzoyl) hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta *et al.*, Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

In another embodiment, the antibody may be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the circulation using a clearing agent and then administration of a "ligand" (e.g., avidin) that is conjugated to a cytotoxic agent (e.g., a radionucleotide).

8. <u>Immunoliposomes</u>

5

10

15

20

25

30

35

The antibodies disclosed herein may also be formulated as immunoliposomes. Liposomes containing the antibody are prepared by methods known in the art, such as described in Epstein *et al.*, <u>Proc. Natl. Acad. Sci. USA</u>, <u>82</u>: 3688 (1985); Hwang *et al.*, <u>Proc. Natl. Acad. Sci. USA</u>, <u>77</u>: 4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Patent No. 5,013,556.

Particularly useful liposomes can be generated by the reverse-phase evaporation method with a lipid composition comprising phosphatidylcholine, cholesterol, and PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter. Fab' fragments of the antibody of the present invention can be conjugated to the liposomes as described in Martin et al., J. Biol. Chem., 257: 286-288 (1982) via a disulfide-interchange reaction. A chemotherapeutic agent (such as Doxorubicin) is optionally contained within the liposome. See Gabizon et al., J. National Cancer Inst., 81(19): 1484 (1989).

9. Pharmaceutical Compositions of Antibodies

Antibodies specifically binding a PRO polypeptide identified herein, as well as other molecules identified

by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

If the PRO polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, e.g., Marasco et al., Proc. Natl. Acad. Sci. USA, 90: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

5

10

15

20

25

30

35

The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nanocapsules) or in macroemulsions. Such techniques are disclosed in Remington's <u>Pharmaceutical Sciences</u>, supra.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, e.g., films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and γ ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOT TM (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37°C, resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S-S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

G. Uses for anti-PRO Antibodies

The anti-PRO antibodies of the invention have various utilities. For example, anti-PRO antibodies may be used in diagnostic assays for PRO, e.g., detecting its expression (and in some cases, differential expression) in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, Monoclonal Antibodies: A Manual of Techniques, CRC Press, Inc. (1987) pp. 147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as ³H, ¹⁴C, ³²P, ³⁵S, or ¹²⁵I, a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

Anti-PRO antibodies also are useful for the affinity purification of PRO from recombinant cell culture or natural sources. In this process, the antibodies against PRO are immobilized on a suitable support, such a Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the PRO to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the PRO, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the PRO from the antibody.

The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

25

5

10

15

20

EXAMPLES

Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas,

30 VA.

35

EXAMPLE 1: Extracellular Domain Homology Screening to Identify Novel Polypeptides and cDNA Encoding Therefor

The extracellular domain (ECD) sequences (including the secretion signal sequence, if any) from about 950 known secreted proteins from the Swiss-Prot public database were used to search EST databases. The EST databases included public databases (e.g., Dayhoff, GenBank), and proprietary databases (e.g. LIFESEQTM, Incyte Pharmaceuticals, Palo Alto, CA). The search was performed using the computer program BLAST or

BLAST-2 (Altschul *et al.*, Methods in Enzymology, 266:460-480 (1996)) as a comparison of the ECD protein sequences to a 6 frame translation of the EST sequences. Those comparisons with a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, WA).

Using this extracellular domain homology screen, consensus DNA sequences were assembled relative to the other identified EST sequences using phrap. In addition, the consensus DNA sequences obtained were often (but not always) extended using repeated cycles of BLAST or BLAST-2 and phrap to extend the consensus sequence as far as possible using the sources of EST sequences discussed above.

Based upon the consensus sequences obtained as described above, oligonucleotides were then synthesized and used to identify by PCR a cDNA library that contained the sequence of interest and for use as probes to isolate a clone of the full-length coding sequence for a PRO polypeptide. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel *et al.*, Current Protocols in Molecular Biology, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; see, Holmes et al., Science, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

EXAMPLE 2: Isolation of cDNA clones by Amylase Screening

5

10

15

20

25

30

35

1. Preparation of oligo dT primed cDNA library

mRNA was isolated from a human tissue of interest using reagents and protocols from Invitrogen, San Diego, CA (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, MD (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the Sall/NotI linkered cDNA was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

2. Preparation of random primed cDNA library

A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was

sized to 500-1000 bp, linkered with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

3. Transformation and Detection

5

10

15

20

25

30

35

DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37°C for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37°C). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, e.g. CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT alpha, ura3-52, leu2-3, leu2-112, his3-11, his3-15, MAL⁺, SUC⁺, GAL⁺. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in sec71, sec72, sec62, with truncated sec71 being most preferred. Alternatively, antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (e.g., SEC61p, SEC72p, SEC62p, SEC63p, TDJ1p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

Transformation was performed based on the protocol outlined by Gietz et al., Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30°C. The YEPD broth was prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 207 (1994). The overnight culture was then diluted to about 2×10^6 cells/ml (approx. $OD_{600}=0.1$) into fresh YEPD broth (500 ml) and regrown to 1×10^7 cells/ml (approx. $OD_{600}=0.4-0.5$).

The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li₂OOCCH₃), and resuspended into LiAc/TE (2.5 ml).

Transformation took place by mixing the prepared cells (100 μ l) with freshly denatured single stranded

salmon testes DNA (Lofstrand Labs, Gaithersburg, MD) and transforming DNA (1 μ g, vol. < 10 μ l) in microfuge tubes. The mixture was mixed briefly by vortexing, then 40% PEG/TE (600 μ l, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li₂OOCCH₃, pH 7.5) was added. This mixture was gently mixed and incubated at 30°C while agitating for 30 minutes. The cells were then heat shocked at 42°C for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 μ l, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells were then diluted into TE (1 ml) and aliquots (200 μ l) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 208-210 (1994). Transformants were grown at 30°C for 2-3 days.

The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely et al., Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

4. Isolation of DNA by PCR Amplification

5

10

15

20

25

30

When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30 μ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5 μ l) was used as a template for the PCR reaction in a 25 μ l volume containing: 0.5 μ l Klentaq (Clontech, Palo Alto, CA); 4.0 μ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5 μ l Kentaq buffer (Clontech); 0.25 μ l forward oligo 1; 0.25 μ l reverse oligo 2; 12.5 μ l distilled water. The sequence of the forward oligonucleotide 1 was:

5'-TGTAAAACGACGCCAGT<u>TAAATAGACCTGCAATTATTAATCT</u>-3' (SEQ ID NO:611) The sequence of reverse oligonucleotide 2 was:

5'-CAGGAAACAGCTATGACC<u>ACCTGCACACCTGCAAATCCATT</u>-3' (SEQ ID NO:612) PCR was then performed as follows:

35 a. Denature 92°C, 5 minutes

b. 3 cycles of: Denature 92°C, 30 seconds

Anneal 59°C, 30 seconds

WO 01/68848			PCT/US01/06520

			Extend	72°C,	60 seconds
	c. .	3 cycles of:	Denature Anneal		30 seconds 30 seconds
5		0.5	Extend	,	60 seconds
	d.	25 cycles of:	Denature Anneal Extend	92°C, 55°C, 72°C.	30 seconds 30 seconds 60 seconds
10	e.		Hold	4°C	oo seconds

The underlined regions of the oligonucleotides annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

Following the PCR, an aliquot of the reaction (5 μ l) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook *et al.*, *supra*. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, CA).

EXAMPLE 3: Isolation of cDNA Clones Using Signal Algorithm Analysis

15

20

25

30

35

40

Various polypeptide-encoding nucleic acid sequences were identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, CA) upon ESTs as well as clustered and assembled EST fragments from public (e.g., GenBank) and/or private (LIFESEQ®, Incyte Pharmaceuticals, Inc., Palo Alto, CA) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors (evaluation parameters) known to be associated with secretion signals. Use of this algorithm resulted in the identification of numerous polypeptide-encoding nucleic acid sequences.

EXAMPLE 4: Isolation of cDNA clones Encoding Human PRO Polypeptides

Using the techniques described in Examples 1 to 3 above, numerous full-length cDNA clones were identified as encoding PRO polypeptides as disclosed herein. These cDNAs were then deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA 20110-2209, USA (ATCC) as shown in Table 7 below.

Table 7

	•	Tuoio 1	
	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA16435-1208	209930	June 2, 1998
	DNA23318-1211	209787	April 21, 1998
	DNA23322-1393	203400	October 27, 1998
5	DNA23334-1392	209918	June 2, 1998
	DNA26843-1389	203099	August 4, 1998
	DNA 26844-1394	209926	June 2, 1998
	DNA30867-1335	209807	April 28, 1998
	DNA33470-1175	209398 .	October 17, 1997
10	DNA34436-1238	209523	December 10, 1997
	DNA35557-1137	209255	September 16, 1997
	DNA35599-1168	209373	October 16, 1997
	DNA35668-1171	209371	October 16, 1997
	DNA36992-1168	209382	October 16, 1997
15	DNA39423-1182	209387	October 17, 1997
	DNA39427-1179	209395	October 17, 1997
	DNA39510-1181	209392	October 17, 1997
	DNA39518-1247	209529	December 10, 1997
	DNA39975-1210	209783	April 21, 1998
20	DNA39976-1215	209524	December 10, 1997
	DNA39979-1213	209789	April 21, 1998
	DNA40594-1233	209617	February 5, 1998
	DNA40603-1232	209486	November 21, 1997
	DNA40604-1187	209394	October 17, 1997
25	DNA40625-1189	209788	April 21, 1998
	DNA41225-1217	209491	November 21, 1997
	DNA41379-1236	209488	November 21, 1997
	DNA41386-1316	209703	March 26, 1998
	DNA44161-1434	209907	May 27, 1998
30	DNA44179-1362	209851	May 6, 1998
	DNA44192-1246	209531	December 10, 1997
	DNA44694-1500	203114	August 11, 1998
	DNA45234-1277	209654	March 5, 1998
	DNA45409-2511	203579	January 12, 1999
35	DNA45415-1318	209810	April 28, 1998
	DNA45417-1432	209910	May 27, 1998
	DNA45493-1349	209805	April 28, 1998
		•	

	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA46776-1284	209721	March 31, 1998
	DNA48296-1292	209668	March 11, 1998
	DNA48306-1291	209911	May 27, 1998
5	DNA48328-1355	209843	May 6, 1998
	DNA48329-1290	209785	April 21, 1998
	DNA48334-1435	209924	June 2, 1998
	DNA49141-1431	203003	June 23, 1998
	DNA49624-1279	209655	March 5, 1998
10	DNA49647-1398	209919	June 2, 1998
	DNA49819-1439	209931	June 2, 1998
	DNA50911-1288	209714	March 31, 1998
	DNA50914-1289	209722	March 31, 1998
	DNA50919-1361	209848	May 6, 1998
15	DNA50980-1286	209717	March 31, 1998
	DNA52185-1370	209861	May 14, 1998
	DNA53906-1368	209747	April 7, 1998
	DNA53912-1457	209870	May 14, 1998
	DNA53913-1490	203162	August 25, 1998
20	DNA53977-1371	209862	May 14, 1998
	DNA53978-1443	209983	June 16, 1998
	DNA53996-1442	209921	June 2, 1998
	DNA54002-1367	209754	April 7, 1998
	DNA55737-1345	209753	April 7, 1998
25	DNA56050-1455	203011	June 23, 1998
	DNA56052-1454	203026	June 23, 1998
	DNA56107-1415	203405	October 27, 1998
	DNA56110-1437	203113	August 11, 1998
•	DNA56406-1704	203478	November 17, 1998
30	DNA56409-1377	209882	May 20, 1998
	DNA56410-1414	209923	June 2, 1998
	DNA56436-1448	209902	May 27, 1998
	DNA56529-1647	203293	September 29, 1998
	DNA56855-1447	203004	June 23, 1998
35	DNA56859-1445	203019	June 23, 1998
	DNA56860-1510	209952	June 9, 1998
	DNA56865-1491	203022	June 23, 1998

	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA56868-1478	203024	June 23, 1998
	DNA56869-1545	203161	. August 25, 1998
	DNA56870-1492	209925	June 2, 1998
. 5	DNA57039-1402	209777	April 14, 1998
	DNA57253-1382	209867	May 14, 1998
	DNA57254-1477	203289	September 29, 1998
	DNA57699-1412	203020	June 23, 1998
	DNA57704-1452	209953	June 9, 1998
10	DNA57710-1451	203048	July 1, 1998
	DNA57827-1493	203045	July 1, 1998
	DNA57844-1410	203010	June 23, 1998
	DNA58723-1588	203133	August 18, 1998
	DNA58727-1474	203171	September 1, 1998
15	DNA58730-1607	203221	September 15, 1998
	DNA58732-1650	203290	September 29, 1998
	DNA58737-1473	203136	August 18, 1998
	DNA58743-1609	203154	August 25, 1998
	DNA58747-1384	209868	May 14, 1998
20	DNA58828-1519	203172	September 1, 1998
	DNA58846-1409	209957	June 9, 1998
	DNA58848-1472	209955	June 9, 1998
	DNA58849-1494	209958	June 9, 1998
	DNA58850-1495	209956	June 9, 1998
25	DNA58852-1637	203271	September 22, 1998
	DNA58853-1423	203016	June 23, 1998
	DNA58855-1422	203018	June 23, 1998
	DNA59211-1450	209960	June 9, 1998
	DNA59212-1627	203245	September 9, 1998
30	DNA59213-1487	209959	June 9, 1998
	DNA59219-1613	203220	September 15, 1998
	DNA59497-1496	209941	June 4, 1998
	DNA59602-1436	203051	July 1, 1998
	DNA59603-1419	209944	June 9, 1998
35	DNA59605-1418	203005	June 23, 1998
	DNA59607-1497	209946	June 9, 1998
	DNA59610-1556	209990	June 16, 1998

	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA59612-1466	209947	June 9, 1998
	DNA59613-1417	203007	June 23, 1998
	DNA59616-1465	209991	June 16, 1998
5	DNA59619-1464	203041	July 1, 1998
	DNA59625-1498	209992	June 16, 1998
	DNA59817-1703	203470	November 17, 1998
	DNA59827-1426	203089	August 4, 1998
	DNA59828-1608	203158	August 25, 1998
10	DNA59837-2545	203658	February 9, 1999
	DNA59844-2542	203650	February 9, 1999
	DNA59853-1505	209985	June 16, 1998
	DNA59854-1459	209974	June 16, 1998
	DNA59855-1485	209987	June 16, 1998
15	DNA60278-1530	203170	September 1, 1998
	DNA60283-1484	203043	July 1, 1998
	DNA60608-1577	203126	August 18, 1998
	DNA60611-1524	203175	September 1, 1998
	DNA60619-1482	209993	June 16, 1998
20	DNA60625-1507	209975	June 16, 1998
	DNA60629-1481	209979	June 16, 1998
	DNA60740-1615	203456	November 3, 1998
	DNA61608-1606	203239	September 9, 1998
	DNA61755-1554	203112	August 11, 1998
25	DNA62809-1531	203237	September 9, 1998
	DNA62812-1594	203248	September 9, 1998
	DNA62813-2544	203655	February 9, 1999
	DNA62845-1684	203361	October 20, 1998
	DNA64849-1604	203468	November 17, 1998
30	DNA64852-1589	203127	August 18, 1998
	DNA64863-1573	203251	September 9, 1998
	DNA64881-1602	203240	September 9, 1998
	DNA64902-1667	203317	October 6, 1998
	DNA64952-1568	203222	September 15, 1998
35	DNA65403-1565	203230	September 15, 1998
	DNA65413-1534	203234	September 15, 1998
	DNA65423-1595	203227	September 15, 1998

	Material	ATCC Dep. No.	Deposit Date
,	DNA66304-1546	203321	October 6, 1998
	DNA66308-1537	203159	August 25, 1998
	DNA66511-1563	203228	September 15, 1998
5	DNA66512-1564	203218	September 15, 1998
	DNA66519-1535	203236	September 15, 1998
	DNA66521-1583	203225	September 15, 1998
•	DNA66658-1584	203229	September 15, 1998
	DNA66660-1585	203279	September 22, 1998
10	DNA66669-1597	203272	September 22, 1998
	DNA66674-1599	203281	September 22, 1998
	DNA68836-1656	203455	November 3, 1998
	DNA68862-2546	203652	February 9, 1999
	DNA68866-1644	203283	September 22, 1998
15	DNA68869-1610	203164	August 25, 1998
	DNA68871-1638	203280	September 22, 1998
	DNA68879-1631	203274	September 22, 1998
	DNA68880-1676	203319	October 6, 1998
	DNA68882-1677	203318	October 6, 1998
20	DNA68883-1691	203535	December 15, 1998
	DNA68885-1678	203311	October 6, 1998
	DNA71180-1655	203403	October 27, 1998
	DNA71184-1634	203266	September 22, 1998
	DNA71213-1659	203401	October 27, 1998
25	DNA71234-1651	203402	October 27, 1998
	DNA71269-1621	203284	September 22, 1998
	DNA71277-1636	203285	September 22, 1998
	DNA71286-1687	203357	October 20, 1998
	DNA71883-1660	203475	November 17, 1998
30	DNA73401-1633	203273	September 22, 1998
	DNA73492-1671	203324	October 6, 1998
	DNA73730-1679	203320	October 6, 1998
	DNA73734-1680	203363	October 20, 1998
	DNA73735-1681	203356	October 20, 1998
35	DNA73742-1662	203316	October 6, 1998
	DNA73746-1654	203411	October 27, 1998
	DNA73760-1672	203314	October 6, 1998

	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA76393-1664	203323	October 6, 1998
	DNA76398-1699	203474	November 17, 1998
	DNA76399-1700	203472	November 17, 1998
5	DNA76522-2500	203469	November 17, 1998
	DNA76533-1689	203410	October 27, 1998
	DNA77303-2502	203479	November 17, 1998
	DNA77626-1705	203536	December 15, 1998
	DNA77648-1688	203408	October 27, 1998
10	DNA81754-2532	203542	December 15, 1998
	DNA81757-2512	203543	December 15, 1998
	DNA82302-2529	203534	December 15, 1998
	DNA82340-2530	203547	December 22, 1998
	DNA87991-2540	203656	February 9, 1999
15	DNA92238-2539	203602	January 20, 1999
	DNA115291-2681	PTA-202	June 8, 1999
	DNA23336-2861	PTA-1673	April 11, 2000
	DNA30862-1396	209920	June 2, 1998
	DNA30871-1157	209380	October 16, 1997
20	DNA32279-1131	209259	September 16, 1997
	DNA33206-1165	209372	October 16, 1997
	DNA35673-1201	209418	October 28, 1997
	DNA47361-1154-2	209431	November 7, 1997
	DNA49631-1328	209806	April 28, 1998
25	DNA52594-1270	209679	March 17, 1998
	DNA55800-1263	209680	March 17, 1998
	DNA56531-1648	203286	September 29, 1998
	DNA56965-1356	209842	May 6, 1998
	DNA57037-1444	209903	May 27, 1998
30	DNA57695-1340	203006	June 23, 1998
	DNA57834-1339	209954	June 9, 1998
	DNA57841-1522	203458	November 3, 1998
	DNA58847-1383	209879	May 20, 1998
٠	DNA59493-1420	203050	July 1, 1998
35	DNA59586-1520	203288	September 29, 1998
	DNA59608-2577	203870	March 23, 1999
	DNA59849-1504	209986	June 16, 1998

		14010 7	(cont)
	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA60292-1506	203540	December 15, 1998
	DNA62377-1381-1	203552	December 22, 1998
	DNA62880-1513	203097	August 4, 1998
5	DNA66672-1586	203265	September 22, 1998
	DNA67962-1649	203291	September 29, 1998
	DNA69555-2867	PTA-1632	April 4, 2000
	DNA71162-2764	PTA-860	October 19, 1999
	DNA71290-1630	203275	September 22, 1998
10	DNA76401-1683	203360	October 20, 1998
	DNA76541-1675	203409	October 27, 1998
	DNA76788-2526	203551	December 22, 1998
	DNA77623-2524	203546	December 22, 1998
	DNA80136-2503	203541	December 15, 1998
15	DNA83568-2692	PTA-386	July 20, 1999
	DNA84210-2576	203818	March 2, 1999
	DNA86576-2595	203868	March 23, 1999
	DNA87976-2593	203888	March 30, 1999
	DNA92256-2596	203891	March 30, 1999
20	DNA92289-2598	PTA-131	May 25, 1999
	DNA96850-2705	PTA-479	August 3, 1999
	DNA96855-2629	PTA-18	May 4, 1999
	DNA96857-2636	PTA-17	May 4, 1999
	DNA96860-2700	PTA-478	August 3, 1999
25	DNA96861-2844	PTA-1436	March 2, 2000
	DNA96866-2698	PTA-491	August 3, 1999
	DNA96870-2676	PTA-254	June 22, 1999
	DNA96872-2674	PTA-550	August 17, 1999
	DNA96878-2626	PTA-23	May 4, 1999
30	DNA96879-2619	203967	April 27, 1999
	DNA96889-2641	PTA-119	May 25, 1999
	DNA96893-2621	PTA-12	May 4, 1999
	DNA96897-2688	PTA-379	July 20, 1999
-	DNA98564-2643	PTA-125	May 25, 1999
35	DNA107443-2718	PTA-490	August 3, 1999
	DNA107786-2723	PTA-474	August 3, 1999
	DNA108682-2712	PTA-486	August 3, 1999

		<u> 14010 / (</u>	oone j
	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA108684-2761	PTA-653	September 14, 1999
	DNA108701-2749	PTA-554	August 17, 1999
	DNA108720-2717	PTA-511	August 10, 1999
5	DNA108726-2729	PTA-514	August 10, 1999
	DNA108728-2760	PTA-654	September 14, 1999
	DNA108738-2767	PTA-862	October 19, 1999
	DNA108743-2722	PTA-508	August 10, 1999
	DNA108758-2759	PTA-655	September 14, 1999
10	DNA108765-2758	PTA-657	September 14, 1999
	DNA108783-2747	PTA-616	August 31, 1999
	DNA108789-2748	PTA-547	August 17, 1999
	DNA108806-2724	PTA-610	August 31, 1999
	DNA108936-2719	PTA-519	August 10, 1999
15	DNA119510-2771	PTA-947	November 9, 1999
	DNA119517-2778	PTA-951	November 16, 1999
	DNA119535-2756	PTA-613	August 31, 1999
	DNA119537-2777	PTA-956	November 16, 1999
	DNA119714-2851	PTA-1537	March 21, 2000
20	DNA125170-2780	PTA-953	November 16, 1999
	DNA129594-2841	PTA-1481	March 14, 2000
	DNA129793-2857	PTA-1733	April 18, 2000
	DNA130809-2769	PTA-949	November 9, 1999
	DNA131639-2874	PTA-1784	April 25, 2000
25	DNA131649-2855	PTA-1482	March 14, 2000
	DNA131652-2876	PTA-1628	April 4, 2000
	DNA131658-2875	PTA-1671	April 11, 2000
	DNA132162-2770	PTA-950	November 9, 1999
	DNA136110-2763	PTA-652	September 14, 1999
30	DNA139592-2866	PTA-1587	March 28, 2000
	DNA139608-2856	PTA-1581	March 28, 2000
	DNA143292-2848	PTA-1778	April 25, 2000
	DNA144844-2843	PTA-1536	March 21, 2000
	DNA144857-2845	PTA-1589	March 28, 2000
35	DNA145841-2868	PTA-1678	April 11, 2000
	DNA148004-2882	PTA-1779	April 25, 2000
	DNA 149893-2873	PTA-1672	April 11, 2000

WO 01/68848		PCT/US01/06520

	<u>Material</u>	ATCC Dep. No.	Deposit Date
	DNA149930-2884	PTA-1668	April 11, 2000
	DNA150157-2898	PTA-1777	April 25, 2000
	DNA150163-2842	PTA-1533	March 21, 2000
5	DNA153579-2894	PTA-1729	April 18, 2000
	DNA164625-2890	PTA-1535	March 21, 2000
	DNA57838-1337	203014	June 23, 1998
	DNA59777-1480	203111	August 11, 1998
	DNA66675-1587	203282	September 22, 1998
10	DNA76532-1702	203473	November 17, 1998
	DNA105849-2704	PTA-473	August 3, 1999
	DNA83500-2506	203391	October 29, 1998

These deposits were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public of any U.S. or foreign patent application, whichever comes first, and assures availability of the progeny to one determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC § 122 and the Commissioner's rules pursuant thereto (including 37 CFR § 1.14 with particular reference to 886 OG 638).

The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

30 EXAMPLE 5: Use of PRO as a hybridization probe

15

20

25

35

The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human tissue cDNA libraries or human tissue genomic libraries.

Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH

6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

EXAMPLE 6: Expression of PRO in E. coli

5

10

15

20

25

30

35

This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in E. coli.

The DNA sequence encoding PRO is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., <u>Gene</u>, <u>2</u>:95 (1977)) which contains genes for amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an argU gene.

The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., <u>supra</u>. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate •2H2O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30°C with shaking. Samples are removed to verify

expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1/H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 7: Expression of PRO in mammalian cells

5

10

15

20

25

30

35

This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., <u>supra</u>. The resulting vector is called pRK5-

PRO.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., Cell, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl₂. To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO₄, and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

10

5

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 μ Ci/ml ³⁵S-cysteine and 200 μ Ci/ml ³⁵S-methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

15

20

In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Somparyrac et al., Proc. Natl. Acad. Sci., 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700 μ g pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and reintroduced into the spinner flask containing tissue culture medium, 5 μ g/ml bovine insulin and 0.1 μ g/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

25

In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO₄ or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ³⁵S-methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

30

35

Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be

concentrated and purified by any selected method, such as by Ni²⁺-chelate affinity chromatography.

5

10

15

20

25

30

35

PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., <u>Current Protocols of Molecular Biology</u>, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., <u>Nucl. Acids Res.</u> 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect (Qiagen), Dosper or Fugene (Boehringer Mannheim). The cells are grown as described in Lucas et al., <u>supra</u>. Approximately 3 x 10⁷ cells are frozen in an ampule for further growth and production as described below.

The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μ m filtered PS20 with 5% 0.2 μ m diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3 x 10⁵ cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2 x 10⁶ cells/mL. On day 0, the cell number pH ie determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 µm filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional

equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 8: Expression of PRO in Yeast

5

10

15

20

25

30

35

The following method describes recombinant expression of PRO in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 9: Expression of PRO in Baculovirus-Infected Insect Cells

The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then

digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGoldTM virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al., <u>Baculovirus expression vectors: A Laboratory Manual</u>, Oxford: Oxford University Press (1994).

Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 μm filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A₂₈₀ baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni²⁺-NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed against loading buffer.

Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

25 EXAMPLE 10: Preparation of Antibodies that Bind PRO

5

10

15

20

30

35

This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, <u>supra</u>. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled artisan without undue experimentation.

Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

EXAMPLE 11: Purification of PRO Polypeptides Using Specific Antibodies

15

10

5

Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

20

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSETM (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

25

Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

30

A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (e.g., high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (e.g., a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

35

EXAMPLE 12: Drug Screening

This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

10

5

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an PRO polypeptide or fragment thereof and assaying (I) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

15

20

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

25

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

30

35

EXAMPLE 13: Rational Drug Design

The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (i.e., a PRO polypeptide) or of small molecules with which they interact, e.g., agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide in vivo (c.f., Hodgson, Bio/Technology, 9: 19-21 (1991)).

In one approach, the three-dimensional structure of the PRO polypeptide, or of an PRO

5

10

15

20

25

30

35

polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, <u>Biochemistry</u>, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, J. Biochem., 113:742-746 (1993).

It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

EXAMPLE 14: Identification of PRO Polypeptides That Stimulate TNF-α Release In Human Blood (Assay 128)

This assay shows that certain PRO polypeptides of the present invention act to stimulate the release of TNF- α in human blood. PRO polypeptides testing positive in this assay are useful for, among other things, research purposes where stimulation of the release of TNF- α would be desired and for the therapeutic treatment of conditions wherein enhanced TNF- α release would be beneficial. Specifically, 200 μ l of human blood supplemented with 50mM Hepes buffer (pH 7.2) is aliquoted per well in a 96 well test plate. To each well is then added 300 μ l of either the test PRO polypeptide in 50 mM Hepes buffer (at various concentrations) or 50 mM Hepes buffer alone (negative control) and the plates are incubated at 37°C for 6 hours. The samples are then centrifuged and 50 μ l of plasma is collected from each well and tested for the presence of TNF- α by ELISA assay. A positive in the assay is a higher amount of TNF- α in the PRO polypeptide treated samples as compared to the negative control samples.

The following PRO polypeptides tested positive in this assay: PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567, and PRO4333.

EXAMPLE 15: Promotion of Chondrocyte Redifferentiation (Assay 129)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage

disorders such as, for example, sports injuries and arthritis.

5

10

15

20

25

30

35

Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 μ g/ml gentamycin. The culture media is changed every third day. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100 μ l of the same media without serum and 100 μ l of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 μ l/well. After 5 days at 37°C, 22 μ l of media comtaining 100 μ g/ml Hoechst 33342 and 50 μ g/ml 5-CFDA is added to each well and incubated for an additional 10 minutes at 37°C. A picture of the green fluorescence is taken for each well and the differentiation state of the chondrocytes is calculated by morphometric analysis. A positive result in the assay is obtained when the >50% of the PRO polypeptide treated cells are differentiated (compared to the background obtained by the negative control).

PRO6029 polypeptide tested positive in this assay.

EXAMPLE 16: Microarray Analysis to Detect Overexpression of PRO Polypeptides in Cancerous Tumors

Nucleic acid microarrays, often containing thousands of gene sequences, are useful for identifying differentially expressed genes in diseased tissues as compared to their normal counterparts. Using nucleic acid microarrays, test and control mRNA samples from test and control tissue samples are reverse transcribed and labeled to generate cDNA probes. The cDNA probes are then hybridized to an array of nucleic acids immobilized on a solid support. The array is configured such that the sequence and position of each member of the array is known. For example, a selection of genes known to be expressed in certain disease states may be arrayed on a solid support. Hybridization of a labeled probe with a particular array member indicates that the sample from which the probe was derived expresses that gene. If the hybridization signal of a probe from a test (disease tissue) sample is greater than hybridization signal of a probe from a control (normal tissue) sample, the gene or genes overexpressed in the disease tissue are identified. The implication of this result is that an overexpressed protein in a diseased tissue is useful not only as a diagnostic marker for the presence of the disease condition, but also as a therapeutic target for treatment of the disease condition.

The methodology of hybridization of nucleic acids and microarray technology is well known in the art. In the present example, the specific preparation of nucleic acids for hybridization and probes, slides, and hybridization conditions are all detailed in U.S. Provisional Patent Application Serial No. 60/193,767, filed on March 31, 2000 and which is herein incorporated by reference.

In the present example, cancerous tumors derived from various human tissues were studied for PRO polypeptide-encoding gene expression relative to non-cancerous human tissue in an attempt to identify those PRO polypeptides which are overexpressed in cancerous tumors. Two sets of experimental data were generated. In one set, cancerous human colon tumor tissue and matched non-cancerous human colon tumor tissue from the same patient ("matched colon control") were obtained and analyzed for PRO polypeptide expression using the above described microarray technology. In the second set of data, cancerous human tumor tissue from any of a variety of different human tumors was obtained and compared to a "universal" epithelial control sample which was

prepared by pooling non-cancerous human tissues of epithelial origin, including liver, kidney, and lung. mRNA isolated from the pooled tissues represents a mixture of expressed gene products from these different tissues. Microarray hybridization experiments using the pooled control samples generated a linear plot in a 2-color analysis. The slope of the line generated in a 2-color analysis was then used to normalize the ratios of (test:control detection) within each experiment. The normalized ratios from various experiments were then compared and used to identify clustering of gene expression. Thus, the pooled "universal control" sample not only allowed effective relative gene expression determinations in a simple 2-sample comparison, it also allowed multi-sample comparisons across several experiments.

5

10

15

In the present experiments, nucleic acid probes derived from the herein described PRO polypeptide-encoding nucleic acid sequences were used in the creation of the microarray and RNA from the tumor tissues listed above were used for the hybridization thereto. A value based upon the normalized ratio:experimental ratio was designated as a "cutoff ratio". Only values that were above this cutoff ratio were determined to be significant. Table 8 below shows the results of these experiments, demonstrating that various PRO polypeptides of the preent invention are significantly overexpressed in various human tumor tissues as compared to a non-cancerous human tissue control. As described above, these data demonstrate that the PRO polypeptides of the present invention are useful not only as diagnostic markers for the presence of one or more cancerous tumors, but also serve as therapeutic targets for the treatment of those tumors.

Table 8

	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO276	· lung tumor	universal normal control
20	PRO284	colon tumor	universal normal control
	PRO284	lung tumor	universal normal control
	PRO284	breast tumor	universal normal control
	PRO193	colon tumor	universal normal control
	PRO193	lung tumor	universal normal control
25	PRO193	breast tumor	universal normal control
	PRO193	prostate tumor	universal normal control
	PRO190	colon tumor	universal normal control
	PRO190	lung tumor	universal normal control
	PRO190	breast tumor	universal normal control
30	PRO180	colon tumor	universal normal control
	PRO180	lung tumor	universal normal control
	PRO180	breast tumor	universal normal control
	PRO194	colon tumor	universal normal control
	PRO194	lung tumor	universal normal control
35	PRO194	breast tumor	universal normal control
	PRO194	cervical tumor	universal normal control
	PRO218	colon tumor	universal normal control
	PRO218	lung tumor	universal normal control
	PRO260	colon tumor	universal normal control
40	PRO260	lung tumor	universal normal control
	PRO260	breast tumor	universal normal control
	PRO260	rectal tumor	universal normal control
	PRO233	colon tumor	universal normal control
	PRO233	lung tumor	universal normal control
45	PRO233	breast tumor	universal normal control



		Table 8 (cont')	•
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO234	colon tumor	universal normal control
	PRO234	lung tumor	universal normal control
	PRO234	breast tumor	universal normal control
5	PRO234	liver tumor	universal normal control
•	PRO236	colon tumor	universal normal control
	PRO236	lung tumor	universal normal control
	PRO236		universal normal control
		breast tumor	
10	PRO244	colon tumor	universal normal control
10	PRO244	lung tumor	universal normal control
	PRO262	colon tumor	universal normal control
	PRO262	lung tumor	universal normal control
	PRO262	breast tumor	universal normal control
	PRO271	colon tumor	universal normal control
15	PRO271	lung tumor	universal normal control
	PRO268	colon tumor	universal normal control
	PRO268	lung tumor	universal normal control
	PRO268	breast tumor	universal normal control
	PRO270	colon tumor	universal normal control
20	PRO270	lung tumor	universal normal control
	PRO270	breast tumor	universal normal control
	PRO270	liver tumor	universal normal control
	PRO355	lung tumor	universal normal control
	PRO355	breast tumor	universal normal control
25	PRO355	prostate tumor	universal normal control
	PRO298	colon tumor	universal normal control
	PRO298	lung tumor	universal normal control
	PRO298	breast tumor	universal normal control
	PRO299	colon tumor	universal normal control
30	PRO299	lung tumor	universal normal control
50	PRO299	breast tumor	universal normal control
	PRO296	colon tumor	universal normal control
	PRO296	breast tumor	universal normal control
	PRO329	colon tumor	universal normal control
35	PRO329		universal normal control
<i>55</i>	PRO329	lung tumor	universal normal control
	PRO330	breast tumor	
		colon tumor	universal normal control
	PRO330	lung tumor	universal normal control
40	PRO294	lung tumor	universal normal control
40	PRO294	breast tumor	universal normal control
	PRO300	colon tumor	universal normal control
	PRO300	lung tumor	universal normal control
	PRO300	breast tumor	universal normal control
	PRO307	lung tumor	universal normal control
45	PRO334	colon tumor	universal normal control
	PRO334	lung tumor	universal normal control
	PRO334	breast tumor	universal normal control
	PRO334	prostate tumor	universal normal control
	PRO352	colon tumor	universal normal control
50	PRO352	lung tumor	universal normal control
	PRO352	breast tumor	universal normal control
	PRO352	liver tumor	universal normal control
	PRO710	breast tumor	universal normal control
	PRO873	colon tumor	universal normal control
55	PRO873	lung tumor	universal normal control

		Table 8 (cont'	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO873	breast tumor	universal normal control
	PRO873	prostate tumor	universal normal control
	PRO354	colon tumor	universal normal control
5	PRO354	lung tumor	universal normal control
	PRO354	breast tumor	universal normal control
	PRO1151	lung tumor	universal normal control
	PRO1151	breast tumor	universal normal control
	PRO382	colon tumor	universal normal control
10	PRO382	lung tumor	universal normal control
	PRO382	breast tumor	universal normal control
	PRO1864	lung tumor	universal normal control
	PRO1864	breast tumor	universal normal control
	PRO1864	liver tumor	universal normal control
15	PRO386	colon tumor	universal normal control
	PRO386	lung tumor	universal normal control
	PRO386	prostate tumor	universal normal control
	PRO541	colon tumor	universal normal control
	PRO541	lung tumor	universal normal control
20	PRO541	breast tumor	universal normal control
	PRO852	breast tumor	universal normal control
	PRO700	colon tumor	universal normal control
	PRO700	lung tumor	universal normal control
	PRO700	breast tumor	universal normal control
25	PRO700	rectal tumor	universal normal control
	PRO708	colon tumor	universal normal control
	PRO708	lung tumor	universal normal control
	PRO708	breast tumor	universal normal control
	PRO707	colon tumor	universal normal control
30	PRO707	lung tumor	universal normal control
	PRO864	colon tumor	universal normal control
	PRO864	lung tumor	universal normal control
	PRO864	breast tumor	universal normal control
05	PRO706	colon tumor	universal normal control
35	PRO706	lung tumor	universal normal control
	PRO706	breast tumor	universal normal control
	PRO706	liver tumor	universal normal control
	PRO732	lung tumor	universal normal control
40	PRO732	breast tumor	universal normal control
40	PRO732	cervical tumor	universal normal control
	PRO537	colon tumor	universal normal control
	PRO537	lung tumor	universal normal control
	PRO537	breast tumor	universal normal control
15	PRO545	lung tumor	universal normal control
45	PRO545	breast tumor	universal normal control
	PRO718	lung tumor	universal normal control
	PRO718	breast tumor	universal normal control
	PRO872	lung tumor	universal normal control
50 .	PRO872	breast tumor	universal normal control
50	PRO872	liver tumor	universal normal control
	PRO704	colon tumor	universal normal control
	PRO704	lung tumor	universal normal control
	PRO704	breast tumor	universal normal control
55	PRO705	lung tumor	universal normal control
55	PRO705	breast tumor	universal normal control



		Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	as compared to:
•	PRO871	lung tumor	universal normal control
	PRO871	breast tumor	universal normal control
	PRO871	liver tumor	universal normal control
5	PRO702	lung tumor	universal normal control
	PRO944	colon tumor	universal normal control
	PRO944	lung tumor	universal normal control
	PRO944	rectal tumor	universal normal control
	PRO739	lung tumor	universal normal control
10	PRO739	breast tumor	universal normal control
	PRO739	prostate tumor	universal normal control
	PRO941	colon tumor	universal normal control
	PRO941	lung tumor	universal normal control
	PRO941	breast tumor	universal normal control
15	PRO941	rectal tumor	universal normal control
10	PRO1082	lung tumor	universal normal control
	PRO1082	breast tumor	universal normal control
	PRO1002 PRO1133	colon tumor	universal normal control
	PRO1133	lung tumor	universal normal control
20	PRO983	colon tumor	universal normal control
20	PRO983	lung tumor	universal normal control
	PRO983	breast tumor	universal normal control
	PRO784	colon tumor	universal normal control
	PRO784		universal normal control
25	PRO784	lung tumor breast tumor	universal normal control
23	PRO784	prostate tumor	universal normal control
	PRO783	colon tumor	universal normal control
	PRO783	lung tumor	universal normal control
	PRO783	breast tumor	universal normal control
30	PRO783	liver tumor	universal normal control
50	PRO940	colon tumor	universal normal control
	PRO940	lung tumor	universal normal control
	PRO940	breast tumor	universal normal control
	PRO768	colon tumor	universal normal control
35	PRO768	lung tumor	universal normal control
	PRO768	breast tumor	universal normal control
	PRO1079	colon tumor	universal normal control
	PRO1079	lung tumor	universal normal control
	PRO1079	breast tumor	universal normal control
40	PRO1079	rectal tumor	universal normal control
	PRO1078	colon tumor	universal normal control
	PRO1078	lung tumor	universal normal control
	PRO1018	colon tumor	universal normal control
	PRO1018	lung tumor	universal normal control
45	PRO1018	breast tumor	universal normal control
	PRO793	colon tumor	universal normal control
	PRO793	lung tumor	universal normal control
	PRO793	breast tumor	universal normal control
	PRO793	rectal tumor	universal normal control
50	PRO1773	colon tumor	universal normal control
	PRO1773	lung tumor	universal normal control
	PRO1773	prostate tumor	universal normal control
	PRO1014	lung tumor	universal normal control
	PRO1014	breast tumor	universal normal control
55	PRO1013	colon tumor	universal normal control
	.101017	TOTAL BUILDI	

		Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO1013	lung tumor	universal normal control
	PRO1013	breast tumor	universal normal control
_	PRO1013	liver tumor	universal normal control
5	PRO937	colon tumor	universal normal control
	PRO937	lung tumor	universal normal control
	PRO937	breast tumor	universal normal control
	PRO937	cervical tumor	universal normal control
	PRO937	rectal tumor	universal normal control
10	PRO1477	lung tumor	universal normal control
	PRO1477	breast tumor	universal normal control
	PRO1477	rectal tumor	universal normal control
	PRO842	colon tumor	universal normal control
	PRO842	lung tumor	universal normal control
15	PRO842	breast tumor	universal normal control
	PRO839	colon tumor	universal normal control
	PRO1180	colon tumor	universal normal control
	PRO1180	lung tumor	universal normal control
	PRO1180	liver tumor	universal normal control
20	PRO1134	lung tumor	universal normal control
	PRO1134	breast tumor	universal normal control
	PRO1134	prostate tumor	universal normal control
	PRO1115	colon tumor	universal normal control
	PRO1115	lung tumor	universal normal control
25	PRO1115	breast tumor	universal normal control
	PRO1277	colon tumor	universal normal control
	PRO1277	lung tumor	universal normal control
	PRO1135	lung tumor	universal normal control
	PRO1135	breast tumor	universal normal control
30	PRO1135	cervical tumor	universal normal control
	PRO827	colon tumor	universal normal control
	PRO827	lung tumor	universal normal control
	PRO827	prostate tumor	universal normal control
	PRO827	cervical tumor	universal normal control
35	PRO1057	lung tumor	universal normal control
	PRO1057	breast tumor	universal normal control
	PRO1113	colon tumor	universal normal control
	PRO1113	lung tumor	universal normal control
	PRO1006	colon tumor	universal normal control
40	PRO1006	lung tumor	universal normal control
	PRO1006	breast tumor	universal normal control
	PRO1006	rectal tumor	universal normal control
	PRO1074	lung tumor	universal normal control
	PRO1074	rectal tumor	universal normal control
45	PRO1073	lung tumor	universal normal control
	PRO1073	breast tumor	universal normal control
	PRO1136	colon tumor	universal normal control
	PRO1136	lung tumor	universal normal control
	PRO1136	breast tumor	universal normal control
50	PRO1004	lung tumor ·	universal normal control
	PRO1344	colon tumor	universal normal control
	PRO1344	lung tumor	universal normal control
	PRO1344	breast tumor	universal normal control
	PRO1344	rectal tumor	universal normal control
55	PRO1110	colon tumor	universal normal control

			Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	•	as compared to:
	PRO1110	lung tumor		universal normal control
	PRO1110	breast tumor		universal normal control
	PRO1378	colon tumor	i .	universal normal control
5	PRO1378	lung tumor	•	universal normal control
	PRO1378	prostate tumor		universal normal control
	PRO1378	cervical tumor		universal normal control
	PRO1481	colon tumor	•	universal normal control
	PRO1481	lung tumor		universal normal control
10	PRO1109	lung tumor		universal normal control
	PRO1109	breast tumor		universal normal control
	PRO1383	colon tumor		universal normal control
	PRO1383	lung tumor		universal normal control
	PRO1383	breast tumor		universal normal control
15	PRO1072	lung tumor		universal normal control
	PRO1189	colon tumor		universal normal control
	PRO1189	lung tumor		universal normal control
	PRO1189	breast tumor		universal normal control
	PRO1189	prostate tumor		universal normal control
20	PRO1003	colon tumor		universal normal control
	PRO1003	lung tumor		universal normal control
	PRO1003	breast tumor		universal normal control
	PRO1003	liver tumor		universal normal control
	PRO1003	rectal tumor	•	universal normal control
25	PRO1108	colon tumor		universal normal control
	PRO1108	lung tumor	•	universal normal control
	PRO1108	breast tumor		universal normal control
	PRO1137	colon tumor	•	universal normal control
	PRO1137	lung tumor	•	universal normal control
30	PRO1137	breast tumor		universal normal control
	PRO1138	colon tumor	•	universal normal control
	PRO1138	lung tumor		universal normal control
	PRO1138	breast tumor		universal normal control
	PRO1415	colon tumor		universal normal control
35	PRO1415	lung tumor		universal normal control
	PRO1415	prostate tumor		universal normal control
	PRO1054	lung tumor		universal normal control
	PRO1054	breast tumor		universal normal control
	PRO994	colon tumor		universal normal control
40	PRO994	lung tumor		universal normal control
	PRO994	rectal tumor		universal normal control
	PRO1069	lung tumor		universal normal control
	PRO1069	breast tumor		universal normal control
	PRO1411	colon tumor		universal normal control
45	PRO1411	lung tumor		universal normal control
	PRO1129	lung tumor		universal normal control
	PRO1129	rectal tumor		universal normal control
	PRO1359	colon tumor		universal normal control
	PRO1359	lung tumor		universal normal control
50	PRO1359	breast tumor		universal normal control
	PRO1359	prostate tumor		universal normal control
	PRO1139	lung tumor		universal normal control
	PRO1065	lung tumor		universal normal control
	PRO1028	colon tumor		universal normal control
55	PRO1028	lung tumor		universal normal control



		Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO1028	breast tumor	universal normal control
	PRO1028	cervical tumor	universal normal control
	PRO1027	colon tumor	universal normal control
5	PRO1027	lung tumor	universal normal control
	PRO1027	breast tumor	universal normal control
	PRO1140	colon tumor	universal normal control
	PRO1140	breast tumor	universal normal control
	PRO1291	colon tumor	universal normal control
10	PRO1291	breast tumor	universal normal control
	PRO1105	colon tumor	universal normal control
	PRO1105	lung tumor	universal normal control
	PRO1026	lung tumor	universal normal control
	PRO1026	prostate tumor	universal normal control
15	PRO1104	colon tumor	universal normal control
	PRO1104	lung tumor	universal normal control
	PRO1104	breast tumor	universal normal control
	PRO1100	colon tumor	universal normal control
	PRO1100	lung tumor	universal normal control
20	PRO1100	breast tumor	universal normal control
	PRO1100	rectal tumor	universal normal control
	PRO1141	lung tumor	universal normal control
	PRO1772	colon tumor	universal normal control
	PRO1772	lung tumor	universal normal control
25	PRO1772	breast tumor	universal normal control
	PRO1772	cervical tumor	universal normal control
	PRO1064	colon tumor	universal normal control
	PRO1064	lung tumor	universal normal control
	PRO1379	colon tumor	universal normal control
30	PRO1379	lung tumor	universal normal control
	PRO1379	cervical tumor	universal normal control
	PRO3573	lung tumor	universal normal control
	PRO3573	breast tumor	universal normal control
	PRO3566	colon tumor	universal normal control
35	PRO3566	lung tumor	universal normal control
	PRO1156	lung tumor	universal normal control
	PRO1156	breast tumor	universal normal control
	PRO1156	prostate tumor	universal normal control
	PRO1098	colon tumor	universal normal control
40	PRO1098	lung tumor	universal normal control
	PRO1098	rectal tumor	universal normal control
	PRO1128	colon tumor	universal normal control
	PRO1128	lung tumor	universal normal control
	PRO1128	breast tumor	universal normal control
45	PRO1248	lung tumor	universal normal control
	PRO1248	breast tumor	universal normal control
•	PRO1127	colon tumor	universal normal control
	PRO1127	lung tumor	universal normal control
	PRO1127	breast tumor	universal normal control
50	PRO1316	colon tumor	universal normal control
	PRO1316	lung tumor	universal normal control
	PRO1316	breast tumor	universal normal control
	PRO1197	colon tumor .	universal normal control
	PRO1197	lung tumor	universal normal control
55	PRO1197	breast tumor	universal normal control



		Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO1125	lung tumor	universal normal control
	PRO1158	breast tumor	universal normal control
	PRO1124	colon tumor	universal normal control
5	PRO1124	lung tumor	universal normal control
	PRO1380	colon tumor	universal normal control
	PRO1380	lung tumor	universal normal control
	PRO1380	breast tumor	universal normal control
	PRO1380	liver tumor	universal normal control
10	PRO1377	colon tumor	universal normal control
~~	PRO1377	lung tumor	universal normal control
	PRO1287	lung tumor	
	PRO1287	breast tumor	universal normal control
	PRO1249		universal normal control
15		lung tumor	universal normal control
15	PRO1249	breast tumor	universal normal control
	PRO1335	colon tumor	universal normal control
	PRO1335	lung tumor	universal normal control
	PRO1335	breast tumor	universal normal control
20	PRO3572	lung tumor	universal normal control
20	PRO1599	colon tumor	universal normal control
	PRO1599	lung tumor	universal normal control
	PRO1599	breast tumor	universal normal control
	PRO1374	lung tumor	universal normal control
0.5	PRO1374	breast tumor	universal normal control
25	PRO1345	lung tumor	universal normal control
	PRO1345	breast tumor	universal normal control
	PRO1311	lung tumor	universal normal control
	PRO1311	breast tumor	universal normal control
	PRO1357	colon tumor	universal normal control
30	PRO1357	lung tumor	universal normal control
	PRO1557	colon tumor	universal normal control
	PRO1557	lung tumor	universal normal control
	PRO1557	breast tumor	universal normal control
	PRO1305	colon tumor	universal normal control
35	PRO1305	lung tumor	universal normal control
	PRO1305	breast tumor	universal normal control
	PRO1302 .	colon tumor	universal normal control
	PRO1302	lung tumor	universal normal control
	PRO1302	breast tumor	universal normal control
40	PRO1302	rectal tumor	universal normal control
	PRO1266	colon tumor	universal normal control
	PRO1336	colon tumor	universal normal control
	PRO1336	lung tumor	universal normal control
	PRO1336	breast tumor	universal normal control
45	PRO1278	colon tumor	universal normal control
	PRO1278	lung tumor	universal normal control
	PRO1270	breast tumor	universal normal control
	PRO1298	colon tumor	universal normal control
	PRO1298	lung tumor	universal normal control
50	PRO1301	lung tumor	universal normal control
	PRO1301	breast tumor	universal normal control
	PRO1361 PRO1268	colon tumor	universal normal control
	PRO1268	breast tumor	universal normal control
55	PRO1327	lung tumor	universal normal control
55	PRO1327	breast tumor	universal normal control



		Table 8 (cont.)	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO1328	colon tumor	universal normal control
	PRO1328	lung tumor	universal normal control
	PRO1328	breast tumor	universal normal control
5	PRO1329	colon tumor	universal normal control
	PRO1329	lung tumor	universal normal control
	PRO1329	breast tumor	universal normal control
	PRO1339	colon tumor	universal normal control
	PRO1339	lung tumor	universal normal control
10	PRO1342	colon tumor	universal normal control
	PRO1342	lung tumor	universal normal control
	PRO1342	breast tumor	universal normal control
	PRO1342	rectal tumor	universal normal control
	PRO1487	colon tumor	universal normal control
15	PRO1487	breast tumor	universal normal control
	PRO3579	lung tumor	universal normal control
	PRO3579	breast tumor	universal normal control
	PRO1472	colon tumor	universal normal control
20	PRO1472	lung tumor	universal normal control
20	PRO1385	lung tumor	universal normal control
	PRO1385	breast tumor	universal normal control
	PRO1461	colon tumor	universal normal control
	PRO1461	lung tumor	universal normal control
25	PRO1461	breast tumor	universal normal control
25	PRO1429	colon tumor	universal normal control
	PRO1429	lung tumor	universal normal control
	PRO1429	breast tumor	universal normal control
	PRO1568	lung tumor	universal normal control
20	PRO1568	breast tumor	universal normal control
30	PRO1569	colon tumor	universal normal control
	PRO1569	lung tumor	universal normal control
	PRO1569	breast tumor	universal normal control
	PRO1753	colon tumor	universal normal control
25	PRO1753	lung tumor	universal normal control
35	PRO1570	colon tumor	universal normal control
	PRO1570	lung tumor	universal normal control
	PRO1570	breast tumor	universal normal control
	PRO1570	prostate tumor	universal normal control
40	PRO1570	rectal tumor	universal normal control
40	PRO1559	colon tumor	universal normal control
	PRO1559	lung tumor	universal normal control
	PRO1559	breast tumor	universal normal control
	PRO1486	lung tumor	universal normal control
	PRO1486	breast tumor	universal normal control
45	PRO1433	colon tumor	universal normal control
	PRO1433	lung tumor	universal normal control
	PRO1433	breast tumor	universal normal control
	PRO1433	rectal tumor	universal normal control
	PRO1490	lung tumor	universal normal control
50	PRO1490	breast tumor	universal normal control
	PRO1482	lung tumor	universal normal control
	PRO1482	breast tumor	universal normal control
	PRO1409	colon tumor	universal normal control
	PRO1409	lung tumor	universal normal control
55	PRO1409	breast tumor	universal normal control
	•		

		rable 8 (cont.)	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO1446	colon tumor	universal normal control
	PRO1446	lung tumor	universal normal control
	PRO1446	breast tumor	universal normal control
5	PRO1446	prostate tumor	universal normal control
	PRO1604	colon tumor	universal normal control
	PRO1604	lung tumor	universal normal control
	PRO1604	breast tumor	universal normal control
	PRO1491	colon tumor	universal normal control
10	PRO1491	lung tumor	universal normal control
	PRO1491	breast tumor	universal normal control
	PRO1431	colon tumor	universal normal control
	PRO1431	lung tumor	universal normal control
	PRO1563	colon tumor	universal normal control
15	PRO1563	lung tumor	universal normal control
	PRO1563	breast tumor	universal normal control
	PRO1571	colon tumor	universal normal control
	PRO1571	lung tumor	universal normal control
	PRO1571	breast tumor	universal normal control
20	PRO1572	lung tumor	universal normal control
	PRO1572	prostate tumor	universal normal control
	PRO1573	lung tumor	universal normal control
	PRO1573	breast tumor	universal normal control
	PRO1508	lung tumor	universal normal control
25	PRO1508	breast tumor	universal normal control
	PRO1485	colon tumor	universal normal control
	PRO1485	lung tumor	universal normal control
	PRO1564	colon tumor	universal normal control
	PRO1564	lung tumor	universal normal control
30	PRO1564	breast tumor	universal normal control
	PRO1550	colon tumor	universal normal control
	PRO1550	lung tumor	universal normal control
	PRO1550	breast tumor	universal normal control
	PRO1757	lung tumor	universal normal control
35	PRO1757	breast tumor	universal normal control
	PRO1757	prostate tumor	universal normal control
	PRO1758	lung tumor	universal normal control
	PRO1781	colon tumor	universal normal control
	PRO1781	lung tumor	universal normal control
40	PRO1781	breast tumor	universal normal control
	PRO1606	lung tumor	universal normal control
	PRO1606	breast tumor	universal normal control
	PRO1784	colon tumor	universal normal control
	PRO1784	lung tumor	universal normal control
45	PRO1784	breast tumor	universal normal control
	PRO1774	colon tumor	universal normal control
	PRO1774	lung tumor	universal normal control
	PRO1774	· breast tumor	universal normal control
	PRO1605	colon tumor	universal normal control
50	PRO1605	lung tumor	universal normal control
	PRO1605	prostate tumor	universal normal control
	PRO1928	colon tumor	universal normal control
	PRO1928	lung tumor	universal normal control
	PRO1928	cervical tumor	universal normal control
55	PRO1865	lung tumor	universal normal control



		Table o (cont)	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO1865	liver tumor	universal normal control
	PRO1925	lung tumor	universal normal control
	PRO1926	liver tumor	universal normal control
5	PRO2630	colon tumor	universal normal control
	PRO2630	lung tumor	universal normal control
	PRO2630	breast tumor	universal normal control
	PRO2630	liver tumor	universal normal control
•	PRO3443	colon tumor	universal normal control
10	PRO3443	lung tumor	universal normal control
	PRO3443	breast tumor	universal normal control
	PRO3301	colon tumor	universal normal control
	PRO3301	lung tumor	universal normal control
	PRO3301	breast tumor	universal normal control
15	PRO3301	rectal tumor	universal normal control
13	PRO3442	colon tumor	universal normal control
	PRO3442		universal normal control
		lung tumor	
	PRO3442	rectal tumor	universal normal control
20	PRO4978	colon tumor	universal normal control
20	PRO4978	lung tumor	universal normal control
	PRO4978	breast tumor	universal normal control
\	PRO4978	rectal tumor	universal normal control
	PRO5801	colon tumor	universal normal control
25	PRO5801	breast tumor	universal normal control
25	PRO19630	colon tumor	universal normal control
	PRO203	colon tumor	universal normal control
	PRO204	colon tumor	universal normal control
	PRO204	lung tumor	universal normal control
30	PRO204	breast tumor	universal normal control
30	PRO204	prostate tumor	universal normal control
	PRO210	colon tumor	universal normal control
	PRO210	lung tumor	universal normal control
	PRO223	lung tumor	universal normal control
35	PRO223	breast tumor	universal normal control
33	PRO247	colon tumor	universal normal control universal normal control
	PRO247	lung tumor	
	PRO247	breast	universal normal control
	PRO358	lung tumor	universal normal control
40	PRO358	breast tumor	universal normal control
40	PRO358	prostate tumor	universal normal control
	PRO724	lung tumor	universal normal control
	PRO868	colon tumor	universal normal control
	PRO868	lung tumor	universal normal control
45	PRO868	prostate tumor	universal normal control
45	PRO868	rectal tumor	universal normal control
	PRO740	colon tumor	universal normal control
	PRO1478	colon tumor	universal normal control
	PRO1478	lung tumor	universal normal control
~0	PRO162	colon tumor	universal normal control
50	PRO162	lung tumor	universal normal control
	PRO162	breast tumor	universal normal control
	PRO828	colon tumor	universal normal control
	PRO828	lung tumor	universal normal control
~~	PRO828	breast tumor	universal normal control
55	PRO828	cervical tumor	universal normal control

		Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO828	liver tumor	universal normal control
	PRO819	lung tumor	universal normal control
_	PRO819	breast tumor	universal normal control
5	PRO819	rectal tumor	universal normal control
	PRO813	colon tumor	universal normal control
	PRO813	lung tumor	universal normal control
	PRO813	breast tumor	universal normal control
	PRO813	prostate tumor	universal normal control
10	PRO1194	colon tumor	universal normal control
	PRO1194	lung tumor	universal normal control
	PRO1194	breast tumor	universal normal control
	PRO887	colon tumor	universal normal control
	PRO887	lung tumor	universal normal control
15	PRO887	rectal tumor	universal normal control
	PRO1071	colon tumor	universal normal control
•	PRO1071	lung tumor	universal normal control
	PRO1071	breast tumor	universal normal control
20	PRO1029	colon tumor	universal normal control
20	PRO1029	lung tumor	universal normal control
	PRO1029	breast tumor	universal normal control
	PRO1190	lung tumor	universal normal control
	PRO1190	breast tumor	universal normal control
25	PRO4334	lung tumor	universal normal control
25	PRO1155	colon tumor	universal normal control
	PRO1155	lung tumor	universal normal control
	PRO1157	breast tumor	universal normal control
	PRO1157	cervical tumor	universal normal control
30	PRO1122	lung tumor	universal normal control
20	PRO1122 PRO1183	breast tumor	universal normal control
	PRO1183	colon tumor	universal normal control
	PRO1183	lung tumor breast tumor	universal normal control universal normal control
	PRO1337	colon tumor	universal normal control
35	PRO1337	lung tumor	universal normal control
55	PRO1337	breast tumor	universal normal control
	PRO1480	colon tumor	universal normal control
	PRO1480	lung tumor	universal normal control
	PRO1480	breast tumor	universal normal control
40	PRO19645	colon tumor	universal normal control
-	PRO9782	colon tumor	universal normal control
	PRO1419	colon tumor	universal normal control
	PRO1575	colon tumor	universal normal control
	PRO1575	lung tumor	universal normal control
45	PRO1567	colon tumor	universal normal control
	PRO1567	lung tumor	universal normal control
	PRO1567	breast tumor	universal normal control
	PRO1891	colon tumor	universal normal control
	PRO1889	colon tumor	universal normal control
50	PRO1889	lung tumor	universal normal control
	PRO1785	lung tumor	universal normal control
	PRO1785	prostate tumor	universal normal control
	PRO6003	colon tumor	universal normal control
	PRO4333	colon tumor	universal normal control
55	PRO4356	colon tumor	universal normal control

		Table 8 (cont')	
	<u>Molecule</u>	is overexpressed in:	as compared to:
	PRO4352	colon tumor	universal normal control
	PRO4354	colon tumor	universal normal control
•	PRO4354	lung tumor	universal normal control
5	PRO4354	prostate tumor	universal normal control
	PRO4369 .	colon tumor	universal normal control
	PRO6030	colon tumor	universal normal control
	PRO4433	colon tumor	universal normal control
	PRO4424	colon tumor	universal normal control
10	PRO4424	breast tumor	universal normal control
	PRO6017	colon tumor	universal normal control
	PRO19563	colon tumor	universal normal control
	PRO6015	colon tumor	universal normal control
	PRO5779	colon tumor	universal normal control
15	PRO5776	colon tumor	universal normal control
	PRO4430	lung tumor	universal normal control
	PRO4421	colon tumor	universal normal control
	PRO4499	colon tumor	universal normal control
	PRO4423	colon tumor	universal normal control
20	PRO5998	colon tumor	universal normal control
20	PRO5998	lung tumor	universal normal control
	PRO4501	colon tumor	universal normal control
	PRO6240	colon tumor	universal normal control
	PRO6245	colon tumor	universal normal control
25	PRO6175	colon tumor	universal normal control
	PRO9742	colon tumor	universal normal control
	PRO7179	colon tumor	universal normal control
	PRO6239	colon tumor	universal normal control
	PRO6493	colon tumor	universal normal control
30	PRO9741	colon tumor	universal normal control
	PRO9822	colon tumor	universal normal control
	PRO6244	colon tumor	universal normal control
	PRO9740	colon tumor	universal normal control
	PRO9739	colon tumor	universal normal control
35	PRO7177	colon tumor	universal normal control
	PRO7178	colon tumor	universal normal control
	PRO6246	colon tumor	universal normal control
	PRO6241	colon tumor	universal normal control
	PRO9835	colon tumor	universal normal control
40	PRO9857	colon tumor	universal normal control
	PRO7436	colon tumor	universal normal control
	PRO9856	colon tumor	universal normal control
	PRO19605	colon tumor	universal normal control
	PRO9859	colon tumor	universal normal control
45	PRO12970	colon tumor	universal normal control
	PRO19626	colon tumor	universal normal control
	PRO9883	colon tumor	universal normal control
	PRO19670	colon tumor	universal normal control
	PRO19624	colon tumor	universal normal control
50	PRO19680	colon tumor	universal normal control
	PRO19675	colon tumor	universal normal control
	PRO9834	colon tumor	universal normal control
	PRO9744	colon tumor	universal normal control
	PRO19644	colon tumor	universal normal control
55	PRO19625	colon tumor	universal normal control
			•



		7.022.7	
	Molecule	is overexpressed in:	as compared to:
	PRO19597	colon tumor	universal normal control
	PRO16090	colon tumor	universal normal control
	PRO19576	colon tumor	universal normal control
5	PRO19646	colon tumor	universal normal control
	PRO19814	colon tumor	universal normal control
	PRO19669	colon tumor	universal normal control
	PRO19818	colon tumor	universal normal control
	PRO20088	colon tumor	universal normal control
10	PRO16089	colon tumor	universal normal control
	PRO20025	colon tumor	universal normal control
	PRO20040	colon tumor	universal normal control
	PRO1760	adrenal tumor	universal normal control
	PRO1760	breast tumor	universal normal control
15	PRO1760	cervical tumor	universal normal control
	PRO1760	colon tumor	universal normal control
	PRO1760	liver tumor	universal normal control
	PRO1760	lung tumor	universal normal control
	PRO1760	prostate tumor	universal normal control
20	PRO1760	rectal tumor	universal normal control
	PRO6029	adrenal tumor	universal normal control
	PRO6029	colon tumor	universal normal control
	PRO6029	prostate tumor	universal normal control
	PRO1801	colon tumor	universal normal control
25	PRO1801	lung tumor	universal normal control

WHAT IS CLAIMED IS:

5

. 10

15

20

25

30

35

· 1. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence that encodes an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID

5

10

15

20

25

30

35

NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEO ID NO:270), Figure 272 (SEO ID NO:272), Figure 274 (SEO ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEO ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID

NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:594), Figure 590 (SEQ ID NO:596), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

5

10

15

20

25

30

35

2. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEO ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEO ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure 71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figure 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEO ID NO:107), Figure 109 (SEO ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEO ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID

5

10

15

20

25

30

35

NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEO ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure 339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID

5

10

15

20

25

30

35

NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure 605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

3. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the full-length coding sequence of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure

71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEO ID NO:87), Figure 89 (SEO ID NO:89), Figure 91 (SEO ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEO ID NO:105), Figure 107 (SEO ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEO ID NO:319), Figure 321 (SEO ID NO:321), Figure 323 (SEO ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure

.10

15

20

25

30

35

5 `

10

-15

20

25

30

35

339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEO ID NO:357), Figure 359 (SEO ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEO ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEO ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEO ID NO:429), Figure 431 (SEQ ID NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEO ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEO ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEO ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure

605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

- 4. Isolated nucleic acid having at least 80% nucleic acid sequence identity to the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.
- 5. A vector comprising the nucleic acid of Claim 1.
 - 6. A host cell comprising the vector of Claim 5.
 - 7. The host cell of Claim 6, wherein said cell is a CHO cell.
- 8. The host cell of Claim 6, wherein said cell is an E. coli.

10

- 9. The host cell of Claim 6, wherein said cell is a yeast cell.
- 15 10. A process for producing a PRO polypeptide comprising culturing the host cell of Claim 6 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.
- An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid 11. 20 sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 25 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEO ID NO:50), Figure 52 (SEO ID NO:52), Figure 54 (SEO ID NO:54), Figure 56 (SEO ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 30 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEO ID NO:80), Figure 82 (SEO ID NO:82), Figure 84 (SEO ID NO:84), Figure 86 (SEO ID NO:86), Figure 88 (SEO ID NO:88), Figure 90 (SEO ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), 35 Figure 110 (SEO ID NO:110), Figure 112 (SEO ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID

5

10

15

20

25

30

35

NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEO ID NO:144), Figure 146 (SEO ID NO:146), Figure 148 (SEO ID NO:148), Figure 150 (SEO ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEO ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID

NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEO ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEO ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEO ID NO:482), Figure 484 (SEO ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

10

15

20

25

30

35

- 12. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence encoded by the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.
- 13. A chimeric molecule comprising a polypeptide according to Claim 11 fused to a heterologous amino acid sequence.

14. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is an epitope tag sequence.

- 15. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is a Fc region of an immunoglobulin.
 - 16. An antibody which specifically binds to a polypeptide according to Claim 11.

5

10

15

20

25

30

35

- 17. The antibody of Claim 16, wherein said antibody is a monoclonal antibody, a humanized antibody or a single-chain antibody.
 - 18. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:
- (a) a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure

188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEO ID NO:206), Figure 208 (SEO ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID 5 NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEO ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 10 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEO ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID 15 NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEO ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEO ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEO ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEO ID NO:414), Figure 416 (SEO ID NO:416), Figure 418 (SEO ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEO ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure

20

25

30

35

5

10

15

20

25

30

35

454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEO ID NO:462), Figure 464 (SEO ID NO:464), Figure 466 (SEO ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEO ID NO:490), Figure 492 (SEO ID NO:492), Figure 494 (SEO ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:94), Figure 86 (SEQ ID NO:94), Figure 96 (SEQ ID NO:94), Figure 97 (SEQ ID NO:94), Figure 98 (SEQ ID NO:94), Figure 99 (SEQ ID NO:94), Figure 99 (SEQ ID NO:94), Figure 90 (SEQ ID NO:96), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ

5

10

15

20

25

30

35

ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure . 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEO ID NO:148), Figure 150 (SEO ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEO ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEO ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID

5

10

15

20

25

30

35

NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or

(c) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18

5

10

15

20

25

30

35

(SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEO ID NO:194), Figure 196 (SEO ID NO:196), Figure 198 (SEO ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEO ID NO:228), Figure 230 (SEO ID NO:230), Figure 232 (SEO ID NO:232), Figure 234 (SEO ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEO ID NO:278), Figure 280 (SEO ID NO:280), Figure 282 (SEO ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID

5

10

15

20

25

30

35

NO:290), Figure 292 (SEO ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEO ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEO ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEO ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEO ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEO ID NO:368), Figure 370 (SEO ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEO ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEO ID NO:396), Figure 398 (SEO ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEO ID NO:424), Figure 426 (SEO ID NO:426), Figure 428 (SEO ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEO ID NO:432), Figure 434 (SEO ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEO ID NO:460), Figure 462 (SEO ID NO:462), Figure 464 (SEO ID NO:464), Figure 466 (SEO ID NO:466), Figure 468 (SEO ID NO:468), Figure 470 (SEO ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEO ID NO:480), Figure 482 (SEO ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEO ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEO ID NO:494), Figure 496 (SEO ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEO ID NO:508), Figure 510 (SEO ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEO ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEO ID NO:522), Figure 524 (SEO ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEO ID NO:536), Figure 538 (SEO ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEO ID NO:544), Figure 546 (SEO ID NO:546), Figure 548 (SEO ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID

NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

10

15

20

25

30

35

5

- 19. An isolated polypeptide having at least 80% amino acid sequence identity to:
- an amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ (a) ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEO ID NO:14), Figure 16 (SEO ID NO:16), Figure 18 (SEO ID NO:18), Figure 20 (SEO ID NO:20), Figure 22 (SEO ID NO:22), Figure 24 (SEO ID NO:24), Figure 26 (SEO ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEO ID NO:52), Figure 54 (SEO ID NO:54), Figure 56 (SEO ID NO:56), Figure 58 (SEO ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEO ID NO:126), Figure 128 (SEO ID NO:128), Figure 130 (SEO ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID

NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEO ID NO:398), Figure 400 (SEO ID NO:400), Figure 402 (SEO ID NO:402), Figure 404 (SEO ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID

10

15

20

25

30

35

5

10

15

20

25

30

35

NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure .580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEO ID NO:110), Figure 112 (SEO ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ

5

10

15

20

25

30

35

ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEO ID NO:258), Figure 260 (SEO ID NO:260), Figure 262 (SEO ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEO ID NO:286), Figure 288 (SEO ID NO:288), Figure 290 (SEO ID NO:290), Figure 292 (SEO ID NO:292), Figure 294 (SEO ID NO:294), Figure 296 (SEO ID NO:296), Figure 298 (SEO ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID

NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or

10

15

20

25

30

35

(c) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure

5

10

15

20

25

30

35

34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure

5

10

15

20

25

30

35

306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEO ID NO:488), Figure 490 (SEO ID NO:490), Figure 492 (SEO ID NO:492), Figure 494 (SEO ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEO ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure

572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

20. A method for stimulating the release of TNF- α from human blood, said method comprising contacting said blood with a PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567 or PRO4333 polypeptide, wherein the release of TNF- α from said blood is stimulated.

10

5

21. A method for stimulating the proliferation or differentiation of chondrocyte cells, said method comprising contacting said cells with a PRO6029 polypeptide, wherein the proliferation or differentiation of said cells is stimulated.

15

22. A method for detecting the presence of tumor in an mammal, said method comprising comparing the level of expression of any PRO polypeptide shown in Table 8 in (a) a test sample of cells taken from said mammal and (b) a control sample of normal cells of the same cell type, wherein a higher level of expression of said PRO polypeptide in the test sample as compared to the control sample is indicative of the presence of tumor in said mammal.

20

- 23. The method of Claim 22, wherein said tumor is adrenal tumor, lung tumor, colon tumor, breast tumor, prostate tumor, rectal tumor, cervical tumor or liver tumor.
- 24. An oligonucleotide probe derived from any of the nucleotide sequences shown in the accompanying figures.

FIGURE 1

GAAGGCTGCCTCGCTGGTCCGAATTCGGTGGCGCCACGTCCGCCCGTCTCCGCCTTCTGCATCGCGGCTTCGGCG GCTTCCACCTAGACACCTAACAGTCGCGGAGCCGGCGTCGTGAGGGGGTCGGCACGGGGAGTCGGGCGGTCT $\tt TGTGCATCTTGGCTACCTGTGGGTCGAAG \underline{ATG} TCGGACATCGGAGACTGGTTCAGGAGCATCCCGGCGATCACGC$ ${\tt GCTATTGGTTCGCCGCCACCGTCGCCGTGCCCTTGGTCGGCAAACTCGGCCTCATCAGCCCGGCCTACCTCTTCC}$ TCTGGCCCGAAGCCTTCCTTTATCGCTTTCAGATTTGGAGGCCAATCACTGCCACCTTTTATTTCCCTGTGGGTC CAGGAACTGGATTTCTTTATTTGGTCAATTTATATTTCTTATATCAGTATTCTACGCGACTTGAAACAGGAGCTT TTGATGGGAGGCCAGCAGACTATTTATTCATGCTCCTCTTTAACTGGATTTGCATCGTGATTACTGGCTTAGCAA TGGATATGCAGTTGCTGATGATTCCTCTGATCATGTCAGTACTTTATGTCTGGGCCCAGCTGAACAGAGACATGA TTGTATCATTTTGGTTTGGAACACGATTTAAGGCCTGCTATTTACCCTGGGTTATCCTTGGATTCAACTATATCA TCGGAGGCTCGGTAATCAATGAGCTTATTGGAAATCTGGTTGGACATCTTTATTTTTTCCTAATGTTCAGATACC GAGTATCAGGATTTGGTGTGCCCCCTGCTAGCATGAGGCGAGCTGCTGATCAGAATGGCGGAGGCGGGAGACACA $\texttt{ACTGGGGCCAGGGCTTTCGACTTGGAGACCAG} \underline{\textbf{TGA}} \\ \texttt{AGGGGGCGGCCTCGGGCAGCCGCTCCTCTCAAGCCACATTT} \\$ $\tt CCTCCCAGTGCTGGGTGCACTTAACAACTGCGTTCTGGCTAACACTGTTGGACCTGACCCACACTGAATGTAGTC$ TTTCAGTACGAGACAAGTTTCTTAAATCCCGAAGAAAAATATAAGTGTTCCACAAGTTTCACGATTCTCATTCA AGTCCTTACTGCTGTGAAGAACAAATACCAACTGTGCAAAATTGCAAAACTGACTACATTTTTTTGGTGTCTTCTCT ${\tt TCTCCCCTTTCCGTCTGAATAATGGGTTTTAGCGGGTCCTAATCTGCTGGCATTGAGCTGGGGCTGGGTCACCAA}$ ACCCTTCCCAAAAGGACCTTATCTCTTTCTTGCACACATGCCTCTCTCCCACTTTTCCCAACCCCCACATTTGCA ${\tt CACAACAATCATATTCACGTTATTTTCCCCTTTTGGTGGCAGAACTGTTACCAATAGGGGGAGAAGACAGCCACG}$ GATGAAGCGTTTCTCAGCTTTTGGAATTGCTTCGACTGACATCCGTTGTTAACCGTTTGCCACTCTTCAGATATT TTTTATAAAAAAGTACCACTGAGTTCATGAGGGCCACAGATTGGTTATTAATGAGATACGAGGGTTGGTGCTGG GTGTTTGTTTCCTGAGCTAAGTGATCAAGACTGTAGTGGAGTTGCAGCTAACATGGGTTAAGCTTAAACCATGGG GGATGCACCCCTTTGCGTTTCATATGTAGCCCTACTGGCTTTGTGTAGCTGGAGTAGTTGGGTTGCTTTGTGTTA GGAGGATCCAGATCATGTTGGCTACAGGGAGATGCTCTCTTTGAGAGGTCCTGGGCATTGATTCCCATTTCAATC TCATTCTGGATATGTGTTCATTGAGTAAAGGAGGAGAGACCCTCATACGCTATTTAAATGTCACTTTTTTGCCTA TCCCCCGTTTTTTGGTCATGTTTCAATTAATTGTGAGGAAGGCGCAGCTCCTCTCTGCACGTAGATCATTTTTTA AAGCTAATGTAAGCACATCTAAGGGAATAACATGATTTAAGGTTGAAATGGCTTTAGAATCATTTGGGTTTGAGG GTGTGTTATTTTGAGTCATGAATGTACAAGCTCTGTGAATCAGACCAGCTTAAATACCCACACCTTTTTTTCGTA GGTGGGCTTTTCCTATCAGAGCTTGGCTCATAACCAAATAAAGTTTTTTGAAGGCCATGGCTTTTCACACAGTTA $\tt TTTTATTTATGACGTTATCTGAAAGCAGACTGTTAGGAGCAGTATTGAGTGGCTGTCACACTTTGAGGCAACTA$ AAAAGGCTTCAAACGTTTTGATCAGTTTCTTTTCAGGAAACATTGTGCTCTAACAGTATGACTATTCTTTCCCCC ACTCTTAAACAGTGTGATGTGTTATCCTAGGAAATGAGAGTTGGCAAACAACTTCTCATTTTGAATAGAGTTT GTGTGTACTTCTCCATATTTAATTTATATGATAAAATAGGTGGGGAGAGTCTGAACCTTAACTGTCATGTTTTGT TGTTCATCTGTGGCCACAATAAAGTTTACTTGTAAAATTTTAGAGGCCATTACTCCAATTATGTTGCACGTACAC ACCCTCTTACCAGTCAGCTGCCTGCGAGCAGTCATTTTTTCCTAAAGGTTTACAAGTATTTAGAACTTTTCAGTT CAGGGCAAAATGTTCATGAAGTTATTCCTCTTAAACATGGTTAGGAAGCTGATGACGTTATTGATTTTGTCTGGA TCTCTTTACAAATGGAAAAAAAAAAATCCTTATTTTGTATAAAGGACTTCCCTTTTTGTAAACTAATCCTTTTTAT TGGTAAAAATTGTAAATTAAAATGTGCAACTTG

2/615

FIGURE 2

MSDIGDWFRSIPAITRYWFAATVAVPLVGKLGLISPAYLFLWPEAFLYRFQIWRPITATFYFPVGPGTGFLYLVN LYFLYQYSTRLETGAFDGRPADYLFMLLFNWICIVITGLAMDMQLLMIPLIMSVLYVWAQLNRDMIVSFWFGTRF KACYLPWVILGFNYIIGGSVINELIGNLVGHLYFFLMFRYPMDLGGRNFLSTPQFLYRWLPSRRGGVSGFGVPPA SMRRAADQNGGGGRHNWGQGFRLGDQ

Transmembrane domain: amino acids 98-116, 152-172

N-myristoylation site. amino acids 89-95, 168-174, 176-182, 215-221, 221-227, 237-243

Glycosaminoglycan attachment site. amino acids 218-222

3/615

FIGURE 3

GAGCGAGGCCGGGGACTGAAGGTGTGGGTGTCGAGCCCTCTGGCAGAGGGTTAACCTGGGTCAAATGCACGGATT $\tt CTCACCTCGTACAGTTACGCTCCCCGCGGCACGTCCGCGAGGACTTGAAGTCCTGAGCGCTCAAGTTTGTCCGT$ ${\tt AGGTCGAGAGAGGCC} \underline{\textbf{ATG}} \\ \texttt{GAGGTGCCGCCACCGGCACCGCGAGCTTTCTCTGTAGAGCATTGTGCCTATTTCC}$ ${\tt CCGAGTCTTTGCTGCC} \overline{\texttt{GAA}} \\ {\tt GCTGTGACTGCCGATTCGGAAGTCCTTGAGGAGCGTCAGAAGCGGCTTCCCTACGT} \\$ CCCAGAGCCCTATTACCCGGAATCTGGATGGGACCGCCTCCGGGAGCTGTTTGGCAAAGATGAACAGCAGAGAAT TTCAAAGGACCTTGCTAATATCTGTAAGACGGCAGCTACAGCAGGCATCATTGGCTGGGTGTATGGGGGGAATACC AGCTTTTATTCATGCTAAACAACAATACATTGAGCAGAGCCAGGCAGAAATTTATCATAACCGGTTTGATGCTGT GCAATCTGCACATCGTGCCACACGAGGCTTCATTCGTTATGGCTGGGGGTTGGAGAACTGCAGTGTT TGTGACTATATTCAACACAGTGAACACTAGTCTGAATGTATACCGAAATAAAGATGCCTTAAGCCATTTTGTAAT AGCCTTGCTGGGCACTCCTGTAGGAGGCCTGCTGATGGCATTTCAGAAGTACGCTGGTGAGACTGTTCAGGAAAG AAAACAGAAGGATCGAAAGGCACTCCATGAGCTAAAACTGGAAGAGTGGAAAGGCAGACTACAAGTTACTGAGCA CCTCCCTGAGAAAATTGAAAGTAGTTTACGGGAAGATGAACCTGAGAATGATGCTAAGAAAATTGAAGCACTGCT AAACCTTCCTAGAAACCCTTCAGTAATAGATAAACAAGACAAGGAC<u>TGA</u>AAGTGCTCTGAACTTGAAACTCACTG TAAGTGCTGGTACCTGTGGTGGCAGTGGCTTGCTCTTTTTCTTTTTCTTTTTAACTAAGAATGGGGCTGTT GTACTCTCACTTTACCTTAAATTTAAATACATACTTATGTTTGTATTAATCTATCAATATATGCATACAT GGATATATCCACCCACCTAGATTTTAAGCAGTAAATAAAACATTTCGCAAAAGATTAAAGTTGAATTTTACAGTTT

FIGURE 4

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA23318
><subunit 1 of 1, 285 aa, 1 stop
><MW: 32190, pI: 9.03, NX(s/T): 2
MEVPPPAPRSFLCRALCLFPRVFAAEAVTADSEVLEERQKRLPYVPEPYYPESGWDRLRELFGKDEQQRISKDLA
NICKTAATAGIIGWVYGGIPAFIHAKQQYIEQSQAEIYHNRFDAVQSAHRAATRGFIRYGWRWGWRTAVFVTIFN
TVNTSLNVYRNKDALSHFVIAGAVTGSLFRINVGLRGLVAGGIIGALLGTPVGGLLMAFQKYAGETVQERKQKDR
KALHELKLEEWKGRLQVTEHLPEKIESSLREDEPENDAKKIEALLNLPRNPSVIDKQDKD

Important Features:
Signal Peptide:
amino acids 1-24

Transmembrane domains: amino acids 76-96 and 171-195

N-glycosylation site: amino acids 153-156

5/615

FIGURE 5

GTGGGCGTTTGAGGAAGCTGGGATACAGCATTTAATGAAAAATTTATGCTTAAGAAGTAAAAAATGGCAGGCTTCC TAGATAATTTTCGTTGGCCAGAATGTGAATGTATTGACTGGAGTGAGAGAAAATGCTGTGGCATCTGTTGTCG ${\tt ACCATGCCTTTCACACATGTGGTGTATTTTCCACATTGGCTTTCTTCATGATAAATGCTGTATCCAATGCTCAGG}$ TGAGAGGTGATAGCTATGAAAGCGGCTGTTTAGGAAGAACAGGTGCTCGAGTTTGGCTTTTCATTGGTTTCATGT TGATGTTTGGGTCACTTATTGCTTCCATGTGGATTCTTTTTGGTGCATATGTTACCCAAAATACTGATGTTTATC CGGGACTAGCTGTGTTTTTTCAAAATGCACTTATATTTTTTAGCACTCTGATCTACAAATTTGGAAGAACCGAAG ${\tt AGCTATGGACC} \underline{{\tt TGA}} \underline{{\tt GATCACTTCTTAAGTCACATTTTCCTTTTGTTATATTCTGTTTGTAGATAGGTTTTTTTATC}$ TCTCAGTACACATTGCCAAATGGAGTAGATTGTACATTAAATGTTTTGTTTCTTTACATTTTTATGTTCTGAGTT AATTGGATAATGAGTATCAGTTTTTTATTCCTGAGATTTAGAACTTGATCTACTCCCTGAGCCAGGGTTACATCA TGGGAGGCCGAGGCGGCCGATTGCTTGAGGTCAAGTGTTTGAGACCAGCCTGGCCAACATGGCGAAACCCCATC TACTAAAAATACAAAAATTAGCCAGGCATGGTGGTGGTGCCTGTAATCCCAGCTACCTGGGAGGCTGAGGCAGG AGAATCGCTTGAACCCGGGGGCCAGAGGTTGCAGTGAGCTGAGTTTGCGCCACTGCACTCTAGCCTGGGGGAGAA CATATATCTGGAATGAGCACTGAGCCATAAAAGGTTTTCAGCAAGTTGTAACTTATTTTGGCCTAAAAATGAGGT TTTTTTGGTAAAGAAAAATATTTGTTCTTATGTATTGAAGAAGTGTACTTTTATATAATGATTTTTTAAATGCC CAAAGGACTAGTTTGAAAGCTTCTTTTAAAAAGAATTCCTCTAATATGACTTTATGTGAGAA

FIGURE 6

MAGFLDNFRWPECECIDWSERRNAVASVVAGILFFTGWWIMIDAAVVYPKPEQLNHAFHTCGVFSTLAFFMINAV SNAQVRGDSYESGCLGRTGARVWLFIGFMLMFGSLIASMWILFGAYVTQNTDVYPGLAVFFQNALIFFSTLIYKF GRTEELWT

Important features: Signal peptide: amino acids 1-44

Transmembrane domains: amino acids 23-42 (type II), 60-80, 97-117, 128-148

FIGURE 7

GCGTGGTTTTTGTTCTGCAATAGGCGGCTTAGAGGGGGGGCTTTTTCGCCTATACCTACTGTAGCTTCTCCACG $\texttt{CACTAGAAGCTCTTCTGAGGGAGGTAATTAAAAAACAGTGGA} \underline{\textbf{ATC}} \\ \texttt{GAAAAACAGTGCTGTAGTCATCCTGTAATA} \\$ TGCTCCTTGTCAACAATGTATACATTCCTGCTAGGTGCCATATTCATTGCTTTAAGCTCAAGTCGCATCTTACTA GTGAAGTATTCTGCCAATGAAGAAAACAAGTATGATTATCTTCCAACTACTGTGAATGTGTGCTCAGAACTGGTG TTCTATGTCCTGTCCTATCTTCAACCAGCCATGGCTGTTATCTTCTCAAATTTTAGCATTATAACAACAGCTCTT $\tt CTATTCAGGATAGTGCTGAAGAGGCGTCTAAACTGGATCCAGTGGGCTTCCCTCCTGACTTTATTTTTGTCTATT$ GTGGCCTTGACTGCCGGGACTAAAACTTTACAGCACAACTTGGCAGGACGTGGATTTCATCACGATGCCTTTTTC AGCCCTTCCAATTCCTGCCTTCTTTTCAGAAGTGAGTGTCCCAGAAAAGACAATTGTACAGCAAAGGAATGGACT TTTCCTGAAGCTAAATGGAACACCACAGCCAGAGTTTTCAGTCACATCCGTCTTGGCATGGGCCATGTTCTTATT ATAGTCCAGTGTTTTATTTCTTCAATGGCTAATATCTATAATGAAAAGATACTGAAGGAGGGGAACCAGCTCACT GAAAGCATCTTCATACAGAACAGCAAACTCTATTTCTTTGGCATTCTGTTTAATGGGCTGACTCTGGGCCTTCAG AGGAGTAACCGTGATCAGATTAAGAACTGTGGATTTTTTTATGGCCACAGTGCATTTTCAGTAGCCCTTATTTTT GTAACTGCATTCCAGGGCCTTTCAGTGGCTTTCATTCTGAAGTTCCTGGATAACATGTTCCATGTCTTGATGGCC GAAGCCCCATCAGTCCTTCTCTCTATATTTATTATAATGCCAGCAAGCCTCAAGTTCCGGAATACGCACCTAGG CAAGAAAGGATCCGAGATCTAAGTGGCAATCTTTGGGAGCGTTCCAGTGGGGATGGAGAAGAACTAGAAAGACTT ACCAAACCCAAGAGTGATGAGTCAGATGAAGATACTTTC<u>TAA</u>CTGGTACCCACATAGTTTGCAGCTCTCTTGAAC CTTATTTTCACATTTTCAGTGTTTGTAATATTTATCTTTTCACTTTGATAAACCAGAAATGTTTCTAAATCCTAA TAAAGAACTGATACAGGAGTAACAATATGAAGAATTCATTAATATCTCAGTACTTGATAAATCAGAAAGTTATAT GTGCAGATTATTTTCCTTGGCCTTCAAGCTTCCAAAAAACTTGTAATAATCATGTTAGCTATAGCTTGTATATAC ACATAGAGATCAATTTGCCAAATATTCACAATCATGTAGTTCTAGTTTACATGCCAAAGTCTTCCCTTTTTAACA TTATAAAAGCTAGGTTGTCTCTTGAATTTTGAGGCCCTAGAGATAGTCATTTTGCAAGTAAAGAGCAACGGGACC CTTTCTAAAAACGTTGGTTGAAGGACCTAAATACCTGGCCATACCATAGATTTGGGATGATGTAGTCTGTGCTAA ATATTTTGCTGAAGAAGCAGTTTCTCAGACACAACATCTCAGAATTTTAATTTTTAGAAATTCATGGGAAATTGG ATTTTTGTAATAATCTTTTGATGTTTTAAACATTGGTTCCCTAGTCACCATAGTTACCACTTGTATTTTAAGTCA TTTAAACAAGCCACGGTGGGGCTTTTTTCTCCTCAGTTTGAGGAGAAAAATCTTGATGTCATTACTCCTGAATTA TTACATTTTGGAGAATAAGAGGGCATTTTATTTTATTAGTTACTAATTCAAGCTGTGACTATTGTATATCTTTCC AAGAGTTGAAATGCTGGCTTCAGAATCATACCAGATTGTCAGTGAAGCTGATGCCTAGGAACTTTTAAAGGGATC CTTTCAAAAGGATCACTTAGCAAACACATGTTGACTTTTAACTGATGTATGAATATTAATACTCTAAAAATAGAA AGACCAGTAATATATAAGTCACTTTACAGTGCTACTTCACACTTAAAAGTGCATGGTATTTTTCATGGTATTTTG CATGCAGCCAGTTAACTCTCGTAGATAGAGAAGTCAGGTGATAGATGATATTAAAAATTAGCAAAACAAAAGTGAC TTGCTCAGGGTCATGCAGCTGGGTGATGATAGAAGAGTGGGCTTTAACTGGCAGGCCTGTATGTTTACAGACTAC CATACTGTAAATATGAGCTTTATGGTGTCATTCTCAGAAACTTATACATTTCTGCTCTCCTTTCTCCTAAGTTTC ATGCAGATGAATATAAGGTAATATACTATTATATAATTCATTTGTGATATCCACAATAATATGACTGGCAAGAAT TGGTGGAAATTTGTAATTAAAATAATTATTAAACCT

8/615

FIGURE 8

MEKQCCSHPVICSLSTMYTFLLGAIFIALSSSRILLVKYSANEENKYDYLPTTVNVCSELVKLVFCVLVSFCVIK
KDHQSRNLKYASWKEFSDFMKWSIPAFLYFLDNLIVFYVLSYLQPAMAVIFSNFSIITTALLFRIVLKRRLNWIQ
WASLLTLFLSIVALTAGTKTLQHNLAGRGFHHDAFFSPSNSCLLFRSECPRKDNCTAKEWTFPEAKWNTTARVFS
HIRLGMGHVLIIVQCFISSMANIYNEKILKEGNQLTESIFIQNSKLYFFGILFNGLTLGLQRSNRDQIKNCGFFY
GHSAFSVALIFVTAFQGLSVAFILKFLDNMFHVLMAQVTTVIITTVSVLVFDFRPSLEFFLEAPSVLLSIFIYNA
SKPQVPEYAPRQERIRDLSGNLWERSSGDGEELERLTKPKSDESDEDTF

Transmembrane domains:

amino acids 16-36 (type II), 50-74, 147-168, 229-250, 271-293, 298-318, 328-368

N-glycosylation sites.

amino acids 128-132, 204-208, 218-222, 374-378

Glycosaminoglycan attachment site.

amino acids 402-406

N-myristoylation sites.

amino acids 257-263, 275-281, 280-286, 284-290, 317-323

9/615

FIGURE 9

GGGGCTTCGGCGCCAGCGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATGAGCAGGTCTG $\tt CTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTTTCATACATTACTGCAGTAACACTCCACCAT$ ATAGACCCGGCTTTACCTTATATCAGTGACACTGGTACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTA AATATTGCGGCAGTTTTATGCATTGCTACCATTTATGTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAG AACGTTATCATCAAATTAAACAAGGCTGGCCTTGTACTTGGAATACTGAGTTGTTTAGGACTTTCTATTGTGGCA AACTTCCAGAAAACAACCCTTTTTGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCATTATAT ATGTTTGTTCAGACCATCCTTTCCTACCAAATGCAGCCCAAAATCCATGGCAAACAAGTCTTCTGGATCAGACTG TTGTTGGTTATCTGGTGTGGAGTAAGTGCACTTAGCATGCTGACTGCTCATCAGTTTTGCACAGTGGCAATTTT GGGACTGATTTAGAACAGAAACTCCATTGGAACCCCGAGGACAAAGGTTATGTGCTTCACATGATCACTACTGCA GCAGAATGGTCTATGTCATTTTCCTTTTGGTTTTTTCCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTA $\tt CTACTTTCCAGAGATATT{\color{red}}{\color{blue}{\textbf{TGA}}}{\color{blue}{\textbf{TGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG}$ ${\tt TTCACAGAAGTTGCTTATTCTTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACTGATGAATGCT}$ GATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCATCAAGAAGACTATTAAAAAACA CCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAAGACTATG

10/615

FIGURE 10

MWWFQQGLSFLPSALVIWTSAAFIFSYITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAVLCIATIYVRY KQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTTLFAAHVSGAVLTFGMGSLYMFVQTILSYQMQPKI HGKQVFWIRLLLVIWCGVSALSMLTCSSVLHSGNFGTDLEQKLHWNPEDKGYVLHMITTAAEWSMSFSFFGFFLT YIRDFQKISLRVEANLHGLTLYDTAPCPINNERTRLLSRDI

11/615

FIGURE 11

CCCACGCGTCCGCCGCCGCTGCGTCCCGGAGTGCAAGTGAGCTTCTCGGCTGCCCCGCGGGCCGGGGTGCGGAG GACTGCCCCGCGGGCGAGACTGGCTCCACCGAGGAGGCTGGAGGCAGGTCGCTGTGGTTCCCCTCCGACCTGG CAGAGCTGCGGGAGCTCTCTGAGGTCCTTCGAGAGTACCGGAAGGAGCACCAGGCCTACGTGTTCCTGCTCTTCT GCGGCGCCTACCTCTACAAACAGGGCTTTGCCATCCCCGGCTCCAGCTTCCTGAATGTTTTAGCTGGTGCCTTGT GTATTTTTGGCAAACAGTTGGTGGTGTCCTACTTTCCTGATAAAGTGGCCCTGCTGCAGAGAAAGGTGGAGGAGA CGGCCCCAATTCTGAACATTCCCATCGTGCAGTTCTTCTTCTCAGTTCTTATCGGTTTGATCCCATATAATTTCA TCTGTGTGCAGACAGGGTCCATCCTGTCAACCCTAACCTCTCTGGATGCTCTTTTCTCCTGGGACACTGTCTTTA AGCTGTTGGCCATTGCCATGGTGGCATTAATTCCTGGAACCCTCATTAAAAAATTTAGTCAGAAACATCTGCAAT ${\tt TGAATGAAACAAGTACTGCTAATCATATACACAGTAGAAAAGACACA\underline{{\tt TGA}}{\tt TCTGGATTTTCTGTTTTGCCACATCC}$ $\tt CTGGACTCAGTTGCTTATTTGTGTATTGGATGTGGTCCTCTAAAGCCCCTCATTGTTTTTGATTGCCTTCTATAG$ GTGATGTGGACACTGTGCATCAATGTGCAGTGTCTTTTCAGAAAGGACACTCTGCTCTTGAAGGTGTATTACATC AGGTTTTCAAACCAGCCCTGGTGTAGCAGACACTGCAACAGATGCCTCCTAGAAAATGCTGTTTGTGGCCGGGCG AATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATTGCTTGAACCAAGGTGGCAGAGGTTGCAGTAAGCCAAGAT CACACCACTGCACTCCAGCCTGGGTGATAGAGTGAGACACTGTCTTGAC

12/615

FIGURE 12

MRPLLGLLLVFAGCTFALYLLSTRLPRGRRLGSTEEAGGRSLWFPSDLAELRELSEVLREYRKEHQAYVFLLFCG AYLYKQGFAIPGSSFLNVLAGALFGPWLGLLLCCVLTSVGATCCYLLSSIFGKQLVVSYFPDKVALLQRKVEENR NSLFFFLLFLRLFPMTPNWFLNLSAPILNIPIVQFFFSVLIGLIPYNFICVQTGSILSTLTSLDALFSWDTVFKL LAIAMVALIPGTLIKKFSQKHLQLNETSTANHIHSRKDT

Important features:
Signal peptide:
amino acids 1-17

Transmembrane domains: amino acids 101-123, 189-211

N-glycosylation sites. amino acids 172-176, 250-254

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 240-244, 261-265

N-myristoylation site. amino acids 13-19, 104-110, 115-121, 204-210

Amidation site. amino acids 27-31

Prokaryotic membrane lipoprotein lipid attachment site. amino acids 4--15

Protein splicing proteins. amino acids 25-31

Sugar transport proteins. amino acids 162-172

13/615

ن

FIGURE 13

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGCAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACCGTGTGAG $\underline{\textbf{TG}} \textbf{AGTTTCCTCATCGACTCCAGCATCATGATTACCTCCCAGATACTATTTTTTGGATTTGGGTGGCTTTTCTTCA$ TGCGCCAATTGTTTAAAGACTATGAGATACGTCAGTATGTTGTACAGGTGATCTTCTCCGTGACGTTTGCATTTT CTTGCACCATGTTTGAGCTCATCATCTTTGAAATCTTAGGAGTATTGAATAGCAGCTCCCGTTATTTTCACTGGA AAATGAACCTGTGTGTAATTCTGCTGATCCTGGTTTTCATGGTGCCTTTTTACATTGGCTATTTTATTGTGAGCA ATATCCGACTACTGCATAAACAACGACTGCTTTTTTCCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGA AACTAGGAGATCCCTTTCCCATTCTCAGCCCAAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTTG GTGTGATTGGAGTGACTCTCATGGCTCTTCTTTCTGGATTTGGTGCTGTCAACTGCCCATACACTTACATGTCTT ACTTCCTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGATCA TAAGCAAAAAGAAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGGAAGTGCATAACAAACCATCAG GTTTCTGGGGAATGATAAAAAGTGTTACCACTTCAGCATCAGGAAGTGAAAATCTTACTCTTATTCAACAGGAAG TGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGGAAACAGCTGATCTATATGCTACCAAGGAGAATAG ${\tt AATACTCCAAAACCTTCAAGGGGAAATATTTTAATTTTCTTGGTTACTTTTTCTCTATTTACTGTTTTGGAAAA}$ TTTTCATGGCTACCATCAATATTGTTTTTGATCGAGTTGGGAAAACGGATCCTGTCACAAGAGGCATTGAGATCA $\tt CTGTGAATTATCTGGGAATCCAATTTGATGTGAAGTTTTGGTCCCAACACATTTCCTTCATTCTTGGTAATAA$ TCATCGTCACATCCATCAGAGGATTGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCCT CCAATGTCATTGTCCTGCTATTAGCACAGATAATGGGCATGTACTTTGTCTCCTCTGTGCTGATCCGAATGA $\tt GTATGCCTTTAGAATACCGCACCATAATCACTGAAGTCCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGT$ TTGATGTGATCTTCCTGGTCAGCGCTCTCTCTAGCATACTCTTCCTCTATTTGGCTCACAAACAGGCACCAGAGA AGCAAATGGCACCT**TGA**ACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAAATTTAGATATAAGAGG GACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGGTGTAGAGGCGGAGAGAGGCCAAGAAACTAAAG GTGAAAAATACACTGGAACTCTGGGGCAAGACATGTCTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTTA AAAAAAAAAAGGGCGGCCGCGACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCAACTTGTTTATTG CAGCTTATAATG

14/615

FIGURE 14

MSFLIDSSIMITSQILFFGFGWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGVLNSSSRYFHW
KMNLCVILLILVFMVPFYIGYFIVSNIRLLHKQRLLFSCLLWLTFMYFFWKLGDPFPILSPKHGILSIEQLISRV
GVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERRLLQTMDMIISKKKRMAMARRTMFQKGEVHNKPS
GFWGMIKSVTTSASGSENLTLIQQEVDALEELSRQLFLETADLYATKERIEYSKTFKGKYFNFLGYFFSIYCVWK
IFMATINIVFDRVGKTDPVTRGIEITVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKS
SNVIVLLLAQIMGMYFVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLVSALSSILFLYLAHKQAPE
KQMAP

Important features: Signal peptide: amino acids 1-23

Potential transmembrane domains: amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398, 425-444

N-glycosylation sites. amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins amino acids 151-160

FIGURE 15

GACGGAAGAACAGCGCTCCCGAGGCCGCGGGAGCCTGCAGAGAGGACAGCCGGCCTGCGCCGGGAC<u>ATG</u>CGGCCC AAGTTCGGCATCTTCATCCACTGGGGAGTGTTTTCCGTGCCCAGCTTCGGTAGCGAGTGGTTCTGGTGGTATTGG CAAAAGGAAAAGATACCGAAGTATGTGGAATTTATGAAAGATAATTACCCTCCTAGTTTCAAATATGAAGATTTT GGACCACTATTTACAGCAAAATTTTTTAATGCCAACCAGTGGGCAGATATTTTTCAGGCCTCTGGTGCCAAATAC ATTGTCTTAACTTCCAAACATCATGAAGGCTTTACCTTGTGGGGGTCAGAATATTCGTGGAACTGGAATGCCATA GATGAGGGGCCCAAGAGGGACATTGTCAAGGAACTTGAGGTAGCCATTAGGAACAGAACTGACCTGCGTTTTGGA CTGTACTATTCCCTTTTTGAATGGTTTCATCCGCTCTTCCTTGAGGATGAATCCAGTTCATTCCATAAGCGGCAA TTTCCAGTTTCTAAGACATTGCCAGAGCTCTATGAGTTAGTGAACAACTATCAGCCTGAGGTTCTGTGGTCGGAT GGTGACGGAGGACCACCGGATCAATACTGGAACAGCACAGGCTTCTTGGCCTGGTTATATAATGAAAGCCCAGTT CGGGGCACAGTAGTCACCAATGATCGTTGGGGAGCTGGTAGCATCTGTAAGCATGGTGGCTTCTATACCTGCAGT GATCGTTATAACCCAGGACATCTTTTGCCACATAAATGGGAAAACTGCATGACAATAGACAAACTGTCCTGGGGC TATAGGAGGGAAGCTGGAATCTCTGACTATCTTACAATTGAAGAATTGGTGAAGCAACTTGTAGAGACAGTTTCA TGTGGAGGAAATCTTTTGATGAATATTGGGCCCACACTAGATGGCACCATTTCTGTAGTTTTTGAGGAGCGACTG AGGCAAGTGGGGTCCTGGCTAAAAGTCAATGGAGAAGCTATTTATGAAACCTATACCTGGCGATCCCAGAATGAC ACTGTCACCCCAGATGTGTGGTACACATCCAAGCCTAAAGAAAAATTAGTCTATGCCATTTTTCTTAAATGGCCC ACATCAGGACAGCTGTTCCTTGGCCATCCCAAAGCTATTCTGGGGGCAACAGAGGTGAAACTACTGGGCCATGGA CAGCCACTTAACTGGATTTCTTTGGAGCAAAATGGCATTATGGTAGAACTGCCACAGCTAACCATTCATCAGATG ATGTCTAAGGCTAGGAACTATCAGGTGTCTATAATTGTAGCACATGGAGAAAGCAATGTAAACTGGATAAGAAAA TTATTTGGCAGTTCAGCCCTTTCCCTTTTTCCCACTAAATTTTTCTTAAATTACCCATGTAACCATTTTAACTCT ${\tt CATTATAGTAGCAAGGAATTGGTGGTATTATGGACCGAACTGAAAATTTTATGTTGAAGCCATATCCCCCATGAT} \\ \cdot \\$ CATCATAGAGTGTATTTACAAAATCCTAGATGGCATAGCCTACTACACACCTAATGTGTATGGTATAGACTGTTG CTCCTAGGCTACAGACATATACAGCATGTTACTGAATACTGTAGGCAATAGTAACAGTGGTATTTGTATATCGAA ACATATGGAAACATAGAGAAGGTACAGTAAAAATACTGTAAAATAATGGTGCACCTGTATAGGGCACTTACCAC ATAAATTAACATAAGTGTACTGTAACTTTACAAACGTTTTAATTTTTAAAACCTTTTTGGCTCTTTTGTAATAAC ACTTAGCTTAAAACATAAACTCATTGTGCAAATGTAA

16/615

FIGURE 16

MRPQELPRLAFPLLLLLLLLLPPPPCPAHSATRFDPTWESLDARQLPAWFDQAKFGIFIHWGVFSVPSFGSEWFW WYWQKEKIPKYVEFMKDNYPPSFKYEDFGPLFTAKFFNANQWADIFQASGAKYIVLTSKHHEGFTLWGSEYSWNW NAIDEGPKRDIVKELEVAIRNRTDLRFGLYYSLFEWFHPLFLEDESSSFHKRQFPVSKTLPELYELVNNYQPEVL WSDGDGGAPDQYWNSTGFLAWLYNESPVRGTVVTNDRWGAGSICKHGGFYTCSDRYNPGHLLPHKWENCMTIDKL SWGYRREAGISDYLTIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVFEERLRQVGSWLKVNGEAIYETYTWRS QNDTVTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGATEVKLLGHGQPLNWISLEQNGIMVELPQLTIHQMPCKWGWALALTNVI

Signal sequence: amino acids 1-28

N-glycosylation site. amino acids 171-175, 239-243, 377-381

Casein kinase II phosphorylation site. amino acids 32-36, 182-186, 209-213, 227-231, 276-280, 315-319, 375-375

Tyrosine kinase phosphorylation site. amino acids 361-369, 389-397

N-myristoylation site. amino acids 143-149, 178-184, 255-261, 272-278, 428-434

Leucine zipper pattern. amino acids 410-432

Alpha-L-fucosidase putative active site. amino acids 283-295

FIGURE 17

 $\tt CCAAACGCTCGCAGCCACAAAAGGGG{\color{red} \underline{\textbf{ATG}}} AAATTTCTTCTGGACATCCTCCTGCTTCTCCCGTTACTGATCGTCTG$ CTCCCTAGAGTCCTTCGTGAAGCTTTTTATTCCTAAGAGGAGAAAATCAGTCACCGGCGAAATCGTGCTGATTAC ${\tt TATAAATAAGCATGGACTGGAGAAACAGCTGCCAAATGCAAGGGACTGGGTGCCAAGGTTCATACCTTTGTGGT}$ AGACTGCAGCAACCGAGAAGATATTTACAGCTCTGCAAAGAAGGTGAAGGCAGAAATTGGAGATGTTAGTATTTT AGTTAATGTACTTGCACATTTCTGGACTACAAAGGCATTTCTTCCTGCAATGACGAAGAATAACCATGGCCATAT TGTTGGATTTCATAAAACTTTGACAGATGAACTGGCTGCCTTACAAATAACTGGAGTCAAAACAACATGTCTGTG TCCTAATTTCGTAAACACTGGCTTCATCAAAAATCCAAGTACAAGTTTGGGACCCACTCTGGAACCTGAGGAAGT GGTAAACAGGCTGATGCATGGGATTCTGACTGAGCAGAAGATGATTTTTATTCCATCTTCTATAGCTTTTTTAAC $\verb|AACATTGGAAAGGATCCTTCCTGAGCGTTTCCTGGCAGTTTTAAAACGAAAAATCAGTGTTAAGTTTGATGCAGT$ ${\tt TATTGGATATAAAATGAAAGCGCAA} \underline{{\tt TAA}}{\tt GCACCTAGTTTTCTGAAAACTGATTTACCAGGTTTAGGTTGATGTCA}$ TCTAATAGTGCCAGAATTTTAATGTTTGAACTTCTGTTTTTTCTAATTATCCCCATTTCTTCAATATCATTTTTG AGGCTTTGGCAGTCTTCATTTACTACCACTTGTTCTTTAGCCAAAAGCTGATTACATATGATATAAACAGAGAAA TACCTTTAGAGGTGACTTTAAGGAAAATGAAGAAAAAGAACCAAAATGACTTTATTAAAATAATTTCCAAGATTA ATGAAGGACTATATCTAGTGGTATTTCACAATGAATATCATGAACTCTCAATGGGTAGGTTTCATCCTACCCATT GCCACTCTGTTTCCTGAGAGATACCTCACATTCCAATGCCAAACATTTCTGCACAGGGAAGCTAGAGGTGGATAC ACGTGTTGCAAGTATAAAAGCATCACTGGGATTTAAGGAGAATTGAGAGAATGTACCCACAAATGGCAGCAATAA

FIGURE 18

MKFLLDILLLPLIIVCSLESFVKLFIPKRRKSVTGEIVLITGAGHGIGRLTAYEFAKLKSKL VLWDINKHGLEETAAKCKGLGAKVHTFVVDCSNREDIYSSAKKVKAEIGDVSILVNNAGVVYT SDLFATQDPQIEKTFEVNVLAHFWTTKAFLPAMTKNNHGHIVTVASAAGHVSVPFLLAYCSSK FAAVGFHKTLTDELAALQITGVKTTCLCPNFVNTGFIKNPSTSLGPTLEPEEVVNRLMHGILT EQKMIFIPSSIAFLTTLERILPERFLAVLKRKISVKFDAVIGYKMKAQ

Signal sequence:

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 30-34, 283-287

Casein kinase II phosphorylation site. amino acids 52-56, 95-99, 198-202, 267-271

N-myristoylation site. amino acids 43-49, 72-78, 122-128, 210-216

19/615

FIGURE 19

CCCACGCGTCCGCCCCCCCCCCCCCCCCGTGCGTCCGTCGGTGGCCTAGAGAT GCTGCTGCCGCGGTTGCAGTTGTCGCGCACGCCTCTGCCCGCCAGCCCGCTCACCGCCGTAG CGCCCGAGTGTCGGGGGCGCACCCGAGTCGGGCCATCAGGCCGGGAACCGCGCTACAGGCCG TGCTGCTGGCCGTGCTGGTGGGGCCTGCGGGCCGCGACGGGTCGCCTGCTGAGTGCCTCGG TCATTTACTTCCATGATACTTCTCGAAGACTGAACTTTGAGGAAGCCAAAGAAGCCTGCAGGA GGGATGGAGGCCAGCTAGTCAGCATCGAGTCTGAAGATGAACAGAAACTGATAGAAAAGTTCA TTGAAAACCTCTTGCCATCTGATGGTGACTTCTGGATTGGGCTCAGGAGGCGTGAGGAGAAAC AAAGCAATAGCACAGCCTGCCAGGACCTTTATGCTTGGACTGATGGCAGCATATCACAATTTA GGAACTGGTATGTGGATGAGCCGTCCTGCGGCAGCGAGGTCTGCGTGGTCATGTACCATCAGC CATCGGCACCCGCTGGCATCGGAGGCCCCTACATGTTCCAGTGGAATGATGACCGGTGCAACA TGAAGAACAATTTCATTTGCAAATATTCTGATGAGAAACCAGCAGTTCCTTCTAGAGAAGCTG AAGGTGAGGAAACAGAGCTGACAACACCTGTACTTCCAGAAGAACACAGGAAGAAGATGCCA AAAAAACATTTAAAGAAAGTAGAGAAGCTGCCTTGAATCTGGCCTACATCCTAATCCCCAGCA TTCCCCTTCTCCTCCTCTTGTGGTCACCACAGTTGTATGTTGGGTTTGGATCTGTAGAAAAA GAAAACGGGAGCAGACCCTAGCACAAAGAAGCAACACCATCTGGCCCTCTCCTCACC AGGGAAACAGCCCGGACCTAGAGGTCTACAATGTCATAAGAAAACAAAGCGAAGCTGACTTAG CTGAGACCCGGCCAGACCTGAAGAATATTTCATTCCGAGTGTGTTCCGGGAGAAGCCACTCCCG ATGACATGTCTTGTGACTATGACAACATGGCTGTGAACCCATCAGAAAGTGGGTTTGTGACTC TGGTGAGCGTGGAGAGTGGATTTGTGACCAATGACATTTATGAGTTCTCCCCAGACCAAATGG GGAGGAGTAAGGAGTCTGGATGGGTGGAAAATGAAATATATGGTTAT**TAG**GACATATAAAAAA CTGAAACTGACAACAATGGAAAAGAAATGATAAGCAAAATCCTCTTATTTTCTATAAGGAAAA TACACAGAAGGTCTATGAACAAGCTTAGATCAGGTCCTGTGGATGAGCATGTGGTCCCCACGA TTATGAGAAGGTACCTTGCCCAGGTCTGGCACATAGTAGAGTCTCAATAAATGTCACTTGGTT GGTTGTATCTAACTTTTAAGGGACAGAGCTTTACCTGGCAGTGATAAAGATGGGCTGTGGAGC ATCCAGAATCTTTTCAAAGCCCACATATGGTAGCACAGGTTGGCCTGTGCATCGGCAATTCTC

20/615

FIGURE 20

MRPGTALQAVLLAVLLVGLRAATGRLLSASDLDLRGGQPVCRGGTQRPCYKVIYFHDTSRRLN FEEAKEACRRDGGQLVSIESEDEQKLIEKFIENLLPSDGDFWIGLRREEKQSNSTACQDLYA WTDGSISQFRNWYVDEPSCGSEVCVVMYHQPSAPAGIGGPYMFQWNDDRCNMKNNFICKYSDE KPAVPSREAEGEETELTTPVLPEETQEEDAKKTFKESREAALNLAYILIPSIPLLLLLVVTTV VCWVWICRKRKREQPDPSTKKQHTIWPSPHQGNSPDLEVYNVIRKQSEADLAETRPDLKNISF RVCSGEATPDDMSCDYDNMAVNPSESGFVTLVSVESGFVTNDIYEFSPDQMGRSKESGWVENE IYGY

Signal sequence:

amino acids 1-21

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 117-121, 312-316

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 296-300

Casein kinase II phosphorylation site.

amino acids 28-32, 30-34, 83-87, 100-104, 214-218, 222-226, 299-303, 306-310, 323-327

N-myristoylation site.

amino acids 18-24, 37-43, 76-82, 146-152

FIGURE 21

 $\tt AGGCTCCCGCGCGGGTGAGTGCGGACTGGAGTGGGAACCCGGGTCCCCGCGCTTAGAGAACACGCG{\color{red} \underline{ATG} ACCA \color{black} \underline{ACCA \color{back} \underline{ACCA \color{black} \underline{ACCA \color{black} \underline{ACCA \color{black} \underline{ACCA \color{bla$ GCAGGCTGGACTGGAGCACCCTGGTCCCTCTGCGGCTCCGCCATCGACAGCTGGGGCTGCAGGCCAAGGGCTGGA $\tt GGAGGGACCGCCTGCTGAAGATGAAGGCCTGTGGCTTGAACACCCTCACCACCTATGTTCCGTGGAACCTGCATG$ AGCCAGAAAGAGGCAAATTTGACTTCTCTGGGAACCTGGACCTGGAGGCCTTCGTCCTGATGGCCGCAGAGATCG GGCTGTGGGTGATTCTGCGTCCAGGCCCCTACATCTGCAGTGAGATGGACCTCGGGGGCTTGCCCAGCTGGCTAC TCCAAGACCCTGGCATGAGGCTGAGGACAACTTACAAGGGCTTCACCGAAGCAGTGGACCTTTATTTTGACCACC GTTCCTATAATAAAGACCCCGCATACATGCCCTACGTCAAGAAGGCACTGGAGGACCGTGGCATTGTGGAACTGC TCCTGACTTCAGACAACAAGGATGGGCTGAGCAAGGGGATTGTCCAGGGAGTCTTGGCCACCATCAACTTGCAGT CAACACGAGCTGCAGCTACTGACCACCTTTCTCTTCAACGTCCAGGGGACTCAGCCCAAGATGGTGATGGAGT ${\tt ACTGGACGGGGTGGTTTGACTCGTGGGGAGGCCCTCACAATATCTTGGATTCTTCTGAGGTTTTGAAAACCGTGT}$ $\tt CTGCCATTGTGGACGCCGGCTCCTCCATCAACCTCTACATGTTCCACGGAGGCACCAACTTTGGCTTCATGAATG$ GAGCCATGCACTTCCATGACTACAAGTCAGATGTCACCAGCTATGACTATGATGCTGTGCTGACAGAAGCCGGCG ACCTTCTTCCCAAGATGCCGTATGAGCCCTTAACGCCAGTCTTGTACCTGTCTCTGTGGGACGCCCTCAAGTACC TGGGGGAGCCAATCAAGTCTGAAAAGCCCATCAACATGGAGAACCTGCCAGTCAATGGGGGAAATGGACAGTCCT TCGGGTACATTCTCTATGAGACCAGCATCACCTCGTCTGGCATCCTCAGTGGCCACGTGCATGATCGGGGGCAGG TGTTTGTGAACACAGTATCCATAGGATTCTTGGACTACAAGACAACGAAGATTGCTGTCCCCCTGATCCAGGGTT ACACCGTGCTGAGGATCTTGGTGGAGAATCGTGGGCGAGTCAACTATGGGGAGAATATTGATGACCAGCGCAAAG GCTTAATTGGAAATCTCTATCTGAATGATTCACCCCTGAAAAACTTCAGAATCTATAGCCTGGATATGAAGAAGA GCTTCTTTCAGAGGTTCGGCCTGGACAAATGGNGTTCCCTCCCAGAAACACCCCACATTACCTGCTTTCTTGG GTAGCTTGTCCATCAGCTCCACGCCTTGTGACACCTTTCTGAAGCTGGAGGGCTGGGAGAAGGGGGTTGTATTCA TCAATGGCCAGAACCTTGGACGTTACTGGAACATTGGACCCCAGAAGACGCTTTACCTCCCAGGTCCCTGGTTGA GCAGCGGAATCAACCAGGTCATCGTTTTTGAGGAGACGATGGCGGGCCCTGCATTACAGTTCACGGAAACCCCCC ACCTGGGCAGGAACCAGTACATTAAGTGAGCGGTGGCACCCCCTCCTGCTGGTGCCAGTGGGAGACTGCCGCCTC CTCTTGACCTGAAGCCTGGTGGCTGCTGCCCCACCCCTCACTGCAAAAGCATCTCCTTAAGTAGCAACCTCAGGG ACTGGGGGCTACAGTCTGCCCCTGTCTCAGCTCAAAACCCTAAGCCTGCAGGGAAAGGTGGGATGGCTCTGGGCC TGGCTTTGTTGATGATGGCTTTCCTACAGCCCTGCTCTTGTGCCGAGGCTGTCGGGCTGTCTCTAGGGTGGGAGC AGCTAATCAGATCGCCCAGCCTTTGGCCCTCAGAAAAAGTGCTGAAACGTGCCCTTGCACCGGACGTCACAGCCC TGCGAGCATCTGCTGGACTCAGGCGTGCTCTTTGCTGGTTCCTGGGAGGCTTGGCCACATCCCTCATGGCCCCAT TTTATCCCCGAAATCCTGGGTGTGTCACCAGTGTAGAGGGTGGGGAAGGGGTGTCTCACCTGAGCTGACTTTGTT TCCCTTCCCACTCGCTGCTTCCCACAGGGTGACAGGCTGGGCTGGAGAAACAGAAATCCTCACCCTGCGTCTTCC CAAGTTAGCAGGTGTCTCTGGTGTTCAGTGAGGAGGACATGTGAGTCCTGGCAGAAGCCATGGCCCATGTCTGCA CATCCAGGGAGGAGGACAGAAGGCCCAGCTCACATGTGAGTCCTGGCAGAAGCCATGGCCCATGTCTGCACATCC AGGGAGGACAGAAGGCCCAGCTCACATGTGAGTCCTGGCAGAAGCCATGGCCCATGTCTGCACATCCAGGGA GGAGGACAGAAGGCCCAGCTCACATGTGAGTCCTGGCAGAAGCCATGGCCCATGTCTGCACATCCAGGGAGGAGG GAAGTGTGTCCAAGTCCGCATTTGAGCCTTGTTCTGGGGCCCAGCCCAACACCTGGCTTGGGCTCACTGTCCTGA GTTGCAGTAAAGCTATAACCTTGAATCACAA

FIGURE 22

MTTWSLRRRPARTLGLLLLVVLGFLVLRRLDWSTLVPLRLRHRQLGLQAKGWNFMLEDSTFWI FGGSIHYFRVPREYWRDRLLKMKACGLNTLTTYVPWNLHEPERGKFDFSGNLDLEAFVLMAAE IGLWVILRPGPYICSEMDLGGLPSWLLQDPGMRLRTTYKGFTEAVDLYFDHLMSRVVPLQYKR GGPIIAVQVENEYGSYNKDPAYMPYVKKALEDRGIVELLLTSDNKDGLSKGIVQGVLATINLQ STHELQLLTTFLFNVQGTQPKMVMEYWTGWFDSWGGPHNILDSSEVLKTVSAIVDAGSSINLY MFHGGTNFGFMNGAMHFHDYKSDVTSYDYDAVLTEAGDYTAKYMKLRDFFGSISGIPLPPPPD LLPKMPYEPLTPVLYLSLWDALKYLGEPIKSEKPINMENLPVNGGNGQSFGYILYETSITSSG ILSGHVHDRGQVFVNTVSIGFLDYKTTKIAVPLIQGYTVLRILVENRGRVNYGENIDDQRKGL IGNLYLNDSPLKNFRIYSLDMKKSFFQRFGLDKWXSLPETPTLPAFFLGSLSISSTPCDTFLK LEGWEKGVVFINGQNLGRYWNIGPQKTLYLPGPWLSSGINQVIVFEETMAGPALQFTETPHLG RNQYIK

Signal sequence:

amino acids 1-27

Casein kinase II phosphorylation site.

amino acids 141-118, 253-257, 340-344, 395-399, 540-544, 560-564

N-myristoylation site.

amino acids 146-152, 236-242, 240-246, 244-250, 287-293, 309-315, 320-326, 366-372, 423-429, 425-431, 441-447, 503-509, 580-586

23/615

FIGURE 23

GAAACACAATGCACAGAGAGAGGATGCTTCTCTTCCCAAATGTTCTTATGGACTGTTGCTGGG ATCCCCATCCTATTTCTCAGTGCCTGTTTCATCACCAGATGTGTTGTGACATTTCGCATCTTT CAAACCTGTGATGAGAAAAAGTTTCAGCTACCTGAGAATTTCACAGAGCTCTCCTGCTACAAT TATGGATCAGGTTCAGTCAAGAATTGTTGTCCATTGAACTGGGAATATTTTCAATCCAGCTGC TACTTCTTTTCTACTGACACCATTTCCTGGGCGTTAAGTTTAAAGAACTGCTCAGCCATGGGG GCTCACCTGGTGGTTATCAACTCACAGGAGGAGCAGGAATTCCTTTCCTACAAGAAACCTAAA ATGAGAGAGTTTTTTATTGGACTGTCAGACCAGGTTGTCGAGGGTCAGTGGCAATGGGTGGAC GGCACACCTTTGACAAAGTCTCTGAGCTTCTGGGATGTAGGGGAGCCCAACAACATAGCTACC CTGGAGGACTGTGCCACCATGAGAGACTCTTCAAACCCAAGGCAAAATTGGAATGATGTAACC TGTTTCCTCAATTATTTTCGGATTTGTGAAATGGTAGGAATAAATCCTTTGAACAAAGGAAAA ACCCACCGCCCACACGAGAAATTTGTGCGCTGAACTTCAAAGGACTTCATAAGTATTTGTTA

FIGURE 24

MNSSKSSETQCTERGCFSSQMFLWTVAGIPILFLSACFITRCVVTFRIFQTCDEKKFQLPENF TELSCYNYGSGSVKNCCPLNWEYFQSSCYFFSTDTISWALSLKNCSAMGAHLVVINSQEEQEF LSYKKPKMREFFIGLSDQVVEGQWQWVDGTPLTKSLSFWDVGEPNNIATLEDCATMRDSSNPR QNWNDVTCFLNYFRICEMVGINPLNKGKSL

Signal sequence:

amino acids 1-42

N-glycosylation site.

amino acids 2-6, 62-66, 107-111

Casein kinase II phosphorylation site.

amino acids 51-55, 120-124, 163-167, 175-179, 181-185

N-myristoylation site.

amino acids 15-21, 74-80, 155-161

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 27-38

FIGURE 25

GGGGACGCGGAGCTGAGAGGCTCCGGGCTAGCTAGGTGTAGGGGTGGACGGGTCCCAGGACCC TGGTGAGGGTTCTCTACTTGGCCTTCGGTGGGGGTCAAGACGCAGGCACCTACGCCAAAGGGG AGCAAAGCCGGGCTCGGCCCGAGGCCCCCAGGACCTCCATCTCCCAATGTTGGAGGAATCCGA CACGTGACGGTCTGTCCGCCGTCTCAGACTAGAGGAGCGCTGTAAACGCCATGGCTCCCAAGA AGCTGTCCTGCCTTCGTTCCCTGCTGCCGCTCAGCCTGACGCTACTGCTGCCCCAGGCAG ACACTCGGTCGTTCGTAGTGGATAGGGGTCATGACCGGTTTCTCCTAGACGGGGCCCCGTTCC GCTATGTGTCTGGCAGCCTGCACTACTTTCGGGTACCGCGGGTGCTTTGGGCCGACCGGCTTT TGAAGATGCGATGGAGCGGCCTCAACGCCATACAGTTTTATGTGCCCTGGAACTACCACGAGC CACAGCCTGGGGTCTATAACTTTAATGGCAGCCGGGACCTCATTGCCTTTCTGAATGAGGCAG CTCTAGCGAACCTGTTGGTCATACTGAGACCAGGACCTTACATCTGTGCAGAGTGGGAGATGG GGGGTCTCCCATCCTGGTTGCTTCGAAAACCTGAAATTCATCTAAGAACCTCAGATCCAGACT TCCTTGCCGCAGTGGACTCCTGGTTCAAGGTCTTGCTGCCCAAGATATATCCATGGCTTTATC ACTTCAGCTACATGAGGCACTTGGCTGGGCTCTTCCGTGCACTGCTAGGAGAAAAGATCTTGC TAGATTTTGGCCCAGCTGACAACATGACCAAAATCTTTACCCTGCTTCGGAAGTATGAACCCC CCACACGGTCTGTGTCAGCTGTAACCAAAGGACTAGAGAACATGCTCAAGTTGGGAGCCAGTG TGAACATGTACATGTTCCATGGAGGTACCAACTTTGGATATTGGAATGGTGCCGATAAGAAGG GACGCTTCCTTCCGATTACTACCAGCTATGACTATGATGCACCTATATCTGAAGCAGGGGACC CCACACCTAAGCTTTTTGCTCTTCGAGATGTCATCAGCAAGTTCCAGGAAGTTCCTTTGGGAC CTTTACCTCCCCGAGCCCCAAGATGATGCTTGGACCTGTGACTCTGCACCTGGTTGGGCATT TTGAGGCTGTCAAGCAGGACCATGGCTTCATGTTGTACCGAACCTATATGACCCATACCATTT TTGAGCCAACACCATTCTGGGTGCCAAATAATGGAGTCCATGACCGTGCCTATGTGATGGTGG ATGGGGTGTTCCAGGGTGTTGTGGAGCGAAATATGAGAGACAAACTATTTTTGACGGGGAAAC TGGGGTCCAAACTGGATATCTTGGTGGAGAACATGGGGAGGCTCAGCTTTGGGTCTAACAGCA GTGACTTCAAGGGCCTGTTGAAGCCACCAATTCTGGGGCAAACAATCCTTACCCAGTGGATGA TGTTCCCTCTGAAAATTGATAACCTTGTGAAGTGGTGGTTTCCCCTCCAGTTGCCAAAATGGC CATATCCTCAAGCTCCTTCTGGCCCCACATTCTACTCCAAAACATTTCCAATTTTAGGCTCAG TTGGGGACACATTTCTATATCTACCTGGATGGACCAAGGCCCAAGTCTGGATCAATGGGTTTA ACTTGGGCCGGTACTGGACAAAGCAGGGGCCACAACAGACCCTCTACGTGCCAAGATTCCTGC TGTTTCCTAGGGGAGCCCTCAACAAATTACATTGCTGGAACTAGAAGATGTACCTCTCCAGC CCCAAGTCCAATTTTTGGATAAGCCTATCCTCAATAGCACTAGTACTTTGCACAGGACACATA TCAATTCCCTTTCAGCTGATACACTGAGTGCCTCTGAACCAATGGAGTTAAGTGGGCAC<u>TGA</u>A AGGTAGGCCGGGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCTGAGACGGGTG GATTACCTGAGGTCAGGACTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCGTCTCCACTA AAAATACAAAAATTAGCCGGGCGTGATGGTGGGCACCTCTAATCCCAGCTACTTGGGAGGCTG

26/615

FIGURE 26

MAPKKLSCLRSLLLPLSLTLLLPQADTRSFVVDRGHDRFLLDGAPFRYVSGSLHYFRVPRVLW
ADRLLKMRWSGLNAIQFYVPWNYHEPQPGVYNFNGSRDLIAFLNEAALANLLVILRPGPYICA
EWEMGGLPSWLLRKPEIHLRTSDPDFLAAVDSWFKVLLPKIYPWLYHNGGNIISIQVENEYGS
YRACDFSYMRHLAGLFRALLGEKILLFTTDGPEGLKCGSLRGLYTTVDFGPADNMTKIFTLLR
KYEPHGPLVNSEYYTGWLDYWGQNHSTRSVSAVTKGLENMLKLGASVNMYMFHGGTNFGYWNG
ADKKGRFLPITTSYDYDAPISEAGDPTPKLFALRDVISKFQEVPLGPLPPPSPKMMLGPVTLH
LVGHLLAFLDLLCPRGPIHSILPMTFEAVKQDHGFMLYRTYMTHTIFEPTPFWVPNNGVHDRA
YVMVDGVFQGVVERNMRDKLFLTGKLGSKLDILVENMGRLSFGSNSSDFKGLLKPPILGQTIL
TQWMMFPLKIDNLVKWWFPLQLPKWPYPQAPSGPTFYSKTFPILGSVGDTFLYLPGWTKGQVW
INGFNLGRYWTKQGPQQTLYVPRFLLFPRGALNKITLLELEDVPLQPQVQFLDKPILNSTSTL
HRTHINSLSADTLSASEPMELSGH

Signal sequence:

amino acids 1-27

N-glycosylation site.

amino acids 97-101, 243-247, 276-280, 486-490, 625-629

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 4-8

Casein kinase II phosphorylation site.

amino acids 148-152, 234-238, 327-331, 423-427, 469-473, 550-554, 603-607, 644-648

Tyrosine kinase phosphorylation site.

amino acids 191-198

N-myristoylation site.

amino acids 131-137, 176-182, 188-194, 203-209, 223-229, 227-233, 231-237, 274-280, 296-300, 307-313, 447-453, 484-490

FIGURE 27

GGACAGCTCGCGGCCCCCGAGAGCTCTAGCCGTCGAGGAGCTGCCTGGGGACGTTTGCCCTGG GGCCCCAGCCTGGCCCGGGTCACCCTGGCATGAGGAGATGGGCCTGTTGCTCCTGGTCCCATT GCTCCTGCTGCCCGGCTCCTACGGACTGCCCTTCTACAACGGCTTCTACTACTCCAACAGCGC CAACGACCAGAACCTAGGCAACGGTCATGGCAAAGACCTCCTTAATGGAGTGAAGCTGGTGGT GGAGACACCCGAGGAGACCCTGTTCACCTACCAAGGGGCCAGTGTGATCCTGCCCTGCCGCTA CCGCTACGAGCCGGCCCTGGTCTCCCCGCGGCGTGTGCGTGTCAAATGGTGGAAGCTGTCGGA GAACGGGCCCCAGAGAAGGACGTGCTGGTGGCCATCGGGCTGAGGCACCGCTCCTTTGGGGA CTACCAAGGCCGCGTGCACCTGCGGCAGGACAAAGAGCATGACGTCTCGCTGGAGATCCAGGA TCTGCGGCTGGAGGACTATGGGCGTTACCGCTGTGAGGTCATTGACGGGCTGGAGGATGAAAG CGGTCTGGTGGAGCTGCGGGGTGTGGTCTTTCCTTACCAGTCCCCCAACGGGCGCTA CCAGTTCAACTTCCACGAGGGCCAGCAGGTCTGTGCAGAGCAGGCTGCGGTGGTGGCCTCCTT TGCTACGGTGCAGTACCCCATCATGTTGCCCCGGCAGCCCTGCGGTGGCCCAGGCCTGGCACC TGGCGTGCGAAGCTACGGCCCCCCCCCCCCCCCTGCACCGCTATGATGTATTCTGCTTCGC TACTGCCCTCAAGGGGCGGGTGTACTACCTGGAGCACCCTGAGAAGCTGACGCTGACAGAGGC AAGGGAGGCCTGCCAGGAAGATGATGCCACGATCGCCAAGGTGGGACAGCTCTTTGCCGCCTG GAAGTTCCATGGCCTGGACCGCTGCGACGCTGGCTGGCAGATGGCAGCGTCCGCTACCC TGTGGTTCACCCGCATCCTAACTGTGGGCCCCCAGAGCCTGGGGTCCGAAGCTTTGGCTTCCC CGACCCGCAGAGCCGCTTGTACGGTGTTTACTGCTACCGCCAGCAC<u>TAG</u>GACCTGGGGCCCTC CCCTGCCGCATTCCCTCACTGGCTGTGTATTTATTGAGTGGTTCGTTTTCCCTTGTGGGTTGG TTTGTAAAGCAAACAGAACCCAATGCCTCCCTTTGCTCCTGGATGCCCCACTCCAGGAATCAT GCTTGCTCCCCTGGGCCATTTGCGGTTTTGTGGGCCTTCTGGAGGGTTCCCCGCCATCCAGGCT GGTCTCCCTCCCTTAAGGAGGTTGGTGCCCAGAGTGGGCGGTGGCCTGTCTAGAATGCCGCCG GGAGTCCGGGCATGGTGGGCACAGTTCTCCCTGCCCCTCAGCCTGGGGGAAGAAGAGGGCCTC GGGGGCCTCCGGAGCTGGGCTTTGGGCCTCTCCTGCCCACCTCTACTTCTCTGTGAAGCCGCT GACCCCAGTCTGCCCACTGAGGGGCTAGGGCTGGAAGCCAGTTCTAGGCTTCCAGGCGAAATC TGAGGGAAGGAACTCCCCTCCCCGTTCCCCTTCCCCTCTCGGTTCCAAAGAATCTGTTT TGTTGTCATTTGTTTCTCCTGTTTCCCTGTGTGGGGAGGGCCCTCAGGTGTGTACTTTGG

28/615

FIGURE 28

MGLLLLVPLLLLPGSYGLPFYNGFYYSNSANDQNLGNGHGKDLLNGVKLVVETPEETLFTYQG ASVILPCRYRYEPALVSPRRVRVKWWKLSENGAPEKDVLVAIGLRHRSFGDYQGRVHLRQDKE HDVSLEIQDLRLEDYGRYRCEVIDGLEDESGLVELELRGVVFPYQSPNGRYQFNFHEGQQVCA EQAAVVASFEQLFRAWEEGLDWCNAGWLQDATVQYPIMLPRQPCGGPGLAPGVRSYGPRHRRL HRYDVFCFATALKGRVYYLEHPEKLTLTEAREACQEDDATIAKVGQLFAAWKFHGLDRCDAGW LADGSVRYPVVHPHPNCGPPEPGVRSFGFPDPQSRLYGVYCYRQH

Signal sequence:

amino acids 1-17

Casein kinase II phosphorylation site. amino acids 29-33, 53-57, 111-115, 278-282

Tyrosine kinase phosphorylation site. amino acids 137-145

N-myristoylation site.

aminoacids 36-42, 184-190, 208-214, 237-243, 297-303, 307-313

FIGURE 29

GCAAGCGGCGAA**ATG**GCGCCCTCCGGGAGTCTTGCAGTTCCCCTGGCAGTCCTGGTGCTGTTG CTTTGGGGTGCTCCCTGGACGCACGGGCGGCGGAGCAACGTTCGCGTCATCACGGACGAGAAC TGGAGAGACTGCTGGAAGGAGACTGGATGATAGAATTTTATGCCCCGTGGTGCCCTGCTTGT CAAAATCTTCAACCGGAATGGGAAAGTTTTTGCTGAATGGGGAGAAGATCTTGAGGTTAATATT GCGAAAGTAGATGTCACAGAGCAGCCAGGACTGAGTGGACGGTTTATCATAACTGCTCTTCCT ACTATTTATCATTGTAAAGATGGTGAATTTAGGCGCTATCAGGGTCCAAGGACTAAGAAGGAC TTCATAAACTTTATAAGTGATAAAGAGTGGAAGAGTATTGAGCCCGTTTCATCATGGTTTGGT TGCCATAACTACTTTATTGAAGACCTTGGATTGCCAGTGTGGGGATCATATACTGTTTTTGCT TTAGCAACTCTGTTTTCCGGACTGTTATTAGGACTCTGTATGATATTTGTGGCAGATTGCCTT TGTCCTTCAAAAAGGCGCAGACCACAGCCATACCCATACCCTTCAAAAAAATTATTATCAGAA TCTGCACAACCTTTGAAAAAAGTGGAGGAGGAACAAGAGGCGGATGAAGAAGATGTTTCAGAA GAAGAAGCTGAAAGTAAAGAAGGAACAAACAAAGACTTTCCACAGAATGCCATAAGACAACGC TCTCTGGGTCCATCATTGGCCACAGATAAATCCTAGTTAAATTTTATAGTTATCTTAATATTA GAATATTGCAGGGTTCAGTCTAGATTGTCATTAAATTGAAGAGTCTACATTCAGAACATAAAA GCACTAGGTATACAAGTTTGAAATATGATTTAAGCACAGTATGATGGTTTAAATAGTTCTCTA ATTTTTGAAAAATCGTGCCAAGCAATAAGATTTATGTATATTTGTTTAATAATAACCTATTTC AAGTCTGAGTTTTGAAAATTTACATTTCCCAAGTATTGCATTATTGAGGTATTTAAGAAGATT ATTTTAGAGAAAAATATTTCTCATTTGATATAATTTTTCTCTGTTTCACTGTGTGAAAAAAAG AAGATATTTCCCATAAATGGGAAGTTTGCCCATTGTCTCAAGAAATGTGTATTTCAGTGACAA TTTCGTGGTCTTTTTAGAGGTATATTCCAAAATTTCCTTGTATTTTTAGGTTATGCAACTAAT AAAAACTACCTTACATTAATTAATTACAGTTTTCTACACATGGTAATACAGGATATGCTACTG ATTTAGGAAGTTTTTAAGTTCATGGTATTCTCTTGATTCCAACAAGTTTGATTTTCTCTTGT ACATTTTTTATGTTTAGTAAACAGTATTTTTTTTGTTGTTTCAAACTGAAGTTTACTGAGAGA TCCATCAAATTGAACAATCTGTTGTAATTTTAAAATTTTTGGCCACTTTTTTCAGATTTTACATC CCTGATTTTTGTCTGATGTGAAAAAGCCTTGGTATTTTACATTTTGAAAATTCAAAGAAGCTT AATATAAAAGTTTGCATTCTACTCAGGAAAAAGCATCTTCTTGTATATGTCTTAAATGTATTT TTGTCCTCATATACAGAAAGTTCTTAATTGATTTTACAGTCTGTAATGCTTGATGTTTTAAAA TAATAACATTTTTATATTTTTTAAAAGACAAACTTCATATTATCCTGTGTTCTTTCCTGACTG GTAATATTGTGTGGGATTTCACAGGTAAAAGTCAGTAGGATGGAACATTTTAGTGTATTTTTA CTCCTTAAAGAGCTAGAATACATAGTTTTCACCTTAAAAGAAGGGGGGAAAATCATAAATACAA TGCTGTGTGAATCCATTAGATTTACAGTATCGTAATATACAGTTTTCTTTAAAGCCCTCTCC TTTAGAATTTAAAATATTGTACCATTAAAGAGTTTGGATGTGTAACTTGTGATGCCTTAGAAA AAA

FIGURE 30

MAPSGSLAVPLAVLVLLLWGAPWTHGRRSNVRVITDENWRELLEGDWMIEFYAPWCPACQNLQ PEWESFAEWGEDLEVNIAKVDVTEQPGLSGRFIITALPTIYHCKDGEFRRYQGPRTKKDFINF ISDKEWKSIEPVSSWFGPGSVLMSSMSALFQLSMWIRTCHNYFIEDLGLPVWGSYTVFALATL FSGLLLGLCMIFVADCLCPSKRRRPQPYPYPSKKLLSESAQPLKKVEEEQEADEEDVSEEEAE SKEGTNKDFPQNAIRQRSLGPSLATDKS

Signal sequence:

amino acids 1-26

Transmembrane domain:

amino acids 182-201

Casein kinase II phosphorylation site.

amino acids 68-72, 119-123, 128-132, 247-251, 257-261

Tyrosine kinase phosphorylation site.

amino acids 107-115

N-myristoylation site.

amino acids 20-26, 192-198

Amidation site.

amino acids 25-29

FIGURE 31

- AGATGGCGGTCTTGGCACCTCTAATTGCTCTCGTGTATTCGGTGCCGCGACTTTCACGATGGC TCGCCCAACCTTACTACCTTCTGTCGGCCCTGCTCTCTGCTGCCTTCCTACTCGTGAGGAAAC TGCCGCCGCTCTGCCACGGTCTGCCCACCCAACGCGAAGACGGTAACCCGTGTGACTTTGACT GGAGAGAGTGGAGATCCTGATGTTTCTCAGTGCCATTGTGATGATGAAGAACCGCAGATCCA TCTTCCGCTTGGATATTCGCATGGGCCTACTTTACATCACACTCTGCATAGTGTTCCTGATGA CGTGCAAACCCCCCTATATATGGGCCCTGAGTATATCAAGTACTTCAATGATAAAACCATTG ATGAGGAACTAGAACGGGACAAGAGGGTCACTTGGATTGTGGAGTTCTTTGCCAATTGGTCTA ATGACTGCCAATCATTTGCCCCTATCTATGCTGACCTCTCCCTTAAATACAACTGTACAGGGC TAAATTTTGGGAAGGTGGATGTTGGACGCTATACTGATGTTAGTACGCGGTACAAAGTGAGCA CATCACCCCTCACCAAGCAACTCCCTACCCTGATCCTGTTCCAAGGTGGCAAGGAGGCAATGC GGCGGCCACAGATTGACAAGAAAGGACGGGCTGTCTCATGGACCTTCTCTGAGGAGAATGTGA TCCGAGAATTTAACTTAAATGAGCTATACCAGCGGCCCAAGAAACTATCAAAGGCTGGAGACA ATATCCCTGAGGAGCAGCCTGTGGCTTCAACCCCCACACAGTGTCAGATGGGGAAAACAAGA AGGATAAA**TAA**GATCCTCACTTTGGCAGTGCTTCCTCTCTGTCAATTCCAGGCTCTTTCCAT AACCACAGCCTGAGGCTGCAGCCTTTNATTNATGTTTTCCCTTTGGCTGNGACTGGNTGGGG CAGCATGCAGCTTCTGATTTTAAAGAGGCATCTAGGGAATTGTCAGGCACCCTACAGGAAGGC AATGGTTTCCCTCCAAGCTTGGGTCAGTGTTTAACTGCTTATCAGCTATTCAGACATCTCCA TGGTTTCTCCATGAAACTCTGTGGTTTCATCATTCCTTCTTAGTTGACCTGCACAGCTTGGTT AGACCTAGATTTAACCCTAAGGTAAGATGCTGGGGTATAGAACGCTAAGAATTTTCCCCCAAG GACTCTTGCTTCCTTAAGCCCTTCTGGCTTCGTTTATGGTCTTCATTAAAAGTATAAGCCTAA CTTTGTCGCTAGTCCTAAGGAGAAACCTTTAACCACAAAGTTTTTATCATTGAAGACAATATT GAACAACCCCCTATTTTGTGGGGATTGAGAAGGGGTGAATAGAGGCTTGAGACTTTCCTTTGT GTGGTAGGACTTGGAGGAGAAATCCCCTGGACTTTCACTAACCCTCTGACATACTCCCCACAC CCAGTTGATGGCTTTCCGTAATAAAAAGATTGGGATTTCCTTTTG

FIGURE 32

MAVLAPLIALVYSVPRLSRWLAQPYYLLSALLSAAFLLVRKLPPLCHGLPTQREDGNPCDFDW REVEILMFLSAIVMMKNRRSITVEQHIGNIFMFSKVANTILFFRLDIRMGLLYITLCIVFLMT CKPPLYMGPEYIKYFNDKTIDEELERDKRVTWIVEFFANWSNDCQSFAPIYADLSLKYNCTGL NFGKVDVGRYTDVSTRYKVSTSPLTKQLPTLILFQGGKEAMRRPQIDKKGRAVSWTFSEENVI REFNLNELYQRAKKLSKAGDNIPEEQPVASTPTTVSDGENKKDK

Signal sequence:

amino acids 1-48

Transmembrane domain:

amino acids 111-125

N-glycosylation site.

amino acids 165-169, 185-189

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 154-158, 265-269

Casein kinase II phosphorylation site.

amino acids 51-55, 145-149, 245-249, 286-290, 288-292

N-myristoylation site.

amino acids 188-194, 225-231

Myb DNA-binding domain repeat signature 1.

amino acids 244-253

33/615

FIGURE 33

CGGACGCGTGGGGTGCCCGAC**ATG**GCGAGTGTAGTGCTGCCGAGCGGATCCCAGTGTGCGGCG CTGATCCCCACAGGTGATGGGCAGAATCTGTTTACGAAAGACGTGACAGTGATCGAGGGAGAG GTTGCGACCATCAGTTGCCAAGTCAATAAGAGTGACGACTCTGTGATTCAGCTACTGAATCCC AACAGGCAGACCATTTATTTCAGGGACTTCAGGCCTTTGAAGGACAGCAGGTTTCAGTTGCTG TACTTTTGCCAGCTCTATACCGATCCCCCACAGGAAAGTTACACCACCATCACAGTCCTGGTC CCACCACGTAATCTGATGATCGATATCCAGAAAGACACTGCGGTGGAAGGTGAGGAGATTGAA GTCAACTGCACTGCTATGGCCAGCAAGCCACGACTATCAGGTGGTTCAAAGGGAACACA GAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACACTGTGACCAGTCAGCTG ATGCTGAAGGTGCACAAGGAGGACGATGGGGTCCCAGTGATCTGCCAGGTGGAGCACCCTGCG GTCACTGGAAACCTGCAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCTCAAGTGCACATT CAGATGACTTATCCTCTACAAGGCTTAACCCGGGAAGGGGACGCGCTTGAGTTAACATGTGAA GCCATCGGGAAGCCCCAGCCTGTGATGGTAACTTGGGTGAGAGTCGATGATGAAATGCCTCAA CACGCCGTACTGTCTGGGCCCAACCTGTTCATCAATAACCTAAACAAAACAGATAATGGTACA ACCATCCTTACCATCACAGATTCCCGAGCAGGTGAAGAAGGCTCGATCAGGGCAGTGGAT CTGGGGCGCTATTTTGCCAGACATAAAGGTACATACTTCACTCATGAAGCCAAAGGAGCCGAT GACGCAGCAGACGCAGACACAGCTATAATCAATGCAGAAGGAGGACAGAACAACTCCGAAGAA AAGAAAGAGTACTTCATC**TAG**ATCAGCCTTTTTGTTTCAATGAGGTGTCCAACTGGCCCTATT TAGATGATAAAGAGACAGTGATATTGG

34/615

FIGURE 34

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39518
<subunit 1 of 1, 440 aa, 1 stop
<MW: 48240, pI: 4.93, NX(S/T): 7
MASVVLPSGSQCAAAAAAAAPPGLRLLLLFSAAALIPTGDGQNLFTKDVTVIEGEVATISCQ
VNKSDDSVIQLLNPNRQTIYFRDFRPLKDSRFQLLNFSSSELKVSLTNVSISDEGRYFCQLYT
DPPQESYTTITVLVPPRNLMIDIQKDTAVEGEEIEVNCTAMASKPATTIRWFKGNTELKGKSE
VEEWSDMYTVTSQLMLKVHKEDDGVPVICQVEHPAVTGNLQTQRYLEVQYKPQVHIQMTYPLQ
GLTREGDALELTCEAIGKPQPVMVTWVRVDDEMPQHAVLSGPNLFINNLNKTDNGTYRCEASN
IVGKAHSDYMLYVYDPPTTIPPPTTTTTTTTTTTTTTTILTIITDSRAGEEGSIRAVDHAVIGGV
VAVVVFAMLCLLIILGRYFARHKGTYFTHEAKGADDAADADTAIINAEGGQNNSEEKKEYFI</pre>

Signal sequence.

amino acids 1-36

Transmembrane domain.

amino acids 372-393

N-glycosylation sites.

amino acids 65-69; 99-103, 111-115, 163-167, 302-306, 306-310, 430-434

Tyrosine kinase phosphorylation sites.

amino acids 233-240, 319-328

N-myristoylation sites.

amino acids 9-15, 227-233, 307-313, 365-371, 376-382, 402-408, 411-417, 427-433, 428-432

FIGURE 35

GGTTGCCACAGCTGGTTTAGGGCCCCGACCACTGGGGCCCCTTGTCAGGAGGAGACAGCCTCCCGGCCCGGGGAG AGTTGGGTCTCCGTGTTTCAGGCCGGCTCCCCCTTCCTGGTCTCCCCTTCTCCCGCTGGGCCGGTTTATCGGGAGG AGATTGTCTTCCAGGGCTAGCAATTGGACTTTTGATGATGTTTGACCCAGCGGCAGGAATAGCAGGCAACGTGAT TTCAAAGCTGGGCTCAGCCTCTGTTTCTCTCTCGTGTAATCGCAAAACCCATTTTGGAGCAGGAATTCCAATCA ATGGCCGCGTCATGATGGCCCGGCAAAAGGGCATTTTCTACCTGACCCTTTTCCTCATCCTGGGGACATGTACAC TCTTCTTCGCCTTTGAGTGCCGCTACCTGGCTGTTCAGCTGTCTCCTGCCATCCCTGTATTTGCTGCCATGCTCT TCCTTTTCTCCATGGCTACACTGTTGAGGACCAGCTTCAGTGACCCTGGAGTGATTCCTCGGGCGCTACCAGATG AAGCAGCTTTCATAGAAATGGAGATAGAAGCTACCAATGGTGCGGTGCCCCAGGGGCCAGCGACCACCGCCTCGTA TCAAGAATTTCCAGATAAACAACCAGATTGTGAAACTGAAATACTGTTACACATGCAAGATCTTCCGGCCTCCCC CTCTCAACCAGACAACCAATGAAGACATCAAAGGATCATGGACAGGGAAGAATCGCGTCCAGAATCCCTACAGCC ATGCCAATATTGTGAAGAACTGCTGTGAAGTGCTGTGTGGCCCCTTGCCCCCAGTGTGCTGGATCGAAGGGGTA TTTTGCCACTGGAGGAAAGTGGAAGTCGACCTCCCAGTACTCAAGAGACCAGTAGCAGCCTCTTGCCACAGAGCC ${\tt AGCCCCCAGAGCCACCAGGAGGCAGCTGAAGCTGAGAAG} {\tt CTATCTATGGAAGAGACTTTTGTTTGTGTTT}$ TAATTAGGGCTATGAGAGATTTCAGGTGAGAAGTTAAACCTGAGACAGAGAGCAAGTAAGCTGTCCCTTTTAACT GTTTTCTTTGGTCTTTAGTCACCCAGTTGCACACTGGCATTTTCTTGCTGCAAGCTTTTTTAAATTTCTGAACT CAAGGCAGTGGCAGAAGATGTCAGTCACCTCTGATAACTGGAAAAATGGGTCTCTTGGGCCCTGGCACTGGTTCT $\tt CCATGGCCTCAGCCACAGGGTCCCCTTGGACCCCCTCTCTTCCCTCCAGATCCCAGCCCTCCTGCTTGGGGTCAC$ TGGTCTCATTCTGGGGCTAAAAGTTTTTGAGACTGGCTCAAATCCTCCCAAGCTGCTGCACGTGCTGAGTCCAGA GGCAGTCACAGAGACCTCTGGCCAGGGGATCCTAACTGGGTTCTTGGGGTCTTCAGGACTGAAGAGGAGGAGGAAG TGGGGTCAGAAGATTCTCCTGGCCACCAAGTGCCAGCATTGCCCACAAATCCTTTTAGGAATGGGACAGGTACCT TCCACTTGTTGTANNNNNNNNNNNNNNNNNNNNNNNTTGTTTTTCCTTTTGACTCCTGCTCCCATTAGGAG CAGGAATGGCAGTAATAAAAGTCTGCACTTTGGTCATTTCTTTTCCTCAGAGGAAGCCCGAGTGCTCACTTAAAC ACTATCCCCTCAGACTCCCTGTGTGAGGCCTGCAGAGGCCCTGAATGCACAAATGGGAAACCAAGGCACAGAGAG $\tt CGGCTGAGTGAGGGAAAGCCCAGCACTGCTGCCCTCTCGGGTAACTCACCCTAAGGCCTCGGCCCACCTCTGGCT$ ATGGTAACCACACTGGGGGCTTCCTCCAAGCCCCGCTCTTCCAGCACTTCCACCGGCAGAGTCCCAGAGCCACTT CACCCTGGGGGTGGGCTGTGGCCCCCAGTCAGCTCTGCTCAGGACCTGCTCTATTTCAGGGAAGAAGATTTATGT ATTATATGTGGCTATATTTCCTAGAGCACCTGTGTTTTCCTCTTTCTAAGCCAGGGTCCTGTCTGGATGACTTAT GCGGTGGGGGAGTGTAAACCGGAACTTTTCATCTATTTGAAGGCGATTAAACTGTGTCTAATGCA

36/615

FIGURE 36

MSVMVVRKKVTRKWEKLPGRNTFCCDGRVMMARQKGIFYLTLFLILGTCTLFFAFECRYLAVQ LSPAIPVFAAMLFLFSMATLLRTSFSDPGVIPRALPDEAAFIEMEIEATNGAVPQGQRPPPRI KNFQINNQIVKLKYCYTCKIFRPPRASHCSICDNCVERFDHHCPWVGNCVGKRNYRYFYLFIL SLSLLTIYVFAFNIVYVALKSLKIGFLETLKETPGTVLEVLICFFTLWSVVGLTGFHTFLVAL NQTTNEDIKGSWTGKNRVQNPYSHGNIVKNCCEVLCGPLPPSVLDRRGILPLEESGSRPPSTQ ETSSSLLPQSPAPTEHLNSNEMPEDSSTPEEMPPPEPPEPPQEAAEAEK

Putative transmembrane domains:

amino acids 36-55 (type II TM), 65-84, 188-208, 229-245

FIGURE 37

GGCGGAGCAGCCCTAGCCGCCACCGTCGCTCTCGCAGCTCTCGTCGCCACTGCCACCGCCGCCGCCGTCACTGCG TGCCCGCGCTGCCCTGCTGCTGCTGCTCGCAGCCGAGCCCCGAGCCACCCTGCCCAACCCGGTGCCCG AGCCGGACCCGCAGCACCCGGCCGCCGGCGAGCCTGGCTACAGCTGCACCTGCCCCGCCGGGATCTCCGGCG CCAACTGCCAGCTTGTTGCAGATCCTTGTGCCAGCAACCCTTGTCACCATGGCAACTGCAGCAGCAGCAGCAGCA GCAGCAGCGATGGCTACCTCTGCATTTGCAATGAAGGCTATGAAGGTCCCAACTGTGAACAGGCACTTCCCAGTC AAATCCTGCCTCGCTCTCAGGCAACGGTGACACTGCCTACCTGGCAGCCGAAAACAGGGCAGAAAGTTGTAGAAA ${}^{ ext{T}}$ GAAATGGGATCAAGTGGAGGTGATCCCAGATATTGCCTGTGGGAATGCCAGTTCTAACAGCTCTGCGGGTGGCC ${\tt GCCTGGTATCCTTTGAAGTGCCACAGAACACCTCAGTCAAGATTCGGCAAGATGCCACTGCCTCACTGATTTTGC}$ TCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAGTGTGACCCCCTTCAGGCTT CAGGGGGACTGGTCCTCCTGGAGGAGATGCTCGCCTTGGGGGAATAATCACTTTATTGGTTTTGTGAATGATTCTG TGACTAAGTCTATTGTGGCTTTGCGCTTAACTCTGGTGGTGAAGGTCAGCACCTGTGTGCCGGGGGAGAGTCACG CAAATGACTTGGAGTGTTCAGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTG AGGAGCAGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAACGCGAGCT GTATTGATGCAAATGAAAAGCAAGATGGGAGCAATTTCACCTGTTTTTGCCTTCCTGGTTATACTGGAGAGCTTT GCCAGTCCAAGATTGATTACTGCATCCTAGACCCATGCAGAAATGGAGCAACATGCATTTCCAGTCTCAGTGGAT TCACCTGCCAGTGTCCAGAAGGATACTTCGGATCTGCTTGTGAAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGT GCCAGAACACGGCACCTGCTATGTGGACGGGGTACACTTTACCTGCAACTGCAGCCCGGGCTTCACAGGGCCGA $\tt CCTGTGCCCAGCTTATTGACTTCTGTGCCCTCAGCCCCTGTGCTCATGGCACGTGCCGCAGCGTGGGCACCAGCT$ ACAAATGCCTCTGTGATCCAGGTTACCATGGCCTCTACTGTGAGGAGGAATATAATGAGTGCCTCTCCGCTCCAT ACTGTGAATTGTACAAGGATCCCTGCGCTAACGTCAGCTGTCTGAACGGAGCCACCTGTGACAGCGACGGCCTGA CAAACTGTGAGATCCACCTCCAATGGAAGTCCGGGCACATGGCGGAGAGCCTCACCAACATGCCACGGCACTCCC TCTACATCATCATTGGAGCCCTCTGCGTGGCCTTCATCCTTATGCTGATCATCCTGATCGTGGGGATTTGCCGCA TCAGCCGCATTGAATACCAGGGTTCTTCCAGGCCAGCCTATGAGGAGTTCTACAACTGCCGCAGCATCGACAGCG GCCCCATCGCCTATGAAGATTACAGTCCTGATGACAAACCCTTGGTCACACTGATTAAAACTAAAGATTTG<u>TAA</u>T CTTTTTTTGGATTATTTTCAAAAAGATGAGATACTACACTCATTTAAATATTTTTAAGAAAATAAAAAGCTTAA GAAATTTAAAATGCTAGCTGCTCAAGAGTTTTCAGTAGAATATTTAAGAACTAATTTTCTGCAGCTTTTAGTTTG GAAAAAATATTTTAAAAACAAAATTTGTGAAACCTATAGACGATGTTTTAATGTACCTTCAGCTCTCTAAACTGT GTGCTTCTACTAGTGTGTGCTCTTTTCACTGTAGACACTATCACGAGACCCAGATTAATTTCTGTGGTTGTTACA GAATAAGTCTAATCAAGGAGAAGTTTCTGTTTGACGTTTGAGTGCCGGCTTTCTGAGTAGAGTTAGGAAAACCAC GTAACGTAGCATATGATGTATAATAGAGTATACCCGTTACTTAAAAAGAAGTCTGAAATGTTCGŤTTTGTGGAAA TCGAACTAGGCCTCAAAAACATACGTAACGAAAAGGCCTAGCGAGGCAAATTCTGATTGAATCTATATTT TTTGTGGCTGTATTTGATTGATATGTGCTTCTTCTGATTCTTGCTAATTTCCAACCATATTGAATAAATGTGATC

38/615

FIGURE 38

><subunit 1 of 1, 737 aa, 1 stop ><MW: 78475, pI: 5.09, NX(S/T): 11

MQPRRAQAPGAQLLPALALLLLLGAGPRGSSLANPVPAAPLSAPGPCAAQPCRNGGVCTSRP EPDPQHPAPAGEPGYSCTCPAGISGANCQLVADPCASNPCHHGNCSSSSSSSSDGYLCICNEG YEGPNCEQALPSLPATGWTESMAPRQLQPVPATQEPDKILPRSQATVTLPTWQPKTGQKVVEM KWDQVEVIPDIACGNASSNSSAGGRLVSFEVPQNTSVKIRQDATASLILLWKVTATGFQQCSL IDGRSVTPLQASGGLVLLEEMLALGNNHFIGFVNDSVTKSIVALRLTLVVKVSTCVPGESHAN DLECSGKGKCTTKPSEATFSCTCEEQYVGTFCEEYDACQRKPCQNNASCIDANEKQDGSNFTC VCLPGYTGELCQSKIDYCILDPCRNGATCISSLSGFTCQCPEGYFGSACEEKVDPCASSPCQN NGTCYVDGVHFTCNCSPGFTGPTCAQLIDFCALSPCAHGTCRSVGTSYKCLCDPGYHGLYCEE EYNECLSAPCLNAATCRDLVNGYECVCLAEYKGTHCELYKDPCANVSCLNGATCDSDGLNGTC ICAPGFTGEECDIDINECDSNPCHHGGSCLDQPNGYNCHCPHGWVGANCEIHLQWKSGHMAES LTNMPRHSLYIIIGALCVAFILMLIILIVGICRISRIEYQGSSRPAYEEFYNCRSIDSEFSNA IASIRHARFGKKSRPAMYDVSPIAYEDYSPDDKPLVTLIKTKDL

Signal sequnce.

amino acids 1-28

Transmembrane domain.

amino acids 641-660

N-glycosylation sites.

amino acids 107-111, 204-208, 208-212, 223-227, 286-290, 361-365, 375-379, 442-446, 549-553, 564-568

Glycosaminoglycan attachment site.

amino acids 320-324

Tyrosine kinase phosphorylation sites.

amino acids 490-498, 674-682

N-myristoylation sites.

amino acids 30-36, 56-62, 57-63, 85-91, 106-112, 203-209, 373-379, 449-455, 480-486, 562-568, 565-571

Amidation site.

amino acids 702-706

Aspartic acid and asparagine hydroxylation site.

amino acids 520-532, 596-608

EGF-like domain cysteine pattern signatures.

amino acids 80-92, 121-133, 336-348, 378-390, 416-428, 454-466, 491-503, 529-541, 567-579, 605-617

FIGURE 39

CGTTGCTGCCCCGCCTGGGCCAGGCCCCAAAGGCAAGGACAAAGCAGCTGTCAGGGAACCTCC GCCGGAGTCGAATTTACGTGCAGCTGCCGGCAACCACAGGTTCCAAGATGGTTTGCGGGGGGCT TCGCGTGTTCCAAGAACTGCCTGTGCGCCCTCAACCTGCTTTACACCTTGGTTAGTCTGCTGC TAATTGGAATTGCTGCGTGGGGCATTGGCTTCGGGCTGATTTCCAGTCTCCGAGTGGTCGGCG TGGTCATTGCAGTGGGCATCTTCTTGTTCCTGATTGCTTTAGTGGGTCTGATTGGAGCTGTAA TTTCTGTATCTTGCGCTTGTTTAGCCCTGAACCAGGAGCAACAGGGTCAGCTTCTGGAGGTTG GTTGGAACAATACGGCAAGTGCTCGAAATGACATCCAGAGAAATCTAAACTGCTGTGGGTTCC GAAGTGTTAACCCAAATGACACCTGTCTGGCTAGCTGTGTTAAAAGTGACCACTCGTGCTCGC CATGTGCTCCAATCATAGGAGAATATGCTGGAGAGGTTTTGAGATTTGTTGGTGGCATTGGCC TGTTCTTCAGTTTTACAGAGATCCTGGGTGTTTGGCTGACCTACAGATACAGGAACCAGAAAG ACCCCGCGCGAATCCTAGTGCATTCCTT**TGA**TGAGAAAACAAGGAAGATTTCCTTTCGTATT ACTATCTGGAAAAGTACCTTATTGATAGTGGAATTATATTTTTTTACTCTATGTTTCTCTACA TGTTTTTTTTTTCTTTCCGTTGCTGAAAAATATTTGAAACTTGTGGTCTCTGAAGCTCGGTGGCAC CTGGAATTTACTGTATTCATTGTCGGGCACTGTCCACTGTGGCCTTTCTTAGCATTTTTACCT GCAGAAAAACTTTGTATGGTACCACTGTGTTGGTTATATGGTGAATCTGAACGTACATCTCAC TGGTATAATTATGTAGCACTGTGCTGTGTAGATAGTTCCTACTGGAAAAAGAGTGGAAATT TATTAAAATCAGAAAGTATGAGATCCTGTTATGTTAAGGGAAATCCAAATTCCCAATTTTTTT TGGTCTTTTTAGGAAAGATTGTTGTGGTAAAAAGTGTTAGTATAAAAATGATAATTTACTTGT AGTCTTTTATGATTACACCAATGTATTCTAGAAATAGTTATGTCTTAGGAAATTGTGGTTTAA TTTTTGACTTTTACAGGTAAGTGCAAAGGAGAAGTGGTTTCATGAAATGTTCTAATGTATAAT AACATTTACCTTCAGCCTCCATCAGAATGGAACGAGTTTTGAGTAATCAGGAAGTATATCTAT ATGATCTTGATATTGTTTTTATAATAATTTGAAGTCTAAAAGACTGCATTTTTAAACAAGTTAG TATTAATGCGTTGGCCCACGTAGCAAAAAGATATTTGATTATCTTAAAAATTGTTAAATACCG TTTTCATGAAATTTCTCAGTATTGTAACAGCAACTTGTCAAACCTAAGCATATTTGAATATGA TCTCCCATAATTTGAAATTGAAATCGTATTGTGTGGCTCTGTATATTCTGTTAAAAAAATTAAA

40/615

FIGURE 40

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39979</pre>

><subunit 1 of 1, 204 aa, 1 stop ><MW: 22147, pI:'8.37, NX(S/T): 3 MVCGGFACSKNCLCALNLLYTLVSLLLIGIAAWGIGFGLISSLRVVGVVIAVGIFLFLIALVG LIGAVKHHQVLLFFYMIILLLVFIVQFSVSCACLALNQEQQGQLLEVGWNNTASARNDIQRNL NCCGFRSVNPNDTCLASCVKSDHSCSPCAPIIGEYAGEVLRFVGGIGLFFSFTEILGVWLTYR YRNQKDPRANPSAFL

Signal Peptide:

amino acids 1-34

Transmembrane domains:

amino acids 47-63, 72-95 and 162-182

41/615

FIGURE 41

CAGTCACCATGAAGCTGGGCTGTGTCCTCATGGCCTGGGCCCTCTACCTTTCCCTTGGTGTGC TCTGGGTGGCCCAGATGCTACTGGCTGCCAGTTTTGAGACGCTGCAGTGTGAGGGACCTGTCT GCACTGAGGAGAGCAGCTGCCACACGGAGGATGACTTGACTGATGCAAGGGAAGCTGGCTTCC AGGTCAAGGCCTACACTTTCAGTGAACCCTTCCACCTGATTGTCTCCTATGACTGGCTGATCC TCCAAGGTCCAGCCAAGCCAGTTTTTGAAGGGGACCTGCTGGTTCTGCGCTGCCAGGCCTGGC AAGACTGGCCACTGACTCAGGTGACCTTCTACCGAGATGGCTCAGCTCTGGGTCCCCCCGGGC CTAACAGGGAATTCTCCATCACCGTGGTACAAAAGGCAGACAGCGGGCACTACCACTGCAGTG GCATCTTCCAGAGCCCTGGTCCTGGGATCCCAGAAACAGCATCTGTTGTGGCTATCACAGTCC AAGAACTGTTTCCAGCGCCAATTCTCAGAGCTGTACCCTCAGCTGAACCCCAAGCAGGAAGCC CCATGACCCTGAGTTGTCAGACAAAGTTGCCCCTGCAGAGGTCAGCTGCCCGCCTCCTTCT CCTTCTACAAGGATGGAAGGATAGTGCAAAGCAGGGGGCTCTCCTCAGAATTCCAGATCCCCA CAGCTTCAGAAGATCACTCCGGGTCATACTGGTGTGAGGCAGCCACTGAGGACAACCAAGTTT GGAAACAGAGCCCCCAGCTAGAGATCAGAGTGCAGGGTGCTTCCAGCTCTGCTGCACCTCCCA CATTGAATCCAGCTCCTCAGAAATCAGCTGCTCCAGGAACTGCTCCTGAGGAGGCCCCTGGGC ${\tt CTCTGCCTCCGCCGAACCCCATCTTCTGAGGATCCAGGCTTTTCTTCTCTCTGGGGATGC}$ CAGATCCTCATCTGTATCACCAGATGGGCCTTCTTCTCAAACACATGCAGGATGTGAGAGTCC TCCTCGGTCACCTGCTCATGGAGTTGAGGGAATTATCTGGCCACCAGAAGCCTGGGACCACAA AGGCTACTGCTGAA<u>TAG</u>AAGTAAACAGTTCATCCATGATCTCACTTAACCACCCCAATAAATC TGATTCTTTATTTTCTCTTCCTGTCCTGCACATATGCATAAGTACTTTTACAAGTTGTCCCAG TGTTTTGTTAGAATAATGTAGTTAGGTGAGTGTAAATAAATTTATATAAAGTGAGAATTAGAG TTTAGCTATAATTGTGTATTCTCTCTTAACACAACAGAATTCTGCTGTCTAGATCAGGAATTT CTATCTGTTATATCGACCAGAATGTTGTGATTTAAAGAGAACTAATGGAAGTGGATTGAATAC AGCAGTCTCAACTGGGGGCAATTTTGCCCCCCAGAGGACATTGGGCAATGTTTGGAGACATTT TGGTCATTATACTTGGGGGGTTGGGGGATGGTGGGTGTGTCTACTGGCATCCAGTAAATA GAAGCCAGGGGTGCCGCTAAACATCCTATAATGCACAGGGCAGTACCCCACAACGAAAAATAA TCTGGCCCAAAATGTCAGTTGTACTGAGTTTGAGAAACCCCAGCCTAATGAAACCCTAGGTGT TGGGCTCTGGAATGGGACTTTGTCCCTTCTAATTATTATCTCTTTCCAGCCTCATTCAGCTAT TCTTACTGACATACCAGTCTTTAGCTGGTGCTATGGTCTGTTCTTTAGTTCTAGTTTTGTATCC CCTCAAAAGCCATTATGTTGAAATCCTAATCCCCAAGGTGATGGCATTAAGAAGTGGGCCTTT GGGAAGTGATTAGATCAGGAGTGCAGAGCCCTCATGATTAGGATTAGTGCCCTTATTTAAAAA GGCCCCAGAGAGCTAACTCACCCTTCCACCATATGAGGACGTGGCAAGAAGATGACATGTATG AGAACCAAAAAACAGCTGTCGCCAAACACCGACTCTGTCGTTGCCTTGATCTTGAACTTCCAG CCTCCAGAACTATGAGAAATAAAATTCTGGTTGTTTGTAGCCTAA

42/615

FIGURE 42

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA40594

><subunit 1 of 1, 359 aa, 1 stop

><MW: 38899, pI: 5.21, NX(S/T): 0

MKLGCVLMAWALYLSLGVLWVAQMLLAASFETLQCEGPVCTEESSCHTEDDLTDAREAGFQVK AYTFSEPFHLIVSYDWLILQGPAKPVFEGDLLVLRCQAWQDWPLTQVTFYRDGSALGPPGPNR EFSITVVQKADSGHYHCSGIFQSPGPGIPETASVVAITVQELFPAPILRAVPSAEPQAGSPMT LSCQTKLPLQRSAARLLFSFYKDGRIVQSRGLSSEFQIPTASEDHSGSYWCEAATEDNQVWKQ SPQLEIRVQGASSSAAPPTLNPAPQKSAAPGTAPEEAPGPLPPPPTPSSEDPGFSSPLGMPDP HLYHQMGLLLKHMQDVRVLLGHLLMELRELSGHQKPGTTKATAE

Signal sequence:

amino acids 1-17

Leucine zipper pattern sequence:

amino acids 12-33

Protein kinase C phosphorylation site:

amino acids 353-355

ş

FIGURE 43

GCGAGTGTCCAGCTGCGGAGACCCGTGATAATTCGTTAACTAATTCAACAAACGGGACCCTTC TGTGTGCCAGAAACCGCAAGCAGTTGCTAACCCAGTGGGACAGGCGGATTGGAAGAGCGGGAA GGTCCTGGCCCAGAGCAGTGTGACACTTCCCTCTGTGACCATGAAACTCTGGGTGTCTGCATT GCTGATGGCCTGGTTTGGTGTCCTGAGCTGTGTGCAGGCCGAATTCTTCACCTCTATTGGGCA CATGACTGACCTGATTTATGCAGAGAAAGAGCTGGTGCAGTCTCTGAAAGAGTACATCCTTGT GGAGGAAGCCAAGCTTTCCAAGATTAAGAGCTGGGCCAACAAAATGGAAGCCTTGACTAGCAA GTCAGCTGCTGATGCTGAGGGCTACCTGGCTCACCCTGTGAATGCCTACAAACTGGTGAAGCG GCTAAACACAGACTGGCCTGCGCTGGAGGACCTTGTCCTGCAGGACTCAGCTGCAGGTTTTAT CGCCAACCTCTGTGCAGCGGCAGTTCTTCCCCACTGATGAGGACGAGATAGGAGCTGCCAA AGCCCTGATGAGACTTCAGGACACATACAGGCTGGACCCAGGCACAATTTCCAGAGGGGAACT TCCAGGAACCAAGTACCAGGCAATGCTGAGTGTGGATGACTGCTTTGGGATGGGCCGCTCGGC TGCCGGGGAGGAGGCCACCACAACCAAGTCACAGGTGCTGGACTACCTCAGCTATGCTGTCTT CCAGTTGGGTGATCTGCACCGTGCCCTGGAGCTCACCCGCCGCCTCTCTCCCTTGACCCAAG AACGTTAACAAATCAGACAGAAGCTGAGCTAGCAACCCCAGAAGGCATCTATGAGAGGCCTGT GGACTACCTGCCTGAGAGGGATGTTTACGAGAGCCTCTGTCGTGGGGAGGGTGTCAAACTGAC ACCCCGTAGACAGAAGAGGCTTTTCTGTAGGTACCACCATGGCAACAGGGCCCCACAGCTGCT CATTGCCCCCTTCAAAGAGGAGGACGAGTGGGACAGCCCGCACATCGTCAGGTACTACGATGT CATGTCTGATGAGGAAATCGAGGGGTCAAGGAGATCGCAAAACCTAAACTTGCACGAGCCAC CGTTCGTGATCCCAAGACAGGAGTCCTCACTGTCGCCAGCTACCGGGTTTCCAAAAGCTCCTG GCTAGAGGAAGATGATGACCCTGTTGTGGCCCGAGTAAATCGTCGGATGCAGCATATCACAGG GTTAACAGTAAAGACTGCAGAATTGTTACAGGTTGCAAATTATGGAGTGGGAGGACAGTATGA ACCGCACTTCGACTTCTCTAGGCGACCTTTTGACAGCGGCCTCAAAACAGAGGGGAATAGGTT AGCGACGTTTCTTAACTACATGAGTGATGTAGAAGCTGGTGGTGCCACCGTCTTCCCTGATCT GGGGGCTGCAATTTGGCCTAAGAAGGGTACAGCTGTTTCTGGTACAACCTCTTGCGGAGCGG GGAAGGTGACTACCGAACAAGACATGCTGCCTGCCCTGTGCTTGTGGGCTGCAAGTGGGTCTC CAATAAGTGGTTCCATGAACGAGGACAGGAGTTCTTGAGACCTTGTGGATCAACAGAAGTTGA GCAGAGGGAGACCATACTAGGGCGACTCCTGTGTGACTGAAGTCCCAGCCCTTCCATTCAGCC TGTGCCATCCCTGGCCCCAAGGCTAGGATCAAAGTGGCTGCAGCAGAGTTAGCTGTCTAGCGC CTAGCAAGGTGCCTTTGTACCTCAGGTGTTTTAGGTGTGAGATGTTTCAGTGAACCAAAGTTC AAAATGTCCCTACCAGAAAAAAAAAA

44/615

FIGURE 44

MKLWVSALLMAWFGVLSCVQAEFFTSIGHMTDLIYAEKELVQSLKEYILVEEAKLSKIKSWAN KMEALTSKSAADAEGYLAHPVNAYKLVKRLNTDWPALEDLVLQDSAAGFIANLSVQRQFFPTD EDEIGAAKALMRLQDTYRLDPGTISRGELPGTKYQAMLSVDDCFGMGRSAYNEGDYYHTVLWM EQVLKQLDAGEEATTTKSQVLDYLSYAVFQLGDLHRALELTRRLLSLDPSHERAGGNLRYFEQ LLEEEREKTLTNQTEAELATPEGIYERPVDYLPERDVYESLCRGEGVKLTPRRQKRLFCRYHH GNRAPQLLIAPFKEEDEWDSPHIVRYYDVMSDEEIERIKEIAKPKLARATVRDPKTGVLTVAS YRVSKSSWLEEDDDPVVARVNRRMQHITGLTVKTAELLQVANYGVGGQYEPHFDFSRRPFDSG LKTEGNRLATFLNYMSDVEAGGATVFPDLGAAIWPKKGTAVFWYNLLRSGEGDYRTRHAACPV LVGCKWVSNKWFHERGQEFLRPCGSTEVD

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 115-119, 264-268

Glycosaminoglycan attachment site.

amino acids 490-494

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 477-481

Casein kinase II phosphorylation site.

amino acids 43-47, 72-76, 125-129, 151-155, 165-169, 266-270, 346-350, 365-369, 385-389, 457-461, 530-534

Tyrosine kinase phosphorylation site.

amino acids 71-80, 489-496

N-myristoylation site.

amino acids 14-20, 131-137, 171-177, 446-452

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 8-19

Leucine zipper pattern.

amino acids 213-235

FIGURE 45

GGGGCCTTGCCTTCCGCACTCGGGCGCAGCCGGGTGGATCTCGAGCAGGTGCGGAGCCCCGGG CGGCGGGCGGGTGCGAGGGATCCCTGACGCCTCTGTCCCTGTTTCTTTGTCGCTCCCAGCC ${ t TGTCTGTCGTCGTTTTGGCGCCCCCCGCCTCCCCGCGGTGCGGGGTTGCACACCGATCCTGGGC$ TTCGCTCGATTTGCCGCCGAGGCGCCTCCCAGACCTAGAGGGGCGCTGGCCTGGAGCAGCGGG TCGTCTGTGTCCTCTCTCTCTGCGCCGCGCCCCGGGGATCCGAAGGGTGCGGGGCTCTGAGGA GGTGACGCGCGGGCCTCCCGCACCCTGGCCTTGCCCGCATTCTCCCTCTCTCCCAGGTGTGA $\tt GCAGCCTATCAGTCACC{\color{red} \underline{\textbf{ATG}}} \tt TCCGCAGCCTGGATCCCGGCTCTCGGCCTCGGTGTGTCTGC$ TGCTGCTGCCGGGGCCGCGGGCAGCGAGCGCTCCCATTGCTATCACATGTTTTACCA GAGGCTTGGACATCAGGAAAGAGAAAGCAGATGTCCTCTGCCCAGGGGGCTGCCCTCTTGAGG AATTCTCTGTGTATGGGAACATAGTATATGCTTCTGTATCGAGCATATGTGGGGCTGCTGTCC ACAGGGGAGTAATCAGCAACTCAGGGGGACCTGTACGAGTCTATAGCCTACCTGGTCGAGAAA ACTATTCCTCAGTAGATGCCAATGGCATCCAGTCTCAAATGCTTTCTAGATGGTCTGCTTCTT TCACAGTAACTAAAGGCAAAAGTAGTACACAGGAGGCCACAGGACAAGCAGTGTCCACAGCAC ATCCACCAACAGGTAAACGACTAAAGAAAACACCCGAGAAGAAAACTGGCAATAAAGATTGTA AAGCAGACATTGCATTTCTGATTGATGGAAGCTTTAATATTTGGGCAGCGCCGATTTAATTTAC AGAAGAATTTTGTTGGAAAAGTGGCTCTAATGTTGGGAATTGGAACAGAAGGACCACATGTGG GCCTTGTTCAAGCCAGTGAACATCCCAAAATAGAATTTTACTTGAAAAACTTTACATCAGCCA AAGATGTTTTGTTTGCCATAAAGGAAGTAGGTTTCAGAGGGGGGTAATTCCAATACAGGAAAAG CCTTGAAGCATACTGCTCAGAAATTCTTCACGGTAGATGCTGGAGTAAGAAAAGGGATCCCCA AAGTGGTGGTGTATTTATTGATGGTTGGCCTTCTGATGACATCGAGGAAGCAGGCATTGTGG CCAGAGAGTTTGGTGTCAATGTATTTATAGTTTCTGTGGCCAAGCCTATCCCTGAAGAACTGG ACCACATGCCCAACTGGTTTGGCACCACAAAATACGTAAAGCCTCTGGTACAGAAGCTGTGCA CTCATGAACAAATGATGTGCAGCAAGACCTGTTATAACTCAGTGAACATTGCCTTTCTAATTG ATGGCTCCAGCAGTGTTGGAGATAGCAATTTCCGCCTCATGCTTGAATTTGTTTCCAACATAG CCAAGACTTTTGAAATCTCGGACATTGGTGCCAAGATAGCTGCTGTACAGTTTACTTATGATC AGCGCACGGAGTTCAGTTTCACTGACTATAGCACCAAAGAGAATGTCCTAGCTGTCATCAGAA ACATCCGCTATATGAGTGGTGGAACAGCTACTGGTGATGCCATTTCCTTCACTGTTAGAAATG TGTTTGGCCCTATAAGGGAGAGCCCCAACAAGAACTTCCTAGTAATTGTCACAGATGGGCAGT CCTATGATGATGTCCAAGGCCCTGCAGCTGCTGCACATGATGCAGGAATCACTATCTTCTG TTGGTGTGGCTTGGGCACCTCTGGATGACCTGAAAGATATGGCTTCTAAACCGAAGGAGTCTC ACGCTTTCTTCACAAGAGTTCACAGGATTAGAACCAATTGTTTCTGATGTCATCAGAGGCA TTTGTAGAGATTTCTTAGAATCCCAGCAA $\underline{\mathbf{TAA}}$ TGGTAACATTTTGACAACTGAAAGAAAAGT ACAAGGGGATCCAGTGTGTAAATTGTATTCTCATAATACTGAAATGCTTTAGCATACTAGAAT CAGATACAAAACTATTAAGTATGTCAACAGCCATTTAGGCAAATAAGCACTCCTTTAAAGCCG CTGCCTTCTGGTTACAATTTACAGTGTACTTTGTTAAAAACACTGCTGAGGCTTCATAATCAT GGCTCTTAGAAACTCAGGAAAGAGGAGATAATGTGGATTAAAACCTTAAGAGTTCTAACCATG CCTACTAAATGTACAGATATGCAAATTCCATAGCTCAATAAAAGAATCTGATACTTAGACCAA AAAAAAAA



FIGURE 46

MSAAWIPALGLGVCLLLLPGPAGSEGAAPIAITCFTRGLDIRKEKADVLCPGGCPLEEFSVYG NIVYASVSSICGAAVHRGVISNSGGPVRVYSLPGRENYSSVDANGIQSQMLSRWSASFTVTKG KSSTQEATGQAVSTAHPPTGKRLKKTPEKKTGNKDCKADIAFLIDGSFNIGQRRFNLQKNFVG KVALMLGIGTEGPHVGLVQASEHPKIEFYLKNFTSAKDVLFAIKEVGFRGGNSNTGKALKHTA QKFFTVDAGVRKGIPKVVVVFIDGWPSDDIEEAGIVAREFGVNVFIVSVAKPIPEELGMVQDV TFVDKAVCRNNGFFSYHMPNWFGTTKYVKPLVQKLCTHEQMMCSKTCYNSVNIAFLIDGSSSV GDSNFRLMLEFVSNIAKTFEISDIGAKIAAVQFTYDQRTEFSFTDYSTKENVLAVIRNIRYMS GGTATGDAISFTVRNVFGPIRESPNKNFLVIVTDGQSYDDVQGPAAAAHDAGITIFSVGVAWA PLDDLKDMASKPKESHAFFTREFTGLEPIVSDVIRGICRDFLESQQ

Signal sequence:

amino acids 1-24

N-glycosylation site.

amino acids 100-104, 221-225

Casein kinase II phosphorylation site.

amino acids 102-106, 129-133, 224-228, 316-320, 377-381, 420-424, 425-429, 478-482, 528-532

N-myristoylation site.

amino acids 10-16, 23-29, 81-87, 135-141, 158-164, 205-211, 239-245, 240-246, 261-267, 403-409, 442-448, 443-449

Amidation site.

amino acids 145-149

FIGURE 47

 $\tt CCTGCTCCTGCTGCGCGTCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCT$ GCTGCCCCGCCAGCCGCAACTCCACCGTGAGCCGCCTCATCTTCACGTTCTTCCTGG GGGTGCTGGTGTCCATCATTATGCTGAGCCCGGGCGTGGAGAGTCAGCTCTACAAGCTGCCCT GGGTGTGTGAGGGGGGCCGGGATCCCCACCGTCCTGCAGGGCCACATCGACTGTGGCTCCC TGCTTGGCTACCGCCTGTCTACCGCATGTGCTTCGCCACGGCGGCCTTCTTCTTCTTCTTTT TCACCCTGCTCATGCTCTGCGTGAGCAGCCGGGACCCCCGGGCTGCCATCCAGAATGGGT TTTGGTTCTTTAAGTTCCTGATCCTGGTGGGCCTCACCGTGGGTGCCTTCTACATCCCTGACG AGCTGGTGCTCATCGACTTTGCGCACTCCTGGAACCAGCGGTGGCTGGGCAAGGCCGAGG AGTGCGATTCCCGTGCCTGGTACGCAGGCCTCTTCTTCTTCACTCTCCTCTTCTACTTGCTGT CGATCGCGGCCGTGGCGCTGATGTTCATGTACTACACTGAGCCCAGCGGCTGCCACGAGGGCA AGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCCATCGCTGCTGTCCTGCCCA AGGTCCAGGACGCCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTCATCACCCTCTACACCA TGTTTGTCACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCCATTTGCCAA CCCAGCTGGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATG CCCCGAGCATTGTGGGCCTCATCATCTTCCTCCTGTGCACCCTCTTCATCAGTCTGCGCTCCT CAGACCACCGGCAGGTGAACAGCCTGATGCAGACCGAGGAGTGCCCACCTATGCTAGACGCCA CACAGCAGCAGCAGCAGGTGGCAGCCTGTGAGGGCCGGGCCTTTGACAACGAGCAGGACG GCGTCACCTACAGCTACTCCTTCTTCCACTTCTGCCTGGTGCTGGCCTCACTGCACGTCATGA TGACGCTCACCAACTGGTACAAGCCCGGTGAGACCCGGAAGATGATCAGCACGTGGACCGCCG ${ t TGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCTCCTCTACCTGTGGACCCTGGTAGCCC}$ $\texttt{CACTCCTGCGCAACCGCGACTTCAGC} \underline{\textbf{TGA}} \texttt{GGCAGCCTCACAGCCTGCCATCTGGTGCCTC}$ CTGCCACCTGGTGCCTCGGGTGACAGCCAACCTGCCCCCTCCCCACACCAATCAGCC AGGCTGAGCCCCACCCCTGCCCCAGCTCCAGGACCTGCCCCTGAGCCGGGCCTTCTAGTCGT ACGGTGGAGCTGCCTCTTCCCTCCTCCTGTTGCCCATACTCAGCATCTCGGATGAAA GGGCTCCCTTGTCCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACTCCCACC ACAGTGGGCATCCGGCACTGAAGCCCTGGTGTTCCTGGTCACGTCCCCAGGGGACCCTGCC CCCTTCCTGGACTTCGTGCCTTACTGAGTCTCTAAGACTTTTTCTAATAAACAAGCCAGTGCG TGTAAAAAAAA

FIGURE 48

MGACLGACSLLSCASCLCGSAPCILCSCCPASRNSTVSRLIFTFFLFLGVLVSIIMLSPGVES QLYKLPWVCEEGAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFTLLMLCVSSSRDPR AAIQNGFWFFKFLILVGLTVGAFYIPDGSFTNIWFYFGVVGSFLFILIQLVLLIDFAHSWNQR WLGKAEECDSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTFCVCVS IAAVLPKVQDAQPNSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGY ETQWWDAPSIVGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQQVAACEGRA FDNEQDGVTYSYSFFHFCLVLASLHVMMTLTNWYKPGETRKMISTWTAVWVKICASWAGLLLY LWTLVAPLLLRNRDFS

Signal sequence:

amino acids 1-20

Transmembrane domains:

amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257, 272-283, 324-340, 391-406, 428-444

49/615

FIGURE 49

GCCGCGCGCTCTCCCCGGCGCCCACACCTGTCTGAGCGGCGCAGCGAGCCGCGGCCCGGGCG GGCTGCTCGGCGGAACAGTGCTCGGC<u>ATG</u>GCAGGGATTCCAGGGCTCCTCTTCCTTCTT CTTTCTGCTCTGTGCTGTTGGGCAAGTGAGCCCTTACAGTGCCCCCTGGAAACCCACTTGGCC TGCATACCGCCTCCCTGTCGTCTTGCCCCAGTCTACCCTCAATTTAGCCAAGCCAGACTTTGG AGCCGAAGCCAAATTAGAAGTATCTTCTTCATGTGGACCCCAGTGTCATAAGGGAACTCCACT GCCCACTTACGAAGAGGCCAAGCAATATCTGTCTTATGAAACGCTCTATGCCAATGGCAGCCG CACAGAGACGCAGGTGGGCATCTACATCCTCAGCAGTAGTGGAGATGGGGCCCAACACCGAGA CTCAGGGTCTTCAGGAAAGTCTCGAAGGAAGCGGCAGATTTATGGCTATGACAGCAGGTTCAG CATTTTTGGGAAGGACTTCCTGCTCAACTACCCTTTCTCAACATCAGTGAAGTTATCCACGGG CTGCACCGGCACCCTGGTGGCAGAGAAGCATGTCCTCACAGCTGCCCACTGCATACACGATGG AAAAACCTATGTGAAAGGAACCCAGAAGCTTCGAGTGGGCTTCCTAAAGCCCAAGTTTAAAGA TGGTGGTCGAGGGGCCAACGACTCCACTTCAGCCATGCCCGAGCAGATGAAATTTCAGTGGAT CCGGGTGAAACGCACCCATGTGCCCAAGGGTTGGATCAAGGGCAATGCCAATGACATCGGCAT GGATTATGATTATGCCCTCCTGGAACTCAAAAAGCCCCACAAGAGAAAATTTATGAAGATTGG GGTGAGCCCTCCTGCTAAGCAGCTGCCAGGGGGCAGAATTCACTTCTCTGGTTATGACAATGA CCGACCAGGCAATTTGGTGTATCGCTTCTGTGACGTCAAAGACGAGACCTATGACTTGCTCTA CCAGCAATGCGATGCCCAGCCAGGGGCCAGCGGGTCTGGGGTCTATGTGAGGATGTGGAAGAG GAATGGTTCCCCACAGGATTTCAACGTGGCTGTCAGAATCACTCCTCTCAAATATGCCCAGAT GCAGCAATTAAGGGTCTTCATGTTCTTATTTTAGGAGAGGCCAAATTGTTTTTTGTCATTGGC GTGCACACGTGTGTGTGTGTGTGTGTGTGTGTGTAAGGTGTCTTATAATCTTTTACCTATTTC TTACAATTGCAAGATGACTGGCTTTACTATTTGAAAACTGGTTTGTGTATCATATCATATATC AGGAATATTTGACAATTAAGTTAATCTTCACGTTTTTTGCAAACTTTGATTTTTATTTCATCTG

FIGURE 50

MAGIPGLLFLLFFLLCAVGQVSPYSAPWKPTWPAYRLPVVLPQSTLNLAKPDFGAEAKLEVSS SCGPQCHKGTPLPTYEEAKQYLSYETLYANGSRTETQVGIYILSSSGDGAQHRDSGSSGKSRR KRQIYGYDSRFSIFGKDFLLNYPFSTSVKLSTGCTGTLVAEKHVLTAAHCIHDGKTYVKGTQK LRVGFLKPKFKDGGRGANDSTSAMPEQMKFQWIRVKRTHVPKGWIKGNANDIGMDYDYALLEL KKPHKRKFMKIGVSPPAKQLPGGRIHFSGYDNDRPGNLVYRFCDVKDETYDLLYQQCDAQPGA SGSGVYVRMWKRQQQKWERKIIGIFSGHQWVDMNGSPQDFNVAVRITPLKYAQICYWIKGNYL DCREG

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 93-97, 207-211

Glycosaminoglycan attachment site.

amino acids 109-113, 316-320

Casein kinase II phosphorylation site.

amino acids 77-81, 95-99, 108-112, 280-284, 351-355

N-myristoylation site.

amino acids 159-165, 162-168, 202-208, 205-211, 314-320, 338-344

Serine proteases, trypsin family, histidine active site. amino acids 171-177

FIGURE 51

GGGAGGGGCTCCGGGCGCGCGCAGCAGACCTGCTCCGGCCGCGCCCCCCCTGTCCTCCGGGAGCGGCAG CAGTAGCCCGGGCGGCGAGGGCTGGGGGTTCCTCGAGACTCTCAGAGGGGCGCCCTCCCATCGGCGCCCACCACCC CAACCTGTTCCTCGCGCGCCACTGCGCTCCCCAGGACCCGCTGCCCAACATGGATTTTCTCCTGGCGCTGGT GCTGGTATCCTCGCTCTACCTGCAGGCGGCCGCCGAGTTCGACGGGAGGTGGCCCAGGÇAAATAGTGTCATCGAT TGGCCTATGTCGTTATGGTGGGAGGATTGACTGCTGCTGGGGCTCGCCCAGTCTTGGGGACAGTGTCAGCC TGTGTGCCAACCACGATGCAAACATGGTGAATGTATCGGGCCAAACAAGTGCAAGTGTCATCCTGGTTATGCTGG AAAAACCTGTAATCAAGATCTAAATGAGTGTGGCCTGAAGCCCCGGCCCTGTAAGCACAGGTGCATGAACACTTA CGGCAGCTACAAGTGCTACTGTCTCAACGGATATATGCTCATGCCGGATGGTTCCTGCTCAAGTGCCCTGACCTG CTCCATGGCAAACTGTCAGTATGGCTGTGATGTTGTTAAAGGACAAATACGGTGCCAGTGCCCATCCCCTGGCCT GCACCTGGCTCCTGATGGGAGGACCTGTGTAGATGTTGATGATGTGCTACAGGAAGAGCCTCCTGCCCTAGATT TAGGCAATGTGTCAACACTTTTGGGAGCTACATCTGCAAGTGTCATAAAGGCTTCGATCTCATGTATATTGGAGG CAAATATCAATGTCATGACATAGACGAATGCTCACTTGGTCAGTATCAGTGCAGCAGCTTTGCTCGATGTTATAA AGTTATGATTGAACCTTCAGGTCCAATTCATGTACCAAAGGGAAATGGTACCATTTTAAAGGGTGACACAGGAAA TAATAATTGGATTCCTGATGTTGGAAGTACTTGGTGGCCTCCGAAGACACCATATATTCCTCCTATCATTACCAA CCTGCCAACAGAGCTCAGAACACCTCTACCACCTACAACCCCAGAAAGGCCAACCACCGGACTGACAACTATAGC TGACTTGCACTGGGAACCAATCAGGGACCCAGCAGGTGGACAATATCTGACAGTGTCGGCAGCCAAAGCCCCAGG GGGAAAAGCTGCACGCTTGGTGCTACCTCTCGGCCGCCTCATGCATTCAGGGGACCTGTGCCTGTCATTCAGGCA CAAGGTGACGGGGCTGCACTCTGGCACACTCCAGGTGTTTGTGAGAAAACACGGTGCCCACGGAGCAGCCCTGTG GGGAAGAAATGGTGGCCATGGCTGGAGGCAAACACAGATCACCTTGCGAGGGGCTGACATCAAGAGCGAATCACA AAGATGATTAAAGGGTTGGAAAAAAAGATCTATGATGGAAAATTAAAGGAACTGGGATTATTGAGCCTGGAGAAG AGAAGACTGAGGGGCAAACCATTGATGGTTTTCAAGTATATGAAGGGTTGGCACAGAGAGGGTGGCGACCAGCTG TTCTCCATATGCACTAAGAATAGAACAAGAGGAAACTGGCTTAGACTAGAGTATAAGGGAGCATTTCTTGGCAGG TAAAAATTTGTCTATTTAAGATGGTTAAAGATGTTCTTACCCAAGGAAAAGTAACAAATTATAGAATTTCCCAAA AGATGTTTTGATCCTACTAGTAGTATGCAGTGAAAATCTTTAGAACTAAATAATTTGGACAAGGCTTAATTTAGG CATTTCCCTCTTGACCTCCTAATGGAGAGGGATTGAAAGGGGAAGAGCCCACCAAATGCTGAGCTCACTGAAATA AGATATTTTAGTATCTCAGTAATGTCCTAGTGTGGCGGTGGTTTTCAATGTTTCTTCATGGTAAAGGTATAAGCC ACACCGGCAGACCTTTCCTTCACCTCATCAGTATGATTCAGTTTCTCTTATCAATTGGACTCTCCCAGGTTCCAC AGAACAGTAATATTTTTTGAACAATAGGTACAATAGAAGGTCTTCTGTCATTTAACCTGGTAAAGGCAGGGCTGG AGGGGGAAAATAAATCATTAAGCCTTTGAGTAACGGCAGAATATATGGCTGTAGATCCATTTTTAATGGTTCATT TGATACATTGCACTAAACTGATGGAAGAAGTTATCCAAAGTACTGTATAACATCTTGTTTATTATTTAATGTTTT

FIGURE 52

MDFLLALVLVSSLYLQAAAEFDGRWPRQIVSSIGLCRYGGRIDCCWGWARQSWGQCQPVCQPR CKHGECIGPNKCKCHPGYAGKTCNQDLNECGLKPRPCKHRCMNTYGSYKCYCLNGYMLMPDGS CSSALTCSMANCQYGCDVVKGQIRCQCPSPGLHLAPDGRTCVDVDECATGRASCPRFRQCVNT FGSYICKCHKGFDLMYIGGKYQCHDIDECSLGQYQCSSFARCYNVRGSYKCKCKEGYQGDGLT CVYIPKVMIEPSGPIHVPKGNGTILKGDTGNNNWIPDVGSTWWPPKTPYIPPIITNRPTSKPT TRPTPKPTPIPTPPPPPLPTELRTPLPPTTPERPTTGLTTIAPAASTPPGGITVDNRVQTDP QKPRGDVFSVLVHSCNFDHGLCGWIREKDNDLHWEPIRDPAGGQYLTVSAAKAPGGKAARLVL PLGRLMHSGDLCLSFRHKVTGLHSGTLQVFVRKHGAHGAALWGRNGGHGWRQTQITLRGADIK SESQR

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 273-277

Casein kinase II phosphorylation site.

amino acids 166-170, 345-349

Tyrosine kinase phosphorylation site.

amino acids 199-206

N-myristoylation site.

amino acids 109-115, 125-131, 147-153, 191-197, 221-227, 236-242, 421-427, 433-439, 462-468, 476-482

Aspartic acid and asparagine hydroxylation site.

amino acids 104-116, 186-198, 231-243

Cell attachment sequence.

amino acids 382-385

EGF-like domain cysteine pattern signature.

amino acids 75-87

FIGURE 53

CGGGCCGCCCCGGCCCCATTCGGGCCGGGCCTCGCTGCGGCGGCGACTGAGCCAGGCTGGG CCGCGTCCCTGAGTCCCAGAGTCGGCGCGCGCGCGGGGGGCAGCCTTCCACCACGGGGAGCC CAGCTGTCAGCCGCCTCACAGGAAGATGCTGCGTCGGCGGGGGCAGCCCTGGCATGGGTGTGCA TGTGGGTGCAGCCCTGGGAGCACTGTGGTTCTGCCTCACAGGAGCCCTGGAGGTCCAGGTCCC TGAAGACCCAGTGGTGGCACTGGTGGGCACCGATGCCACCCTGTGCTCCTTCTCCCCTGA GCCTGGCTTCAGCCTGGCACAGCTCAACCTCATCTGGCAGCTGACAGATACCAAACAGCTGGT GCACAGCTTTGCTGAGGGCCAGGACCAGGGCAGGCCCTATGCCAACCGCACGGCCCTCTTCCC CAGCTTCACCTGCTGAGCATCCGGGATTTCGGCAGCGCTGCCGTCAGCCTGCAGGTGGC CGCTCCCTACTCGAAGCCCAGCATGACCCTGGAGCCCAACAAGGACCTGCGGCCAGGGGACAC GGTGACCATCACGTGCTCCAGCTACCAGGGCTACCCTGAGGCTGAGGTGTTCTGGCAGGATGG GCAGGGTGTGCCCCTGACTGGCAACGTGACCACGTCGCAGATGGCCAACGAGCAGGGCTTGTT TGATGTGCACAGCGTCCTGCGGGTGCTGCTGGGTGCGAATGGCACCTACAGCTGCCTGGTGCG CAACCCCGTGCTGCAGCAGGATGCGCACRGCTCTGTCACCATCACAGGGCAGCCTATGACATT CCTGGCTTTCGTGTGCTGGAGAAAGATCAAACAGAGCTGTGAGGAGAGAATGCAGGAGCTGA GGACCAGGATGGGGAGGGAGAAGGCTCCAAGACAGCCCTGCAGCCTCTGAAACACTCTGACAG CAAAGAAGATGATGGACAAGAAATAGCC**TGA**CCATGAGGACCAGGGAGCTGCTACCCCTCCCT ACAGCTCCTACCCTCTGGCTGCAATGGGGCTGCACTGTGAGCCCTGCCCCCAACAGATGCATC CTGCTCTGACAGGTGGGCTCCTTCTCCAAAGGATGCGATACACAGACCACTGTGCAGCCTTAT TTCTCCAATGGACATGATTCCCAAGTCATCCTGCTGCCTTTTTTCTTATAGACACAATGAACA TTTCTTAGGGACACAGTACACTGACCACCACCCCTCTTCTTCCAGTGCTGCGTGGACCA ACCAAAGACACGATGCATAGTCACCCCGGCCTTGTTTCTCCAATGGCCGTGATACACTAGTGA TCATGTTCAGCCCTGCTTCCACCTGCATAGAATCTTTTCTTCTCAGACAGGGACAGTGCGGCC TGCTATTCTGGGGCTGGGGCAGTCTTTTCCTGGCTTGCCTCTGGCCAGCTCCTGGCCTCTGGT AGAGTGAGACTTCAGACGTTCTGATGCCTTCCGGATGTCATCTCTCCCTGCCCCAGGAATGGA AGATGTGAGGACTTCTAATTTAAATGTGGGACTCGGAGGGATTTTGTAAACTGGGGGTATATT

54/615

FIGURE 54

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA41386
><subunit 1 of 1, 316 aa, 1 stop, 1 unknown
><MW: -1, pI: 4.62, NX(S/T): 4
MLRRRGSPGMGVHVGAALGALWFCLTGALEVQVPEDPVVALVGTDATLCCSFSPEPGFSLAQL
NLIWQLTDTKQLVHSFAEGQDQGSAYANRTALFPDLLAQGNASLRLQRVRVADEGSFTCFVSI
RDFGSAAVSLQVAAPYSKPSMTLEPNKDLRPGDTVTITCSSYQGYPEAEVFWQDGQGVPLTGN
VTTSQMANEQGLFDVHSVLRVVLGANGTYSCLVRNPVLQQDAHXSVTITGQPMTFPPEALWVT
VGLSVCLIALLVALAFVCWRKIKQSCEEENAGAEDQDGEGEGSKTALQPLKHSDSKEDDGQEIA

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 251-270

N-glycosylation site.

amino acids 91-94, 104-107, 189-192 and 215-218

Homologous region to Immunoglobulins and MHC amino acids 217-234

FIGURE 55

GAGTCTTGACCGCCGGGCTCTTGGTACCTCAGCGCGAGCGCCAGGCGTCCGGCCGTG GCTATGTTCGTGTCCGATTTCCGCAAAGAGTTCTACGAGGTGGTCCAGAGCCAGAGGGTCCTT CTCTTCGTGGCCTCGGACGTGGATGCTCTGTGTGCGTGCAAGATCCTTCAGGCCTTGTTCCAG TGTGACCACGTGCAATATACGCTGGTTCCAGTTTCTGGGTGGCAAGAACTTGAAACTGCATTT CTTGAGCATAAAGAACAGTTTCATTATTTTATTCTCATAAACTGTGGAGCTAATGTAGACCTA AATGTCGTCAATGTATACAACGATACCCAGATCAAATTACTCATTAAACAAGATGATGACCTT GAAGTTCCCGCCTATGAAGACATCTTCAGGGATGAAGAGGAGGATGAAGAGCATTCAGGAAAT GACAGTGATGGGTCAGAGCCTTCTGAGAAGCGCACACGGTTAGAAGAGGAGATAGTGGAGCAA ACCATGCGGAGGGGGGGGGGGGGGGGGGGCCCGGAGAAGAGACATCCTCTTTGACTAC GAGCAGTATGAATATCATGGGACATCGTCAGCCATGGTGATGTTTGAGCTGGCTTGGATGCTG TCCAAGGACCTGAATGACATGCTGTGGTGGGCCATCGTTGGACTAACAGACCAGTGGGTGCAA GACAAGATCACTCAAATGAAATACGTGACTGATGTTGGTGTCCTGCAGCGCCACGTTTCCCGC CACAACCACCGGAACGAGGATGAGGAGAACACTCTCCGTGGACTGCACACGGATCTCCTTT GAGTATGACCTCCGCCTGGTGCTCTACCAGCACTGGTCCCTCCATGACAGCCTGTGCAACACC AGCTATACCGCAGCCAGGTTCAAGCTGTGGTCTGTGCATGGACAGAAGCGGCTCCAGGAGTTC CTTGCAGACATGGGTCTTCCCCTGAAGCAGGTGAAGCAGAAGTTCCAGGCCATGGACATCTCC CGCGTGCAGACTTCAGCATTCATTTTGGGTTCAAGCACAAGTTTCTGGCCAGCGACGTGGTC TTTGCCACCATGTCTTTGATGGAGAGCCCCGAGAAGGATGGCTCAGGGACAGATCACTTCATC CAGGCTCTGGACAGCCTCTCCAGGAGTAACCTGGACAAGCTGTACCATGGCCTGGAACTCGCC AAGAAGCAGCTGCGAGCCACCCAGCAGACCATTGCCAGCTGCCTTTGCACCAACCTCGTCATC TCCCAGGGGCCTTTCCTGTACTGCTCTCTCATGGAGGGCACTCCAGATGTCATGCTGTTCTCT AGGCCGGCATCCCTAAGCCTGCTCAGCAAACACCTGCTCAAGTCCTTTGTGTGTTCGACAAAG AACCGGCGCTGCAAACTGCTGCCCCTGGTGATGGCTGCCCCCCTGAGCATGGAGCATGGCACA GTGACCGTGGTGGCATCCCCCCAGAGACCGACAGCTCGGACAGGAAGAACTTTTTTGGGAGG GCGTTTGAGAAGGCAGCGGAAAGCACCAGCTCCCGGATGCTGCACAACCATTTTGACCTCTCA GTAATTGAGCTGAAAGCTGAGGATCGGAGCAAGTTTCTGGACGCACTTATTTCCCTCCTGTCC TAGGAATTTGATTCTTCCAGAATGACCTTCTTATTTATGTAACTGGCTTTCATTTAGATTGTA

FIGURE 56

MFVSDFRKEFYEVVQSQRVLLFVASDVDALCACKILQALFQCDHVQYTLVPVSGWQELETAFL EHKEQFHYFILINCGANVDLLDILQPDEDTIFFVCDSHRPVNVVNVYNDTQIKLLIKQDDDLE VPAYEDIFRDEEEDEEHSGNDSDGSEPSEKRTRLEEEIVEQTMRRRQRREWEARRRDILFDYE QYEYHGTSSAMVMFELAWMLSKDLNDMLWWAIVGLTDQWVQDKITQMKYVTDVGVLQRHVSRH NHRNEDEENTLSVDCTRISFEYDLRLVLYQHWSLHDSLCNTSYTAARFKLWSVHGQKRLQEFL ADMGLPLKQVKQKFQAMDISLKENLREMIEESANKFGMKDMRVQTFSIHFGFKHKFLASDVVF ATMSLMESPEKDGSGTDHFIQALDSLSRSNLDKLYHGLELAKKQLRATQQTIASCLCTNLVIS QGPFLYCSLMEGTPDVMLFSRPASLSLLSKHLLKSFVCSTKNRRCKLLPLVMAAPLSMEHGTV TVVGIPPETDSSDRKNFFGRAFEKAAESTSSRMLHNHFDLSVIELKAEDRSKFLDALISLLS

FIGURE 57

CCGCCTCGGCTTTGAGGCGAGAGAGTGTCCCAGACCCATTTCGCCTTGCTGACGGCGTCGAG CCCTGGCCAGACATGTCCACAGGGTTCTCCTTCGGGTCCGGGACTCTGGGCTCCACCACCGTG GCCGCCGGCGGACCAGCACAGGCGGCGTTTTCTCCTTCGGAACGGGAACGTCTAGCAACCCT TCTGTGGGGCTCAATTTTGGAAATCTTGGAAGTACTTCAACTCCAGCAACTACATCTGCTCCT TCAAGTGGTTTTGGAACCGGGCTCTTTGGATCTAAACCTGCCACTGGGTTCACTCTAGGAGGA ACAAATACAGGTGCCTTGCACACCAAGAGGCCTCAAGTGGTCACCAAATATGGAACCCTGCAA GGAAAACAGATGCATGTGGGGAAGACACCCATCCAAGTCTTTTTAGGAGTCCCCTTCTCCAGA CCTCCTCTAGGTATCCTCAGGTTTGCACCTCCAGAACCCCCGGAGCCCTGGAAAGGAATCAGA GATGCTACCACCTACCCGCCTGGATGGAGTCTCGCTCTGTCGCCAGGCTGGAGTGCAGTGGCA CGATCTCGGCTCACTGCAACCTCCGCCTCCCGGGTTCAAGCGAGTCTCCTGCCTCAGCCTCTG AGTGTCTGGGGCTACAGGTGCCTGCAGGAGTCCTGGGGCCAGCTGGCCTCGATGTACGTCAGC CCGGCGCGCGCGCGGGGATCCCCAGCTGCCAGTGATGGTCTGGTTCCCGGGAGGCGCCTTC GTGTTTCTGCAGCACAGGCTCGGCATCTTCGGCTTCCTGAGCACGGACGACAGCCACGCGCGC GGGAACTGGGGGCTGCTGGACCAGATGGCGGCTCTGCGCTGGGTGCAGGAGAACATCGCAGCC TTCGGGGGAGACCCAGGAAATGTGACCCTGTTCGGCCAGTCGGCGGGGGCCATGAGCATCTCA GGACTGATGATGTCACCCCTAGCCTCGGGTCTCTTCCATCGGGCCATTTCCCAGAGTGGCACC GCGTTATTCAGACTTTTCATCACTAGTAACCCACTGAAAGTGGCCAAGAAGGTTGCCCACCTG GCTGGATGCAACCACACACACACACACACATCCTGGTAAACTGCCTGAGGGCACTATCAGGGACC AAGGTGATGCGTGTCCAACAAGATGAGATTCCTCCAACTGAACTTCCAGAGAGACCCGGAA GAGATTATCTGGTCCATGAGCCCTGTGGTGGTGGTGTGTGGTGATCCCAGATGACCCTTTGGTG CTCCTGACCCAGGGGAAGGTTTCATCTGTGCCCTACCTTCTAGGTGTCAACAACCTGGAATTC AATTGGCTCTTGCCTTATAATATCACCAAGGAGCAGGTACCACTTGTGGTGGAGGAGTACCTG GACAATGTCAATGAGCATGACTGGAAGATGCTACGAAACCGTATGATGGACATAGTTCAAGAT GCCACTTTCGTGTATGCCACACTGCAGACTGCTCACTACCACCGAGAAACCCCAATGATGGGA ATCTGCCCTGCTGGCCACGCTACAACAAGGATGAAAAGTACCTGCAGCTGGATTTTACCACAA GAGTGGGCA**TGA**AGCTCAAGGAGAAGAAGATGGCTTTTTGGATGAGTCTGTACCAGTCTCAAA CCCCACCATCCAGGCCCTGGGGAGACTAGCCATGGACATACCTGGGGACAAGAGTTCTACCCA CCCCAGTTTAGAACTGCAGGAGCTCCCTGCTGCCTCCAGGCCAAAGCTAGAGCTTTTGCCTGT TGTGTGGGACCTGCCCTTTCCAGCCTGACATCCCATGATGCCCCTCTACTTCACTGTT GACATCCAGTTAGGCCAGGCCCTGTCAACACCACACTGTGCTCAGCCTCCCAGCCTCAGGACA ACCTCTTTTTTTCCCTTCTTCAATCCTCCCACCCTTCAATGTCTCCTTGTGACTCCTTCTTA TGGGAGGTCGACCCAGACTGCCACTGCCCCTGTCACTGCACCCAGCTTGGCATTTACCATCCA TCCTGCTCAACCTTGTTCCTGTCTGTTCACATTGGCCTGGAGGCCTAGGGCAGGTTGTGACAT

58/615

FIGURE 58

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44179
<subunit 1 of 1, 545 aa, 1 stop
<MW: 58934, pi: 9.45, NX(S/T): 4
MSTGFSFGSGTLGSTTVAAGGTSTGGVFSFGTGTSSNPSVGLNFGNLGSTSTPATTSAPSSGF
GTGLFGSKPATGFTLGGTNTGALHTKRPQVVTKYGTLQGKQMHVGKTPIQVFLGVPFSRPPLG
ILRFAPPEPPEPWKGIRDATTYPPGWSLALSPGWSAVARSRLTATSASRVQASLLPQPLSVWG
YRCLQESWGQLASMYVSTRERYKWLRFSEDCLYLNVYAPARAPGDPQLPVMVWFPGGAFIVGA
ASSYEGSDLAAREKVVLVFLQHRLGIFGFLSTDDSHARGNWGLLDQMAALRWVQENIAAFGGD
PGNVTLFGQSAGAMSISGLMMSPLASGLFHRAISQSGTALFRLFITSNPLKVAKKVAHLAGCN
HNSTQILVNCLRALSGTKVMRVSNKMRFLQLNFQRDPEEIIWSMSPVVDGVVIPDDPLVLLTQ</pre>

GKVSSVPYLLGVNNLEFNWLLPYNITKEQVPLVVEEYLDNVNEHDWKMLRNRMMDIVQDATFV

Important features: Signal peptide:

amino acids 1-29

Carboxylesterases type-B serine active site. amino acids 312-327

YATLQTAHYHRETPMMGICPAGHATTRMKSTCSWILPQEWA

Carboxylesterases type-B signature 2. amino acids 218-228

N-glycosylation sites. amino acids 318-321, 380-383 and 465-468

FIGURE 59

CGGACGCGTGGGCTGCAAAGCGTGTCCCGCCGGGTCCCCGAGCGTCCCGCGCCCTC GCCCGCC<u>ATG</u>CTCCTGCTGCGGGCTGTGCCTGGGGCTGTCCCTGTGTGTGGGGTCGCAGG AAGAGGCGCAGAGCTGGGGCCACTCTTCGGAGCAGGATGGACTCAGGGTCCCGAGGCAAGTCA GACTGTTGCAGAGGCTGAAAACCAAACCTTTGATGACAGAATTCTCAGTGAAGTCTACCATCA TTTCCCGTTATGCCTTCACTACGGTTTCCTGCAGAATGCTGAACAGAGCTTCTGAAGACCAGG ACATTGAGTTCCAGATGCAGATTCCAGCTGCAGCTTTCATCACCAACTTCACTATGCTTATTG GAGACAAGGTGTATCAGGGCGAAATTACAGAGAGAGAAAAGAAGAGTGGTGATAGGGTAAAAG AGAAAAGGAATAAAACCACAGAAGAAAATGGAGAGAGGGGACTGAAATATTCAGAGCTTCTG CAGTGATTCCCAGCAAGGACAAGCCGCCTTTTTCCTGAGTTATGAGGAGCTTCTGCAGAGGC GCCTGGGCAAGTACGAGCACAGCATCAGCGTGCGGCCCCAGCAGCTGTCCGGGAGGCTGAGCG TGGACGTGAATATCCTGGAGAGCGCGGGCATCGCATCCCTGGAGGTGCTGCCGCTTCACAACA GCAGGCAGAGGGGCAGTGGGCGCGGGGAAGATGATTCTGGGCCTCCCCCATCTACTGTCATTA ACCAAAATGAAACATTTGCCAACATAATTTTTAAACCTACTGTAGTACAACAAGCCAGGATTG CCCAGAATGGAATTTTGGGAGACTTTATCATTAGATATGACGTCAATAGAGAACAGAGCATTG GGGACATCCAGGTTCTAAATGGCTATTTTGTGCACTACTTTGCTCCTAAAGACCTTCCTCCTT TACCCAAGAATGTGGTATTCGTGCTTGACAGCAGTGCTTCTATGGTGGGAACCAAACTCCGGC AGACCAAGGATGCCCTCTTCACAATTCTCCATGACCTCCGACCCCAGGACCGTTTCAGTATCA TTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCACTTGATATCAGTCACTCCAGACAGCA TCAGGGATGGGAAAGTGTACATTCACCATATGTCACCCACTGGAGGCACAGACATCAACGGGG CCCTGCAGAGGCCCATCAGGCTCCTCAACAAGTACGTGGCCCACAGTGGCATTGGAGACCGGA GCGTGTCCTCATCGTCTTCCTGACGGATGGGAAGCCCACGGTCGGGGAGACGCACACCCTCA AGATCCTCAACAACACCCGAGAGGCCGCCGGAGGCCAAGTCTGCATCTTCACCATTGGCATCG GCAACGACGTGGACTTCAGGCTGCTGGAGAAACTGTCGCTGGAGAACTGTGGCCTCACACGGC GCGTGCACGAGGAGGACGCCAGGCTCGCAGCTCATCGGGTTCTACGATGAAATCAGGACCC CGCTCCTCTGACATCCGCATCGATTATCCCCCCAGCTCAGTGGTGCAGGCCACCAAGACCC TGTTCCCCAACTACTTCAACGGCTCGGAGATCATCATTGCGGGGAAGCTGGTGGACAGGAAGC TGGATCACCTGCACGTGGAGGTCACCGCCAGCAACAGTAAGAAATTCATCATCCTGAAGACAG ATGTGCCTGTGCGGCCTCAGAAGGCAGGGAAAGATGTCACAGGAAGCCCCAGGCCTGGAGGCG ATGGAGAGGGGACACCAACCACTCGAGCGTCTCTGGAGCTACCTCACCACAAAGGAGCTGC TGAGCTCCTGGCTGCAAAGTGACGATGAACCGGAGAAGGAGCGGCTGCGGCAGCGGCCCCAGG CCCTGGCTGTGAGCTACCGCTTCCTCACTCCCTTCACCTCCATGAAGCTGAGGGGGCCGGTCC CACGCATGGATGGCCTGGAGGAGGCCCACGGCATGTCGGCTGCCATGGGACCCGAACCGGTGG TGCAGAGCGTGCGAGGAGCTGGCACGCAGCCAGGACCTTTGCTCAAGAAGCCAAACTCCGTCA AAAAAAAACAAAACAAAACAAAAAAAAAAGACATGGGAGAGATGGTGTTTTTCCTCTCCACCACC TGGGGATACGA<u>TGA</u>GAAGATGGCCACCTGCAAGCCAGGAAGACGGCCCTCACCAGACACCATG

FIGURE 60

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44192</pre>

<subunit 1 of 1, 694 aa, 1 stop <MW: 77400, pI: 9.54, NX(S/T): 6

MLLLLGLCLGLSLCVGSQEEAQSWGHSSEQDGLRVPRQVRLLQRLKTKPLMTEFSVKSTIISR YAFTTVSCRMLNRASEDQDIEFQMQIPAAAFITNFTMLIGDKVYQGEITEREKKSGDRVKEKR NKTTEENGEKGTEIFRASAVIPSKDKAAFFLSYEELLQRRLGKYEHSISVRPQQLSGRLSVDV NILESAGIASLEVLPLHNSRQRGSGRGEDDSGPPPSTVINQNETFANIIFKPTVVQQARIAQN GILGDFIIRYDVNREQSIGDIQVLNGYFVHYFAPKDLPPLPKNVVFVLDSSASMVGTKLROTK DALFTILHDLRPQDRFSIIGFSNRIKVWKDHLISVTPDSIRDGKVYIHHMSPTGGTDINGALO RAIRLLNKYVAHSGIGDRSVSLIVFLTDGKPTVGETHTLKILNNTREAARGQVCIFTIGIGND VDFRLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLFP NYFNGSEIIIAGKLVDRKLDHLHVEVTASNSKKFIILKTDVPVRPQKAGKDVTGSPRPGGDGE \cdot GDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRM DGLEEAHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPNSVKKKONKTKKRHGRDGVFPLHHLGIR

Signal sequence.

amino acids 1-14

N-glycosylation sites.

amino acids 97-101, 127-131, 231-235, 421-425, 508-512, 674-678

Glycosaminoglycan attachment sites.

amino acids 213-217, 391-395

N-myristoylation sites.

amino acids 6-12, 10-16, 212-218, 370-376, 632-638, 638-644

FIGURE 61

TTCCCTTTATCGAGTCAAGAAACCCCCCCTTCTTGAGCTATTTACAGCTTTTAACAATTGAGT AAAGTACGCTCCGGTCACCATCGTGACAGCCGCCCTGGGTCCCGTCTGGGCAGCGCTCCTGCT CTTTCTCCTGATGTGTGAGATCCGTATGGTGGAGCTCACCTTTGACAGAGCTGTGGCCAGCGG CTGCCAACGGTGCTGTGACTCTGAGGACCCCCTGGATCCTGCCCATGTATCCTCAGCCTCTTC CTCCGGCCGCCCCACGCCTGCCTGAGATCAGACCCTACATTAATATCACCATCCTGAAGGG CATCACCTTCAGCGGCCACCTCATCAAGGCCGAGGACGAC<u>TGA</u>GGGCCTCTGGGCCACCCTCC

62/615

FIGURE 62

MVTAALGPVWAALLIFLLMCEIRMVELTFDRAVASGCQRCCDSEDPLDPAHVSSASSSGRPHA LPEIRPYINITILKGDKGDPGPMGLPGYMGREGPQGEPGPQGSKGDKGEMGSPGAPCQKRFFA FSVGRKTALHSGEDFQTLLFERVFVNLDGCFDMATGQFAAPLRGIYFFSLNVHSWNYKETYVH IMHNQKEAVILYAQPSERSIMQSQSVMLDLAYGDRVWVRLFKRQRENAIYSNDFDTYITFSGH LIKAEDD

Important features: Signal peptide: amino acids 1-20

N-glycosylation site. amino acids 72-75

Clq domain proteins. amino acids 144-178, 78-111 and 84-117

FIGURE 63

ATGGGAAGCCAGTAACACTGTGGCCTACTATCTCTTCCGTGGTGCCATCTACATTTTTGGGAC TCGGGAATTATGAGGTAGAGGTGGAGGCGGAGCCGGATGTCAGAGGTCCTGAAATAGTCACC**A TG**GGGGAAAATGATCCGCCTGCTGTTGAAGCCCCCTTCTCATTCCGATCGCTTTTTGGCCTTG ATGATTTGAAAATAAGTCCTGTTGCACCAGATGCAGATGCTGTTGCTGCACAGATCCTGTCAC TGCTGCCATTGAAGTTTTTTCCAATCATCGTCATTGGGATCATTGCATTGATATTAGCACTGG CCATTGGTCTGGGCATCCACTTCGACTGCTCAGGGAAGTACAGATGTCGCTCATCCTTTAAGT GTATCGAGCTGATAGCTCGATGTGACGGAGTCTCGGATTGCAAAGACGGGGAGGACGAGTACC GCTGTGTCCGGGTGGTCAGAATGCCGTGCTCCAGGTGTTCACAGCTGCTTCGTGGAAGA CCATGTGCTCCGATGACTGGAAGGGTCACTACGCAAATGTTGCCTGTGCCCAACTGGGTTTCC CAAGCTATGTGAGTTCAGATAACCTCAGAGTGAGCTCGCTGGAGGGGCAGTTCCGGGAGGAGT TTGTGTCCATCGATCACCTCTTGCCAGATGACAAGGTGACTGCATTACACCACTCAGTATATG TGAGGGAGGGATGTGCCTCTGGCCACGTGGTTACCTTGCAGTGCACAGCCTGTGGTCATAGAA GGGGCTACAGCTCACGCATCGTGGGTGGAAACATGTCCTTGCTCTCGCAGTGGCCCTGGCAGG CCAGCCTTCAGTTCCAGGGCTACCACCTGTGCGGGGGCTCTGTCATCACGCCCCTGTGGATCA TCACTGCTGCACACTGTTTTATGACTTGTACCTCCCCAAGTCATGGACCATCCAGGTGGGTC TAGTTTCCCTGTTGGACAATCCAGCCCCATCCCACTTGGTGGAGAAGATTGTCTACCACAGCA AGTACAAGCCAAAGAGGCTGGGCAATGACATCGCCCTTATGAAGCTGGCCGGGCCACTCACGT TCAATGAAATGATCCAGCCTGTGTGCCCTGCCCAACTCTGAAGAGAACTTCCCCGATGGAAAAG TGTGCTGGACGTCAGGATGGGGGGCCACAGAGGATGGAGGTGACGCCTCCCCTGTCCTGAACC ACGCGGCCGTCCCTTTGATTTCCAACAAGATCTGCAACCACAGGGACGTGTACGGTGGCATCA TCTCCCCTCCATGCTCTGCGCGGGCTACCTGACGGGTGGCCTGGACAGCTGCCAGGGGGACA GCGGGGGCCCCTGGTGTCAAGAGAGGGGGCTGTGGAAGTTAGTGGGAGCGACCAGCTTTG GCATCGGCTGCGCAGAGGTGAACAAGCCTGGGGTGTACACCCGTGTCACCTCCTTGCACT GGATCCACGAGCAGATGGAGAGAGACCTAAAAACC**TGA**AGAGGGAAAGGGGACAAGTAGCCACCT GAGTTCCTGAGGTGATGAAGACAGCCCGATCCTCCCCTGGACTCCCGTGTAGGAACCTGCACA CGAGCAGACACCCTTGGAGCTCTGAGTTCCGGCACCAGTAGCAGGCCCGAAAGAGGCACCCTT CGCTCTGTTGCCCAGGCTGGAGTGCAGTGGCGAAATCCCTGCTCACTGCAGCCTCCGCTTCCC TGGTTCAAGCGATTCTCTTGCCTCAGCTTCCCCAGTAGCTGGGACCACAGGTGCCCGCCACCA CACCCAACTAATTTTTGTATTTTTAGTAGAGACAGGGTTTCACCATGTTGGCCAGGCTGCTCT CAAACCCCTGACCTCAAATGATGTGCCTGCTTCAGCCTCCCACAGTGCTGGGATTACAGGCAT GGGCCACCACGCCTAGCCTCACGCTCCTTTCTGATCTTCACTAAGAACAAAAGAAGCAGCAAC TTGCAAGGGCGCCTTTCCCACTGGTCCATCTGGTTTTCTCTCCAGGGTCTTGCAAAATTCCT GACGAGATAAGCAGTTATGTGACCTCACGTGCAAAGCCACCAACAGCCACTCAGAAAAGACGC ACCAGCCCAGAAGTGCAGAACTGCAGTCACTGCACGTTTTCATCTCTAGGGACCAGAACCAAA CCCACCCTTTCTACTTCCAAGACTTATTTTCACATGTGGGGAGGTTAATCTAGGAATGACTCG TTTAAGGCCTATTTTCATGATTTCTTTGTAGCATTTGGTGCTTGACGTATTATTGTCCTTTGA TTCCAAATAATATGTTTCCTTCCCTCATTGTCTGGCGTGTCTGCGTGGACTGGTGACGTGAAT CAAAATCATCCACTGAAA

64/615

FIGURE 64

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45234

><subunit 1 of 1, 453 aa, 1 stop

><MW: 49334, pI: 6.32, NX(S/T): 1

MGENDPPAVEAPFSFRSLFGLDDLKISPVAPDADAVAAQILSLLPLKFFPIIVIGIIALILAL AIGLGIHFDCSGKYRCRSSFKCIELIARCDGVSDCKDGEDEYRCVRVGGQNAVLQVFTAASWK TMCSDDWKGHYANVACAQLGFPSYVSSDNLRVSSLEGQFREEFVSIDHLLPDDKVTALHHSVY VREGCASGHVVTLQCTACGHRRGYSSRIVGGNMSLLSQWPWQASLQFQGYHLCGGSVITPLWIITAAHCVYDLYLPKSWTIQVGLVSLLDNPAPSHLVEKIVYHSKYKPKRLGNDIALMKLAGPLTFNEMIQPVCLPNSEENFPDGKVCWTSGWGATEDGGDASPVLNHAAVPLISNKICNHRDVYGGIISPSMLCAGYLTGGVDSCQGDSGGPLVCQERRLWKLVGATSFGIGCAEVNKPGVYTRVTSFLDWIHEQMERDLKT

Signal Peptide:

amino acids 1-20

Transmembrane domain:

amino acids 240-284

FIGURE 65

 ${\tt CGGGCCAGCCTGGGGCGGCCAGGAACCACCCGTTAAGGTGTCTTCTCTTTAGGGATGGT}$ GAGGTTGGAAAAAGACTCCTGTAACCCTCCTCCAGGATGAACCACCTGCCAGAAGACATGGAG AACGCTCTCACCGGGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCC AGGAGGACTTTCTGTTTGTCACCTTTGACCTCTTATTCGTAACATTACTGTGGATAATA GAGTTAAATGTGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTAC TATTCTTCATATTTTGATATTTTCTTCTGGCAGTTTTTCGATTTAAAGTGTTAATACTTGCA TATGCTGTGCAGACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCC TTTTTACTAGCAAAAGTGATCCTTTCGAAGCTTTTCTCTCAAGGGGCTTTTGGCTATGTGCTG CCCATCATTTCATTCATCCTTGCCTGGATTGAGACGTGGTTCCTGGATTTCAAAGTGTTACCT CAAGAAGCAGAAGAAAACAGACTCCTGATAGTTCAGGATGCTTCAGAGAGGGCAGCACTT ATACCTGGTGGTCTTTCTGATGGTCAGTTTTATTCCCCTCCTGAATCCGAAGCAGGATCTGAA GAAGCTGAAGAAAAACAGGACAGTGAGAAACCACTTTTAGAACTA**TGA**GTACTACTTTTGTTA TCGACAGTAAAGTTGAAATGGTGACGTCCACTGCTGGCTTTATTGAACAGCTAATAAAGATTT CTGGTAAGGTAATGTCATGATTCATCCTCTCTTCAGTGAGACTGAGCCTGATGTGTTAACAAA TAGGTGAAGAAAGTCTTGTGCTGTATTCCTAATCAAAAGACTTAATATATTGAAGTAACACTT CAGATTTATTTTGTATTTCTTTTTTAACACTCTACATTTCCCTTGTTTTTTTAACTCATGCACA TGTGCTCTTTGTACAGTTTTAAAAAGTGTAATAAAATCTGACATGTCAATGTGGCTAGTTTTA TTTTTCTTGTTTTGCATTATGTGTATGGCCTGAAGTGTTGGACTTGCAAAAGGGGAAGAAAGG AATTGCGAATACATGTAAAATGTCACCAGACATTTGTATTATTTTTTATCATGAAATCATGTTT TTCTCTGATTGTTCTGAAATGTTCTAAATACTCTTATTTTGAATGCACAAAATGACTTAAACC ATTCATATCATGTTTCCTTTGCGTTCAGCCAATTTCAATTAAAATGAACTAAATTAAAAA

FIGURE 66

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDL LFVTLLWIIELNVNGGIENTLEKEVMQYDYYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAI ALTTAVTSAFLLAKVILSKLFSQGAFGYVLPIISFILAWIETWFLDFKVLPQEAEEENRLLIV QDASERAALIPGGLSDGQFYSPPESEAGSEEAEEKQDSEKPLLEL

Important features of the protein:
Signal peptide:

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

FIGURE 67

CAACCATTCCTCCCTTGTAGTTCTCGCCCCCTCAAATCACCCTCTCCCGTAGCCCACCCGACT AACATCTCAGTCTCTGAAA**ATG**CACAGAGATGCCTGGCTACCTCGCCCTGCCTTCAGCCTCAC GGGGCTCAGTCTCTTTTCTCTTTGGTGCCACCAGGACGAGCATGGAGGTCACAGTACCTGC AGTGAACCACAAACAGTTCTCCCTGAACTGGACTTACCAGGAGTGCAACAACTGCTCTGAGGA GATGTTCCTCCAGTTCCGCATGAAGATCATTAACCTGAAGCTGGAGCGGTTTCAAGACCGCGT GGAGTTCTCAGGGAACCCCAGCAAGTACGATGTCTCGGTGATGCTGAGAAACGTGCAGCCGGA GGATGAGGGGATTTACAACTGCTACATCATGAACCCCCCTGACCGCCACCGTGGCCATGGCAA GATCCATCTGCAGGTCCTCATGGAAGAGCCCCCTGAGCGGGACTCCACGGTGGCCGTGATTGT GGGTGCCTCCGTCGGGGCTTCCTGGCTGTGGTCATCTTGGTGCTGATGGTGGTCAAGTGTGT GAGGAGAAAAAAGAGCAGAAGCTGAGCACAGATGACCTGAAGACCGAGGAGGAGGGCAAGAC GGACGGTGAAGGCAACCCGGATGATGGCGCCAAG<u>TAG</u>TGGGTGGCCGGCCCTGCAGCCTCCCG CCCGTGACCTAGGACCCCAGGGCCCACCTGGGGCCTCCTGAACCCCCGACTTCGTATCTCCCA CCCTGCACCAAGAGTGACCCACTCTCTTCCATCCGAGAAACCTGCCATGCTCTGGGACGTGTG GGCCCTGGGGAGAGAGAGAAAGGGCTCCCACCTGCCAGTCCCTGGGGGGAGGCAGGAGGCAC ATGTGAGGGTCCCCAGAGAGAGGGAGTGGGTGGGCAGGGGTAGAGGAGGGGCCGCTGTCACC GCTGACAGCGCTCCCTCAGGAGGGCCTTGGCCTGGCACGGCTGTGCTCCCCTGCTCCCAG CCCAGAGCAGCCATCAGGCTGGAGGTGACGATGAGTTCCTGAAACTTGGAGGGGCATGTTAAA GGGATGACTGTGCATTCCAGGGCACTGACGGAAAGCCAGGGCTGCAGGCAAAGCTGGACATGT GCCCTGGCCCAGGAGGCCATGTTGGGCCCTCGTTTCCATTGCTAGTGGCCTCCTTGGGGCTCC TGTTGGCTCCTAATCCCTTAGGACTGTGGATGAGGCCAGACTGGAAGAGCAGCTCCAGGTAGG GGGCCATGTTTCCCAGCGGGGACCCACCAACAGAGGCCAGTTTCAAAGTCAGCTGAGGGGCTG AGGGGTGGGGCTCCATGGTGAATGCAGGTTGCTGCAGGCTCTGCCTTCTCCATGGGGTAACCA CCCTCGCCTGGGCAGGGCAGCCAAGGCTGGGAAATGAGGAGGCCATGCACAGGGTGGGGCAG $\tt CTTTCTTTGGGGCTTCAGTGAGAACTCTCCCAGTTGCCCTTGGTGGGGTTTCCACCTGGCTTT$ TGGCTACAGAGAGGGAAGGGAAAGCCTGAGGCCGGCATAAGGGGAGGCCTTGGAACCTGAGCT GCCAATGCCAGCCCTGTCCCATCTGCGGCCACGCTACTCGCTCCTCTCCCAACAACTCCCTTC GTGGGGACAAAAGTGACAATTGTAGGCCAGGCACAGTGGCTCACGCCTGTAATCCCAGCACTT TGGGAGGCCAAGGCGGGTGGATTACCTCCATCTGTTTAGTAGAAATGGGCAAAACCCCATCTC TACTAAAAATACAAGAATTAGCTGGGCGTGGTGGCGTGTGCCTGTAATCCCAGCTATTTGGGA GGCTGAGGCAGGAGAATCGCTTGAGCCCGGGAAGCAGAGGTTGCAGTGAACTGAGATAGTGAT

FIGURE 68

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45415
<subunit 1 of 1, 215 aa, 1 stop
<MW: 24326, pI: 6.32, NX(S/T): 4
MHRDAWLPRPAFSLTGLSLFFSLVPPGRSMEVTVPATLNVLNGSDARLPCTFNSCYTVNHKQF
SLNWTYQECNNCSEEMFLQFRMKIINLKLERFQDRVEFSGNPSKYDVSVMLRNVQPEDEGIYN
CYIMNPPDRHRGHGKIHLQVLMEEPPERDSTVAVIVGASVGGFLAVVILVLMVVKCVRRKKEQ
KLSTDDLKTEEGKTDGEGNPDDGAK</pre>

Important features: Signal peptide:

amino acids 1-20

Transmembrane domain: amino acids 161-179

Immunoglobulin-like fold: amino acids 83-127

N-glycosylation sites. amino acids 42-45, 66-69 and 74-77



FIGURE 69

GGCGCCTGGTTCTGCGCGTACTGGCTGTACGGAGCAGGAGCAAGAGGTCGCCGCCAGCCTCCGCCGAGCCTC GTTCGTGTCCCCGCCCCTCGCTCCTGCAGCTACTGCTCAGAAACGCTGGGGGCGCCCCACCCTGGCAGACTAACGAA $\tt CGCAGAGGCGGAGGCTCGCGTATTCCTGCAGTCAGCACCCACGTCGCCCCGGACGCTCGGTGCTCAGGCCCTTC$ CACCTCTCCCAGGAAACTTCACACTGGAGAGCCCAAAAGGAGTGGAAGAGCCTGTCTTGGAGATTTTCCTGGGGAA ${ t ATCCTGAGGTCATT}$ GCAATTCCAGCCATGGTGGTTCCCAATGCCACTTTATTGGAGAAACTTTTGGAAAAATACATGGATGAGGATGGT GAGTGGTGGATAGCCAAACAACGAGGGAAAAGGGCCATCACAGACAATGACATGCAGAGTATTTTGGACCTTCAT AATAAATTACGAAGTCAGGTGTATCCAACAGCCTCTAATATGGGGTATATGACATGGGATGTAGAGCTGGAAAGA TTGGGAGCACACTGGGGAAGATATAGGCCCCCGACGTTTCATGTACAATCGTGGTATGATGAAGTGAAAGACTTT CAGGTCGTGTGGGCAACTAGTAACAGAATCGGTTGTGCCATTAATTTGTGTCATAACATGAACATCTGGGGGCAG ATATGGCCCAAAGCTGTCTACCTGGTGTGCAATTACTCCCCAAAGGGAAACTGGTGGGGGCCATGCCCCTTACAAA TCAGACAGGTATTATCCCCCTCGAGAAGAGGGAAACAAATGAAATAGAACGACAGCAGTCACAAGTCCATGACACC CATGTCCGGACAAGATCAGATGATAGTAGCAGAAATGAAGTCATAAGCGCACAGCAAATGTCCCAAATTGTTTCT TGTGAAGTAAGATTAAGAGATCAGTGCAAAGGAACAACCTGCAATAGGTACGAATGTCCTGGCTGTTTGGAT AGTAAAGCTAAAGTTATTGGCAGTGTACATTATGAAATGCAATCCAGCATCTGTAGAGCTGCAATTCATTATGGT ${ t ATAATAGACAATGATGGTGGCTGGGTAGATATCACTAGACAAGGAAGAAAGCATTATTTCATCAAGTCCAATAGA$ AATGGTATTCAAACAATTGGCAAATATCAGTCTGCTAATTCCTTCACAGTCTCTAAAGTAACAGTTCAGGCTGTG ACTTGTGAAACAACTGTGGAACAGCTCTGTCCATTTCATAAGCCTGCTTCACATTGCCCAAGAGTATACTGTCCT CGTAACTGTATGCAAGCAAATCCACATTATGCTCGTGTAATTGGAACTCGAGTTTATTCTGATCTGTCCAGTATC ${ t TGCAGAGCAGCAGTACATGCTGGAGTGGTTCGAAATCACGGTGGTTATGTTGATGTAATGCCTGTGGACAAAAGA}$ AAGACCTACATTGCTTCTTTTCAGAATGGAATCTTCTCAGAAAGTTTACAGAATCCTCCAGGAGGAAAGGCATTC AGAGTGTTTGCTGTTGTG<u>TGA</u>AACTGAATACTTGGAAGAGGACCATAAAGACTATTCCAAATGCAATATTTCTGA ATTTTGTATAAAACTGTAACATTACTGTACAGAGTACATCAACTATTTTCAGCCCAAAAAGGTGCCAAATGCATA TAAATCTTGATAAACAAAGTCTATAAAATAAAACATGGGACATTAGCTTTGGGAAAAGTAATGAAAATATAATGG $\tt TTTTAGAAATCCTGTGTTAAATATTGCTATATTTTCTTAGCAGTTATTTCTACAGTTAATTACATAGTCATGATT$ GTTCTACGTTTCATATATATATGGTGCTTTGTATATGCCACTAATAAAATGAATCTAAACATTGAATGTGAATG TGTTAATTTAGGCATATAGAATATTAAATTCTGATATTGCACTTCTTATTTTATATAAAATAATCCTTTAATATC ATGAAAACATTCCTAGTGATCATGTAGTAAATGTAGGGTTAAGCATGGACAGCCAGAGCTTTCTATGTACTGTTA AAATTGAGGTCACATATTTTCTTTTGTATCCTGGCAAATACTCCTGCAGGCCAGGAAGTATAATAGCAAAAAGTT ATATTGCCATATCATGGTACCTATAATGGTGATATATTTGTTTCTATGAAAAATGTATTGTGCTTTGATACTAAA AATCTGTAAAATGTTAGTTTTGGTAATTTTTTTTTCTGCTGGTGGATTTACATATTAAATTTTTTCTGCTGGTGGA TAAACATTAAAATTAATCATGTTTCAAAAAAAAAAAAA

70/615

FIGURE 70

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45417
<subunit 1 of 1, 500 aa, 1 stop
<MW: 56888, pI: 8.53, NX(S/T): 2
MKCTAREWLRVTTVLFMARAIPAMVVPNATLLEKLLEKYMDEDGEWWIAKQRGKRAITDNDMQ
SILDLHNKLRSQVYPTASNMEYMTWDVELERSAESWAESCLWEHGPASLLPSIGQNLGAHWGR
YRPPTFHVQSWYDEVKDFSYPYEHECNPYCPFRCSGPVCTHYTQVVWATSNRIGCAINLCHNM
NIWGQIWPKAVYLVCNYSPKGNWWGHAPYKHGRPCSACPPSFGGGCRENLCYKEGSDRYYPPR
EEETNEIERQQSQVHDTHVRTRSDDSSRNEVISAQQMSQIVSCEVRLRDQCKGTTCNRYECPA
GCLDSKAKVIGSVHYEMQSSICRAAIHYGIIDNDGGWVDITRQGRKHYFIKSNRNGIQTIGKY
QSANSFTVSKVTVQAVTCETTVEQLCPFHKPASHCPRVYCPRNCMQANPHYARVIGTRVYSDL
SSICRAAVHAGVVRNHGGYVDVMPVDKRKTYIASFQNGIFSESLQNPPGGKAFRVFAVV</pre>

Important features:

Signal peptide:

amino acids 1-20

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 protein amino acids 165-186, 196-218, 134-146, 96-108 and 58-77

N-glycosylation site amino acids 28-31

FIGURE 71

CAGCCCGCGCCGGCCGAGTCGCTGAGCCGCGGCTGCCGGACGGGACGGGACCGGCTAGGC ${\tt TGGGCGCCCCCGGGGCCCGTGGGC} \underline{{\tt ATG}} {\tt GGCGCACTGGCCGGGCGCTGCTGCCT}$ CTGCTGGCCCAGTGGCTCCTGCGCGCCCCGGAGCTGGCCCCCGCGCCCTTCACGCTGCCC CTCCGGGTGGCCGCGCCACGCGTAGTTGCGCCCACCCCGGGACCCGGGACCCCTGCC GAGCGCCACGCCGACGCTTGGCGCTCGCCCTGGAGCCTGCCCTGGCGTCCCCCGCGGGCGCCC GCCAACTTCTTGGCCATGGTAGACAACCTGCAGGGGGACTCTGGCCGGGCTACTACCTGGAG ATGCTGATCGGGACCCCCCGCAGAAGCTACAGATTCTCGTTGACACTGGAAGCAGTAACTTT GCCGTGGCAGGAACCCCGCACTCCTACATAGACACGTACTTTGACACAGAGAGGTCTAGCACA TACCGCTCCAAGGGCTTTGACGTCACAGTGAAGTACACACAAGGAAGCTGGACGGGCTTCGTT GGGGAAGACCTCGTCACCATCCCCAAAGGCTTCAATACTTCTTTTCTTGTCAACATTGCCACT ATTTTTGAATCAGAGAATTTCTTTTTGCCTGGGATTAAATGGAATGGAATACTTGGCCTAGCT TATGCCACACTTGCCAAGCCATCAAGTTCTCTGGAGACCTTCTTCGACTCCCTGGTGACACAA GCAAACATCCCCAACGTTTTCTCCATGCAGATGTGTGGAGCCGGCTTGCCCGTTGCTGGATCT GGGACCAACGGAGGTAGTCTTGTCTTGGGTGGAATTGAACCAAGTTTGTATAAAGGAGACATC TGGTATACCCCTATTAAGGAAGAGTGGTACTACCAGATAGAAATTCTGAAATTGGAAATTGGA GGCCAAAGCCTTAATCTGGACTGCAGAGAGTATAACGCAGACAAGGCCATCGTGGACAGTGGC ACCACGCTGCTGCCCCAGAAGGTGTTTGATGCGGTGGTGGAAGCTGTGGCCCGCGCA TCTCTGATTCCAGAATTCTCTGATGGTTTCTGGACTGGGTCCCAGCTGGCGTGCTGGACGAAT TCGGAAACACCTTGGTCTTACTTCCCTAAAATCTCCATCTACCTGAGAGACGAGAACTCCAGC AATTATGAATGTTACCGATTCGGCATTTCCCCATCCACAAATGCGCTGGTGATCGGTGCCACG GTGATGGAGGGCTTCTACGTCATCTTCGACAGAGCCCAGAAGAGGGTGGGCTTCGCAGCGAGC CCCTGTGCAGAAATTGCAGGTGCTGCAGTGTCTGAAATTTCCGGGCCTTTCTCAACAGAGGAT GCGCTCATGAGCGTCTGTGGAGCCATCCTCCTTGTCTTAATCGTCCTGCTGCTGCTGCCGTTC CGGTGTCAGCGTCGCCCCGTGACCCTGAGGTCGTCAATGATGAGTCCTCTCTGGTCAGACAT CGCTGGAAA<u>TGA</u>ATAGCCAGGCCTGACCTCAAGCAACCATGAACTCAGCTATTAAGAAAATCA CATTTCCAGGGCAGCCGGGATCGATGGTGGCGCTTTCTCCTGTGCCCACCCGTCTTCAAT CTCTGTTCTGCTCCCAGATGCCTTCTAGATTCACTGTCTTTTGATTCTTGATTTTCAAGCTTT

72/615

FIGURE 72

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45493

><subunit 1 of 1, 518 aa, 1 stop

><MW: 56180, pI: 5.08, NX(S/T): 2

MGALARALLLPLLAQWLLRAAPELAPAPFTLPLRVAAATNRVVAPTPGPGTPAERHADGLALA LEPALASPAGAANFLAMVDNLQGDSGRGYYLEMLIGTPPQKLQILVDTGSSNFAVAGTPHSYI DTYFDTERSSTYRSKGFDVTVKYTQGSWTGFVGEDLVTIPKGFNTSFLVNIATIFESENFFLP GIKWNGILGLAYATLAKPSSSLETFFDSLVTQANIPNVFSMQMCGAGLPVAGSGTNGGSLVLG GIEPSLYKGDIWYTPIKEEWYYQIEILKLEIGGQSLNLDCREYNADKAIVDSGTTLLRLPQKV FDAVVEAVARASLIPEFSDGFWTGSQLACWTNSETPWSYFPKISIYLRDENSSRSFRITILPQ LYIQPMMGAGLNYECYRFGISPSTNALVIGATVMEGFYVIFDRAQKRVGFAASPCAEIAGAAV SEISGPFSTEDVASNCVPAQSLSEPILWIVSYALMSVCGAILLVLIVLLLLPFRCQRRPRDPE VVNDESSLVRHRWK

Important features:
Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 466-494

N-glycosylation sites. amino acids 170-173 and 366-369

Leucine zipper pattern. amino acids 10-31 and 197-118

Eukaryotic and viral aspartyl proteases amino acids 109-118, 252-261 and 298-310

FIGURE 73

GCCGCGGCGAGAGCGCCCAGCCCGCCGCGCGCGCGCGCCCAGGACGCCTCCTCCCGCTGCTGGCCCGGC AGGCGGCGGCGGCGGCGGCCGCCCCCCGCGCAGACGGCGAGGACGGACAGGACCCGCACAGCAAGCACC GACACTGCCAGCGGCTGCAGCCGACTTGGAATGACCTGGGAGACAAATACAACAGCATGGAAGATGCCAAAGTCT ATGTGGCTAAAGTGGACTGCACGGCCCACTCCGACGTGTGCTCCGCCCAGGGGGTGCGAGGATACCCCACCTTAA AGCTTTTCAAGCCAGGCCAAGAAGCTGTGAAGTACCAGGGTCCTCGGGACTTCCAGACACTGGAAAACTGGATGC GGCTGTATGAGCTCTCAGCAAGCAACTTTGAGCTGCACGTTGCACAAGGCGACCACTTTATCAAGTTCTTCGCTC $\tt CGTGGTGTCACTGCAAAGCCCTGGCTCCAACCTGGGAGCAGCTGGCTCTGGGCCTTGAACATTCCGAAACTG$ TCAAGATTGGCAAGGTTGATTGTACACAGCACTATGAACTCTGCTCCGGAAACCAGGTTCGTGGCTATCCCACTC TTCTCTGGTTCCGAGATGGGAAAAAGGTGGATCAGTACAAGGGAAAGCGGGATTTGGAGTCACTGAGGGAGTACG TGGAGTCGCAGCTGCAGCGCACAGAGACTGGAGCGACGGAGACCGTCACGCCCTCAGAGGCCCCGGTGCTGGCAG TAACCTTCATCAAGTTTTATGCTCCATGGTGTGGTCATTGTAAGACTCTGGCTCCTACTTGGGAGGAACTCTCTA AAAAGGAATTCCCTGGTCTGGCGGGGGTCAAGATCGCCGAAGTAGACTGCACTGCTGAACGGAATATCTGCAGCA AGTATTCGGTACGAGGCTACCCCACGTTATTGCTTTTCCGAGGAGGAAGAAAGTCAGTGAGCACAGTGGAGGCA GAGACCTTGACTCGTTACACCGCTTTGTCCTGAGCCAAGCGAAAGACGAACTT<u>TAG</u>GAACACAGTTGGAGGTCAC ATTCTTTATTAAGTTAAGTTTCTCTAAGTAAATGTGTAACTCATGGTCACTGTGTAAACATTTTCAGTGGCGATA TATCCCCTTTGACCTTCTTGATGAAATTTACATGGTTTCCTTTGAGACTAAAATAGCGTTGAGGGAAATGAAA ${\tt CCACGAGTTCTGGAAAGGTGGCCTTGTGGCAGTATTGACGTTCCTCTGATCTTAAGGTCACAGTTGACTCAATAC}$ TGTGTTGGTCCGTAGCATGGAGCAGATTGAAATGCAAAAACCCACACCTCTGGAAGATACCTTCACGGCCGCTGC TGGAGCTTCTGTTGCTGTGAATACTTCTCTCAGTGTGAGAGGTTAGCCGTGATGAAAGCAGCGTTACTTCTGACC GTGCCTGAGTAAGAGAATGCTGATGCCATAACTTTATGTGTCGATACTTGTCAAATCAGTTACTGTTCAGGGGAT CCTTCTGTTTCTCACGGGGTGAAACATGTCTTTAGTTCCTCATGTTAACACGAAGCCAGAGCCCACATGAACTGT TGGATGTCTTCCTTAGAAAGGGTAGGCATGGAAAATTCCACGAGGCTCATTCTCAGTATCTCATTAACTCATTGA AAGATTCCAGTTGTATTTGTCACCTGGGGTGACAAGACCAGACAGCCTTTCCCAGGCCTGGGTATCCAGGGAGGC $\tt CTTGCTATACTTGGTCTGCTTCAAGGAGGTCGACCTTCTAATGTATGAAGAATGGGATGCATTTGATCTCAAGAC$ CAAAGACAGATGTCAGTGGGCTGCTCTGGCCCTGGTGTGCACGGCTGTGGCAGCTGTTGATGCCAGTGTCCTCTA ACTCATGCTGTCCTTGTGATTAAACACCTCTATCTCCCTTGGGAATAAGCACATACAGGCTTAAGCTCTAAGATA CCCATACGCAAGGGGATGTGGATACTTGGCCCAAAGTAACTGGTGGTAGGAATCTTAGAAACAAGACCACTTATA CTGTCTGTCTGAGGCAGAAGATAACAGCAGCATCTCGACCAGCCTCTGCCTTAAAGGAAATCTTTATTAATCACG TATGGTTCACAGATAATTCTTTTTTAAAAAAACCCAACCTCCTAGAGAAGCACAACTGTCAAGAGTCTTGTACA GATACTTTCTAAATAAACTCTTTTTTTTAA

FIGURE 74

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA46776

><subunit 1 of 1, 432 aa, 1 stop

><MW: 47629, pI: 5.90, NX(S/T): 0

MPARPGRLLPLLARPAALTALLLLLLGHGGGGRWGARAQEAAAAAADGPPAADGEDGQDPHSK HLYTADMFTHGIQSAAHFVMFFAPWCGHCQRLQPTWNDLGDKYNSMEDAKVYVAKVDCTAHSD VCSAQGVRGYPTLKLFKPGQEAVKYQGPRDFQTLENWMLQTLNEEPVTPEPEVEPPSAPELKQ GLYELSASNFELHVAQGDHFIKFFAPWCGHCKALAPTWEQLALGLEHSETVKIGKVDCTQHYE LCSGNQVRGYPTLLWFRDGKKVDQYKGKRDLESLREYVESQLQRTETGATETVTPSEAPVLAA EPEADKGTVLALTENNFDDTIAEGITFIKFYAPWCGHCKTLAPTWEELSKKEFPGLAGVKIAE VDCTAERNICSKYSVRGYPTLLLFRGGKKVSEHSGGRDLDSLHRFVLSQAKDEL

Signal sequence:

amino acids 1-32

FIGURE 75A

CGGACGCGTGGGCGGACGCGTGGGCAAAAGAACTCGGAGTGCCAAAGCTAAATAAGTTAGCTGAGAAAACGCACG TAGGGACCCGGCTTTGGCCTTCAGGCTCCCTAGCAGCGGGGAAAAGGAATTGCTGCCCGGAGTTTCTGCGGAGGT GGAGGGAGATCAGGAAACGCCTTCCTCACTTCGCCGCCTGGTGAGTGTCGGGGAGATTGGCAAACGCCTAGG AAAGGACTGGGGAAAATAGCCCTGGGAAAGTGGAGAGGTGATCAGGAGGCCGGTCCACTACGGCAGTTTATCTG TCTGATCAGAGCCAGACGCGACGCTCCACTTCGCAGTTCTTTCCAGGTGTGGGGACCGCAGGACAGACGGCCGA TCCCGCCGCCTCCGTACCAGCACTCCCAGGAGAGTCAGCCTCGCTCCCCAACGTCGAGGGCGCTCTGGCCACGA CGGACATGGTGACAGCTGAGAGGAGGAGGAGTTTCTTGCCAGGTGGAGAGTCTTCACCGTCTGTTGGGTGCATG CGCTGGCAGGATTCTGGATCCTCTCCTCCTCACTTATGGTTACCTGTCCTGGGGCCAGGCCTTAGAAGAGGAGG AAGAAGGGGCCTTACTAGCTCAAGCTGGAGAGAAACTAGAGCCCAGCACAACTTCCACCTCCCAGCCCCATCTCA $\tt TTTTCATCCTAGCGGATGATCAGGGATTTAGAGATGTGGGTTACCACGGATCTGAGATTAAAACACCTACTCTTG$ ACAAGCTCGCTGCCGAAGGAGTTAAACTGGAGAACTACTATGTCCAGCCTATTTGCACACCATCCAGGAGTCAGT TTATTACTGGAAAGTATCAGATACACACCGGACTTCAACATTCTATCATAAGACCTACCCAACCCAACTGTTTAC CTCTGGACAATGCCACCCTACCTCAGAAACTGAAGGAGGTTGGATATTCAACGCATATGGTCGGAAAATGGCACT TGGGTTTTAACAGAAAAGAATGCATGCCCACCAGAAGAGGATTTGATACCTTTTTTGGTTCCCTTTTGGGAAGTG GGGATTACTATACACACTACAAATGTGACAGTCCTGGGATGTGTGGCTATGACTTGTATGAAAACGACAATGCTG CCTGGGACTATGACAATGGCATATACTCCACACAGATGTACACTCAGAGAGTACAGCAAATCTTAGCTTCCCATA TCGAACACTACCGATCCATTATCAACATAAACAGGAGAAGATATGCTGCCATGCTTTCCTGCTTAGATGAAGCAA TCAACAACGTGACATTGGCTCTAAAGACTTATGGTTTCTATAACAACAGCATTATCATTTACTCTTCAGATAATG GTGGCCAGCCTACGGCAGGAGGAGTAACTGGCCTCTCAGAGGTAGCAAAGGAACATATTGGGAAGGAGGATCC GGGCTGTAGGCTTTGTGCATAGCCCACTTCTGAAAAACAAGGGAACAGTGTGTAAGGAACTTGTGCACATCACTG ACTGGTACCCCACTCTCATTTCACTGGCTGAAGGACAGATTGATGAGGACATTCAACTAGATGGCTATGATATCT GGGAGACCATAAGTGAGGGTCTTCGCTCACCCCGAGTAGATATTTTGCATAACATTGACCCCTATACACCAAGGC AAAAAATGGCTCCTGGGCAGCAGCTATGGGATCTGGAACACTGCAATCCAGTCAGCCATCAGAGTGCAGCACTG GAAATTGCTTACAGGAAATCCTGGCTACAGCGACTGGGTCCCCCCTCAGTCTTTCAGCAACCTGGGACCGAACCG GTGGCACAATGAACGGATCACCTTGTCAACTGGCAAAAGTGTATGGCTTTTCAACATCACAGCCGACCCATATGA ${\tt GAGGGTGGACCTATCTAACAGGTATCCAGGAATCG} {\tt TGA} {\tt AGAAGCTCCTACGGAGGCTCTCACAGTTCAACAAAAC}$ ${\tt TGCAGTGCCGGTCAGGTATCCCCCCAAAGACCCCCAGAAGTAACCCTAGGCTCAATGGAGGGGTCTGGGGACCATG}$ GAAGAAGAAACAGCAGAAAGCAGTCTCAGGTAAACCAGCAAATTTGGCTCGATAATATCGCTGGCCTAAGCGTCA ${\tt GGCTTGTTTCATGCTGTGCCACTCCAGAGACTTCTGCCACCTGGCCGCCACACTGAAAACTGTCCTGCTCAGTG}$ CCAAGGTGCTACTCTTGCAAGCCACACTTAGAGAGAGTGGAGATGTTTATTTCTCTCGCTCCTTTAGAAAACGTG GTGAGTCCTGAGTTCCACTGCTGTGCTTCAGTCAACTGACCAAACACTGCTTTGAATTATAGGAGGAGAACAATA ${\tt ACCTACCATCCGCAAGCATGCTAATTTGATGGAAGTTACAGGGTAGCATGATTAAAACTACCTTTGATAAATTAC}$ CACATGTGAACAGCTTGCACCTCATTTTACCATGCGTGAGGGAATGGCAAATAAGAATGTTTGAGCACACTGCCC ATTTTATTTCATTTCTTCAAATTATCAAGCACTGTAATACTATAAATTAATGTAATACTGTGTGAATTCAGACTA ATTACTTGGAAATTCAATGTTTGTGCAGAGTTGAGACAACTTTATTGTTTCTATCATAAACTATTTATGTATCTT AATTATTAAAATGATTTACTTTATGGCACTAGAAAATTTACTGTGGCTTTTCTGATCTAACTTCTAGCTAAAATT GTATCATTGGTCCTAAAAAATAAAAATCTTTACTAATAGGCAATTGAAGGAATGGTTTGCTAACAACCACAGTAA TATAATATGATTTTACAGATAGATGCTTCCCCTTGGCTATGACATGGAGAAAGATTTTCCCATAATAATAACTAA TATTTATATTAGGTTGGTGCAAAACTAGTTGCGGTTTTTCCCATTAAAAGTAATAACCTTACTCTTATACAAAGT ACATGCAAACGTCATGAGGAGAATTAAAGGAGTATTATCAGTAATGAAGTTTATCATGGGTCATCAATGAGCATA GATTGGTGTGGATCCTGTAGACCCTGGTGTTTTCTTTGAAGTGCCCTCTCCTAATGCAGAGGCCTTGAAGCTTAC

76/615

FIGURE 75B

FIGURE 76

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48296
><subunit 1 of 1, 515 aa, 1 stop
><MW: 56885, pI: 6.49, NX(S/T): 5
MAPRGCAGHPPPPSPQACVCPGKMLAMGALAGFWILCLLTYGYLSWGQALEEEEEGALLAQAGEKLEPSTTSTSQ</pre>

MAPRGCAGHPPPPSPQACVCPGKMLAMGALAGFWILCLLTYGYLSWGQALEEEEEGALLAQAGEKLEPSTTSTSQ
PHLIFILADDQGFRDVGYHGSEIKTPTLDKLAAEGVKLENYYVQPICTPSRSQFITGKYQIHTGLQHSIIRPTQP
NCLPLDNATLPQKLKEVGYSTHMVGKWHLGFNRKECMPTRRGFDTFFGSLLGSGDYYTHYKCDSPGMCGYDLYEN
DNAAWDYDNGIYSTQMYTQRVQQILASHNPTKPIFLYTAYQAVHSPLQAPGRYFEHYRSIININRRRYAAMLSCL
DEAINNVTLALKTYGFYNNSIIIYSSDNGGQPTAGGSNWPLRGSKGTYWEGGIRAVGFVHSPLLKNKGTVCKELV
HITDWYPTLISLAEGQIDEDIQLDGYDIWETISEGLRSPRVDILHNIDPYTPRQKMAPGQQAMGSGTLQSSQPSE
CSTGNCLQEILATATGSPLSLSATWDRTGGTMNGSPCQLAKVYGFSTSQPTHMRGWTYLTGIQES

Important Features:
Signal Peptide:
amino acids 1-37

Sulfatases signature 1. amino acids 120-132

Sulfatases signature 2. amino acids 168-177

Tyrosine kinase phosphorylation site. amino acids 163-169

N-glycosylation sites. amino acids 157-160, 306-309 and 318-321

FIGURE 77

AAAAAAGCTCACTAAAGTTTCTATTAGAGCGAATACGGTAGATTTCCATCCCCTTTTGAAGAACAGTACTGTGGA GCTATTTAAGAGATAAAAACGAAATATCCTTTCTGGGAGTTCAAGATTGTGCAGTAATTGGTTAGGACTCTGAGC GCCGCTGTTCACCAATCGGGGAGAAAAGCGGAGATCCTGCTCGCCTTGCACGCGCCTGAAGCACAAAGCAGAT AGCTAGGAATGAACCATCCCTGGGAGTATGTGGAAACAACGGAGGGCTCTGACTTCCCAACTGTCCCATTCTAT GGGCGAAGGAACTGCTCCTGACTTCAGTGGTTAAGGGCAGAATTGAAAATAATTCTGGAGGAAGATAAGAATGAT TCCTGCGCACTGCACCGGGACTACAAAGGGCTTGTCCTGCTGGGAATCCTCCTGGGGACTCTGTGGGAGACCGG ATGCACCCAGATACGCTATTCAGTTCCGGAAGAGCTGGAGAAAGGCTCTAGGGTGGGCGACATCTCCAGGGACCT GGGGCTGGAGCCCCGGGAGCTCGCGGAGTCCGCATCATCCCCAGAGGTAGGACGCAGCTTTTCGCCCT GAATCCGCGCAGCGGCAGCTTGGTCACGGCGGCAGGATAGACCGGGAGGAGCTCTGTATGGGGGCCATCAAGTG TCAATTAAATCTAGACATTCTGATGGAGGATAAAGTGAAAATATATGGAGTAGAAGTAGAAGTAAGGGACATTAA CGACAATGCGCCTTACTTTCGTGAAAGTGAATTAGAAATAAAAATTAGTGAAAATGCAGCCACTGAGATGCGGTT CCCTCTACCCCACGCCTGGGATCCGGATATCGGGAAGAACTCTCTGCAGAGCTACGAGCTCAGCCCGAACACTCA CGAAGAAAAGGCTGCTCACCACCTGGTCCTTACGGCCTCCGACGGGGGCGACCCGGTGCGCACAGGCACCGCGCG CATCCGCGTGATGGTTCTGGATGCGAACGACAACGCACCAGCGTTTGCTCAGCCCGAGTACCGCGGAGCGTTCC GGAGAATCTGGCCTTGGGCACGCTGCTTGTAGTCAACGCTACCGACCCTGACGAAGGAGTCAATGCGGAAGT ${\tt GAGGTATTCCTTCCGGTATGTGGACGACAAGGCGGCCCAAGTTTTCAAACTAGATTGTAATTCAGGGACAATATC}$ TTCTGCGCGAGCCAAAGTCCTGATCACTGTTCTGGACGTGAACGACAATGCCCCAGAAGTGGTCCTCACCTCTCT CGCCAGCTCGGTTCCCGAAAACTCTCCCAGAGGGACATTAATTGCCCTTTTAAATGTAAATGACCAAGATTCTGA GGAAAACGGACAGGTGATCTGTTTCATCCAAGGAAATCTGCCCTTTAAATTAGAAAAATCTTACGGAAATTACTA TAGTTTAGTCACAGACATAGTCTTGGATAGGGAACAGGTTCCTAGCTACAACATCACAGTGACCGCCACTGACCG GGGAACCCCGCCCTATCCACGGAAACTCATATCTCGCTGAACGTGGCAGACACCAACGACAACCCGCCGGTCTT CCCTCAGGCCTCCTATTCCGCTTATATCCCAGAGAACAATCCCAGAGGAGTTTCCCTCGTCTCTGTGACCGCCCA CGACCCGACTGTGAAGAGAACGCCCAGATCACTTATTCCCTGGCTGAGAACACCATCCAAGGGGCAAGCCTATC GTCCTACGTGTCCATCAACTCCGACACTGGGGTACTGTATGCGCTGAGCTCCTTCGACTACGAGCAGTTCCGAGA CTTGCAAGTGAAAGTGATGGCGCGGGACAACGGGCACCCCCCCTCAGCAGCAACGTGTCGTTGAGCCTGTTCGT GGCTCCCCGCTCCGCAGAGCCCGGCTACCTGGTGACCAGGTGGTGGCGGTGGACAGAGACTCCGGCCAGAACGC CTGGCTGTCCTACCGTCTGCTCAAGGCCAGCGAGCCGGGACTCTTCTCGGTGGGTCTGCACACGGGCGAGGTGCG CCTCGAGTCTCCAGCTAACTCTGAAACCTCAGACCTCACTCTGTACCTGGTGGTAGCGGTGGCCGCGGTCTCCTG CGTCTTCCTGGCCTTCGTCATCTTGCTGCTGGCGCTCAGGCTGGCGCGCTGGCACAAGTCACGCCTGCTGCAGGC TTCAGGAGGCGGCTTGACAGGAGCGCCGGCGTCGCACTTTGTGGGCCTGGACGGGGTGCAGGCTTTCCTGCAGAC CTATTCCCACGAGGTTTCCCTCACCACGGACTCGCGGAAGAGTCACCTGATCTTCCCCCAGCCCAACTATGCAGA CATGCTCGTCAGCCAGGAGAGCTTTGAAAAAAGCGAGCCCCTTTTGCTGTCAGGTGATTCGGTATTTTCTAAAGA TGGAGTGCAGCGGTACGATCATAGCTCACTGCGGCCTCAAACTCCTAGGCTCAAGCAATTATCCCACCTTTGCCT CTATCTATCTATCTATTACTTTCTTGTACAGACGGGAGTCTCACGCCTGTAATCCCAGTACTTTGGGAGGC CGAGGCGGGTGGATCACCTGAGGTTGGGAGTTTGAGACCAGCCTGACCAACATGGAGAAACCCCGTCTATACTAA AAAAATACAAAATTAGCCGGGCGTGGTGGTGCATGTCTGTAATCCCAGCTACTTGGGAGGCTGAGTCAGGAGAAT TGCTTTAACCTGGGAGGTGGAGGTTGCAATGAGCTGAGATTGTGCCATTGCACTCCAGCCTGGGCAACAAGAGTG AAACTCTATCTCA

FIGURE 78

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48306

><subunit 1 of 1, 916 aa, 1 stop
><MW: 100204, pI: 4.92, NX(S/T): 4
MIPARLHRDYKGLVLLGILLGTLWETGCTQIRYSVPEELEKGSRVGDISRDLGLEPRELAERGVRIIPRGRTQLF ${\tt ALNPRSGSLVTAGRIDREELCMGAIKCQLNLDILMEDKVKIYGVEVEVRDINDNAPYFRESELEIKISEN {\tt AATEMBOOK MATTER MATT$ RFFLPHAWDPDIGKNSLQSYELSPNTHFSLIVQNGADGSKYPELVLKRALDREEKAAHHLVLTASDGGDPVRTGT ARIRVMVLDANDNAPAFAQPEYRASVPENLALGTQLLVVNATDPDEGVNAEVRYSFRYVDDKAAQVFKLDCNSGT ${\tt ISTIGELDHEESGFYQMEVQAMDNAGYSARAKVLITVLDVNDNAPEVVLTSLASSVPENSPRGTLIALLNVNDQD}$ ${\tt SEENGQVICFIQGNLPFKLEKSYGNYYSLVTDIVLDREQVPSYNITVTATDRGTPPLSTETHISLNVADTNDNPP}$ VFPQASYSAYIPENNPRGVSLVSVTAHDPDCEENAQITYSLAENTIQGASLSSYVSINSDTGVLYALSSFDYEQF $\verb"RDLQVKVMARDNGHPPLSSNVSLSLFVLDQNDNAPEILYPALPTDGSTGVELAPRSAEPGYLVTKVVAVDRDSGQ"$ NAWLSYRLLKASEPGLFSVGLHTGEVRTARALLDRDALKQSLVVAVQDHGQPPLSATVTLTVAVADSIPQVLADL GSLESPANSETSDLTLYLVVAVAAVSCVFLAFVILLLALRLRRWHKSRLLQASGGGLTGAPASHFVGVDGVQAFL QTYSHEVSLTTDSRKSHLIFPQPNYADMLVSQESFEKSEPLLLSGDSVFSKDSHGLIEVSLYQIFFLFFFNCSVS QAGVQRYDHSSLRPQTPRLKQLSHLCLRCNRDYRCKPPTVCLSIYLSIYLSIYLLLSCTDGSLTPVIPVLW EAEAGGSPEVGSLRPA

Signal sequence:

amino acids 1-30

Transmembrane domains:

amino acids 693-711, 809-823, 869-888

FIGURE 79

 ${\tt AGCCGCTGCCCGGGGCGCGCGCGCGCGCGCACC} {\tt ATG} {\tt AGCCGCTGCGTGCCTGCGTTCGCTGCGCTCCTC}$ GTCTTCGCCGTCTTCTCAGCCGCCGCGAGCAACTGGCTGTACCTGGCCAAGCTGTCGTCGGTGGGGAGCATCTCA GAGGAGGAGACGTGCGAGAAACTCAAGGGCCTGATCCAGAGGCAGGTGCAGATGTGCAAGCGGAACCTGGAAGTC ATGGACTCGGTGCCCGGTGCCCAGCTGGCCATTGAGGAGTGCCAGTACCAGTTCCGGAACCGGCGCTGGAAC TGCTCCACACTCGACTCCTTGCCCGTCTTCGGCAAGGTGGTGACGCAAGGGACTCGGGAGGCGGCCTTCGTGTAC GCCATCTCTCGGCAGGTGTGGCCTTTGCAGTGACGCGGGCGTGCAGCAGTGGGGAGCTGGAGAAGTGCGGCTGT GACAGGACAGTGCATGGGGTCAGCCCACAGGGCTTCCAGTGGTCAGGATGCTCTGACAACATCGCCTACGGTGTG GCCTTCTCACAGTCGTTTGTGGATGTGCGGGAGAGAAGCAAGGGGGCCTCGTCCAGCAGAGCCCTCATGAACCTC CACAACAATGAGGCCGGCAGGAAGGCCATCCTGACACACGCGGGTGGAATGCAAGTGCCACGGGGTGTCAGGC TCCTGTGAGGTAAAGACGTGCTGCCGAGCCGTGCCGCCCTTCCGCCAGGTGGGTCACGCACTGAAGGAGAAGTTT CCGCACACAGATGAGGACCTGGTGTACTTGGAGCCTAGCCCCGACTTCTGTGAGCAGGACATGCGCAGCGGCGTG CTGGGCACGAGGGGCCGCACATGCAACAAGACGTCCAAGGCCATCGACGGCTGTGAGCTGCTGTGGCCGC GGCTTCCACACGGCGCAGGTGGAGCTGGCTGAACGCTGCAGATTCCACTGGTGCTGCTTCGTCAAGTGC $\tt CGGCAGTGCCAGCGGCTCGTGGAGTTGCACACGTGCCGA\underline{TGA}CCGCCTGCCTAGCCCTGCGCCGGCAACCACCTA$ GTGGCCCAGGGAAGGCCGATAATTTAAACAGTCTCCCACCACCTACCCCAAGAGATACTGGTTGTATTTTTTGTT GCTGCCACTGACCACTCAGTTGTTATCTGTGTCCGTTTTTCTACTTGCAGACCTAAGGTGGAGTAACAAGGAGTA TTACCACCACATGGCTACTGACCGTGTCATCGGGGAAGAGGGGGCCTTATGGCAGGGAAAATAGGTACCGACTTG ATGGAAGTCACACCCTCTGGAAAAAAGAACTCTTAACTCTCCAGCACACATACACATGGACTCCTGGCAGCTTGA GCCTAGAAGCCATGTCTCTCAAATGCCCTGAGAAAGGGAACAAGCAGATACCAGGTCAAGGGCACCAGGTTCATT TCAGCCCTTACATGGACAGCTAGAGGTTCGATATCTGTGGGTCCTTCCAGGCAAGAAGAGGGAGATGAGAGCAAG AGACCCACCTAGGCAGGCATATAGGCTGCCATCCTGGACCAGGGATCCCGGCTGTGCCTTTGCAGTCATGCCCGA ACACACACGGACACACACACACCTGCGAGAGAGAGGGGAGGAAAGGGCTGTGCCTTTGCAGTCATGCCCGAG TCACCTTTCACAGCACTGTTCCTC

81/615

FIGURE 80

<subunit 1 of 1, 351 aa, 1 stop
<mw: 39052, pi: 8.97, nx(s/t): 2
MSPRSCLRSLRLLVFAVFSAAASNWLYLAKLSSVGSISEEETCEKLKGLIQRQVQMCKRNLEVMDSVRRGAQLAI
EECQYQFRNRRWNCSTLDSLPVFGKVVTQGTREAAFVYAISSAGVAFAVTRACSSGELEKCGCDRTVHGVSPQGF
QWSGCSDNIAYGVAFSQSFVDVRERSKGASSSRALMNLHNNEAGRKAILTHMRVECKCHGVSGSCEVKTCWRAVP
PFRQVGHALKEKFDGATEVEPRRVGSSRALVPRNAQFKPHTDEDLVYLEPSPDFCEQDMRSGVLGTRGRTCNKTS
KAIDGCELLCCGRGFHTAQVELAERCSCKFHWCCFVKCRQCQRLVELHTCR</pre>

Important features: Signal peptide: amino acids 1-22

N-glycosylation sites. amino acids 88-91 and 297-300

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48328</pre>

Wnt-1 family signature. amino acids 206-215

Homologous region to Wnt-1 family proteins amino acids 183-235, 305-350, 97-138, 53-92 and 150 -174

FIGURE 81

CCGAGCCGGCCCCAGCGACCGAGCTGGGCCCGCCCTGGGACCATGGGCGTGAGTGCAATCTACGGATCAGTCT GACATGTTCCCGATTTGAGGTGAAACCATGAAGAGAAAATAGAATACTTAATAATGCTTTTCCGCAACCGCTTCT TGCTGCTGGCCCTGGCTGCCTGCTGGCCTTTGTGAGCCTCAGCCTGCAGTTCTTCCACCTGATCCCGGTGT CGACTCCTAAGAATGGAATGAGTAGCAAGAGTCGAAAGAGAATCATGCCCGACCCTGTGACGGAGCCCCTGTGA CAGACCCCGTTTATGAAGCTCTTTTGTACTGCAACATCCCCAGTGTGGCCGAGCGCAGCATGGAAGGTCATGCCC CGCATCATTTTAAGCTGGTCTCAGTGCATGTGTTCATTCGCCACGGAGACAGGTACCCACTGTATGTCATTCCCA AAACAAAGCGACCAGAAATTGACTGCACTCTGGTGGCTAACAGGAAACCGTATCACCCAAAACTGGAAGCTTTCA TTAGTCACATGTCAAAAGGATCCGGAGCCTCTTTCGAAAGCCCCTTGAACTCCTTGCCTCTTTACCCAAATCACC CATTGTGTGAGATGGGAGAGCTCACACAGACAGGAGTTGTGCAGCATTTGCAGAACGGTCAGCTGCTGAGGGATA TCTATCTAAAGAAACACAAACTCCTGCCCAATGATTGGTCTGCAGACCAGCTCTATTTAGAGACCACTGGGAAAA GGCACCAGCCAAGTGCGCTGTTCTGCTCTGGAAGCTGCTATTGCCCGGTAAGAAACCAGTATCTGGAAAAGGAGC AGCGTCGTCAGTACCTCCTACGTTTGAAAAACAGCCAGCTGGAGAAGACCTACGGGGAGATGGCCAAGATCGTGG ATGTCCCCACCAAGCAGCTTAGAGCTGCCAACCCCATAGACTCCATGCTCTGCCACTTCTGCCACAATGTCAGCT ${\tt TTCCCTGTACCAGAAATGGCTGTTGACATGGAGCACTTCAAGGTAATTAAGACCCATCAGATCGAGGATGAAA}$ GGGAAAGACGGGAGAAGAAATTGTACTTCGGGTATTCTCTCTGGGTGCCCACCCCATCCTGAACCAAACCATCG GCCGGATGCAGCGTGCCACCGAGGGCAGGAAAGAAGACTCTTTGCCCTCTACTCTGCTCATGATGTCACTCTGT ${\tt CACCAGTTCTCAGTGCCTTGGGCCTTTCAGAAGCCAGGTTCCCAAGGTTTGCAGCCAGGTTGATCTTTGAGCTTT}$ GGCAAGACAGAAAAAGCCCAGTGAACATTCCGTCCGGATTCTTTACAATGGCGTCGATGTCACATTCCACACCT CTTTCTGCCAAGACCACCACAAGCGTTCTCCCAAGCCCATGTGCCCGCTTGAAAACTTGGTCCGCTTTGTGAAAA GGGACATGTTTGTAGCCCTGGGTGGCAGTGGTACAAATTATTATGATGCATGTCACAGGGAAGGATTCTAAAAGG TATGCAGTACAGCAGTATAGAATCCATGCCAATACAGAGCATAGGGAAAGGTCCACTTCTAGTTTTGTCTGTTAC AAGCACATTGCTGCAATGTGGTACGTGAATTGCTTGGTACAAAATGGCCAGTTCACAGAGGAATAGAAGGTACTT TATCATAGCCAGACTTCGCTTAGAATGCCAGAATAATATAGTTCAAGACCTGAAGTTGCCAATCCAAGTTTGCAC TCTTCTGGCCTGCCCCATGTTACTATGTGATGGAACCAGCACACCTCAACCAAAATTTTTTTAATCTTAGACATT $\tt TTTACCTTGTCCTTGTTAAGAATTTCTTGAAGTGATTTATCTAAAATAAAGGTTGGCAAACTTTTTCTGTAAAGG$ GCCAGATTGTAAATATTTCAGACTGTGTGGACCAAAAGGCCACATACAGTCTCTGTCATAACTACTCAACTCTGT TTCTGAAGCAGGAAAGCCACCACAGACAGTACATAAAGGAATATGTGTAGCTGGGTTCCCAGGCCAGACAAAACA GATGGTGACCAGACTTGGCCCCTGGGCTGTAGTTTGCTGACCCCTCATCTAAAAAATAGGCTATACTACAATTGC ACTTCCAGCACTTTGAGAACGAGTTGAATACCAAGAATTATTCAATGGTTCCTCCAGTAACTTCTGCTAGAAACA AACTGATTAGAAGAATACTTGATGTTTATGATGATTGTGGTACAAGATAGTTTTAAGTATGTTCTAAATATTTGT CTGCTGTAGTCTATTTGCTGTATATGCTGAAATTTTTGTATGCCATTTAGTATTTTTATAGTTTAGGAAAATATT TTCTAAGACCAGTTTTAGATGACTCTTATTCCTGTAGTAATATTCAATTTGCTGTACCTGCTTGGTGGTTAGAAG GAGGCTAGAAGATGAATTCAGGCACTTTCTTCCAATAAAACTAATTATGGCTCATTCCCTTTGACAAGCTGTAGA AGAACTTTGCTATTAGGTAGTTTACAGATCTTTATAAGGTGTTTTATATATTAGAAGCAATTATAATTACATCTG $\tt TGATTTCTGAACTAATGGTGCTAATTCAGAGAAATGGAAAGTGAAAGTGAGATTCTCTGTTGTCATCGGCATTCC$

83/615

FIGURE 82

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48329

><subunit 1 of 1, 480 aa, 1 stop ><MW: 55240, pI: 9.30, NX(S/T): 2 MLFRNRFLLLLALAALLAFVSLSLQFFHLIPVSTPKNGMSSKSRKRIMPDPVTEPPVTDPVYEALLYCNIPSVAE RSMEGHAPHHFKLVSVHVFIRHGDRYPLYVIPKTKRPEIDCTLVANRKPYHPKLEAFISHMSKGSGASFESPLNS LPLYPNHPLCEMGELTQTGVVQHLQNGQLLRDIYLKKHKLLPNDWSADQLYLETTGKSRTLQSGLALLYGFLPDF DWKKIYFRHQPSALFCSGSCYCPVRNQYLEKEQRRQYLLRLKNSQLEKTYGEMAKIVDVPTKQLRAANPIDSMLC HFCHNVSFPCTRNGCVDMEHFKVIKTHQIEDERERREKKLYFGYSLLGAHPILNQTIGRMQRATEGRKEELFALY SAHDVTLSPVLSALGLSEARFPRFAARLIFELWQDREKPSEHSVRILYNGVDVTFHTSFCQDHHKRSPKPMCPLE NLVRFVKRDMFVALGGSGTNYYDACHREGF

Signal sequence:

amino acids 1-18

FIGURE 83

FIGURE 84

MGSVLGLCSMASWIPCLCGSAPCLLCRCCPSGNNSTVTRLIYALFLLVGVCVACVMLIPGMEEQLNKIPGFCENE KGVVPCNILVGYKAVYRLCFGLAMFYLLLSLLMIKVKSSSDPRAAVHNGFWFFKFAAAIAIIIGAFFIPEGTFTT VWFYVGMAGAFCFILIQLVLLIDFAHSWNESWVEKMEEGNSRCWYAALLSATALNYLLSLVAIVLFFVYYTHPAS CSENKAFISVNMLLCVGASVMSILPKIQESQPRSGLLQSSVITVYTMYLTWSAMTNEPETNCNPSLLSIIGYNTT STVPKEGQSVQWWHAQGIIGLILFLLCVFYSSIRTSNNSQVNKLTLTSDESTLIEDGGARSDGSLEDGDDVHRAV DNERDGVTYSYSFFHFMLFLASLYIMMTLTNWSRYEPSREMKSQWTAVWVKISSSWIGIVLYVWTLVAPLVLTNRDFD

FIGURE 85

87/615

FIGURE 86

 ${\tt MLGLLGSTALVGWITGAAVAVLLLLLLLATCLFHGRQDCDVERNRTAAGGNRVRRAQPWPFRRRGHLGIFHHHRHPGHVSHVPNVGLHHHHHPRHTPHHLHHHHHPHRHPRHAR}$

FIGURE 87

GCTCAGCGGCGCGCGCGCCTGCGCGAGGCTCCGGAGCTGACTCGCCGAGGCAGAAATCCCTCCGGTCGCGA CGCCCGGCCCCGCTCGCGCCCCGCGTGGGATGGTGCAGCGCTCGCCGCCGGGCCCGAGAGCTGCTGCACTGAAG GCCGGCGACGATGGCAGCGCCCGCTGCCCGTGTCCCCGCCCCGCGCCCTCCTGCTCGCCCTGGCCGGTGCTCT GCTCGCGCCCTGCGAGGCCCGAGGGGTGAGCTTATGGAACCAAGGAAGAGCTGATGAAGTTGTCAGTGCCTCTGT TCGGAGTGGGGACCTCTGGATCCCAGTGAAGAGCTTCGACTCCAAGAATCATCCAGAAGTGCTGAATATTCGACT CCACTATCTGCAAGACGGTACTGATGTCTCCCTCGCTCGAAATTACACGGGTCACTGTTACTACCATGGACATGT ACGGGGATATTCTGATTCAGCAGTCAGTCTCAGCACGTGTTCTGGTCTCAGGGGGACTTATTGTGTTTGAAAATGA AAGCTATGTCTTAGAACCAATGAAAAGTGCAACCAACAGATACAAACTCTTCCCAGCGAAGAAGCTGAAAAGCGT CCGGGGATCATGTGGATCACATCACAACACCACACCTCGCTGCAAAGAATGTGTTTCCACCACCCTCTCAGAC ATGGGCAAGAAGGCATAAAAGAGAGACCCTCAAGGCAACTAAGTATGTGGAGCTGGTGATCGTGGCAGACAACCG AGAGTTTCAGAGGCAAGGAAAAGATCTGGAAAAAGTTAAGCAGCGATTAATAGAGATTGCTAATCACGTTGACAA GTTTTACAGACCACTGAACATTCGGATCGTGTTGGTAGGCGTGGAAGTGTGGAATGACATGGACAAATGCTCTGT AAGTCAGGACCCATTCACCAGCCTCCATGAATTTCTGGACTGGAGGAAGATGAAGCTTCTACCTCGCAAATCCCA TGACAATGCGCAGCTTGTCAGTGGGGTTTATTTCCAAGGGACCACCATCGGCATGGCCCCAATCATGAGCATGTG CACGGCAGACCAGTCTGGGGGAATTGTCATGGACCATTCAGACAATCCCCTTGGTGCAGCCGTGACCCTGGCACA TGAGCTGGGCCACAATTTCGGGATGAATCATGACACACTGGACAGGGGCTGTAGCTGTCAAATGGCGGTTGAGAA GGAGACCAGCCTGGAGAAAGGAATGGGGGTGTGCCTGTTTAACCTGCCGGAAGTCAGGGAGTCTTTCGGGGGCCCA GAAGTGTGGGAACAGATTTGTGGAAGAAGGAGGAGGAGTGTGACTGTGGGGAGCCAGAGGAATGTATGAATCGCTG CTGCAATGCCACCTGTACCCTGAAGCCGGACGCTGTGTGCGCACATGGGCTGTGCTGTGAAGACTGCCAGCT GAAGCCTGCAGGAACAGCGTGCAGGGACTCCAGCAACTCCTGTGACCTCCCAGAGTTCTGCACAGGGGCCAGCCC TCACTGCCCAGCCAATGTGTACCTGCACGATGGGCACTCATGTCAGGATGTGGACGGCTACTGCTACAATGGCAT CTGCCAGACTCACGAGCAGCAGTGTCACGCTCTGGGGACCAGGTGCTAAACCTGCCCCTGGGATCTGCTTTGA GAGAGTCAATTCTGCAGGTGATCCTTATGGCAACTGTGGCAAAGTCTCGAAGAGTTCCTTTGCCAAATGCGAGAT GAGAGATGCTAAATGTGGAAAAATCCAGTGTCAAGGAGGTGCCAGCCGGCCAGTCATTGGTACCAATGCCGTTTC CATAGAAACAACATCCCTCTGCAGCAAGGAGGCCGGATTCTGTGCCGGGGGACCCACGTGTACTTGGGCGATGA CATGCCGGACCCAGGGCTTGTGCTTGCAGGCACAAAGTGTGCAGATGGAAAAATCTGCCTGAATCGTCAATGTCA AAATATTAGTGTCTTTGGGGTTCACGAGTGTGCAATGCAGTGCCACGGCAGAGGGGTGTGCAACAACAGGAAGAA CATCCGGCAAGCAGGCAGGCAGGAAGCTGCAGAGTCCAACAGGGAGCGCGGCCAGGGCCAGGAGCCCGTGGG ATCGCAGGAGCATGCGTCTACTGCCTCACTGACACTCATCTGAGCCCTCCCATGACATGGAGACCGTGACCAGTG CTGCTGCAGAGGAGGTCACGCGTCCCCAAGGCCTCCTGTGACTGGCAGCATTGACTCTGTGGCTTTGCCATCGTT TCCATGACAACAGACACAGTTCTCGGGGCTCAGGAGGGGAAGTCCAGCCTACCAGGCACGTCTGCAGAAA CAGTGCAAGGAAGGGCAGCGACTTCCTGGTTGAGCTTCTGCTAAAACATGGACATGCTTCAGTGCTGCTCCTGAG AGAGTAGCAGGTTACCACTCTGGCAGGCCCCTGCAGCAGGAGGAAGAGGACTCAAAAGTCTGGCCTTTC TGGCAGCCCTGATGACTGGTCTCTGGCTGCAACTTAATGCTCTGATATGGCTTTTAGCATTTATTATATGAAAAT AGCAGGGTTTTAGTTTTTAATTTATCAGAGACCCTGCCACCCATTCCATCCCATCCAAGCAAACTGAATGGCAA TGAAACAAACTGGAGAAGAAGGTAGGAGAAAGGGCGGTGAACTCTGGCTCTTTGCTGTGGACATGCGTGACCAGC AGTACTCAGGTTTGAGGGTTTGCAGAAAGCCAGGGAACCCACAGAGTCACCAACCCTTCATTTAACAAGTAAGAA TGTTAAAAAGTGAAAACAATGTAAGAGCCTAACTCCATCCCCCGTGGCCATTACTGCATAAAATAGAGTGCATTT

FIGURE 88

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49624

><subunit 1 of 1, 735 aa, 1 stop ><MW: 80177, pI: 7.08, NX(S/T): 5

MAARPLPVSPARALLLALAGALLAPCEARGVSLWNQGRADEVVSASVRSGDLWIPVKSFDSKNHPEVLNIRLQRE SKELIINLERNEGLIASSFTETHYLQDGTDVSLARNYTGHCYYHGHVRGYSDSAVSLSTCSGLRGLIVFENESYV LEPMKSATNRYKLFPAKKLKSVRGSCGSHHNTPNLAAKNVFPPPSQTWARRHKRETLKATKYVELVIVADNREFQ RQGKDLEKVKQRLIEIANHVDKFYRPLNIRIVLVGVEVWNDMDKCSVSQDPFTSLHEFLDWRKMKLLPRKSHDNA QLVSGVYFQGTTIGMAPIMSMCTADQSGGIVMDHSDNPLGAAVTLAHELGHNFGMNHDTLDRGCSCQMAVEKGGC IMNASTGYPFPMVFSSCSRKDLETSLEKGMGVCLFNLPEVRESFGGQKCGNRFVEEGEECDCGEPEECMNRCCNA TTCTLKPDAVCAHGLCCEDCQLKPAGTACRDSSNSCDLPEFCTGASPHCPANVYLHDGHSCODVDGYCYNGICOT HEQQCVTLWGPGAKPAPGICFERVNSAGDPYGNCGKVSKSSFAKCEMRDAKCGKIQCQGGASRPVIGTNAVSIET NIPLQQGGRILCRGTHVYLGDDMPDPGLVLAGTKCADGKICLNRQCQNISVFGVHECAMQCHGRGVCNNRKNCHC EAHWAPPFCDKFGFGGSTDSGPIRQAEARQEAAESNRERGQGQEPVGSQEHASTASLTLI

Signal peptide:

amino acids 1-28

90/615

FIGURE 89

CTGCTGCATCCGGGTGTCTGGAGGCTGTGGCCGTTTTGTTTTCTTGGCTAAAATCGGGGGAGTGAGGCGGGCCGG GAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGGGGAAAAGCGCAATACTATTGCTTCCATTGCTGCTGGTGTA TACCATGCCTGTGGTGTTATAGCAACCATAGCCTTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGAGGT GATAGTTACAGTGAAGGTTGTCTGGGTCAAACAGGTGCTCGCATTTGGCTTTTCGTTTGGTTTCATGTTGGCCTTT GGATCTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTTGCTAAAGAAAAAGACATAGTATACCCTGGA ${\tt ATTGCTGTATTTTCCAGAATGCCTTCATCTTTTTTGGAGGGCTGGTTTTTAAGTTTGGCCGCACTGAAGACTTA}$ CAACCTTTTGTAATGCCATTTTCTAAACTTATTTCTGAGTGTAGTCTCAGCTTAAAGTTGTGTAATACTAAAATC ACGAGAACACCTAAACAACAACCAAAAATCTATTGTGGTATGCACTTGATTAACTTATAAAATGTTAGAGGAAAC ATGGATTTGTCAATGTAAGTATTTGTCATATCTGAGGTCCAAAACCACAATGAAAGTGCTCTGAAGATTTAATGT GTTTATTCAAATGTGGTCTCTTCTGTGTCAAATGTTAAATGAAATATAAACATTTTTTAGTTTTTAAAATATTCC GTGGTCAAAATTCTTCCTCACTATAATTGGTATTTACTTTTACCAAAAATTCTGTGAACATGTAATGTAACTGGC TTTTGAGGGTCTCCCAAGGGGTGAGTGGACGTGTTGGAAGAGAAGCACCATGGTCCAGCCACCAGGCTCCCTG TGTCCCTTCCATGGGAAGGTCTTCCGCTGTGCCTCTCATTCCAAGGGCAGGAAGATGTGACTCAGCCATGACACG TGGTTCTGGTGGGATGCACAGTCACTCCACATCCACCACTG

91/615

FIGURE 90

 ${\tt MSGFLEGLRCSECIDWGEKRNTIASIAAGVLFFTGWWIIIDAAVIYPTMKDFNHSYHACGVIATIAFLMINAVSN} \\ {\tt GQVRGDSYSEGCLGQTGARIWLFVGFMLAFGSLIASMWILFGGYVAKEKDIVYPGIAVFFQNAFIFFGGLVFKFG} \\ {\tt RTEDLWQ} \\$

92/615

FIGURE 91

93/615

FIGURE 92

MWLPLVLLLAVLLLAVLCKVYLGLFSGSSPNPFSEDVKRPPAPLVTDKEARKKVLKQAFSANQVPEKLDVVVIGS GFGGLAAAAILAKAGKRVLVLEQHTKAGGCCHTFGKNGLEFDTGIHYIGRMEEGSIGRFILDQITEGQLDWAPLS SPFDIMVLEGPNGRKEYPMYSGEKAYIQGLKEKFPQEEAIIDKYIKLVKVVSSGAPHAILLKFLPLPVVQLLDRC GLLTRFSPFLQASTQSLAEVLQQLGASSELQAVLSYIFPTYGVTPNHSAFSMHALLVNHYMKGGFYPRGGSSEIA FHTIPVIQRAGGAVLTKATVQSVLLDSAGKACGVSVKKGHELVNIYCPIVVSNAGLFNTYEHLLPGNARCLPGVK QQLGTVRPGLGMTSVFICLRGTKEDLHLPSTNYYVYYDTDMDQAMERYVSMPREEAAEHIPLLFFAFPSAKDPTW EDRFPGRSTMIMLIPTAYEWFEEWQAELKGKRGSDYETFKNSFVEASMSVVLKLFPQLEGKVESVTAGSPLTNQF YLAAPRGACYGADHDLGRLHPCVMASLRAQSPIPNLYLTGQDIFTCGLVGALQGALLCSSAILKRNLYSDLKNLD SRIRAOKKKN

FIGURE 93

GGGAAAG<u>ATG</u>GCGGCGACTCTGGGACCCCTTGGGTCGTGGCAGCAGTGGCGGCGATGTTTGTCGGCTCGGGATGG ${\tt GTCCAGGATGTTACTCCTTCTTTTTTTTGTTGGGGTCTGGGCAGGGGCCACAGCAAGTCGGGGCGGGTCAAACGTT}$ CGAGTACTTGAAACGGGAGCACTCGCTGTCGAAGCCCTACCAGGGTGTGGGCACAGGCAGTTCCTCACTGTGGAA TCTGATGGGCAATGCCATGGTGATGACCCAGTATATCCGCCTTACCCCAGATATGCAAAGTAAACAGGGTGCCTT GTGGAACCGGGTGCCATGTTTCCTGAGAGACTGGGAGTTGCAGGTGCACTTCAAAATCCATGGACAAGGAAAGAA GAATCTGCATGGGGATGGCTTGGCAATCTGGTACACAAAGGATCGGATGCAGCCAGGGCCTGTGTTTGGAAACAT GGACAAATTTGTGGGGCTGGGAGTATTTGTAGACACCTACCCCAATGAGGAGAAGCAGCAAGAGCGGGTATTCCC CTACATCTCAGCCATGGTGAACAACGGCTCCCTCAGCTATGATCATGAGCGGGATGGGCGGCCTACAGAGCTGGG AGGCTGCACAGCCATTGTCCGCAATCTTCATTACGACACCTTCCTGGTGATTCGCTACGTCAAGAGGCATTTGAC GATAATGATGGATATTGATGGCAAGCATGAGTGGAGGGACTGCATTGAAGTGCCCGGAGTCCGCCTGCCCCGCGG CTACTACTTCGGCACCTCCATCACTGGGGATCTCTCAGATAATCATGATGTCATTTCCTTGAAGTTGTTTGA ACTGACAGTGGAGAGAACCCCAGAAGAGGAAAAGCTCCATCGAGATGTGTTCTTGCCCTCAGTGGACAATATGAA GCTGCCTGAGATGACAGCTCCACTGCCGCCCCTGAGTGGCCCTGTCCTCCTCATCGTCTTTTTTCTCCCTGGT GTTTTCTGTATTTGCCATAGTCATTGGTATCATACTCTACAACAAATGGCAGGAACAGAGCCGAAAGCGCTTCTA TGCAGCCTGGAGAGTGTTCTTGTCTCTAGCAGCTGGTTGGGGACTATATTCTGTCACTGGAGTTTTGAATGCAGG GCTGTGATGTGCCTTTCCCTGCAGTCCTTCCATGTGGGAGCAGAGGTGTGAAGAGAATTTACGTGGTTGTGATGC CAAAATCACAGAACAGAATTTCATAGCCCAGGCTGCCGTGTTGTTTGACTCAGAAGGCCCTTCTACTTCAGTTTT CTCCATTCATTGTCCTCTGTGTGCAACCTGAGCTGGGAAAGGCATTTGGATGCCTCTCTGTTGGGGCCTGGGG CTGCAGAACACCTGCGTTTCACTGGCCTTCATTAGGTGGCCCTAGGGAGATGGCTTTCTGCTTTGGATCACTG TTCCCTAGCATGGGTCTTGGGTCTATTGGCATGTCCATGGCCTTCCCAATCAAGTCTCTTCAGGCCCTCAGTGAA GTTTGGCTAAAGGTTGGTGTAAAAATCAAGAGAAGCCTGGAAGACATCATGGATGCCATGGATTAGCTGTGCAAC TGACCAGCTCCAGGTTTGATCAAACCAAAAGCAACATTTGTCATGTGGTCTGACCATGTGGAGATGTTTCTGGAC TTGCTAGAGCCTGCTTAGCTGCATGTTTTGTAGTTACGATTTTTGGAATCCCACTTTGAGTGCTGAAAGTGTAAG GAGACAGTTGCTGTTCTCATGTTCCAAGTCTGAGAGCAACAGACCCTCATCATCTGTGCCTGGAAGAGTTCACTG TCATTGAGCAGCACAGCCTGAGTGCTGGCCTCTGTCAACCCTTATTCCACTGCCTTATTTGACAAGGGGTTACAT GCTGCTCACCTTACTGCCCTGGGATTAAATCAGTTACAGGCCAGAGTCTCCTTGGAGGCCCTGGAACTCTGAGTC GCCGCGACTCTAGAGTCGACCTGCAGTAGGGATAACAGGGTAATAAGCTTGGCCGCCATGG

95/615

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50911 ><subunit 1 of 1, 348 aa, 1 stop ><MW: 39711, pI: 8.70, NX(S/T): 1

 ${\tt MAATLGPLGSWQQWRRCLSARDGSRMLLLLLLLGSGQGPQQVGAGQTFEYLKREHSLSKPYQGVGTGSSSLWNLM}$ GNAMVMTQYIRLTPDMQSKQGALWNRVPCFLRDWELQVHFKIHGQGKKNLHGDGLAIWYTKDRMQPGPVFGNMDK FVGLGVFVDTYPNEEKQQERVFPYISAMVNNGSLSYDHERDGRPTELGGCTAIVRNLHYDTFLVIRYVKRHLTIM ${\tt MDIDGKHEWRDCIEVPGVRLPRGYYFGTSSITGDLSDNHDVISLKLFELTVERTPEEEKLHRDVFLPSVDnmklp}$ EMTAPLPPLSGLALFLIVFFSLVFSVFAIVIGIILYNKWQEQSRKRFY

Signal sequence: amino acids 1-38

Transmembrane domain: amino acids 310-329

FIGURE 95

CCGGCGCGCGCTCCCACCTTTGCCGCACACTCCGGCGAGCCGAGCCCCAGCGCTCCAGGATTCTGCGGCTCGGA ACTCGGATTGCAGCTCTGAACCCCCATGGTGGTTTTTTAAACACTTCTTTTCCTTCTTCTTCTTGATTGC TCTGGCTTATAAAAGTTTGCTGAGCGCAGTCCAGAGGGCTGCCGCTGCTCGTCCCCTCGGCTGGCAGAAGGGGGTG ACGCTGGGCAGCGGCGAGGAGCGCCGCCGCTGCCTCTGGCGGGCTTTCGGCCTTGAGGGGCAAGGTGAAGAGCGCAC $\texttt{CGGCCGTGGGGTTTACCGAGCTGGATTTGTATGTTGCACC} \underline{\textbf{ATG}} \texttt{CCTTCTTGGATCGGGGCTGTGATTCTTCCCCT}$ CGGTGCCAAGGGATTCAGCCTGGCGGACATCCCCTACCAGGAGATCGCAGGGGAACACTTAAGAATCTGTCCTCA GGAATATACATGCTGCACCACAGAAATGGAAGACAAGTTAAGCCAACAAAGCAAACTCGAATTTGAAAACCTTGT GGAAGAGACAAGCCATTTTGTGCGCACCACTTTTGTGTCCAGGCATAAGAAATTTGACGAATTTTTCCGAGAGCT CCTGGAGAATGCAGAAAAGTCACTAAATGATATGTTTGTACGGACCTATGGCATGCTGTACATGCAGAATTCAGA AGTCTTCCAGGACCTCTTCACAGAGCTGAAAAGGTACTACACTGGGGGTAATGTGAATCTGGAGGAAATGCTCAA TGACTTTTGGGCTCGGCTCCTGGAACGGATGTTTCAGCTGATAAACCCTCAGTATCACTTCAGTGAAGACTACCT GGAATGTGTGAGCAAATACACTGACCAGCTCAAGCCATTTGGAGACGTGCCCCGGAAACTGAAGATTCAGGTTAC CCGCGCCTTCATTGCTGCCAGGACCTTTGTCCAGGGGCTGACTGTGGGCAGAGAGTTGCAAACCGAGTTTCCAA GGTCAGCCCAACCCCAGGGTGTATCCGTGCCCTCATGAAGATGCTGTACTGCCCATACTGTCGGGGGGCTTCCCAC TGTGAGGCCCTGCAACAACTACTGTCTCAACGTCATGAAGGGCTGCTTGGCAAATCAGGCTGACCTCGACACAGA GTGGAATCTGTTTATAGATGCAATGCTCTTGGTGGCAGAGCGACTGGAGGGGCCATTCAACATTGAGTCGGTCAT GGACCCGATAGATGTCAAGATTTCTGAAGCCATTATGAACATGCAAGAAAACAGCATGCAGGTGTCTGCAAAGGT CTTTCAGGGATGTGGTCAGCCCAAACCTGCTCCAGCCCTCAGATCTGCCCGCTCAGCTCCTGAAAATTTTAATAC ACGTTTCAGGCCCTACAATCCTGAGGAAAGACCAACACTGCTGCAGGCACAAGCTTGGACCGGCTGGTCACAGA CATAAAAGAAATTGAAGCTCTCTAAAAAGGTCTGGTCAGCATTACCCTACACTATCTGCAAGGACGAGAGCGT GACAGCGGGCACGTCCAACGAGGAGGAATGCTGGAACGGGCACAGCAAAGCCAGATACTTGCCTGAGATCATGAA TGATGGGCTCACCAACCAGATCAACAATCCCGAGGTGGATGTGGACATCACTCGGCCTGACACTTTCATCAGACA GCAGATTATGGCTCTCCGTGTGATGACCAACAAACTAAAAAACGCCTACAATGGCAATGATGTCAATTTCCAGGA CACAAGTGATGAATCCAGTGGCTCAGGGAGTGGCAGTGGGTGCATGGATGACGTGTCCCACGGAGTTTGAGTT TGTCACCACAGAGGCCCCGCAGTGGATCCCGACCGGAGAGAGGTGGACTCTTCTGCAGCCCAGCGTGGCCACTC $\texttt{CCTGCTCTCCTGGTCTCACCTGCATTGTCCTGGCACTGCAGAGACTGTGCAGA} \underline{\textbf{TAA}} \\ \texttt{TCTTGGGTTTTTGGTCA} \\$ GATGAAACTGCATTTTAGCTATCTGAATGGCCAACTCACTTCTTTTCTTACACTCTTGGACAATGGACCATGCCA CAAAAACTTACCGTTTTCTATGAGAAGAGCAGTAATGCAATCTGCCTCCCTTTTTGTTTTCCCAAAGAGTACC GGGTGCCAGACTGAACTGCTTCCTCTTCCTTCAGCTATCTGTGGGGACCTTGTTTATTCTAGAGAGAATTCTTA $\tt CTCAAATTTTCGTACCAGGAGATTTTCTTACCTTCATTTGCTTTTATGCTGCAGAAGTAAAGGAATCTCACGTT$ GTGAGGGTTTTTTTTTTTCTCATTTAAAAT

97/615

FIGURE 96

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50914

><subunit 1 of 1, 555 aa, 1 stop ><MW: 62736, pI: 5.36, NX(S/T): 0

MPSWIGAVILPLIGLLISLPAGADVKARSCGEVRQAYGAKGFSLADIPYQEIAGEHLRICPQEYTCCTTEMEDKL SQQSKLEFENLVEETSHFVRTTFVSRHKKFDEFFRELLENAEKSLNDMFVRTYGMLYMQNSEVFQDLFTELKRYY TGGNVNLEEMLNDFWARLLERMFQLINPQYHFSEDYLECVSKYTDQLKPFGDVPRKLKIQVTRAFIAARTFVQGL TVGREVANRVSKVSPTPGCIRALMKMLYCPYCRGLPTVRPCNNYCLNVMKGCLANQADLDTEWNLFIDAMLLVAE RLEGPFNIESVMDPIDVKISEAIMNMQENSMQVSAKVFQGCGQPKPAPALRSARSAPENFNTRFRPYNPEERPTT AAGTSLDRLVTDIKEKLKLSKKVWSALPYTICKDESVTAGTSNEEECWNGHSKARYLPEIMNDGLTNQINNPEVD VDITRPDTFIRQQIMALRVMTNKLKNAYNGNDVNFQDTSDESSGSGSGCMDDVCPTEFEFVTTEAPAVDPDRR EVDSSAAQRGHSLLSWSLTCIVLALQRLCR

Signal peptide:
amino acids 1-23

98/615

FIGURE 97

GGCGGCGTCCGTGAGGGGCTCCTTTGGGCAGGGGTAGTGTTTGGTGTCCCTGTCTTGCGTGATATTGACAAACTG ${\tt TCATCCCCGTAAGGAGCAGAGTCCTTTGTACTGACCAAG{\tt ATG}{\tt AGCAACATCTACATCCAGGAGCCTCCCACGAA}$ TGGGAAGGTTTTATTGAAAACTACAGCTGGAGATATTGACATAGAGTTGTGGTCCAAAGAAGCTCCTAAAGCTTG CAGAAATTTTATCCAACTTTGTTTGGAAGCTTATTATGACAATACCATTTTTCATAGAGTTGTGCCTGGTTTCAT TCATTCACGGTTGCGTTTTAATCGGAGAGGACTGGTTGCCATGGCAAATGCTGGTTCTCATGATAATGGCAGCCA GTTTTTCTTCACACTGGGTCGAGCAGATGAACTTAACAATAAGCATACCATCTTTGGAAAGGTTACAGGGGATAC AGTATATAACATGTTGCGACTGTCAGAAGTAGACATTGATGATGACGAAAGACCACATAATCCACACAAAATAAA AAGCTGTGAGGTTTTGTTTAATCCTTTTGATGACATCATTCCAAGGGAAATTAAAAGGCTGAAAAAAAGAGAAACC AGAGGAGGAAGTAAAGAAATTGAAACCCAAAGGCACAAAAAATTTTAGTTTACTTTCATTTGGAGAGGAAGCTGA GGAAGAAGAGGAGGAAGTAAATCGAGTTAGTCAGAGCATGAAGGGCAAAAGCAAAAGTAGTCATGACTTGCTTAA GGATGATCCACATCTCAGTTCTGTTCCAGTTGTAGAAAGTGAAAAAGGTGATGCACCAGATTTAGTTGATGATGG TGCAGCAAAACAAGCAGAAAAAAGAAGTGAAGAGGAAGAAGCCCCTCCAGATGGTGCTGTTGCCGAATACAGAAG AGAAAAGCAAAAGTATGAAGCTTTGAGGAAGCAACAGTCAAAGAAGGGAACTTCCCGGGAAGATCAGACCCTTGC ACTGCTGAACCAGTTTAAATCTAAACTCACTCAAGCAATTGCTGAAACACCTGAAAATGACATTCCTGAAACAGA AGTAGAAGATGAAGGATGGATGTCACATGTACTTCAGTTTGAGGATAAAAGCAGAAAAGTGAAAGATGCAAG CATGCAAGACTCAGATACATTTGAAATCTATGATCCTCGGAATCCAGTGAATAAAAGAAGGAGGGAAGAAAGCAA AAAGCTGATGAGAGAGAAAAAAGAAAGAAGA<u>TAA</u>AATGAGAATAATGATAACCAGAACTTGCTGGAAATGTGCCT ACAATGGCCTTGTAACAGCCATTGTTCCCAACAGCATCACTTAGGGGTGTGAAAAGAAGTATTTTTGAACCTGTT GTCTGGTTTTGAAAAACAATTATCTTGTTTTGCAAATTGTGGAATGATGTAAGCAAATGCTTTTGGTTACTGGTA **АААААААААААААА**

99/615

FIGURE

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50919 ><subunit 1 of 1, 472 aa, 1 stop ><MW: 53847, pI: 5.75, NX(S/T): 2

MSNIYIQEPPTNGKVLLKTTAGDIDIELWSKEAPKACRNFIQLCLEAYYDNTIFHRVVPGFIVQGGDPTGTGSGG ESIYGAPFKDEFHSRLRFNRRGLVAMANAGSHDNGSQFFFTLGRADELNNKHTIFGKVTGDTVYNMLRLSEVDID DDERPHNPHKIKSCEVLFNPFDDIIPREIKRLKKEKPEEEVKKLKPKGTKNFSLLSFGEEAEEEEEEVNRVSQSM KGKSKSSHDLLKDDPHLSSVPVVESEKGDAPDLVDDGEDESAEHDEYIDGDEKNLMRERIAKKLKKDTSANVKSA GEGEVEKKSVSRSEELRKEARQLKRELLAAKQKKVENAAKQAEKRSEEEEAPPDGAVAEYRREKQKYEALRKQQS KKGTSREDQTLALLNQFKSKLTQAIAETPENDIPETEVEDDEGWMSHVLQFEDKSRKVKDASMQDSDTFEIYDPR NPVNKRRREESKKLMREKKERR

Important features: Signal peptide: amino acids 1-21

N-glycosylation sites. amino acids 109-112 and 201-204

Cyclophilin-type peptidyl-prolyl cis-trans isomerase signature. amino acids 49-66

Homologous region to Cyclophilin-type peptidyl-prolyl cis-trans isomerase amino acids 96-140, 49-89 and 22-51

FIGURE 99

FIGURE 100

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50980
><subunit 1 of 1, 277 aa, 1 stop
><MW: 30645, pI: 7.47, NX(S/T): 2
MNGFASLLRRNQFILLVLFLLQIQSLGLDIDSRPTAEVCATHTISPGPKGDDGEKGDPGEEGKHGKVGRMGPKGI
KGELGDMGDOGNTGKTGPTGKKGDKGEKGLLGTPGEKGKAGTVCDCGRYRKEVGOLDTSTARLKTSMKEVKNYTA

MNGFASLLKRNQFILLVLFILQIQSLGLDIDSRPTAEVCATHTISPGPKGDDGEKGDPGEEGKHGKVGRMGPKGI KGELGDMGDQGNIGKTGPIGKKGDKGEKGLLGIPGEKGKAGTVCDCGRYRKFVGQLDISIARLKTSMKFVKNVIA GIRETEEKFYYIVQEEKNYRESLTHCRIRGGMLAMPKDEAANTLIADYVAKSGFFRVFIGVNDLEREGQYMSTDN TPLQNYSNWNEGEPSDPYGHEDCVEMLSSGRWNDTECHLTMYFVCEFIKKKK

Signal peptide:
amino acids 1-25

FIGURE 101

GCAACCTCAGCTTCTAGTATCCAGACTCCAGCGCCGCCCCGGGCGCGGACCCCAACCCCGACCCAGAGCTTCTCC AGCGGCGCGCAGCGAGCAGGGCTCCCCGCCTTAACTTCCTCCGCGGGGCCCAGCCACCTTCGGGAGTCCGGGTT ${\tt CCCAGTGGAGGATTTACTCCTATGCCGGCGACAACATCGTGACCGCCCAGGCCATGTACGAGGGGCTGTGGATGT}$ CCTGCGTGTCGCAGAGCACCGGGCAGATCCAGTGCAAAGTCTTTGACTCCTTGCTGAATCTGAGCACCATTGC AAGCAACCCGTGCCTTGATGGTTGGCATCCTCCTGGGAGTGATAGCAATCTTTGTGGCCACCGTTGGCATGA AGTGTATGAAGTGCTTGGAAGACGATGAGGTGCAGAAGATGAGGATGCTGTCATTGGGGGTGCGATATTTCTTC TTGCAGGTCTGGCTATTTTAGTTGCCACAGCATGGTATGGCAATAGAATCGTTCAAGAATTCTATGACCCTATGA GAGGTGCCCTACTTTGCTGTTCCTGTCCCGAAAAACAACCTCTTACCCAACACCAAGGCCCTATCCAAAACCTG CACCTTCCAGCGGGAAAGACTACGTG<u>TGA</u>CACAGAGGCAAAAGGAGAAAATCATGTTGAAACAAACCGAAAATGG ACATTGAGATACTATCATTAACATTAGGACCTTAGAATTTTTGGGTATTGTAATCTGAAGTATGGTATTACAAAAC AAACAAACAAACAAAAAACCCATGTGTTAAAATACTCAGTGCTAAACATGGCTTAATCTTATTTTATCTTCTTTC CTCAATATAGGAGGGAAGATTTTTCCATTTGTATTACTGCTTCCCATTGAGTAATCATACTCAAATGGGGGAAGG GGTGCTCCTTAAATATATATAGATATGTATATATACATGTTTTTCTATTAAAAATAGACAGTAAAATACTATTCT $\hbox{\tt CATTATGTTGATACTAGCATACTTAAAATATCTCTAAAATAGGTAAATGTATTTAATTCCATATTGATGAAGATG}$ TTTATTGGTATATTTTCTTTTTCGTCCTTATATACATATGTAACAGTCAAATATCATTTACTCTTCATTAGC ${\tt TTTGGGTGCCTTTGCCACAAGACCTAGCCTAATTTACCAAGGATGAATTCTTCAATTCTTCATGCGTGCCCTTT}$ TCATATACTTATTTTTTTTTACCATAATCTTATAGCACTTGCATCGTTATTAAGCCCCTTATTTGTTTTGTGTTT TCATTGGTCTCTATCTCCTGAATCTAACACATTTCATAGCCTACATTTTAGTTTTCTAAAGCCAAGAAGAATTTAT TACAAATCAGAACTTTGGAGGCAAATCTTTCTGCATGACCAAAGTGATAAATTCCTGTTGACCTTCCCACACAAT ${\tt CCCTGTACTCTGACCCATAGCACTCTTGTTTGCTTTGAAAATATTTGTCCAATTGAGTAGCTGCATGCTGTTCCC}$ CCAGGTGTTGTAACACAACTTTATTGATTGAATTTTTAAGCTACTTATTCATAGTTTTATATCCCCCTAAACTAC $\tt CTTTTTGTTCCCCATTCCTTAATTGTATTGTTTTCCCAAGTGTAATTATCATGCGTTTTATATCTTCCTAATAAG$ GTGTGGTCTGTTTGTCTGAACAAAGTGCTAGACTTTCTGGAGTGATAATCTGGTGACAAATATTCTCTCTGTAGC TGTAAGCAAGTCACTTAATCTTTCTACCTCTTTTTTCTATCTGCCAAATTGAGATAATGATACTTAACCAGTTAG AAGAGGTAGTGTGAATATTAATTAGTTTATATTACTCTTATTCTTTGAACATGAACTATGCCTATGTAGTGTCTT TATTTGCTCAGCTGGCTGAGACACTGAAGAAGTCACTGAACAAAACCTACACGTACCTTCATGTGATTCACTG CCTTCCTCTCTACCAGTCTATTTCCACTGAACAAAACCTACACACATACCTTCATGTGGTTCAGTGCCTTCCT CTCTCTACCAGTCTATTTCCACTGAACAAAACCTACGCACATACCTTCATGTGGCTCAGTGCCTTCCTCTCTA CCAGTCTATTTCCATTCTTTCAGCTGTGTCTGACATGTTTGTGCTCTGTTCCATTTTAACAACTGCTCTTACTTT TCCAGTCTGTACAGAATGCTATTTCACTTGAGCAAGATGATGTAATGGAAAGGGTGTTGGCACTGGTGTCTGGAG ACCTGGATTTGAGTCTTGGTGCTATCAATCACCGTCTGTGTTTTGAGCAAGGCATTTGGCTGCTGTAAGCTTATTG CTTCATCTGTAAGCGGTGGTTTGTAATTCCTGATCTTCCCACCTCACAGTGATGTTGTGGGGGATCCAGTGAGATA GAATACATGTAAGTGTGGTTTTGTAATTTAAAAAGTGCTATACTAAGGGAAAGAATTGAGGAATTAACTGCATAC GTTTTGGTGTTGCTTTTCAAATGTTTGAAAATAAAAAAATGTTAAG

FIGURE 102

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52185
><subunit 1 of 1, 211 aa, 1 stop
><MW: 22744, pI: 8.51, NX(S/T): 1
MANAGLQLLGFILAFLGWIGAIVSTALPQWRIYSYAGDNIVTAQAMYEGLWMSCVSQSTGQIQCKVFDSLLNLSS
TLQATRALMVVGILLGVIAIFVATVGMKCMKCLEDDEVQKMRMAVIGGAIFLLAGLAILVATAWYGNRIVQEFYD
PMTPVNARYEFGQALFTGWAAASLCLLGGALLCCSCPRKTTSYPTPRPYPKPAPSSGKDYV

Important features: Signal peptide:

amino acids 1-21

Transmembrane domains: amino acids 82-102, 118-142 and 161-187

N-glycosylation site. amino acids 72-75

PMP-22 / EMP / MP20 family proteins amino acids 70-111

ABC-2 type transport system integral membrane protein amino acids 119-133

FIGURE 103

CCCACGCGTCCGCGGACGCGTGGGCCCAGGTCTGGAGCGAATTCCAGCCTGCAGGGCTGATAAGCGAGG CATTAGTGAGATTGAGAGAGACTTTACCCCGCCGTGGTGGTTGGAGGGCGCGCAGTAGAGCAGCACAGGCGC GGGTCCCGGGAGGCCGGCTCTGCTCGCGCCGAG<u>ATG</u>TGGAATCTCCTTCACGAAACCGACTCGGCTGTGGCCACC GGGTGGTTTATAAAATCCTCCAATGAAGCTACTAACATTACTCCAAAGCATAATATGAAAGCATTTTTGGATGAA TTGAAAGCTGAGAACATCAAGAAGTTCTTACATAATTTTACACAGATACCACATTTAGCAGGAACAGAACAAAAC AACACATCATTATTTGAACCACCTCCTCCAGGATATGAAAATGTTTCGGATATTGTACCACCTTTCAGTGCTTTC TCTCCTCAAGGAATGCCAGAGGCGATCTAGTGTATGTTAACTATGCACGAACTGAAGACTTCTTTAAATTGGAA CGGGACATGAAAATCAATTGCTCTGGGAAAATTGTAATTGCCAGATATGGGAAAGTTTTCAGAGGAAATAAGGTT AAAAATGCCCAGCTGGCAGGGGCCAAAGGAGTCATTCTCTACTCCGACCCTGCTGACTACTTTGCTCCTGGGGTG AAGTCCTATCCAGACGGTTGGAATCTTCCTGGAGGTGGTGTCCAGCGTGGAAATATCCTAAATCTGAATGGTGCA GGAGACCCTCTCACACCAGGTTACCCAGCAAATGAATATGCTTATAGGCGTGGAATTGCAGAGGCTGTTGGTCTT CCAAGTATTCCTGTTCATCCAATTGGATACTATGATGCACAGAAGCTCCTAGAAAAAATGGGTGGCTCAGCACCA ${\tt CCAGATAGCAGCTGGAGAGGAAGTCTCAAAGTGCCCTACAATGTTGGACCTGGCTTTACTGGAAACTTTTCTACA}$ CAAAAAGTCAAGATGCACATCCACTCTACCAATGAAGTGACGAGAATTTACAATGTGATAGGTACTCTCAGAGGA GCAGTGGAACCAGACAGATATGTCATTCTGGGAGGTCACCGGGACTCATGGGTGTTTTGGTGGTATTGACCCTCAG ACAATTTTGTTTGCAAGCTGGGATGCAGAAGAATTTGGTCTTCTTGGTTCTACTGAGTGGGCAGAGGAGAATTCA AGACTCCTTCAAGAGCGTGGCGTGGCTTATATTAATGCTGACTCATCTATAGAAGGAAACTACACTCTGAGAGTT GATTGTACACCGCTGATGTACAGCTTGGTACAACCTAACAAAAGAGCTGAAAAAGCCCTGATGAAGGCTTTGAA GGCAAATCTCTTTATGAAAGTTGGACTAAAAAAAGTCCTTCCCCAGAGTTCAGTGGCATGCCCAGGATAAGCAAA TTGGGATCTGGAAATGATTTTGAGGTGTTCTTCCAACGACTTGGAATTGCTTCAGGCAGAGCACGGTATACTAAA AATTGGGAAACAAACAAATTCAGCGGCTATCCACTGTATCACAGTGTCTATGAAACATATGAGTTGGTGGAAAAG TTTTATGATCCAATGTTTAAATATCACCTCACTGTGGCCCAGGTTCGAGGAGGGATGGTGTTTGAGCTAGCCAAT TCCATAGTGCTCCCTTTTGATTGTCGAGATTATGCTGTAGTTTTAAGAAAGTATGCTGACAAAATCTACAGTATT TCTATGAAACATCCACAGGAAATGAAGACATACAGTGTATCATTTGATTCACTTTTTTCTGCAGTAAAGAATTTT ACAGAAATTGCTTCCAAGTTCAGTGAGAGACTCCAGGACTTTGACAAAAGCAACCCAATAGTATTAAGAATGATG AATGATCAACTCATGTTTCTGGAAAGAGCATTTATTGATCCATTAGGGTTACCAGACAGGCCTTTTTATAGGCAT GTCATCTATGCTCCAAGCAGCCACAACAAGTATGCAGGGGAGTCATTCCCAGGAATTTATGATGCTCTGTTTGAT ATTGAAAGCAAAGTGGACCCTTCCAAGGCCTGGGGAGAAGTGAAGAGACAGATTTATGTTGCAGCCTTCACAGTG CAGGCAGCTGCAGAGACTTTGAGTGAAGTAGCCTAAGAGGATTTTTTAGAGAATCCGTATTGAATTTGTGTGGTA TGTCACTCAGAAAGAATCGTAATGGGTATATTGATAAATTTTAAAATTGGTATATTTGAAATAAAGTTGAATATT ATATATAA

105/615

FIGURE 104

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA52756 ><subunit 1 of 1, 750 aa, 1 stop ><MW: 84305, pI: 6.93, NX(S/T): 10

MWNLLHETDSAVATARRPRWLCAGALVLAGGFFLLGFLFGWFIKSSNEATNITPKHNMKAFLDELKAENIKKFLH
NFTQIPHLAGTEQNFQLAKQIQSQWKEFGLDSVELAHYDVLLSYPNKTHPNYISIINEDGNEIFNTSLFEPPPPG
YENVSDIVPPFSAFSPQGMPEGDLVYVNYARTEDFFKLERDMKINCSGKIVIARYGKVFRGNKVKNAQLAGAKGV
ILYSDPADYFAPGVKSYPDGWNLPGGGVQRGNILNLNGAGDPLTPGYPANEYAYRRGIAEAVGLPSIPVHPIGYY
DAQKLLEKMGGSAPPDSSWRGSLKVPYNVGPGFTGNFSTQKVKMHIHSTNEVTRIYNVIGTLRGAVEPDRYVILG
GHRDSWVFGGIDPQSGAAVVHEIVRSFGTLKKEGWRPRRTILFASWDAEEFGLLGSTEWAEENSRLLQERGVAYI
NADSSIEGNYTLRVDCTPLMYSLVHNLTKELKSPDEGFEGKSLYESWTKKSPSPEFSGMPRISKLGSGNDFEVFF
QRLGIASGRARYTKNWETNKFSGYPLYHSVYETYELVEKFYDPMFKYHLTVAQVRGGMVFELANSIVLPFDCRDY
AVVLRKYADKIYSISMKHPQEMKTYSVSFDSLFSAVKNFTEIASKFSERLQDFDKSNPIVLRMMNDQLMFLERAF
IDPLGLPDRPFYRHVIYAPSSHNKYAGESFPGIYDALFDIESKVDPSKAWGEVKRQIYVAAFTVQAAAETLSEVA

Signal sequence:

amino acids 1-40

N-glycosylation sites.

amino acids 76-80, 121-125, 140-144, 153-157, 195-199, 336-340, 459-463, 476-480, 638-642

Tyrosine kinase phosphorylation sites.

amino acids 363-372, 605-613, 606-613, 617-626

N-myristoylation sites.

amino acids 85-91, 168-174, 252-258, 256-262, 282-288, 335-341, 360-366, 427-433, 529-535, 707-713

FIGURE 105

 $\tt TGAAGAGTAATAGTTGGAATCAAAAGAGTCAACGCA{\color{red} ATG} AACTGTTATTTACTGCTGCGTTTTATGTTGGGAATT$ TTGAGAGTGAAGCGTGGCTGGGTGTGGAACCAATTTTTTGTACCAGAGGAAATGAATACGACTAGTCATCACATC ${\tt GGCCAGCTAAGATCTGATTTAGACAATGGAAACAATTCTTTCCAGTACAAGCTTTTGGGAGCTGGAAGT}$ ACTTTTATCATTGATGAAAGAACAGGTGACATATATGCCATACAGAAGCTTGATAGAGAGGAGCGATCCCTCTAC ATCTTAAGAGCCCAGGTAATAGACATCGCTACTGGAAGGGCTGTGGAACCTGAGTCTGAGTTTGTCATCAAAGTT TCGGATATCAATGACAATGAACCAAAATTCCTAGATGAACCTTATGAGGCCATTGTACCAGAGATGTCTCCAGAA GGAACATTAGTTATCCAGGTGACAGCAAGTGATGCTGACGATCCCTCAAGTGGTAATAATGCTCGTCTCCTCTAC AGCTTACTTCAAGGCCAGCCATATTTTTCTGTTGAACCAACAACAGGAGTCATAAGAATATCTTCTAAAATGGAT AGAGAACTGCAAGATGAGTATTGGGTAATCATTCAAGCCAAGGACATGATTGGTCAGCCAGGAGCGTTGTCTGGA ACTGTCTCTGAATCTGCACCCACTGGGACTTCTATAGGAACAATCATGGCATATGATAATGACATAGGAGAGAAT GCAGAAATGGATTACAGCATTGAAGAGGATGATTCGCAAACATTTGACATTATTACTAATCATGAAACTCAAGAA GGAATAGTTATATAAAAAAGAAAGTGGATTTTGAGCACCAGAACCACTACGGTATTAGAGCAAAAGTTAAAAAAC CATCATGTTCCTGAGCAGCTCATGAAGTACCACACTGAGGCTTCCACCACTTTCATTAAGATCCAGGTGGAAGAT GTTGATGAGCCTCCTCTTTTCCTCCTTCCATATTATGTATTTGAAGTTTTTTGAAGAAACCCCACAGGGATCATTT GTAGGCGTGGTGTCTGCCACAGACCCAGACAATAGGAAATCTCCTATCAGGTATTCTATTACTAGGAGCAAAGTG TTCAATATCAATGATAATGGTACAATCACTACAAGTAACTCACTGGATCGTAAATCAGTGCTTGGTACAACCTA AGTATTACAGCCACAGAAAAATACAATATAGAACAGATCTCTTCGATCCCACTGTATGTGCAAGTTCTTAACATC AATGATCATGCTCCTGAGTTCTCTCAATACTATGAGACTTATGTTTGTGAAAATGCAGGCTCTGGTCAGGTAATT ACTAACAATTCAAGTTTTACAATCATAGATAATCAAGATAACACAGCTGTCATTTTGACTAATAGAACTGGTTTT AACCTTCAAGAAGAACCTGTCTTCTACATCTCCATCTTAATTGCCGACAATGGAATCCCGTCACTTACAAGTACA AACACCCTTACCATCCATGTCTGTGACTGTGACAGTGGGAGCACACAGACCTGCCAGTACCAGGAGCTTGTG CTTTCCATGGGATTCAAGACAGAAGTTATCATTGCTATTCTCATTTGCATTATGATCATATTTGGGTTTATTTTT TTGACTTTGGGTTTAAAACAACGGAGAAAACAGATTCTATTTCCTGAGAAAAGTGAAGATTTCAGAGAGAATATA TTCCAATATGATGATGAAGGGGGTGGAGAAGAAGATACAGAGGCCTTTGATATAGCAGAGCTGAGGAGTAGTACC ATAATGCGGGAACGCAAGACTCGGAAAACCACAAGCGCTGAGATCAGGAGCCTATACAGGCAGTCTTTGCAAGTT GGCCCCGACAGTGCCATATTCAGGAAATTCATTCTGGAAAAGCTCGAAGAAGCTAATACTGATCCGTGTGCCCCT CCTTTTGATTCCCTCCAGACCTACGCTTTTGAGGGAACAGGGTCATTAGCTGGATCCCTGAGCTCCTTAGAATCA TTTGGTTCTGCAGTGCAGTCAAATAAT<u>TAG</u>GGCTTTTTTACCATCAAAATTTTTTAAAAGTGCTAATGTGTATTCGA ACCCAATGGTAGTCTTAAAGAGTTTTGTGCCCTGGCTCTATGGCGGGGAAAGCCCTAGTCTATGGAGTTTTCTGA TGTAAACAATCAGCTCACAGGCATCAATACAACCAGATTTGAAGTAAAATAATGTAGGAAGATATTAAAAGTAGA TGAGAGGACACAAGATGTAGTCGATCCTTATGCGATTATATCATTATTACTTAGGAAAGAGTAAAAATACCAAA CGAGAAAATTTAAAGGAGCAAAAATTTGCAAGTCAAATAGAAATGTACAAATCGAGATAACATTTACATTTCTAT CATATTGACATGAAAATTGAAAATGTATAGTCAGAGAAATTTTCATGAATTATTCCATGAAGTATTGTTTCCTTT ATTTAAA

107/615

FIGURE 106

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53906
><subunit 1 of 1, 772 aa. 1 stop</pre>

><subunit 1 of 1, 772 aa, 1 stop ><MW: 87002, pI: 4.64, NX(S/T): 8

MNCYLLLRFMLGIPLLWPCLGATENSQTKKVKQPVRSHLRVKRGWVWNQFFVPEEMNTTSHHIGQLRSDLDNGNN SFQYKLLGAGAGSTFIIDERTGDIYAIQKLDREERSLYILRAQVIDIATGRAVEPESEFVIKVSDINDNEPKFLD EPYEAIVPEMSPEGTLVIQVTASDADDPSSGNNARLLYSLLQGQPYFSVEPTTGVIRISSKMDRELQDEYWVIIQ AKDMIGQPGALSGTTSVLIKLSDVNDNKPIFKESLYRLTVSESAPTGTSIGTIMAYDNDIGENAEMDYSIEEDDS QTFDIITNHETQEGIVILKKKVDFEHQNHYGIRAKVKNHHVPEQLMKYHTEASTTFIKIQVEDVDEPPLFLLPYY VFEVFEETPQGSFVGVVSATDPDNRKSPIRYSITRSKVFNINDNGTITTSNSLDREISAWYNLSITATEKYNIEQ ISSIPLYVQVLNINDHAPEFSQYYETYVCENAGSGQVIQTISAVDRDESIEEHHFYFNLSVEDTNNSSFTIIDNQ DNTAVILTNRTGFNLQEEPVFYISILIADNGIPSLTSTNTLTIHVCDCGDSGSTQTCQYQELVLSMGFKTEVIIA ILICIMIIFGFIFLTLGLKQRRKQILFPEKSEDFRENIFQYDDEGGGEEDTEAFDIAELRSSTIMRERKTRKTTS AEIRSLYRQSLQVGPDSAIFRKFILEKLEEANTDPCAPPFDSLQTYAFEGTGSLAGSLSSLESAVSDQDESYDYL NELGPRFKRLACMFGSAVQSNN

Important features: Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 597-617

N-qlycosylation sites.

amino acids 57-60, 74-77, 419-423, 437-440, 508-511, 515-518, 516-519 and 534-537

Cadherins extracellular repeated domain signature. amino acids 136-146 and 244-254

FIGURE 107

ATCTGGTTGAACTACTTAAGCTTAATTTGTTAAACTCCGGTAAGTACCTAGCCCACATGATTTGACTCAGAGATT TCAAGAACAATGGAATATCATCCTGATTTAGAAAATTTGGATGAAGATGGATATACTCAATTACACTTCGACTCT ${\tt CAAAGCAATACCAGGATAGCTGTTTCAGAGAAAGGATCGTGTGCTGCATCTCCTTCGCGCCTCATTGCT}$ GTAATTTTGGGAATCCTATGCTTGGTAATACTGGTGATAGCTGTGGTCCTGGGTACCATGGGGGTTCTTTCCAGC CCTTGTCCTCCTAATTGGATTATATATGAGAAGAGCTGTTATCTATTCAGCATGTCACTAAATTCCTGGGATGGA AGTAAAAGACAATGCTGGCAACTGGGCTCTAATCTCCTAAAGATAGACAGCTCAAATGAATTGGGATTTATAGTA AAACAAGTGTCTTCCCAACCTGATAATTCATTTTGGATAGGCCTTTCTCGGCCCCAGACTGAGGTACCATGGCTC TGGGAGGATGGATCAACATTCTCTAACTTATTTCAGATCAGAACCACAGCTACCCAAGAAAACCCATCTCCA AATTGTGTATGGATTCACGTGTCAGTCATTTATGACCAACTGTGTAGTGTGCCCTCATATAGTATTTGTGAGAAG CAGAAAAGAGTAACAGCTGAGGTCAAGATAAATGCAGAAAATGTTTAGAGAGCTTGGCCAACTGTAATCTTAACC AAGAAATTGAAGGGAGAGGCTGTGATTTCTGTATTTGTCGACCTACAGGTAGGCTAGTATTATTTTTCTAGTTAG GTCTCACTTGTTACCCAGGCTGGAGTGCAGTGGCACAATCTCGACTCACTGCAGCTATCTCTCGCCTCAGCCCC TCAAGTAGCTGGGACTACAGGTGCATGCCATGCCAGGCTAATTTTTTGGTGTTTTTTGTAGAGACTGGGTTTT GCCATGTTGACCAAGCTGGTCTCTAACTCCTGGGCTTAAGTGATCTGCCCGCCTTGGCCTCCCAAAGTGCTGGGA TTACAGATGTGAGCCACCACACCTGGCCCCAAGCTTGAATTTTCATTCTGCCATTGACTTGGCATTTACCTTGGG TAAGCCATAAGCGAATCTTAATTTCTGGCTCTATCAGAGTTGTTTCATGCTCAACAATGCCATTGAAGTGCACGG TGTGTTGCCACGATTTGACCCTCAACTTCTAGCAGTATATCAGTTATGAACTGAGGGTGAAATATATTTCTGAAT AGCTAAATGAAGAAATGGGAAAAAATCTTCACCACAGTCAGAGCAATTTTATTATTTTCATCAGTATGATCATAA TTATGATTATCATCTTAGTAAAAAGCAGGAACTCCTACTTTTTCTTTATCAATTAAATAGCTCAGAGAGTACATC GAGTGCAACGGCACGATCTCGGCTCACCGCAACCTCCGCCCCCTGGGTTCAAGCAATTCTCCTGCCTCAGCCTCC CAAGTAGCTGGGATTACAGTCAGGCACCACCACCCGGCTAATTTTGTATTTTTTAGTAGAGACAGGGTTTCT ACAGGCGTGAGCCACCCAGCCTAGAATCTTGTATAATATGTAATTGTAGGGAAACTGCTCTCATAGGAAA TCATTGGAACAAGTATTAACATTTTGGAATATGTTTTATTAGTTTTTGTGATGTACTGTTTTACAATTTTTACCAT TTTTTCAGTAATTACTGTAAAATGGTATTATTGGAATGAAACTATATTTCCTCATGTGCTGATTTGTCTTATTT TTTTCATACTTTCCCACTGGTGCTATTTTTATTTCCAATGGATATTTCTGTATTACTAGGGAGGCATTTACAGTC CTCTAATGTTGATTAATATGTGAAAAGAATTGTACCAATTTTACTAAATTATGCAGTTTAAAATGGATGATTTT

109/615

FIGURE 108

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53912
<subunit 1 of 1, 201 aa, 1 stop
<MW: 22563, pI: 4.87, NX(S/T): 1
MEYHPDLENLDEDGYTQLHFDSQSNTRIAVVSEKGSCAASPPWRLIAVILGILCLVILVIAVVLGTMGVLSSPCP
PNWIIYEKSCYLFSMSLNSWDGSKRQCWQLGSNLLKIDSSNELGFIVKQVSSQPDNSFWIGLSRPQTEVPWLWED
GSTFSSNLFQIRTTATQENPSPNCVWIHVSVIYDQLCSVPSYSICEKKFSM</pre>

Important features: Type II transmembrane domain: amino acids 45-65

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 197-200

N-myristoylation sites. amino acids 35-40 and 151-156

Homologous region to LDL receptor amino acids 34-67 and 70-200.

FIGURE 109

CTGCAAGTTGTTAACGCCTAACACACAAGTATGTTAGGCTTCCACCAAAGTCCTCAATATACCTGAATACGCACA CTCTGCTTTAGTTTCCAAGAAGATTACAAAGAATTTAGAGATGTATTTGTCAAGATCCCTGTCGATTCATGCCCT $\tt TTGGGTTACGGTGTCCTCAGTGATGCAGCCCTACCCTTTGGTTTGGGGACATTATGATTTGTGTAAGACTCAGAT$ TTACACGGAAGAAGGGAAAGTTTGGGATTACATGGCCTGCCAGCCGGAATCCACGGACATGACAAAATATCTGAA AGTGAAACTCGATCCTCCGGATATTACCTGTGGAGACCCTCCTGAGACGTTCTGTGCAATGGGCAATCCCTACAT ACATCCCTCCACATTTTGGCAGTCTGCCACTTGGAAGGAGTATCCCAAGCCTCTCCAGGTTAACATCACTCTGTC TTGGAGCAAAACCATTGAGCTAACAGACAACATAGTTATTACCTTTGAATCTGGGCGTCCAGACCAAATGATCCT GGAGAAGTCTCTCGATTATGGACGAACATGGCAGCCCTATCAGTATTATGCCACAGACTGCTTAGATGCTTTTCA CATGGATCCTAAATCCGTGAAGGATTTATCACAGCATACGGTCTTAGAAATCATTTGCACAGAAGAGTACTCAAC AGGGTATACAACAAATAGCAAAATAATCCACTTTGAAATCAAAGACAGGTTCGCGCTTTTTTGCTGGACCTCGCCT ACGCAATATGGCTTCCCTCTACGGACAGCTGGATACAACCAAGAAACTCAGAGATTTCTTTACAGTCACAGACCT GAGGATAAGGCTGTTAAGACCAGCCGTTGGGGAAATATTTGTAGATGAGCTACACTTGGCACGCTACTTTTACGC GATCTCAGACATAAAGGTGCGAGGAAGGTGCAAGTGTAATCTCCATGCCACTGTATGTGTGTATGACAACAGCAA ATTGACATGCGAATGTGAGCACAACACTACAGGTCCAGACTGTGGGAAATGCAAGAAGAATTATCAGGGCCGACC TTGGAGTCCAGGCTCCTATCTCCCCATCCCCAAAGGCACTGCAAATACCTGTATCCCCAGTATTTCCAGTATTGG TACGAATGTCTGCGACAACGAGCTCCTGCACTGCCAGAACGGAGGGACGTGCCACAACAACGTGCGCTGCCTGTG CCCGGCCGCATACACGGGCATCCTCTGCGAGAAGCTGCGGTGCGAGGAGGCTGGCAGCTGCGGCTCCGACTCTGG $\tt CCAGGGCGCCCCGGCACGGCACCCCAGCGCTGCTGCTGCTGACCACGCTGCTGGGAACCGCCAGCCCCTGGT$ $\tt GTTC\underline{TAG} \tt GTGTCACCTCCAGCCACACCGGACGGGCCTGTGCCGTGGGGAAGCAGACACAACCCAAACATTTGCTA$ GCCATATTTATCACCCGTGGACAGCACATCCGAGTCAAGACTGTTAATTTCTGACTCCAGAGGAGTTGGCAGCTG TTGATATTATCACTGCAAATCACATTGCCAGCTGCAGAGCATATTGTGGATTGGAAAGGCTGCGACAGCCCCCCA AACAGGAAAGACAAAACAAACAAATCAACCGACCTAAAAAACATTGGCTACTCTAGCGTGGTGCGCCCTAGTAC GACTCCGCCCAGTGTGTGGACCAACCAAATAGCATTCTTTGCTGTCAGGTGCATTGTGGGCATAAGGAAATCTGT TACAAGCTGCCATATTGGCCTGCTTCCGTCCCTGAATCCCTTCCAACCTGTGCTTTAGTGAACGTTGCTCTGTAA $\verb|CCCTCGTTGGTTGAAAGATTTCTTTGTCTGATGTTAGTGATGCACATGTGTAACAGCCCCCTCTAAAAGCGCAAG| \\$ CCAGTCATACCCCTGTATATCTTAGCAGCACTGAGTCCAGTGCGAGCACACACCCCACTATACAAGAGTGGCTATA GGAAAAAAGGAAAGTGTATCTATCCTTTTGTATTCAAATGAAGTTATTTTTCTTGAACTACTGTAATATGTAGATT TTTTGTATTATTGCCAATTTGTGTTACCAGACAATCTGTTAATGTATCTAATTCGAATCAGCAAAGACTGACATT TCAAAGAATATCAGTTTACATATAACAAGTGTAATAAGATTCCACCAAAGGACATTCTAAATGTTTTCTTGTT GCTTTAACACTGGAAGATTTAAAGAATAAAAACTCCTGCATAAACGATTTCAGGAATTTGTATTGCAATTTCTTA AGATGAAAGGAACAGCCACCAAGCAGTTTCACACTCACTTTACTGATTTCTGTGTGGACTGAGTACATTCAGCTG ${\tt ACGAATTTAGTTCCCAGGAAGATGGATTGATGTTCACTAGCTTGGACAACTTCTGCAAAATATGAGACTATTTCC}$

111/615

FIGURE 110

MYLSRSLSIHALWVTVSSVMQPYPLVWGHYDLCKTQIYTEEGKVWDYMACQPESTDMTKYLKVKLDPPDITCGDP PETFCAMGNPYMCNNECDASTPELAHPPELMFDFEGRHPSTFWQSATWKEYPKPLQVNITLSWSKTIELTDNIVI TFESGRPDQMILEKSLDYGRTWQPYQYYATDCLDAFHMDPKSVKDLSQHTVLEIICTEEYSTGYTTNSKIIHFEI KDRFALFAGPRLRNMASLYGQLDTTKKLRDFFTVTDLRIRLLRPAVGEIFVDELHLARYFYAISDIKVRGRCKCN LHATVCVYDNSKLTCECEHNTTGPDCGKCKKNYQGRPWSPGSYLPIPKGTANTCIPSISSIGTNVCDNELLHCQN GGTCHNNVRCLCPAAYTGILCEKLRCEEAGSCGSDSGQGAPPHGTPALLLLTTLLGTASPLVF

FIGURE 111

GCGTGCCGTCAGCTCGCCGGGCACCGCGCCTCGCCCTCGCCCTGCGCCTGCACCGCGTAGACCGAC CCCCCCTCCAGCGCCCCACCGGTAGAGGACCCCCGCCCGTGCCCGACCGGTCCCCGCCTTTTTGTAAAACT TAAAGCGGGCGCAGCATTAACGCTTCCCGCCCGGTGACCTCTCAGGGGTCTCCCCGCCAAAGGTGCTCCGCCGC TAAGGAACATGGCGAAGGTGGAGCAGGTCCTGAGCCTCGAGCCGCAGCACGAGCTCAAATTCCGAGGTCCCTTCA CCGATGTTGTCACCACCAACCTAAAGCTTGGCAACCCGACAGACCGAAATGTGTGTTTTAAGGTGAAGACTACAG CACCACGTAGGTACTGTGTGAGGCCCAACAGCGGAATCATCGATGCAGGGGCCTCAATTAATGTATCTGTGATGT TACAGCCTTTCGATTATGATCCCAATGAGAAAAGTAAACACAAGTTTATGGTTCAGTCTATGTTTGCTCCAACTG ACACTTCAGATATGGAAGCAGTATGGAAGGAGGCAAAACCGGAAGACCTTATGGATTCAAAACTTAGATGTGTGT GTAAGAGGCTGCAAGGTGAAGTTCAGAGGCTACGGGAGGAGAACAAGCAGTTCAAGGAAGAAGATGGACTGCGGA GGCTCTTGGCTCTGGTGGTTTTGTTCTTTATCGTTGGTGTAATTATTGGGAAGATTGCCTTG**TAG**AGGTAGCATG CACAGGATGGTAAATTGGATTGGTGGATCCACCATATCATGGGATTTAAATTTATCATAACCATGTGTAAAAAGA CACACAAATATAATGTAACGATCTTTTAGAAAGTTAAAAATGTATAGTAACTGATTGAGGGGGGAAAAAGAATGAT CTTTATTAATGACAAGGGAAACCATGAGTAATGCCACAATGGCATATTGTAAATGTCATTTTAAACATTGGTAGG CCTTGGTACATGATGCTGGATTACCTCTTTAAAATGACACCCTTCCTCGCCTGTTGGTGCTCGCCCTTGGGGAG $\tt CTGGAGCCCAGCATGCTGGGGAGTGCGGTCAGCTCCACACAGTAGTCCCCACGTGGCCCACTCCCGGCCCAGGCT$ GCTTTCCGTGTCTTCAGTTCTGTCCAAGCCATCAGCTCCTTGGGACTGATGAACAGAGTCAGAAGCCCAAAGGAA TTGCACTGTGGCAGCATCAGACGTACTCGTCATAAGTGAGAGGCGTGTGTTGACTGATTGACCCAGCGCTTTGGA AATAAATGGCAGTGCTTTGTTCACTTAAAGGGACCAAGCTAAATTTGTATTGGTTCATGTAGTGAAGTCAAACTG TTATTCAGAGATGTTTAATGCATATTTAACTTATTTAATGTATTTCATCTCATGTTTTCTTATTGTCACAAGAGT ACAGTTAATGCTGCGGCTGCTGCACTCTGTTGGGTGAACTGGTATTGCTGCTGGAGGGCTGTGGGCTCCTCTGT $\tt CTCTGGAGAGTCTGGTCATGTGGAGGTGGGGTTTATTGGGATGCTGGAGAAGAGTCTGCCAGGAAGTGTTTTTTCT$ GGGTCAGTAAATAACAACTGTCATAGGGAGGGAAATTCTCAGTAGTGACAGTCAACTCTAGGTTACCTTTTTTAA TGAAGAGTAGTCAGTCTTCTAGATTGTTCTTATACCACCTCTCAACCATTACTCACACTTCCAGCGCCCCAGGTCC AAGTCTGAGCCTGACCTCCCCTTGGGGACCTAGCCTGGAGTCAGGACAAATGGATCGGGCTGCAGAGGGTTAGAA GCGAGGGCACCAGCAGTTGTGGGGGGGGCCAAGGGAAGAGAGAAACTCTTCAGCGAATCCTTCTAGTACTAGTT GAGAGTTTGACTGTGAATTAATTTTATGCCATAAAAGACCAACCCAGTTCTGTTTGACTATGTAGCATCTTGAAA AGAAAAATTATAATAAAGCCCCAAAATTAAGAAAA

113/615

FIGURE 112

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53977
<subunit 1 of 1, 243 aa, 1 stop
<MW: 27228, pI: 7.43, NX(S/T): 2
MAKVEQVLSLEPQHELKFRGPFTDVVTTNLKLGNPTDRNVCFKVKTTAPRRYCVRPNSGIIDAGASINVSVMLQP
FDYDPNEKSKHKFMVQSMFAPTDTSDMEAVWKEAKPEDLMDSKLRCVFELPAENDKPHDVEINKIISTTASKTET
PIVSKSLSSSLDDTEVKKVMEECKRLQGEVQRLREENKQFKEEDGLRMRKTVQSNSPISALAPTGKEEGLSTRLL
ALVVLFFIVGVIIGKIAL</pre>

Important features: Transmembrane domain: amino acids 224-239

N-glycosylation site. amino acids 68-71

N-myristoylation site. amino acids 59-64, 64-69 and 235-240

114/615

FIGURE 113

CCCACGCGTCCGGGTGACCTGGGCCGAGCCCTCCCGGTCGGCTAAGATTGCTGAGGAGGCGGCGGGTAGCTGGCA GGCGCCGACTTCCGAAGGCCGCCGTCCGGGCGAGGTGTCCTCATGACTTCTCTTGTGGACCATGTCCGTGATCTT TTTTGCCTGCGTGGTACGGGTAAGGGATGGACTGCCCCTCTCAGCCTCTACTGATTTTTACCACACCCAAGATTT TTTGGAATGGAGGAGACGCTCAAGAGTTTAGCCTTGCGACTGGCCCAGTATCCAGGTCGAGGTTCTGCAGAAGG TTGTGACTTTAGTATACATTTTTCTTCTTTCGGGGACGTGGCCTGCATGGCTATCTGCTCCTGCCAGTGTCCAGC AGCCATGGCCTTCTGCTTCCTGGAGACCCTGTGGTGGGAATTCACAGCTTCCTATGACACTACCTGCATTGGCCT AGCCTCCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTCAGAAAGTGAAGTGGCATTTTAACTATGTAAG TTCCTCTCAGATGGAGTGCAGCTTGGAAAAAATTCAGGAGGAGCTCAAGTTGCAGCCTCCAGCGGTTCTCACTCT GGAGGACACAGATGTGGCAAATGGGGTGATGAATGGTCACACACCGATGCACTTGGAGCCTGCTCCTAATTTCCG AATGGAACCAGTGACAGCCCTGGGTATCCTCCCTCATTCTCAACATCATGTGTGCTGCCCTGAATCTCATTCG ${\tt AGGAGTTCACCTTGCAGAACATTCTTTACAGGATCCAAGGAGCTGGTTCTGCTGGTTGGACCAAACCTCG} \underline{{\tt TGA}}{\tt GC}$ CAGCCACCCTGACCCAAATGAGGAGAGCTCTGATTCTCCCATCCGGGAGCAGTGATGTCAAACTTCTGCTGCTG GGGAAATCTCATCAGCAGGGAGCCTGTGGAAAAGGGCATGTCAGTGAAATCTGGGAATGGCTGGATTCGGAAACA CTATTCCTCTGACCCATGCTTAGTACATATGACCTTTAACCCTTACATTTATATGATTCTGGGGTTGCTTCAGAA GTGTTATTTCATGAATCATTCATATGATTTGATCCCCCAGGATTCTATTTTGTTTAATGGGCTTTTCTACTAAAA GCATAAAATACTGAGGCTGATTTAGTCAGGGCAAAACCATTTACTTTACATATTCGTTTTCAATACTTGCTGTTC TCAGTAGTACAACCTAAACTTGTATAAAAGTGTGTAAAAATGTATAGCCATTTATATCCTATGTATAAATTAAAT

115/615

FIGURE 114

MSVIFFACVVRVRDGLPLSASTDFYHTQDFLEWRRRLKSLALRLAQYPGRGSAEGCDFSIHFSSFGDVACMAICS CQCPAAMAFCFLETLWWEFTASYDTTCIGLASRPYAFLEFDSIIQKVKWHFNYVSSSQMECSLEKIQEELKLQPP AVLTLEDTDVANGVMNGHTPMHLEPAPNFRMEPVTALGILSLILNIMCAALNLIRGVHLAEHSLQDPRSWFCWLDQTS

116/615

FIGURE 115

CTCAGCGGCGCTTCCTCGTAGCGAGCCTAGTGGCGGGTGTTTGCATTGAAACGTGAGCGCGGACCCGACCTTAAAG AGTGGGGAGCAAAGGGACAGAGCCCTTTAAAACGAGGCGGGTGGTGCCCCCTTTAAGGGCGGGGCGTCC GGACGACTGTATCTGAGCCCCAGACTGCCCCGAGTTTCTGTCGCAGGCTGCGAGGAAAGGCCCCTAGGCTGGGTC TGGGTGCTTGGCGGCGGCGTTCCTCCCCGCTCGTCCTCCCCGGGCCCAGAGGCACCTCGGCTTCAGTCATGCT GAGCAGAGT<u>ATC</u>GAAGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGAGTCCGCGAG TGTATTATCAACACTTCTGTTTGCAACACTGTACATCCTCTGCCACATCTTCCTGACCCGCTTCAAGAAGCCT GCTGAGTTCACCACAGTGGATGATGAAGATGCCACCGTCAACAAGATTGCGCTCGAGCTGTGCACCTTTACCCTG GCAATTGCCCTGGGTGCTGTCCTGCCCTTCTCCATCATCAGCAATGAGGTGCTGCTCTCCCTGGCTCGG AACTACTACATCCAGTGGCTCAACGGCTCCCTCATCCATGGCCTCTGGAACCTTGTTTTTCTCTTCCCCAACCTG TCCCTCATCTTCCTCATGCCCTTTGCATATTTCTTCACTGAGTCTGAGGGCTTTGCTGGCTCCAGAAAGGGTGTC TCAGCCATTGTGGACAAGAACAAGGCCAACAGAGGTCACTCTATGACTTTTGGGAGTACTATCTCCCCTACCTC TACTCATGCATCTCCTTGGGGTTCTGCTGCTCCTGGTGTGTACTCCACTGGGTCTCGCCCGCATGTTCTCC GTCACTGGGAAGCTGCTAGTCAAGCCCCGGCTGCTGGAAGACCTGGAGGAGCAGCTGTACTGCTCAGCCTTTGAG CAGGTCCTGGCTCTGCAGACACAGAGGGTCCTGCTGGAGAAGAGGCGGAAGGCTTCAGCCTGGCAACGGAACCTG GAGCTGCTCATCGATGAGGCTGCCATGCCCCGAGGCATGCAGGGTACCTCCTTAGGCCAGGTCTCCTTCTCCAAG CTGGGCTCCTTTGGTGCCGTCATTCAGGTTGTACTCATCTTTTACCTAATGGTGTCCTCAGTTGTGGGCCTTCTAT AGCTCTCCACTCTTCCGGAGCCTGCGGCCCAGATGGCACGACACTGCCATGACGCAGATAATTGGGAACTGTGTC TGTCTCCTGGTCCTAAGCTCAGCACTTCCTGTCTTCTCTCGAACCCTGGGGCTCACTCGCTTTGACCTGCTGGGT GACTTTGGACGCTTCAACTGGCTGGGCAATTTCTACATTGTGTTCCTCTACAACGCAGCCTTTGCAGGCCTCACC ACACTCTGTCTGGTGAAGACCTTCACTGCAGCTGTGCGGGCAGAGCTGATCCGGGCCTTTGGGCTGGACAGACTG CCGCTGCCCGTCTCCGGTTTCCCCCAGGCATCTAGGAAGACCCAGCACCAGTGACCTCCAGCTGGGGGTGGGAAG GAAAAAACTGGACACTGCCATCTGCTGCCTAGGCCTGGAGGGAAGCCCAAGGCTACTTGGACCTCAGGACCTGGA ATCTGAGAGGGTGGCAGAGGGGAGCAGAGCCATCTGCACTATTGCATAATCTGAGCCAGAGTTTGGGACCA GGACCTCCTGCTTTTCCATACTTAACTGTGGCCTCAGCATGGGGTAGGGCTGGGTGACTGGGTCTAGCCCCTGAT CCCAAATCTGTTTACACATCAATCTGCCTCACTGCTGTTCTGGGCCATCCCCATAGCCATGTTTACATGATTTGA CTCTGGCCCAGCAGAGCCTAAGCACTGTGCTATCCTGGAGGGGCTTTGGACCACCTGAAAGACCAAGGGGATAGG GAGGAGGAGGCTTCAGCCATCAGCAATAAAGTTGATCCCAGGGAAAAAAA

117/615

FIGURE 116

MEAPDYEVLSVREQLFHERIRECIISTLLFATLYILCHIFLTRFKKPAEFTTVDDEDATVNKIALELCTFTLAIA LGAVLLLPFSIISNEVLLSLPRNYYIQWLNGSLIHGLWNLVFLFPNLSLIFLMPFAYFFTESEGFAGSRKGVLGR VYETVVMLMLLTLLVLGMVWVASAIVDKNKANRESLYDFWEYYLPYLYSCISFLGVLLLLVCTPLGLARMFSVTG KLLVKPRLLEDLEEQLYCSAFEEAALTRRICNPTSCWLPLDMELLHRQVLALQTQRVLLEKRRKASAWQRNLGYP LAMLCLLVLTGLSVLIVAIHILELLIDEAAMPRGMQGTSLGQVSFSKLGSFGAVIQVVLIFYLMVSSVVGFYSSP LFRSLRPRWHDTAMTQIIGNCVCLLVLSSALPVFSRTLGLTRFDLLGDFGRFNWLGNFYIVFLYNAAFAGLTTLC LVKTFTAAVRAELIRAFGLDRLPLPVSGFPQASRKTQHQ

118/615

FIGURE 117

GAGAACAGGCCTGTCTCAGGCAGGCCCTGCGCCTCCTATGCGGAG<u>ATG</u>CTACTGCCACTGCTGCTGTCCTCGCTG CTGGGCGGGTCCCAGGCTATGGATGGGAGATTCTGGATACGAGTGCAGGAGTCAGTGATGGTGCCGGAGGGCCTG TGCATCTCTGTGCCCTGCTCTTTCTCCTACCCCCGACAAGACTGGACAGGGTCTACCCCAGCTTATGGCTACTGG TTCAAAGCAGTGACTGAGACAACCAAGGGTGCTCCTGTGGCCACAAACCACCAGAGTCGAGAGGTGGAAATGAGC ACCCGGGGCCGATTCCAGCTCACTGGGGATCCCGCCAAGGGGAACTGCTCCTTGGTGATCAGAGACGCCAGATG CAGGATGAGTCACAGTACTTCTTTCGGGTGGAGAGAGGAAGCTATGTGACATATAATTTCATGAACGATGGGTTC TTTCTAAAAGTAACAGTGCTCAGCTTCACGCCCAGACCCCAGGACCACAACACCGACCTCACCTGCCATGTGGAC TTCTCCAGAAAGGGTGTGAGCGCACAGAGGACCGTCCGACTCCGTGTGGCCTATGCCCCCAGAGACCTTGTTATC AGCATTTCACGTGACAACACGCCAGCCCTGGAGCCCCAGCCCCAGGGAAATGTCCCATACCTGGAAGCCCAAAAA GGCCAGTTCCTGCGGCTCCTGTGCTGCTGACAGCCAGCCCCTGCACACTGAGCTGGGTCCTGCAGAACAGA GTCCTCTCCTCGTCCCATCCCTGGGGCCCTAGACCCCTGGGGCTGGAGCTGCCCGGGGTGAAGGCTGGGGATTCA GGGCGCTACACCTGCCGAGCGGAGAACAGGCTTGGCTCCCAGCAGCGAGCCCTGGACCTCTCTGTGCAGTATCCT CCAGAGAACCTGAGAGTGATGGTTTCCCAAGCAAACAGGACAGTCCTGGAAAACCTTGGGAACGGCACGTCTCTC CAGAGGGGACAGGTTCTGAGCCCCTCCCAGCCCTCAGACCCCGGGGTCCTGGAGCTGCCTCGGGTTCAAGTGGAG TATAAGAAGGGACTCATCTCAACGGCATTCTCCAACGGAGCGTTTCTGGGAATCGGCATCACGGCTCTTCTTTTC TCCCGGCACAGCACGATCCTGGATTACATCAATGTGGTCCCGACGGCTGGCCCCCTGGCTCAGAAGCGGAATCAG AAGCAGTATCAGTTGCCCAGTTTCCCAGAACCCAAATCATCCACTCAAGCCCCAGAATCCCAGGAGAGCCAAGAG GAGCTCCATTATGCCACGCTCAACTTCCCAGGCGTCAGACCCAGGCCTGAGGCCCGGATGCCCAAGGGCACCCAG GCGGATTATGCAGAAGTCAAGTTCCAA<u>TGA</u>GGGTCTCTTAGGCTTTAGGACTGGGACTTCGGCTAGGGAGGAAGG CTCTTTCTCTCTTTTAAAAAAACATCTGGCCAGGGCACAGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAG GTTGAGGTGGGCAGATCGCCTGAGGTCGGGAGTTCGAGACCAGCCTGGCCAACTTGGTGAAACCCCGTCTCTACT TCACTTGAACCTGGGAGACGGAGGTTGCAGTGAGCCAAGATCACACCATTGCACGCCAGCCTGGGCAACAAAGCG AGACTCCATCTCAAAAAAAAATCCTCCAAATGGGTTGGGTGTCTGTAATCCCAGCACTTTGGGAGGCTAAGGTG GGTGGATTGCTTGAGCCCAGGAGTTCGAGACCAGCCTGGGCAACATGGTGAAACCCCATCTCTACAAAAAATACA AAACATAGCTGGGCTTGGTGTGTGTGCCTGTAGTCCCAGCTGTCAGACATTTAAACCAGAGCAACTCCATCTGG AATAGGAGCTGAATAAAATGAGGCTGAGACCTACTGGGCTGCATTCTCAGACAGTGGAGGCATTCTAAGTCACAG GATGAGACAGGAGGTCCGTACAAGATACAGGTCATAAAGACTTTGCTGATAAAACAGATTGCAGTAAAGAAGCCA ACCAAATCCCACCAAAACCAAGTTGGCCACGAGAGTGACCTCTGGTCGTCCTCACTGCTACACTCCTGACAGCAC CCACCCTTGTTTAGCAAATAAGCAAGAATAACCATAAAAGTGGGCAACCAGCAGCTCTAGGCGCTGCTCTTGT CTATGGAGTAGCCATTCTTTTGTTCCTTTACTTTCTTAATAAACTTGCTTTCACCTTAAAAAAA

119/615

FIGURE 118

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA54002 ><subunit 1 of 1, 544 aa, 1 stop ><MW: 60268, pI: 9.53, NX(S/T): 3

MLLPLLLSSLLGGSQAMDGRFWIRVQESVMVPEGLCISVPCSFSYPRQDWTGSTPAYGYWFKAVTETTKGAPVAT NHQSREVEMSTRGRFQLTGDPAKGNCSLVIRDAQMQDESQYFFRVERGSYVTYNFMNDGFFLKVTVLSFTPRPQD HNTDLTCHVDFSRKGVSAQRTVRLRVAYAPRDLVISISRDNTPALEPQPQGNVPYLEAQKGQFLRLLCAADSQPP ATLSWVLQNRVLSSSHPWGPRPLGLELPGVKAGDSGRYTCRAENRLGSQQRALDLSVQYPPENLRVMVSQANRTV LENLGNGTSLPVLEGQSLCLVCVTHSSPPARLSWTQRGQVLSPSQPSDPGVLELPRVQVEHEGEFTCHARHPLGS QHVSLSLSVHYKKGLISTAFSNGAFLGIGITALLFLCLALIIMKILPKRRTQTETPRPRFSRHSTILDYINVVPT AGPLAQKRNQKATPNSPRTPPPPGAPSPESKKNQKKQYQLPSFPEPKSSTQAPESQESQEELHYATLNFPGVRPR PEARMPKGTQADYAEVKFQ

Important features: Signal peptide: amino acids 1-15

Transmembrane domain: amino acids 399-418

N-glycosylation site. amino acids 100-103, 297-300 and 306-309

Immunoglobulins and major histocompatibility complex proteins signature. amino acids 365-371

FIGURE 119

 $\tt CTCGCGCAGGGATCGTCCC\underline{\textbf{ATG}} GCCGGGGCTCGGAGCCGCGACCCTTGGGGGGCCTCCGGGATTTGCTACCTTTT$ TGGCTCCTGCTCGTACTCTTCTCACGGGCTGTCGCCTTCAATCTGGACGTGATGGGTGCCTTGCGCAA GGAGGGCGAGCCAGGCCTCTTCGGCTTCTCTGTGGCCCTGCACCGGCAGTTGCAGCCCCGACCCCAGAGCTG CCCGTTGAGCCTGGAGGAGACTGACTGCTACAGAGTGGACATCGACCAGGGAGCTGATATGCAAAAGGAAAGCAA GGAGAACCAGTGGTTGGGAGTCAGTGTTCGGAGCCAGGGGCCTGGGGGCAAGATTGTTACCTGTGCACACCGATA TGAGGCAAGGCAGCGAGTCCAGATCCTGGAGACGCGGGATATGATTGGTCGCTGCTTTTGTGCTCAGCCAGGA CCTGGCCATCCGGGATGAGTTGGATGGTGGGGAATGGAAGTTCTGTGAGGGACGCCCCCAAGGCCATGAACAATT TGGGTTCTGCCAGCAGGGCACAGCTGCCGCCTTCTCCCCTGATAGCCACTACCTCCTCTTTGGGGCCCCAGGAAC $\tt CTATAATTGGAAGGGCACGGCCAGGGTGGAGCTCTGTGCACAGGGCTCAGCGGACCTGGCACACCTGGACGACGG$ TCCCTACGAGGCGGGGGAGAGAAGGAGCAGGACCCCCCCTCATCCCGGTCCCTACCAACAGCTACTTTGGCTT CTCTATTGACTCGGGGAAAGGTCTGGTGCGTGCAGAAGAGCTGAGCTTTGTGGCTGGAGCCCCCCGCGCCAACCA CAAGGGTGCTGTGGTCATCCTGCGCAAGGACAGCGCCAGTCGCCTGGTGCCCGAGGTTATGCTGTCTGGGGAGCG TGCCCCTACTTCTTTGAGCGCCAAGAAGAGCTGGGGGGTGCTGTTATGTGTACTTGAACCAGGGGGGTCACTG GGCTGGGATCTCCCCTCTCCGGCTCTGCGGCTCCCCTGACTCCATGTTCGGGATCAGCCTGGCTGTCCTGGGGGA ${\tt CCTCAACCAAGATGGCTTTCCAGATATTGCAGTGGGTGCCCCCTTTGATGGTGATGGGAAAGTCTTCATCTACCA}$ TGGGAGCAGCCTGGGGGTTGTCGCCAAACCTTCACAGGTGCTGGAGGGCGAGGCTGTGGGCATCAAGAGCTTCGG CGCAGTGCTCTTCAGGGCCAGACCCATCCTCCATGTCTCCCATGAGGTCTCTATTGCTCCACGAAGCATCGACCT GGAGCAGCCCAACTGTGCTGGCGGCCACTCGGTCTGTGTGGACCTAAGGGTCTGTTTCAGCTACATTGCAGTCCC ${\tt CAGCAGCTATAGCCCTACTGTGGCCCTGGACTATGTGTTAGATGCGGACACAGACCGGAGGCTCCGGGGCCAGGT}$ TCCCCGTGTGACGTTCCTGAGCCGTAACCTGGAAGAACCCAAGCACCAGGCCTCGGGCACCGTGTGGCTGAAGCA CCAGCATGACCGAGTCTGTGGAGACGCCATGTTCCAGCTCCAGGAAAATGTCAAAGACAAGCTTCGGGCCATTGT AGTGACCTTGTCCTACAGTCTCCAGACCCCTCGGCTCCGGCGACAGGCTCCTGGCCAGGGGCTGCCTCCAGTGGC CCCCATCCTCAATGCCCACCAGCCCAGCAGCGGGCAGAGATCCACTTCCTGAAGCAAGGCTGTGGTGAAGA CAAGATCTGCCAGAGCAATCTGCAGCTGGTCCACGCCCGCTTCTGTACCCGGGTCAGCGACACGGAATTCCAACC ${\tt TCTGCCCATGGATGTGGATGGAACACAGCCCTGTTTGCACTGAGTGGGCAGCCAGTCATTGGCCTGGAGCTGAT}$ GGTCACCAACCTGCCATCGGACCCAGCCCAGCCCAGGCTGATGGGGATGATGCCCATGAAGCCCAGCTCCTGGT CATGCTTCCTGACTCACTGCACTACTCAGGGGTCCGGGCCCTGCACCCTGCGGAGAAGCCACTCTGCCTGTCCAA TGAGAATGCCTCCCATGTTGAGTGTGAGCTGGGGAACCCCATGAAGAGAGGTGCCCAGGTCACCTTCTACCTCAT CCTTAGCACCTCCGGGATCAGCATTGAGACCACGGAACTGGAGGTAGAGCTGCTGTTGGCCACGATCAGTGAGCA ${\tt GGAGCTGCATCCAGTCTCTGCACGAGCCCGTGTCTTCATTGAGCTGCCACTGTCCATTGCAGGAATGGCCATTCC}$ CAAGTATGAGGTCACGGTTTCCAACCAAGGCCAGTCGCTCAGAACCCTGGGCTCTGCCTTCCTCAACATCATGTG GCAGAAAGGGCTTTGCTCTCCCAGGCCCAACATCCTCCACCTGGATGTGGACAGTAGGGATAGGAGGCGGCGGGA GCTGGAGCCACCTGAGCAGGAGCCTGGTGAGCGGCAGGAGCCCAGCATGTCCTGGTGGCCAGTGTCCTCTGC CAGCTTTGACCGCGCGCTGTGCTGCATGTCTGGGGCCGTCTCTGGAACAGCACCTTTCTGGAGGAGTACTCAGC TGTGAAGTCCCTGGAAGTGATTGTCCGGGCCAACATCACAGTGAAGTCCTCCATAAAGAACTTGATGCTCCGAGA TGCCTCCACAGTGATCCCAGTGATGGTATACTTGGACCCCATGGCTGTGGTGGCAGAAGGAGTGCCCTGGTGGGT CATCCTCCTGGCTGTACTGGCTGGGCTGCTGGTGCTAGCACTGCTGGTGCTGCTCCTGTGGAAGATGGGATTCTT CAAACGGGCGAAGCACCCGGAGGCCACGTGCCCCAGTACCATGCGGTGAAGATTCCTCGGGAAGACCGACAGCA GTTCAAGGAGGAGAAGACGGCCACCATCCTGAGGAACAACTGGGGCAGCCCCCGGCGGGAGGGCCCGGATGCACA $\tt CCCCATCCTGGCTGACGGGCATCCCGAGCTGGGCCCCGATGGGCATCCAGGGCCAGGCACCGCC\underline{TAG}_{G}TTCC$ CATGTCCCAGCCTGGCCTGTGGCTGCCCTCCATCCCTTCCCCAGAGATGGCTCCTTGGGATGAAGAGGGTAGAGT TCCTCCCACCCAACTTCCCCTTAGAGTGCTGTGAGATGAGAGTGGGTAAATCAGGGACAGGGCCATGGGGTAGGG TGAGAAGGGCAGGGTGTCCTGATGCAAAGGTGGGGAGAAGGGATCCTAATCCCTTCCTCTCCCATTCACCCTGT GTAACAGGACCCCAAGGACCTGCCTCCCGGAAGTGCCTTAACCTAGAGGGTCGGGGAGGAGGTTGTGTCACTGA

121/615

FIGURE 120

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA55737

><subunit 1 of 1, 1141 aa, 1 stop ><MW: 124671, pI: 5.82, NX(S/T): 5

MAGARSRDPWGASGICYLFGSLLVELLFSRAVAFNLDVMGALRKEGEPGSLFGFSVALHRQLOPRPQSWLLVGAP QALALPGQQANRTGGLFACPLSLEETDCYRVDIDQGADMQKESKENQWLGVSVRSQGPGGKIVTCAHRYEARQRV DQILETRDMIGRCFVLSQDLAIRDELDGGEWKFCEGRPQGHEQFGFCQQGTAAAFSPDSHYLLFGAPGTYNWKGT ARVELCAQGSADLAHLDDGPYEAGGEKEODPRLIPVPANSYFGFSIDSGKGLVRAEELSFVAGAPRANHKGAVVI LRKDSASRLVPEVMLSGERLTSGFGYSLAVADLNSDGWPDLIVGAPYFFERQEELGGAVYVYLNQGGHWAGISPL RLCGSPDSMFGISLAVLGDLNQDGFPDIAVGAPFDGDGKVFIYHGSSLGVVAKPSQVLEGEAVGIKSFGYSLSGS LDMDGNQYPDLLVGSLADTAVLFRARPILHVSHEVSIAPRSIDLEQPNCAGGHSVCVDLRVCFSYIAVPSSYSPT VALDYVLDADTDRRLRGQVPRVTFLSRNLEEPKHQASGTVWLKHQHDRVCGDAMFQLQENVKDKLRAIVVTLSYS LQTPRLRRQAPGQGLPPVAPILNAHQPSTQRAEIHFLKQGCGEDKICQSNLQLVHARFCTRVSDTEFQPLPMDVD GTTALFALSGQPVIGLELMVTNLPSDPAQPQADGDDAHEAQLLVMLPDSLHYSGVRALDPAEKPLCLSNENASHV ECELGNPMKRGAQVTFYLILSTSGISIETTELEVELLLATISEQELHPVSARARVFIELPLSIAGMAIPQQLFFS GVVRGERAMQSERDVGSKVKYEVTVSNQGQSLRTLGSAFLNIMWPHEIANGKWLLYPMQVELEGGQGPGQKGLCS PRPNILHLDVDSRDRRRELEPPEQOEPGERQEPSMSWWPVSSAEKKKNITLDCARGTANCVVFSCPLYSFDRAA VLHVWGRLWNSTFLEEYSAVKSLEVIVRANITVKSSIKNLMLRDASTVIPVMVYLDPMAVVAEGVPWWVILLAVL AGLLVLALLVLLLWKMGFFKRAKHPEATVPQYHAVKIPREDRQQFKEEKTGTILRNNWGSPRREGPDAHPILAAD GHPELGPDGHPGPGTA

Important features:
Signal peptide:
amino acids 1-33

Transmembrane domain: amino acids 1040-1062

N-glycosylation sites.

amino acids 86-89, 746-749, 949-952, 985-988 and 1005-1008

Integrins alpha chain proteins.

amino acids 1064-1071, 384-408, 1041-1071, 317-346, 443-465, 385-407, 215-224, 634-647, 85-99, 322-346, 470-479, 442-466, 379-408 and 1031-1047

122/615

FIGURE 121

GGCACGAGGCGGGGGCAGTCGCGGGATGCGCCCGGGAGCCACAGCCTGAGGCCCTCAGGTCTCTGCAGGTGTC GTGGAGGAACCTAGCACCTGCCATCCTCTCCCCAATTTGCCACTTCCAGCAGCTTTAGCCCATGAGGAGGATGT GACCGGGACTGAGTCAGGAGCCTCTGGAAGCATGGAGACTGTGGTGATTGTTGCCATAGGTGTGCTGGCCACCA GCTATGATTCTAAGCCCATTGTGGACCTCATTGGTGCCATGGAGACCCAGTCTGAGCCCTCTGAGTTAGAACTGG ACGATGTCGTTATCACCAACCCCCACATTGAGGCCATTCTGGAGAATGAAGACTGGATCGAAGATGCCTCGGGTC TCATGTCCCACTGCATTGCCATCTTGAAGATTTGTCACACTCTGACAGAGAGCTTGTTGCCATGACAATGGGCT CTGGGGCCAAGATGAAGACTTCAGCCAGTGTCAGCGACATCATTGTGGTGGCCAAGCGGATCAGCCCCAGGGTGG ATGATGTTGTGAAGTCGATGTACCCTCCGTTGGACCCCAAACTCCTGGACGCACGGACGACTGCCTCCTGT CTGTCAGTCACCTGGTGCTGGTGACAAGGAATGCCTGCCATCTGACGGGAGGCCTGGACTGGATTGACCAGTCTC TGTCGGCTGCTGAGGAGCATTTGGAAGTCCTTCGAGAAGCAGCCCTAGCTTCTGAGCCAGATAAAGGCCTCCCAG ${\tt GCCCTGAAGGCTTCCTGCAGGAGCAGTCTGCAATT} \underline{{\tt TAGC}} {\tt TGCCTACAGGCCAGCTAGCCATGAAGGCCCCTGC}$ CAGCTGTGTGTGCATAGTAAAGCAGGAGATCCCCGTCAGTTTATGCCTCTTTTGCAGTTGCAAACTGTGGCTGGT GAGTGGCAGTCTAATACTACAGTTAGGGGAGATGCCATTCACTCTCTGCAAGAGGAGTATTGAAAACTGGTGGAC TGTCAGCTTTATTTAGCTCACCTAGTGTTTTCAAGAAAATTGAGCCACCGTCTAAGAAATCAAGAGGTTTCACAT TAAAATTAGAATTTCTGGCCTCTCTCGATCGGTCAGAATGTGTGGCAATTCTGATCTGCATTTTCAGAAGAGGAC ${\tt AATCAATTGAAACTAAGTAGGGGTTTCTTCTTTTGGCAAGACTTGTACTCTCACCTGGCCTGTTTCATTTATT}$ TGTATTATCTGCCTGGTCCCTGAGGCGTCTGGGTCTCTCCTCTCCCTTGCAGGTTTGGGGTTTGAAGCTGAGGAAC ATACTTATGTTTCCCTCAAAAAAAAAAAAAAA

123/615

FIGURE 122

METVVIVAIGVLATIFLASFAALVLVCRQRYCRPRDLLQRYDSKPIVDLIGAMETQSEPSELELDDVVITNPHIE AILENEDWIEDASGLMSHCIAILKICHTLTEKLVAMTMGSGAKMKTSASVSDIIVVAKRISPRVDDVVKSMYPPL DPKLLDARTTALLLSVSHLVLVTRNACHLTGGLDWIDQSLSAAEEHLEVLREAALASEPDKGLPGPEGFLQEQSAI

124/615

FIGURE 123

CTCGAGACGGGACCGAGAGCATCATGGCAGCACTGTCCCGCGCTCCGTGCTGCTTCTTGCTGCTGCTCC TGCGCCGGGCCGAGCAGCCCTGCGGGGCCGAGCTCACCTTCGAGCTGCCGGACAACGCCAAGCAGTGCTTCCACG AGGAGGTGGAGCAGGCGTGAAGTTCTCCCTGGATTACCAGGTCATCACTGGAGGCCACTACGATGTTGACTGCT ATGTAGAGGACCCCCAGGGGAACACCATCTACAGAGAAACGAAGAAGCAGTACGACAGCTTCACGTACCGGGCTG AAGTCAAGGGCGTTTATCAGTTTTGCTTCAGTAATGAGTTTTCCACCTTCTCTCACAAGACCGTCTACTTTGACT ${\tt TTCAAGTGGGCGATGAGCCTCCCATTCTCCCAGACATGGGGAACAGGGTCACAGCTCTCACCCAGATGGAGTCCG}$ ${\tt CCTGCGTGACCATCCATGAGGCTCTGAAAACGGTGATTGACTCCCAGACGCATTACCGGCTGCGGGAGGCCCAGG}$ ACCGGGCCCGAGCGGAAGACCTTAATAGCCGAGTCTCTTACTGGTCTGTTGGCGAGACGATTGCCCTGTTCGTGG <u>AG</u>CCCCGGCATCCTGCTCTAGGGCCCCTCATGCCCCAGGCTGGAGCAGCTCTCCTAGGTCACAGCCTGCTGGGCCT GGGTCGCGTAGCCCAGGGTGGAGGCAGAACGATGCTGCTGTGGTAGCCCTTTGCCTTTCATGCCCATGCTTGATT CTTGCACCTCAGCAGCTGAAGGTCTCAGAGACCAGTAATCAGAAGGCATCCGACTGCATTAAGTGTGCAGCGCTG AAAAGACATTTACAACTAGGCCAGGGATTAGCCACTGTGGGAGGGTGGACAGGCAATGGTTCAGTGGCCTGGCTG TTGGCAGGAACTCCAAGTGCCCAGGCCTCTTGGGCAGCTTAGGGCCCTGCCTCTGTTTCATGATGCATGGGTCAT GTACCTGAGGAAACCAGGCCCTGGGTGACTTTGCAGATCTGCTCACCCTCGGTGAGCAACAGTGTCAGCCATGCA AGCAGGACAGAATGGTGACTGGGTGCCCTTGGTGAGCTGTTATTTCCTAGGAGGTAGAAAACTGTGGGAAACTG

125/615

FIGURE 124

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56052
<subunit 1 of 1, 217 aa, 1 stop
<MW: 24777, pI: 5.55, NX(S/T): 0
MGSTVPRSASVLLLLLLLRRAEQPCGAELTFELPDNAKQCFHEEVEQGVKFSLDYQVITG
GHYDVDCYVEDPQGNTIYRETKKQYDSFTYRAEVKGVYQFCFSNEFSTFSHKTVYFDFQV
GDEPPILPDMGNRVTALTQMESACVTIHEALKTVIDSQTHYRLREAQDRARAEDLNSRVS
YWSVGETIALFVVSFSQVLLLKSFFTEKRPISRAVHS</pre>

Important features:

Signal peptide:

amino acids:

1-23

Transmembrane domain:

amino acids:

187-201

N-myristoylation sites:

amino acids:

26-32,48-54,131-137

Tyrosine kinase phosphorylation site:

amino acids:

82-91

Glycosyl hydrolases family 25 proteins:

amino acids:

53-61

126/615

FIGURE 125

127/615

FIGURE 126

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56107
<subunit 1 of 1, 231 aa, 1 stop
<NX(S/T): 0
MEEGGNLGGLIKMVHLLVLSGAWGMQMWVTFVSGFLLFRSLPRHTFGLVQSKLFPFYFHISMGCAFINLCILASQ
HAWAQLTFWEASQLYLLFLSLTLATVNARWLEPRTTAAMWALQTVEKERGLGGEVPGSHQGPDPYRQLREKDPKY
SALRQNFFRYHGLSSLCNLGCVLSNGLCLAGLALEIRSL</pre>

Signal peptide: amino acids 1-24

Transmembrane domain: amino acids 86-103, 60-75

Casein kinase II phosphorylation site. amino acids 82-86

Tyrosine kinase phosphorylation site. amino acids 144-151

N-myristoylation site. amino acids 4-10, 5-11, 47-53, 170-176, 176-182

Prokaryotic membrane lipoprotein lipid attachment site. amino acids 54-65

G-protein coupled receptors proteins. amino acids 44-85

128/615

FIGURE 127

129/615

FIGURE 128

MISLTDTQKIGMGLTGFGVFFLFFGMILFFDKALLAIGNVLFVAGLAFVIGLERTFRFFFQKHKMKATGFFLGGV FVVLIGWPLIGMIFEIYGFFLLFRGFFPVVVGFIRRVPVLGSLLNLPGIRSFVDKVGESNNMV

Important features:
Transmembrane domains:
amino acids 12-30 (typeII), 33-52, 69-89 and 93-109

N-myristoylation sites. amino acids 11-16, 51-56 and 116-121

Aminoacyl-transfer RNA synthetases class-II protein. amino acids 49-59

130/615

FIGURE 129

AATTCAGATTTTAAGCCCATTCTGCAGTGGAATTTCATGAACTAGCAAGAGGACACCATCTTCTTGTATTATACA AGAAAGGAGTGTACCTATCACACACAGGGGGAAAA ATGCTCTTTTGGGTGCTAGGCCTCCTAATCCTCTGTGGTTTTCTGTGGACTCGTAAAGGAAAACTAAAGATTGAAGACATCACTGATAAGTACATTTTTATCACTGGATGTGACT ATGTCAAGAGGACTGCCCAGTGGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTG GTGTTCCCGGCGTGCTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAACCTGT TTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAGTTATTAATGTCTCCA CAGATCCAGTAAAGGTAATTGAAAAAAAACTCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACAATATG GAGAAGGTTACATTGAAAAAAGTCTAGACAAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGG TGGTAGAGTGCATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTTATTGTTGAAACAGAAAGCAGAGCTGG CTAATCCCAAGGCAGTG<u>TGA</u>CTCAGCTAACCACAAATGTCTCCTCCAGGCTATGAAATTGGCCGATTTCAAGAAC ACATCTCCTTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACTCATTTAGATCGTGCTTATTTGGATTGCAAA AGGGAGTCCCACCATCGCTGGTGGTATCCCAGGGTCCCTGCTCAAGTTTTCTTTGAAAAGGAGGGCTGGAATGGT ACATCACATAGGCAAGTCCTGCCCTGTATTTAGGCTTTGCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTT GCCCATTCAAAATGATCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCCAGCATTTACAGTAACTTGTGAATGT AAAAAAA

131/615

FIGURE 130

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56406
><subunit 1 of 1, 319 aa, 1 stop
><MW: 35227, pI: 8.97, NX(S/T): 3
MLFWVLGLLILCGFLWTRKGKLKIEDITDKYIFITGCDSGFGNLAARTFDKKGFHVIAACLTESGSTALKAETSE
RLRTVLLDVTDPENVKRTAQWVKNQVGEKGLWGLINNAGVPGVLAPTDWLTLEDYREPIEVNLFGLISVTLNMLP
LVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFNDSLRRDMKAFGVHVSCIEPGLFKTNLADPVKVIEKKLA
IWEQLSPDIKQQYGEGYIEKSLDKLKGNKSYVNMDLSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAA

Important features of the protein: Signal peptide: amino acids 1-17

Transmembrane domain: amino acids 136-152

LQDFLLLKQKAELANPKAV

N-glycosylation sites. amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site. amino acids 39-42

N-myristoylation sites. amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

132/615

FIGURE 131

TCCTAGAAATCCTTCTGCTTCTGATCACCATCATCTACTCCTACTTGGAGTCGTTGGTGAAGTTTTTCATTCCTC ATGAATTTGCAAAACGACAGAGCATATTGGTTCTGTGGGATATTAATAAGCGCGGTGTGGAGGAAACTGCAGCTG AGTGCCGAAAACTAGGCGTCACTGCGCATGCGTATGTGGTAGACTGCAGCAACAGAGAAGAGATCTATCGCTCTC TAAATCAGGTGAAGAAAGAAGTGGGTGATGTAACAATCGTGGTGAATAATGCTGGGACAGTATATCCAGCCGATC TTCTCAGCACCAAGGATGAAGAGATTACCAAGACATTTGAGGTCAACATCCTAGGACATTTTTTGGATCACAAAAG CACTTCTTCCATCGATGATGGGGAGAAATCATGGCCACATCGTCACAGTGGCTTCAGTGTGCGGCCACGAAGGGA TTCCTTACCTCATCCCATATTGTTCCAGCAAATTTGCCGCTGTTGGCTTTCACAGAGGTCTGACATCAGAACTTC AGGCCTTGGGAAAAACTGGTATCAAAACCTCATGTCTCTGCCCAGTTTTTGTGAATACTGGGTTCACCAAAAATC CAAGCACAAGATTATGGCCTGTATTGGAGACAGATGAAGTCGTAAGAAGTCTGATAGATGGAATACTTACCAATA AGAAAATGATTTTTGTTCCATCGTATATCAATATCTTTCTGAGACTACAGAAGTTTCTTCTGAACGCGCCTCAG CGATTTTAAATCGTATGCAGAATATTCAATTTGAAGCAGTGGTTGGCCACAAAATCAAAATGAAA<u>TGA</u>ATAAATA AGCTCCAGCCAGAGATGTATGCATGATAATGATATGAATAGTTTCGAATCAATGCTGCAAAGCTTTATTTCACAT CTTCCTGTTTCTCAAGAATATTTACGTAGTTTTTCATAGGTCTGTTTTTCCTTTCATGCCTCTTAAAAACTTCTG TGCTTACATAAACATACTTAAAAGGTTTTCTTTAAGATATTTTATTTTTTCCATTTAAAGGTGGACAAAAGCTACC TCCCTAAAAGTAAATACAAAGAGAACTTATTTACACAGGGAAGGTTTAAGACTGTTCAAGTAGCATTCCAATCTG TATCTCAACCTGGACATATTTTAAGATTCAGCATTTGAAAGATTTCCCTAGCCTCTTCCTTTTTCATTAGCCCAA AACGGTGCAACTCTATTCTGGACTTTATTACTTGATTCTGTCTTCTGTATAACTCTGAAGTCCACCAAAAGTGGA CCCTCTATATTCCTCCCTTTTTATAGTCTTATAAGATACATTATGAAAGGTGACCGACTCTATTTTAAATCTCA GAATTTTAAGTTCTAGCCCCATGATAACCTTTTTCTTTGTAATTTATGCTTTCATATATCCTTGGTCCCAGAGAT GTTTAGACAATTTTAGGCTCAAAAATTAAAGCTAACACAGGAAAAGGAACTGTACTGGCTATTACATAAGAAACA ATGGACCCAAGAGAAGAA



<subunit 1 of 1, 300 aa, 1 stop
<mw: 33655, pi: 9.31, nx(s/t): 1
mniileilllitiiysyleslvkffipqrrksvageivlitgaghgigrqttyefakrqsilvlwdinkrgvee
taaecrklgvtahayvvdcsnreeiyrslnqvkkevgdvtivvnnagtvypadllstkdeeitktfevnilghfw
itkallpsmmernhghivtvasvcghegipylipycsskfaavgfhrgltselqalgktgiktsclcpvfvntgf
tknpstrlwpvletdevvrslidgiltnkkmifvpsyiniflrlqkflperasailnrmqniqfeavvghkikmk</pre>

Important features:
Signal peptide:
amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 30--33 and 58--61

Short-chain alcohol dehydrogenase family protein amino acids 165-202, 37-49, 112-122 and 210-219

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56409</pre>



FIGURE 133

CCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTTGGGGAAGTAAAAGGTGAAGCCAAGAACACAT TACTGATTCCCAAATGGATGTTGAAGTTGTTTATACAATTGACATTCAGAAATATATTCCATGCTATCAGCT CTTGCAGGAGCATTTTTCAAACCAAGACCTTGTTTTTCTGCTATTAACACCAAGTATAATAACAGAAAGCTGCTC TACTCATCGACTGGAACATTCCTTATATAAACCTCAAAAAGGACTTTTTCACAGGGTACCTTTAGTGGTTGCCAA TCTGGGCATGTCTGAACAACTGGGTTATAAAACTGTATCAGGTTCCTGTATGTCCACTGGTTTTAGCCGAGCAGT ACAAACACACAGCTCTAAATTTTTTGAAGAAGATGGATCCTTAAAGGAGGTACATAAGATAAATGAAATGTATGC TTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAAGTGGAAGACAGTGAACAAGCAGTAGATAAACTAGTAAA GGATGTAAACAGATTAAAACGAGAAATTGAGAAAAGGAGAGGAGCACAGATTCAGGCAGCAAGAGAAGAACAT CCAAAAAGACCCTCAGGAGAACATTTTTCTTTGTCAGGCATTACGGACCTTTTTTCCAAATTCTGAATTTCTTCA TTCATGTGTTATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACTACAACCACCATCTCGATGTAGT AGACAATCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCACAAATCATTAA GCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTAGATACACAAGACAAACGATC TAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAAATGAGCAGCCCAGAAACAGATGAAGAAATTGA ${\tt AAAGATGAAGGGTTTTGGTGAATATTCACGGTCTCCTACATTT} \underline{{\tt TGA}}{\tt TCCTTTTAACCTTACAAGGAGATTTTTTT}$ ATTTGGCTGATGGGTAAAGCCAAACATTTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTT TTTACTATGTTCACCTGTTTGCAGTAATACACAGATAACTCTTAGTGCATTTACTTCACAAAGTACTTTTTCAAA CATCAGATGCTTTTATTTCCAAACCTTTTTTCACCTTTCACTAAGTTGTTGAGGGGAAGGCTTACACAGACACA TTCTTTAGAATTGGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACTTAGGGAAGACAAGTC ${\tt AGGAGGATTGATTGAGGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATTGAGACCATGTCTATTAAAAAATAAA}$ TTCTCCTTAAGTGATACTTTTTTAGAAGTACATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAAT



MEGESTSAVLSGFVLGALAFQHLNTDSDTEGFLLGEVKGEAKNSITDSQMDDVEVVYTIDIQKYIPCYQLFSFYN SSGEVNEQALKKILSNVKKNVVGWYKFRRHSDQIMTFRERLLHKNLQEHFSNQDLVFLLLTPSIITESCSTHRLE HSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSRAVQTHSSKFFEEDGSLKEVHKINEMYASLQEE LKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGAQIQAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMS LKNRHVSKSSCNYNHHLDVVDNLTLMVEHTDIPEASPASTPQIIKHKALDLDDRWQFKRSRLLDTQDKRSKANTG SSNQDKASKMSSPETDEEIEKMKGFGEYSRSPTF



FIGURE 135

 $\tt CAAGCAGCGCAGCGAACGCCGCCGCCGCCCACACCCTCTGCGGTCCCCGCGCGCCCCTGCCACCCTTCCCTCC$ TTCCCCGCGTCCCCGCCTCGCCGGCCAGTCAGCTTGCCGGGTTCGCTGCCCCGCGAAACCCCGAGGTCACCAGCC $\tt CGCGCCTCTGCTTCCCTGGGCCGCGCGCCCCTCCACGCCCTCCTTCTCCCCTGGCCCCGGCGCCTGGCACCGGGG$ ACCGTTGCCTGACGCGAGGCCCAGCTCTACTTTTCGCCCCGCGTCTCCTCCGCCTGCTCGCCTCTTCCACCAACT CCAACTCCTTCTCCCTCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCCGCTGCCGTAGCGCCGC CGTCTTTACGTGTCCAAAGGCTTCAACAAGAACGATGCCCCCCTCCACGAGATCAACGGTGATCATTTGAAGATC TGTCCCCAGGGTTCTACCTGCTGCTCTCAAGAGATGGAGGAGGAGTACAGCCTGCAAAGTAAAGATGATTTCAAA AGTGTGGTCAGCGAACAGTGCAATCATTTGCAAGCTGTCTTTGCTTCACGTTACAAGAAGTTTGATGAATTCTTC AAAGAACTACTTGAAAATGCAGAGAAATCCCTGAATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAA AATTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTGAAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAA ATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATGTTCCGCCTGGTGAACTCCCAGTACCACTTTACAGAT GAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAGCCCTTCGGAGATGTCCCTCGCAAATTGAAGCTC CAĞGTTACTCGTGCTTTTGTAGCAGCCCGTACTTTCGCTCAAGGCTTAGCGĞTTGCGGGAGATGTCGTGAGCAAG GTCTCCGTGGTAAACCCCACAGCCCAGTGTACCCATGCCCTGTTGAAGATGATCTACTGCTCCCACTGCCGGGGT GATTTTGAATGGAACAATTTCATAGATGCTATGCTGATGGTGGCAGAGGGCTAGAGGGTCCTTTCAACATTGAA TCGGTCATGGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGATAATAGTGTTCAAGTGTCT CAGAAGGTTTTCCAGGGATGTGGACCCCCCAAGCCCCTCCCAGCTGGACGAATTTCTCGTTCCATCTCTGAAAGT GCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACCAGCAGCTGGCACTAGTTTGGACCGA CTGGTTACTGATGTCAAGGAGAAACTGAAACAGGCCAAGAAATTCTGGTCCTCCCTTCCGAGCAACGTTTGCAAC GATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAAAGCAGGTACCTGTTT GCAGTGACAGGAAATGGATTAGCCAACCAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACCAGACATA CTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAATGCATACAATGGGAACGACGTG AACTCTGAGAAAAAGTGTTCATCAAAAAGTTAAAAGGCACCAGTTATCACTTTTCTACCATCCTAGTGACTTTGC TTTTTAAATGAATGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAGAAGTGCTGACTTTGTTTTC TCATTCAGTTTTGGGAGGAAAAGGGACTGTGCATTGAGTTGGTTCCTGCTCCCCCAAACCATGTTAAACGTGGCT AACAGTGTAGGTACAGAACTATAGTTAGTTGTGCATTTGTGTGTTTTATCACTCTATTATTTGTTTTGTATGTTTTT TTCTCATTTCGTTTGTGGGTTTTTTTTTCCAACTGTGATCTCGCCTTGTTTCTTACAAGCAAACCAGGGTCCCTT TTATTAAAAGAAAAAGCCCAAAAAGC



MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGSTCCSQEMEEKY SLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGHLYMQNSELFKDLFVELKRYY VVGNVNLEEMLNDFWARLLERMFRLVNSQYHFTDEYLECVSKYTEQLKPFGDVPRKLKLQVTRAFVAARTFAQGL AVAGDVVSKVSVVNPTAQCTHALLKMIYCSHCRGLVTVKPCYNYCSNIMRGCLANQGDLDFEWNNFIDAMLMVAE RLEGPFNIESVMDPIDVKISDAIMNMQDNSVQVSQKVFQGCGPPKPLPAGRISRSISESAFSARFRPHHPEERPT TAAGTSLDRLVTDVKEKLKQAKKFWSSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLFAVTGNGLANQGNNPEV QVDTSKPDILILRQIMALRVMTSKMKNAYNGNDVDFFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAGKSANE KADSAGVRPGAQAYLLTVFCILFLVMQREWR



GCGGGCTGTTGACGGCGCTGCGATGCCTGCCGAGGGCAGGAGAAGCGGAGCTCTCGGTTCCTCTCAGTCGGA CTTCCTGACGCCGCCAGTGGGCGGGGCCCCTTGGGCCGTCGCCACCACTGTAGTCATGTACCCACCGCCGCCGCC GCCGCCTCATCGGGACTTCATCTCGGTGACGCTGAGCTTTGGCGAGAGCTATGACAACAGCAAGAGTTGGCGGCG GCGCTCGTGCTGGAGGAAATGGAAGCAACTGTCGAGATTGCAGCGGAATATGATTCTCTTCCTCCTTGCCTTTCT GCTTTTCTGTGGACTCCTCTTCTACATCAACTTGGCTGACCATTGGAAAGCTCTGGCTTTCAGGCTAGAGGAAGA GCAGAAGATGAGGCCAGAAATTGCTGGGTTAAAACCAGCAAATCCACCCGTCTTACCAGCTCCTCAGAAGGCGGA CACCGACCCTGAGAACTTACCTGAGATTTCGTCACAGAAGACACAAAGACACATCCAGCGGGGACCACCTCACCT GCAGATTAGACCCCCAAGCCAAGACCTGAAGGATGGGACCCAGGAGGAGGCCACAAAAAAGGCAAGAAGCCCCTGT GGATCCCCGCCGGAAGGAGATCCGCAGAGGACAGTCATCAGCTGGAGGGGAGCGGTGATCGAGCCTGAGCAGGG CACCGAGCTCCCTTCAAGAAGAGCAGAAGTGCCCACCAAGCCTCCCCTGCCACCGGCCAGGACACAGGGCACACC CACTGTGGCCGAGGTGACCAGCATTCAGCTGGAGTTCCGGGAGCTCTCCCGTCTCACAGGGGATAAGAAGTTTCA GGAGGCAGTGGAGAAGGTGACACACCACCACCTCTCTGGGAAGAAGGATGGGCTGGTCCCATGTTCAT ${\tt CAATACCCACAGTGGCCTCTTCACCCACCTGGGCGTATTCACGCTGGGCGCCAGGGCCGACAGCTACTATGAGTA}$ CCTGCTGAAGCAGTGGATCCAGGGCGGAAGCAGGAGACACAGCTGCTGGAAGACTACGTGGAAGCCATCGAGGG TGTCAGAACGCACCTGCTGCGGCACTCCGAGCCCAGTAAGCTCACCTTTGTGGGGGAGCTTGCCCACGGCCGCTT CAGTGCCAAGATGGACCACCTGGTGTGCTTCCTGCCAGGGACGCTGGCTCTGGGCGTCTACCACGGCCTGCCCGC CAGCCACATGGAGCTGGCCCAGGAGCTCATGGAGACTTGTTACCAGATGAACCGGCAGATGGAGACGGGGCTGAG CAACCTGCTGCGGCCAGAGACCGTGGAGAGCCTGTTCTACCTGTACCGCGTCACAGGGGACCGCAAATACCAGGA CTGGGGCTGGGAGATTCTGCAGAGCTTCAGCCGATTCACACGGGTCCCCTCGGGTGGCTATTCTTCCATCAACAA TGTCCAGGATCCTCAGAAGCCCGAGCCTAGGGACAAGATGGAGAGCTTCTTCCTGGGGGAGACGCTCAAGTATCT GTTCTTGCTCTTCTCCGATGACCCAAACCTGCTCAGCCTGGACGCCTACGTGTTCAACACCGAAGCCCACCCTCT $\texttt{GCCTATCTGGACCCCTGCC} \underline{\textbf{TAG}} \texttt{GGTGGATGGCTGCTGGTGTGGGGGACTTCGGGTGGGCAGAGGCACCTTGCTGGG}$ TCTGTGGCATTTTCCAAGGGCCCACGTAGCACCGGCAACCGCCAAGTGGCCCAGGCTCTGAACTGGCTCTGGGCT CCTCCTCGTCTCTGCTTTAATCAGGACACCGTGAGGACAAGTGAGGCCGTCAGTCTTGGTGTGATGCGGGGTGGG CTGGGCCGCTGGAGCCTCCGCCTGCTTCCTCCAGAAGACACGAATCATGACTCACGATTGCTGAAGCCTGAGCAG GTCTCTGTGGGCCGACCAGAGGGGGGCTTCGAGGTGGTCCCTGGTACTGGGGTGACCGAGTGGACAGCCCAGGGT GCAGCTCTGCCCGGGCTCGTGAAGCCTCAGATGTCCCCAATCCAAGGGTCTGGAGGGGCTGCCGTGACTCCAGAG TGGAGGGCTGGACGCAAGTCCGTCTAGCTCACGGGCCCCTCCAGTGGAATGGGTCTTTTCGGTGGAGATAAAAG TTGATTTGCTCTAACCGCAA



></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56529

><subunit 1 of 1, 699 aa, 1 stop ><MW: 79553, pI: 7.83, NX(S/T): 0

MAACEGRRSGALGSSQSDFLTPPVGGAPWAVATTVVMYPPPPPPPHRDFISVTLSFGESYDNSKSWRRRSCWRKW KQLSRLQRNMILFLLAFLLFCGLLFYINLADHWKALAFRLEEEQKMRPEIAGLKPANPPVLPAPQKADTDPENLP EISSQKTQRHIQRGPPHLQIRPPSQDLKDGTQEEATKRQEAPVDPRPEGDPQRTVISWRGAVIEPEQGTELPSRR AEVPTKPPLPPARTQGTPVHLNYRQKGVIDVFLHAWKGYRKFAWGHDELKPVSRSFSEWFGLGLTLIDALDTMWI LGLRKEFEEARKWVSKKLHFEKDVDVNLFESTIRILGGLLSAYHLSGDSLFLRKAEDFGNRLMPAFRTPSKIPYS DVNIGTGVAHPPRWTSDSTVAEVTSIQLEFRELSRLTGDKKFQEAVEKVTQHIHGLSGKKDGLVPMFINTHSGLF THLGVFTLGARADSYYEYLLKQWIQGGKQETQLLEDYVEAIEGVRTHLLRHSEPSKLTFVGELAHGRFSAKMDHL VCFLPGTLALGVYHGLPASHMELAQELMETCYQMNRQMETGLSPEIVHFNLYPQPGRRDVEVKPADRHNLLRPET VESLFYLYRVTGDRKYQDWGWEILQSFSRFTRVPSGGYSSINNVQDPQKPEPRDKMESFFLGETLKYLFLLFSDD PNLLSLDAYVFNTEAHPLPIWTPA

Important features of the protein:

Transmembrane domain:

amino acids 21-40 and 84-105 (type II)

FIGURE 139

FIGURE 140

 ${\tt MKVLISSLLLLPIMLMSMVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFMTVSGLPKKQCPCDHFKGNVKKTRHQRHHRKPNKHSRACQQFLKQCQLRSFALPL}$

142/615

FIGURE 141

143/615

FIGURE 142

 ${\tt MAVLVLRLTVVLGLLVLFLTCYADDKPDKPDDKPDDSGKDPKPDFPKFLSLLGTEIIENAVEFILRSMSRSTGFM} \\ {\tt EFDDNEGKHSSK} \\$

FIGURE 143

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAGAGCTGGTCTG TGGGCTGCTGGCAGCCCCTGTGCAAAAGCTACTTCCCCTACCTGATGGCCGTGCTGACTCCCAAGAGCAACCGCA AGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAGATAAAGGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTAC TGGAGCTGGGCTGCGGAACCGGAGCCAACTTTCAGTTCTACCCACCGGGCTGCAGGGTCACCTGCCTAGACCCAA ATCCCCACTTTGAGAAGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGG CTCCTGGAGAGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGCTGTGCTCTG TGCAGAGCCCAAGGAAGGTCCTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGCTCTTTTTCTGGGAGC ATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCTATTTCGAGCCCACCTGGAAACACATTGGGG ATGGCTGCTGCCTCACCAGAGAGCCTGGAAGGATCTTGAGAACGCCCAGTTCTCCGAAATCCAAATGGAACGAC AGCCCCTCCCTTGAAGTGGCTACCTGTTGGGCCCCACATCATGGGAAAGGCTGTCAAACAATCTTTCCCAAGCT GAGGGACCTAGCAGAATGAGAGAGACATTCATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGGAAACACTAGG ACCCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTCCCAATGTTGTCCCTTTCCTT CGTTCCCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACACCCATGCGTCTCTAGGAACTGGTCACAAAAG TCATGGTGCCTGCATCCCTGCCAAGCCCCCTGACCCTCTCTCCCCACTACCACCTTCTTCCTGAGCTGGGGGCA CCAGGGAGAATCAGAGATGCTGGGGATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTTGTTCTCAAATATTTTT TAATAAATAGACGAAACCACG

145/615

FIGURE 144

MDILVPLLQLLVLLITLPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELFSQIKGLTGASGKVALL ELGCGTGANFQFYPPGCRVTCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDMRQLADGSMDVVVCTLVLCSV QSPRKVLQEVRRVLRPGGVLFFWEHVAEPYGSWAFMWQQVFEPTWKHIGDGCCLTRETWKDLENAQFSEIQMERQ PPPLKWLPVGPHIMGKAVKQSFPSSKALICSFPSLQLEQATHQPIYLPLRGT

FIGURE 145

TTTGTCCGAACAGCTCCCCTCTGCCAGCTTCTGTAGATAAGGGTTAAAAACTAATATTTATATGACAGAAGAAAA AGATGTCATTCCGTAAAGTAAACATCATCATCTTGGTCCTGGCTGTTGCTCTTCTTACTGGTTTTTGCACCATA ACTTCCTCAGCTTGAGCAGTTTGTTAAGGAATGAGGTTACAGATTCAGGAATTGTAGGGCCTCAACCTATAGACT TTGTCCCAAATGCTCTCCGACATGCAGTAGATGGGAGACAAGAGGAGATTCCTGTGGTCATCGCTGCATCTGAAG ACAGGCTTGGGGGGGCCATTGCAGCTATAAACAGCATTCAGCACAACACTCGCTCCAATGTGATTTTCTACATTG TTACTCTCAACAATACAGCAGACCATCTCCGGTCCTGGCTCAACAGTGATTCCCTGAAAAGCATCAGATACAAAA TTGTCAATTTTGACCCTAAACTTTTGGAAGGAAAAGTAAAGGAGGATCCTGACCAGGGGGAATCCATGAAACCTT TAACCTTTGCAAGGTTCTACTTGCCAATTCTGGTTCCCAGCGCAAAGAAGGCCATATACATGGATGATGATGTAA TTGTGCAAGGTGATATTCTTGCCCTTTACAATACAGCACTGAAGCCAGGACATGCAGCTGCATTTTCAGAAGATT GTGATTCAGCCTCTACTAAAGTTGTCATCCGTGGAGCAGGAAACCAGTACAATTACATTGGCTATCTTGACTATA AAAAGGAAAGATTCGTAAGCTTTCCATGAAAGCCAGCACTTGCTCATTTAATCCTGGAGTTTTTGTTGCAAACC TGACGGAATGGAAACGACAGAATATAACTAACCAACTGGAAAAATGGATGAAACTCAATGTAGAAGAGGGACTGT ATAGCAGAACCCTGGCTGGTAGCATCACAACACCTCCTCTGCTTATCGTATTTTATCAACAGCACTCTACCATCG ATCCTATGTGGAATGTCCGCCACCTTGGTTCCAGTGCTGGAAAACGATATTCACCTCAGTTTGTAAAGGCTGCCA AGTTACTCCATTGGAATGGACATTTGAAGCCATGGGGAAGGACTGCTTCATATACTGATGTTTGGGAAAAATGGT ATATTCCAGACCCAACAGGCAAATTCAACCTAATCCGAAGATATACCGAGATCTCAAACATAAAG<u>TGA</u>AACAGAA AATGCCTATCGGTAGCAAGCCATGGAAAAAGATGTGTCAGCTAGGTAAAGATGACAAACTGCCCTGTCTGGCAGT CAGCTTCCCAGACAGACTATAGACTATAAATATGTCTCCATCTGCCTTACCAAGTGTTTTCTTACTACAATGCTG AATGACTGGAAAGAACTGATATGGCTAGTTCAGCTAGCTGGTACAGATAATTCAAAACTGCTGTTGGTTTTA ATTTTGTAACCTGTGGCCTGATCTGTAAATAAAACTTACATTTTTC

147/615

FIGURE 146

MSFRKVNIIILVLAVALFLLVLHHNFLSLSSLLRNEVTDSGIVGPQPIDFVPNALRHAVDGRQEEIPVVIAASED RLGGAIAAINSIQHNTRSNVIFYIVTLNNTADHLRSWLNSDSLKSIRYKIVNFDPKLLEGKVKEDPDQGESMKPL TFARFYLPILVPSAKKAIYMDDDVIVQGDILALYNTALKPGHAAAFSEDCDSASTKVVIRGAGNQYNYIGYLDYK KERIRKLSMKASTCSFNPGVFVANLTEWKRQNITNQLEKWMKLNVEEGLYSRTLAGSITTPPLLIVFYQQHSTID PMWNVRHLGSSAGKRYSPQFVKAAKLLHWNGHLKPWGRTASYTDVWEKWYIPDPTGKFNLIRRYTEISNIK

148/615

FIGURE 147

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCAGTTCCTCCAAGCA AGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCTATTTGCATCTGTTTTGATAA ATGATGTTGACACCCTCCACCGAATTCTAAGTGGAATCATGTCGGGAAGAGATACAATCCTTGGCCTGTGTATCC TCGCATTAGCCTTGTCTTTGGCCATGATGTTTACCTTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTT CATTGGTTATTTTGGGATTGTTTGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATACCAACGACCTCA CAGTGCTGCTCGTCTTGATTTTTGTTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCACAAATA AAGCCATCAGCAGTGCTCCTTCCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCATTTTCTTCTGGGTCC TCTGGGTGGCTGTGCTGAGCCTGGGAACTGCAGGAGCTGCCCAGGTTATGGAAGGCGGCCAAGTGGAATATA AGCCCCTTTCGGGCATTCGGTACATGTGGTCGTACCATTTAATTGGCCTCATCTGGACTAGTGAATTCATCCTTG CGTGCCAGCAATGACTATAGCTGGGGCAGTGGTTACTTGTTATTTCAACAGAAGTAAAAATGATCCTCCTGATC ATCCCATCCTTTCGTCTCTCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTTAATCT CTGTGGTGAGGATTCCGAGAATCATTGTCATGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT CATATACTACAACTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGCATTCAAAATCTTGTCCAAGA ACTCAAGTCACTTTACATCTATTAACTGCTTTGGAGACTTCATAATTTTTCTAGGAAAGGTGTTAGTGGTGTGTT TCACTGTTTTTGGAGGACTCATGGCTTTTAACTACAATCGGGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGG TAGCTTTTTTTGCCTACTTAGTAGCCCATAGTTTTTTATCTGTGTTTTGAAACTGTGCTGGATGCACTTTTCCTGT GTTTTGCTGTTGATCTGGAAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTT TCGTAAAAAGGAGCAACAAATTAAACAATGCAAGGGCACAGCACGACAAGCACTCATTAAGGAATGAGGAGGGAA CAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAACATTTCCTTCTAAGAGCCA TTCCTCAAAA

149/615

FIGURE 148

MSGRDTILGLCILALALSLAMMFTFRFITTLLVHIFISLVILGLLFVCGVLWWLYYDYTNDLSIELDTERENMKC VLGFAIVSTGITAVLLVLIFVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTFAILIFFWVLWVAVLLSLGTAG AAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQQMTIAGAVVTCYFNRSKNDPPDHPILSSLSILFFY HQGTVVKGSFLISVVRIPRIIVMYMQNALKEQQHGALSRYLFRCCYCCFWCLDKYLLHLNQNAYTTTAINGTDFC TSAKDAFKILSKNSSHFTSINCFGDFIIFLGKVLVVCFTVFGGLMAFNYNRAFQVWAVPLLLVAFFAYLVAHSFL SVFETVLDALFLCFAVDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRNEEGTELQAIVR

FIGURE 149

FIGURE 150

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAGCQDPKYHVYG
TDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYSNGVQSLSLPRWRESFIVLESKPKKGVTYPSAL
TYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVATPTTLPRPSPSAASTTSIPRPQSVGHRSQE
MDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKPVGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDG
STSIGKRRFRIQKQLLADVAQALDIGPAGPLMGVVQYGDNPATHFNLKTHTNSRDLKTAIEKITQRGGLSNVGRA
ISFVTKNFFSKANGNRSGAPNVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENEKQYVVEPNFANKAV
CRTNGFYSLHVQSWFGLHKTLQPLVKRVCDTDRLACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTNLTKEF
EISDTDTRIGAVQYTYEQRLEFGFDKYSSKPDILNAIKRVGYWSGGTSTGAAINFALEQLFKKSKPNKRKLMILI
TDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQEELEVIATHPARDHSFFVDEFDNLHQYVPRIIQNICTEFNSQPRN

FIGURE 151

 $\texttt{CAGGATGAACTGGTTGCAGTGGCTGCTGCTGCGGGGGGCGCTGAGAGGACACGAGCTCT} \underline{\textbf{ATG}} \texttt{CCTTTCCGGCT}$ GCTCATCCCGCTCGGCCTCCTGTGCGCGCTGCTGCCTCAGCACCATGGTGCGCCAGGTCCCGACGGCTCCGCGCC AGATCCCGCCCACTACAGTTTTTCTCTGACTCTAATTGATGCACTGGACACCTTGCTGATTTTGGGGGAATGTCTC A GAATTCCAAAGAGTGGTTGAAGTGCTCCAGGACAGCGTGGACTTTGATATTGATGTGAACGCCTCTGTGTTTGAAACAAACATTCGAGTGGTAGGAGGACTCCTGTCTGCTCATCTGCTCTCCAAGAAGGCTGGGGTGGAAGTAGAGGC TGGATGGCCCTGTTCCGGGCCTCTCCTGAGAATGGCTGAGGAGGCCGCCCGAAAACTCCTCCCAGCCTTTCAGAC CCCCACTGCCATATGGAACAGTGAACTTACTTCATGGCGTGAACCCAGGAGAGCCCCTGTCACCTGTAC GGCAGGGATTGGGACCTTCATTGTTGAATTTGCCACCCTGAGCAGCCTCACTGGTGACCCGGTGTTCGAAGATGT GGCCAGAGTGGCTTTGATGCGCCTCTGGGAGAGCCGGTCAGATATCGGGCTGGTCGGCAACCACATTGATGTGCT ${\tt CACTGGCAAGTGGGTGGCCCAGGACGCATCGGGGGCTGGGCTGGACTCCTACTTTGAGTACTTGGTGAAAGG}$ AGCCATCCTGCTTCAGGATAAGAAGCTCATGGCCATGTTCCTAGAGTATAACAAAGCCATCCGGAACTACACCCG $\tt CTTCGATGACTGGTACCTGTGGGTTCAGATGTACAAGGGGGACTGTGTCCATGCCAGTCTTCCAGTCCTTGGAGGC$ $\tt CTACTGGCCTGGTCTTCAGAGCCTCATTGGAGACATTGACAATGCCATGAGGACCTTCCTCAACTACTACACTGT$ ATGGAAGCAGTTTGGGGGGCTCCCGGAATTCTACAACATTCCTCAGGGATACACAGTGGAGAAGCGAGAGGGCTA CCCACTTCGGCCAGAACTTATTGAAAGCGCAATGTACCTCTACCGTGCCACGGGGGATCCCACCCTCCTAGAACT CGGAAGAGATGCTGTGGAATCCATTGAAAAAATCAGCAAGGTGGAGTGCGGATTTGCAACAATCAAAGATCTGCG AGACCACAAGCTGGACAACCGCATGGAGTCGTTCTTCCTGGCCGAGACTGTGAAATACCTCTACCTCCTGTTTGA CCCAACCAACTTCATCCACAACAATGGGTCCACCTTCGACGCGGTGATCACCCCCTATGGGGAGTGCATCCTGGG GGCTGGGGGGTACATCTTCAACACAGAAGCTCACCCCATCGACCTTGCCGCCCTGCACTGCTGCCAGAGGCTGAA GGAAGAGCAGTGGGAGGTGGAGGACTTGATGAGGGAATTCTACTCTCTCAAACGGAGCAGGTCGAAATTTCAGAA AAACACTGTTAGTTCGGGGCCATGGGAACCTCCAGCAAGGCCAGGAACACTCTTCTCACCAGAAAACCATGACCA GGCAAGGGAGGGAAGCCTGCCAAACAGAAGGTCCCACTTCTCAGCTGCCCCAGTCAGCCCTTCACCTCCAAGTT GGCATTACTGGGACAGGTTTTCCTAGACTCCTCA<u>TAA</u>CCACTGGATAATTTTTTTTATTTTTTTTTTTGAGGCT AAACTATAATAAATTGCTTTTGGCTATCATAAAA

153/615

FIGURE 152

MPFRLLIPLGLLCALLPQHHGAPGPDGSAPDPAHYSFSLTLIDALDTLLILGNVSEFQRVVEVLQDSVDFDIDVN ASVFETNIRVVGGLLSAHLLSKKAGVEVEAGWPCSGPLLRMAEEAARKLLPAFQTPTGMPYGTVNLLHGVNPGET PVTCTAGIGTFIVEFATLSSLTGDPVFEDVARVALMRLWESRSDIGLVGNHIDVLTGKWVAQDAGIGAGVDSYFE YLVKGAILLQDKKLMAMFLEYNKAIRNYTRFDDWYLWVQMYKGTVSMPVFQSLEAYWPGLQSLIGDIDNAMRTFL NYYTVWKQFGGLPEFYNIPQGYTVEKREGYPLRPELIESAMYLYRATGDPTLLELGRDAVESIEKISKVECGFAT IKDLRDHKLDNRMESFFLAETVKYLYLLFDPTNFIHNNGSTFDAVITPYGECILGAGGYIFNTEAHPIDLAALHC CQRLKEEQWEVEDLMREFYSLKRSRSKFQKNTVSSGPWEPPARPGTLFSPENHDQARERKPAKQKVPLLSCPSQP FTSKLALLGQVFLDSS

FIGURE 153

GAAAAGGAGAGGGACAGAGGCCAGAGGACTTCTCATACTGGACAGAAACCGATCAGGC<u>ATG</u>GAACTCCCCTTCGT CACTCACCTGTTCTTGCCCCTGGTGTTCCTGACAGGTCTCTGCTCCCCCTTTAACCTGGATGAACATCACCCACG CCTATTCCCAGGGCCACCAGAAGCTGAATTTGGATACAGTGTCTTACAACATGTTGGGGGTGGACAGCGATGGAT CCACAATGCCCCATGTGCCAAGGGCCACTTAGGTGACTACCAACTGGGAAATTCATCTCATCCTGCTGTGAATAT GCACCTGGGGATGTCTCTGTTAGAGACAGATGGTGATGGGGGGATTCATGGTGAGCTAAGGAGAGGGTGGTGGCAG TGTCTCTGAAGGTCCATAAAAGAAAAAGAGAAGTGTGGTAAGGGAAAATGGTCTGTGTGGAGGGGTCAAGGAGT TAAAAACCCTAGAAAGCAAAAGGTAGGTAATGTCAGGGAGTAGTCTTCATGCCTCCTTCAACTGGGAGCATGTTC TGAGGGTGCCCTCCCAAGCCTGGGAGTAACTATTTCCCCCATCCCCAGGCCTGTGCCCCTCTCTGGTCTCGTGCT ${\tt TGTGGCAGCTCTGTCTTCAGTTCTGGGATATGTGCCCGTGTGGATGCTTCATTCCAGCCTCAGGGAAGCCTGGCA}$ GGGCAAAGCGGTATGATGCCTGGCAAAGGGCCTGCATGGCTATCCTCATTGCTACCTAATGTGCTTGCAAAAGCT ${\tt CCATGTTTCCTAACAGATTCAGACTCCTGGCCAGGTGTGGTGGCCCACACCTGTAATTCTAGCACTTTGGGAGGC}$ ${\tt CAAGGTGGGCAGATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACTCCATCTCTACTAA}$ AAAAAAAAAATACAAAAATTAGCTGGGTGCGCTAGTGCATGCCTGTAATCTCATCTACTCGGGAGGCTAAGACA GGAGACTCTCACTTCAACCCAGGAGGTGGAGGTTGCGGTGAGCCAAGATTGTGCCTCTGCACTCTAGCGTGGGTG GCCTGGCACAGTAACTCATGCCTGTAATCCCAACATTTTGGGAGGCCAACGCAGGAGGATTGCTTGAGGTCTGGA

FIGURE 154

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57039
><subunit 1 of 1, 124 aa, 1 stop
><MW: 13352, pI: 5.99, NX(S/T): 1
MELPFVTHLFLPLVFLTGLCSPFNLDEHHPRLFPGPPEAEFGYSVLQHVGGGQRWMLVGAPWDGPSGDRRGDVYR
CPVGGAHNAPCAKGHLGDYQLGNSSHPAVNMHLGMSLLETDGDGGFMVS

Important features: Signal peptide: amino acids 1-22

Cell attachment sequence. amino acids 70-73

N-glycosylation site. amino acids 98-101

Integrins alpha chain proteins amino acids 67-81

FIGURE 155

AGCGTCCCCGCCCCCCCCCCGGGAGCTCTGATCTCAGCTGACAGTGCCCTCGGGGACCAAACAAGCCTGGCAGG ${\tt GTCTCACTTGTTGCCCAGGCTGGAGTTCAGTGCCATGATCATGGTTTACTGCAGCCTTGACCTCCTGGGTTCAA}$ GCGATCCTGCTGAGTAGCTGGGACTACAGGACAAAATTAGAAGATCAAAATGGGAAAATATGCTGCTTTGGTTGAT ATTTTTCACCCCTGGGTGGACCCTCATTGATGGATCTGAAATGGAATGGGATTTTATGTGGCACTTGAGAAAGGT ACCCCGGATTGTCAGTGAAAGGACTTTCCATCTCACCAGCCCCGCATTTGAGGCAGATGCTAAGATGATGGTAAA TACAGTGTGTGGCATCGAATGCCAGAAAGAACTCCCAACTCCCAGCCTTTCTGAATTGGAGGATTATCTTTCCTA TGAGACTGTCTTTGAGAATGGCACCCGAACCTTAACCAGGGTGAAAGTTCAAGATTTGGTTCTTGAGCCGACTCA AAATATCACCACAAAGGGAGTATCTGTTAGGAGAAAGAGACAGGTGTATGGCACCGACAGCAGGTTCAGCATCTT GGACAAAAGGTTCTTAACCAATTTCCCTTTCAGCACAGCTGTGAAGCTTTCCACGGGCTGTAGTGGCATTCTCAT TTCCCCTCAGCATGTTCTAACTGCTGCCCACTGTGTTCATGATGGAAAGGACTATGTCAAAGGGAGTAAAAAGCT AAGGGTAGGGTTGTTGAAGATGAGGAATAAAAGTGGAGGCAAGAAACGTCGAGGTTCTAAGAGGAGCAGGAGAGA AGCTAGTGGTGGTGACCAAAGAGAGGGTACCAGAGAGCATCTGCAGGAGAGGGGGAGAGGGGGGAGAAGAAGAAA TCCGAAGGGCTGGGCACGAGGAGGCATGGGGGACGCTACCTTGGACTATGACTATGCTCTTCTGGAGCTGAAGCG TGCTCACAAAAAGAAATACATGGAACTTGGAATCAGCCCAACGATCAAGAAAATGCCTGGTGGAATGATCCACTT $\tt CTCAGGATTTGATAACGATAGGGCTGATCAGTTGGTCTATCGGTTTTGCAGTGTGTCCGACGAATCCAATGATCT$ $\verb|CCTTTACCAATACTGCGATGCTGAGTCGGGGCTCCACCGGTTCGGGGGTCTATCTGCGTCTGAAAGATCCAGACAA| \\$ CTACAACGTTGCTGTTCGCATCACTCCCCTAAAATACGCCCAGATTTGCCTCTGGATTCACGGGAACGATGCCAA $\verb|TTGTGCTTACGGC| \verb|TAA| CAGAGACCTGAAACAGGGCGGTGTATCATCTAAATCACAGAGAAAACCAGCTCTGCTTA|$ CCGTAGTGAGATCACTTCATAGGTTATGCCTGGACTTGAACTCTGTCAATAGCATTTCAACATTTTTCAAAATCA GGAGATTTTCGTCCATTTAAAAAATGTATAGGTGCAGATATTGAAACTAGGTGGGCACTTCAATGCCAAGTATAT ACTCTTCTTTACATGGTGATGAGTTTCATTTGTAGAAAAATTTTGTTGCCTTCTTAAAAATTAGACACACTTTAA ACCTTCAAACAGGTATTATAAATAACATGTGACTCCTTAATGGACTTATTCTCAGGGTCCTACTCTAAGAAGAAT $\tt CTAATAGGATGCTGGTTGTATTAAATGTGAAATTGCATAGATAAAGGTAGATGGTAAAGCAATTAGTATCAGA$ ATAGAGACAGAAAGTTACAACACAGTTTGTACTACTCTGAGATGGATCCATTCAGCTCATGCCCTCAATGTTTAT ATTATAAACAAAACTAATAACTGTTTTACTGCTTTAAGAAATAACAATTACAATGTGTATTATTTAAAAATGGGA GAAATAGTTTGTTCTATGAAATAAACCTAGTTTAGAAATAGGGAAGCTGAGACATTTTAAGATCTCAAGTTTTTA TCTTTTTCAAGAAAGAGTCTTTTTCTCCTTGACAAAATCCAGCTTTTGTATGAGGACTATAGGGTGAATTCTCTG ATTAGTAATTTTAGATATGTCCTTTCCTAAAAATGAATAAAATTTATGAATATGA

FIGURE 156

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57253
<subunit 1 of 1, 413 aa, 1 stop
<MW: 47070, pI: 9.92, NX(S/T): 3
MENMLLWLIFFTPGWTLIDGSEMEWDFMWHLRKVPRIVSERTFHLTSPAFEADAKMMVNTVCGIECQKELPTPSL</pre>

MENMLLWLIFFTPGWTLIDGSEMEWDFMWHLRKVPRIVSERTFHLTSPAFEADAKMMVNTVCGIECQKELPTPSL
SELEDYLSYETVFENGTRTLTRVKVQDLVLEPTQNITTKGVSVRRKRQVYGTDSRFSILDKRFLTNFPFSTAVKL
STGCSGILISPQHVLTAAHCVHDGKDYVKGSKKLRVGLLKMRNKSGGKKRRGSKRSRREASGGDQREGTREHLQE
RAKGGRRRKKSGRGQRIAEGRPSFQWTRVKNTHIPKGWARGGMGDATLDYDYALLELKRAHKKKYMELGISPTIK
KMPGGMIHFSGFDNDRADQLVYRFCSVSDESNDLLYQYCDAESGSTGSGVYLRLKDPDKKNWKRKIIAVYSGHQW
VDVHGVQKDYNVAVRITPLKYAQICLWIHGNDANCAYG

Important features: Signal peptide: amino acids 1-16

N-glycosylation sites. amino acids 90-93, 110-113 and 193-196

Glycosaminoglycan attachment site. amino acids 236-239

Serine proteases, trypsin family, histidine active site. amino acids 165-170

FIGURE 157

GGGACCCATGCGGCCGTGACCCCCGGCTCCCTAGAGGCCCAGCGCAGCGCAGCGGACAAAGGAGCATGTCCGCG CCGGGGAAGGCCCGTCCTCCGGCCGCCATAAGGCTCCGGTCGCCGCTGGGCCCGCGCCGCGCTCCTGCCCGCCCG ${\tt GGCTCCGGGGCCGCCTAGGCCAGTGCGCCGCCGCTCGCCCGCAGGCCCGGGCCCGCAGCATGGAGCCACCC}$ GGACGCCGGCGGGCCGCGCAGCCGCCGCTGTTGCTGCCGCTCTTAGCGCTGCTCGCGCTGCTGCGGGA GGCGGCGGCGGCGCGCCGCGGCGCCGCCGCCGCCGCTGCAAGCACGATGGGCGGCCCCGAGGGGCTGGCAGG GCGGCGGGCCCCCGAGGCCAAGGTGGTGCAGCAGCCTGGAACTCGCGCAGGTCCTGCCCCCAGATACTCTG CCCAACCGCACGGTCACCCTGATTCTGAGTAACAATAAGATATCCGAGCTGAAGAATGGCTCATTTTCTGGGTTA AGTCTCCTTGAAAGATTGGACCTCCGAAACAATCTTATTAGTAGTATAGATCCAGGTGCCTTCTGGGGACTGTCA TCTCTAAAAAGATTGGATCTGACAAACAATCGAATAGGATGTCTGAATGCAGACATATTTCGAGGACTCACCAAT CTGGTTCGGCTAAACCTTTCGGGGAATTTGTTTTCTTCATTATCTCAAGGAACTTTTGATTATCTTGCGTCATTA CGGTCTTTGGAATTCCAGACTGAGTATCTTTTGTGTGACTGTAACATACTGTGGATGCATCGCTGGGTAAAGGAG AAGAACATCACGGTACGGGATACCAGGTGTGTTTATCCTAAGTCACTGCAGGCCCAACCAGTCACAGGCGTGAAG CAGGAGCTGTTGACATGCGACCCTCCGCTTGAATTGCCGTCTTTCTACATGACTCCATCTCATCGCCAAGTTGTG TTTGAAGGAGACAGCCTTCCTTTCCAGTGCATGGCTTCATATATTGATCAGGACATGCAAGTGTTGTGGTATCAG ATTGCAAGTGCCCTAACCATTTCTAATATTCAGGCTGGATCTACTGGAAATTGGGGCTGTCATGTCCAGACCAAA CGTGGGAATAATACGAGGACTGTGGATATTGTGGTATTAGAGAGTTCTGCACAGTACTGTCCTCCAGAGAGGGTG ACCCATGGCAGTGGGATATATCCCGGAAACCCACAGGATGAGAGAAAAGCTTGGCGCAGATGTGATAGAGGTGGC TTTTGGGCAGATGATTATTCTCGCTGTCAGTATGCAAATGATGTCACTAGAGTTCTTTATATGTTTAATCAG ATGCCCCTCAATCTTACCAATGCCGTGGCAACAGCTCGACAGTTACTGGCTTACACTGTGGAAGCAGCCAACTTT TCTGACAAAATGGATGTTATATTTGTGGCAGAAATGATTGAAAAAATTTGGAAGATTTACCAAGGAGGAAAAATCA GCTCACGTTTATTCAACATATTCACCCAATATTGCTCTGGAAGCTTATGTCATCAAGTCTACTGGCTTCACGGGG ATGACCTGTACCGTGTTCCAGAAAGTGGCAGCCTCTGATCGTACAGGACTTTCGGATTATGGGAGGCGGGATCCA GAGGGAAACCTGGATAAGCAGCTGAGCTTTAAGTGCAATGTTTCAAATACATTTTCGAGTCTGGCACTAAAGGTA TGTTACATTCTGCAATCATTTAAGACTATTTACAGT**TAA**ATTAGAATGCTCCAAATGTTCTGCTTCGCAAAATAA CCTTATTAAAAGATTTTTTTTTGCAGGAAGATAGGTATTATTGCTTTTTGCTACTGTTTTAAAGAAAACTAACCAG GAAGAACTGCATTACGACTTTCAAGGGCCCTAGGCATTTTTGCCTTTGATTCCCTTTCTTCACATAAAAATATCA GAAATTACATTTTATAACTGCAGTGGTATAAATGCAAATATACTATTGTTACATGTGAAAAAATTTTATTTGACT TAAAAGTTTATTTATTTTTTTTTTTTTGCTCCTGATTTTAAGACAATAAGATGTTTTCATGGGCCCCTAAAAGTATC TGTATATCAAAATTTTTTGGCAGAAAACACAAATATGTCATATATCTTTTTTTAAAAAAAGTATTTCATTGAAGCA AGCAAAATGAAAGCATTTTTACTGATTTTTAAAATTGGTGCTTTAGATATTTTGACTACACTGTATTGAAGCAA ATAGAGGAGGCACACTCCAGCACCCTAATGGAACCACATTTTTTCACTTAGCTTTCTGTGGGCATGTGTAATT AGTCATTTTAATGGCTGCATAATAACTGATCCAACAGGTGTTAGGTGTTCTGGTTTAGTGTGAGCACTCAATAAA TATTGAATGAATGAACGAAAAAAAAAAAAAAAA

PCT/US01/06520

159/615

FIGURE 158

MEPPGRRGRAQPPLLLPLSLLALLALLGGGGGGGAAALPAGCKHDGRPRGAGRAAGAAEGKVVCSSLELAQVLP PDTLPNRTVTLILSNNKISELKNGSFSGLSLLERLDLRNNLISSIDPGAFWGLSSLKRLDLTNNRIGCLNADIFR GLTNLVRLNLSGNLFSSLSQGTFDYLASLRSLEFQTEYLLCDCNILWMHRWVKEKNITVRDTRCVYPKSLQAQPV TGVKQELLTCDPPLELPSFYMTPSHRQVVFEGDSLPFQCMASYIDQDMQVLWYQDGRIVETDESQGIFVEKNMIH NCSLIASALTISNIQAGSTGNWGCHVQTKRGNNTRTVDIVVLESSAQYCPPERVVNNKGDFRWPRTLAGITAYLQ CTRNTHGSGIYPGNPQDERKAWRRCDRGGFWADDDYSRCQYANDVTRVLYMFNQMPLNLTNAVATARQLLAYTVE AANFSDKMDVIFVAEMIEKFGRFTKEEKSKELGDVMVDIASNIMLADERVLWLAQREAKACSRIVQCLQRIATYR LAGGAHVYSTYSPNIALEAYVIKSTGFTGMTCTVFQKVAASDRTGLSDYGRRDPEGNLDKQLSFKCNVSNTFSSL ALKVCYILQSFKTIYS

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 13-40 (type II)

N-glycosylation site.

amino acids 81-85, 98-102, 159-163, 206-210, 301-305, 332-336, 433-437, 453-457, 592-596

N-myristoylation site.

amino acids 29-35, 30-36, 31-37, 32-38, 33-39, 34-40, 51-57, 57-63, 99-105, 123-129, 142-148, 162-168, 317-323, 320-326, 384-390, 403-409, 554-560

1

FIGURE 159

GGGGAATCTGCAGTAGGTCTGCCGGCGATGGAGTGGTGGGCTAGCTCGCCGCTTCGGCTCTGGCTGCTGTTGTTC TCTTTGGAGAATTACGAACCATGTTCAAGTCAAAACTGCAGCTGCTACCATGGTGTCATAGAAGAGGATCTAACT CCTTTCCGAGGAGGCATCTCCAGGAAGATGATGGCAGAGGTAGTCAGACGGAAGCTAGGGACCCACTATCAGATC ACTAAGAACAGACTGTACCGGGAAAATGACTGCATGTTCCCCTCAAGGTGTAGTGGTGTTGAGCACTTTATTTTG GAAGTGATCGGGCGTCTCCCTGACATGGAGATGGTGATCAATGTACGAGATTATCCTCAGGTTCCTAAATGGATG GAGCCTGCCATCCCAGTCTTCTCCTTCAGTAAGACATCAGAGTACCATGATATCATGTATCCTGCTTGGACATTT TGGGAAGGGGGACCTGCTGTTTGGCCAATTTATCCTACAGGTCTTGGACGGTGGGACCTCTTCAGAGAAGATCTG GTAAGGTCAGCAGCACAGTGGCCATGGAAAAAGAAAAACTCTACAGCATATTTCCGAGGATCAAGGACAAGTCCA GAACGAGATCCTCATTCTTCTGTCTCGGAAAAACCCAAAACTTGTTGATGCAGAATACACCAAAAACCAGGCC TGGAAATCTATGAAAGATACCTTAGGAAAGCCAGCTGCTAAGGATGTCCATCTTGTGGATCACTGCAAATACAAG TATCTGTTTAATTTTCGAGGCGTAGCTGCAAGTTTCCGGTTTAAACACCTCTTCCTGTGTGGCTCACTTGTTTTC CATGTTGGTGATGAGTGGCTAGAATTCTTCTATCCACAGCTGAAGCCATGGGTTCACTATATCCCAGTCAAAACA GATCTCTCCAATGTCCAAGAGCTGTTACAATTTGTAAAAGCAAATGATGATGATGCTCAAGAGATTGCTGAAAGG GGAAGCCAGTTTATTAGGAACCATTTGCAGATGGATGACATCACCTGTTACTGGGAGAACCTCTTGAGTGAATAC TCTAAATTCCTGTCTTATAATGTAACGAGAAGGAAAGGTTATGATCAAATTATTCCCCAAAATGTTGAAAACTGAA CTA<u>TAG</u>TAGTCATCATAGGACCATAGTCCTCTTTGTGGCAACAGATCTCAGATATCCTACGGTGAGAAGCTTACC ATAAGCTTGGCTCCTATACCTTGAATATCTGCTATCAAGCCAAATACCTGGTTTTCCTTATCATGCTGCACCCAG AGCAACTCTTGAGAAAGATTTAAAATGTGTCTAATACACTGATATGAAGCAGTTCAACTTTTTGGATGAATAAGG ACCAGAATCGTGAGATGTGGATTTTGAACCCAACTCTACCTTTCATTTTCTTAAGACCAATCACAGCTTGTGCC TCAGATCATCCACCTGTGAGGTCCATCACTGTGAAATTGACTGTGTCCATGTGATGATGCCCTTTGTCCCATTA $\tt TTTGGAGCAGAAAATTCGTCATTTGGAAGTAGTACAACTCATTGCTGGAATTGTGAAATTATTCAAGGCGTGATC$ TCTGTCACTTTATTTTAATGTAGGAAACCCTATGGGGTTTATGAAAAATACTTGGGGATCATTCTCTGAATGGTC TAAGGAAGCGGTAGCCATGCCATGCAATGTAGGAGTTCTCTTTTGTAAAACCATAAACTCTGTTACTCAGGA GGTTTCTATAATGCCACATAGAAAGAGGCCAATTGCATGAGTAATTATTGCAATTGGATTTCAGGTTCCCTTTTT GTGCCTTCATGCCCTACTTCTTAATGCCTCTCTAAAGCCAAA

161/615

FIGURE 160

MEWWASSPLRLWLLLFLLPSAQGRQKESGSKWKVFIDQINRSLENYEPCSSQNCSCYHGVIEEDLTPFRGGISRK MMAEVVRRKLGTHYQITKNRLYRENDCMFPSRCSGVEHFILEVIGRLPDMEMVINVRDYPQVPKWMEPAIPVFSF SKTSEYHDIMYPAWTFWEGGPAVWPIYPTGLGRWDLFREDLVRSAAQWPWKKKNSTAYFRGSRTSPERDPLILLS RKNPKLVDAEYTKNQAWKSMKDTLGKPAAKDVHLVDHCKYKYLFNFRGVAASFRFKHLFLCGSLVFHVGDEWLEF FYPQLKPWVHYIPVKTDLSNVQELLQFVKANDDVAQEIAERGSQFIRNHLQMDDITCYWENLLSEYSKFLSYNVT RRKGYDQIIPKMLKTEL

FIGURE 161

 $\tt CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGCCAAA$ CAACAAAAACTTAAGCTTTAATTTCATCTGGAATTCCACAGTTTTCTTAGCTCCCTGGACCCGGTTGACCTGTT GGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGCTCTCCGACTACTCACCCCGAGTGTAAAGAACCTTCGGCTCG $\tt CGTGCTTCTGAGCTGCTGTGGATCGCCTCTCTGGACTGTCCTTCCGAGTAGGATGTCACTGAGATCCCTC$ AAATGGAGCCTCCTGCTGTCACTCCTGAGTTTCTTTGTGATGTGGTACCTCAGCCTTCCCCACTACAATGTG ATAGAACGCGTGAACTGGATGTACTTCTATGAGTATGAGCCGATTTACAGACAAGACTTTCACTTCACACTTCGA GAGCATTCAAACTGCTCTCATCAAAATCCATTTCTGGTCATTCTGGTGACCTCCCACCCTTCAGATGTGAAAGCC AGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAAGTCTTGGTGGGGGATATGAGGTTCTTACATTTTTCTTATTA GGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGCATTGTCCTTAGAGGATGAACACCTTCTTTATGGTGACATA ATCCGACAAGATTTTTTAGACACATATAATAACCTGACCTTGAAAACCATTATGGCATTCAGGTGGGTAACTGAG TTTTGCCCCAATGCCAAGTACGTAATGAAGACAGACACTGATGTTTTCATCAATACTGGCAATTTAGTGAAGTAT CTTTTAAACCTAAACCACTCAGAGAAGTTTTTCACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTT TACCAAAAAACCCATATTTCTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTTGGGTTAT ATAATGTCCAGAGATTTGGTGCCAAGGATCTATGAAATGATGGGTCACGTAAAACCCATCAAGTTTGAAGATGTT AGAATCCATTTGGATGTCTGAACTGAGACGTGTGATTGCAGCCCATGGCTTTTCTTCCAAGGAGATCATCACT TTTTGGCAGGTCATGCTAAGGAACACCACATGCCATTAT<u>TAA</u>CTTCACATTCTACAAAAAGCCTAGAAGGACAGG ATACCTTGTGGAAAGTGTTAAATAAAGTAGGTACTGTGGAAAATTCATGGGGAGGTCAGTGTGTGCTTACACT GAACTGAAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGGCCCTTCAAA GATGATATGTGGAGGAATTAAATATAAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGGACCAAACAATTTG GACATGTCATTCTGTAGACTAGAATTTCTTAAAAGGGTGTTACTGAGTTATAAGCTCACTAGGCTGTAAAAACAA AACAATGTAGAGTTTTATTTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTATATCTTATGTGGATTACCAAT TTAAAAATATATGTAGTTCTGTGTCAAAAAACTTCTTCACTGAAGTTATACTGAACAAAATTTTACCTGTTTTTG GTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTCACAGTTATTATTATTATTAAAATTACTTCAACTTTGTGTT TTTAAATGTTTTGACGATTTCAATACAAGATAAAAAGGATAGTGAATCATTCTTTACATGCAAACATTTTCCAGT TACTTAACTGATCAGTTTATTATTGATACATCACTCCATTAATGTAAAGTCATAGGTCATTATTGCATATCAGTA ATCTCTTGGACTTTGTTAAATATTTTACTGTGGTAATATAGAGAAGAATTAAAGCAAGAAAATCTGAAAA

163/615

FIGURE 162

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPIYRQDFHFTLREHSNCSH QNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFFLLGQEAEKEDKMLALSLEDEHLLYGDIIRQDFLD TYNNLTLKTIMAFRWVTEFCPNAKYVMKTDTDVFINTGNLVKYLLNLNHSEKFFTGYPLIDNYSYRGFYQKTHIS YQEYPFKVFPPYCSGLGYIMSRDLVPRIYEMMGHVKPIKFEDVYVGICLNLLKVNIHIPEDTNLFFLYRIHLDVC QLRRVIAAHGFSSKEIITFWQVMLRNTTCHY

164/615

FIGURE 163

CATTTCTGAAACTAATCGTGTCAGAATTGACTTTGAAAAGCATTGCTTTTTACAGAAGTATATTAACTTTTTAGG AGTAATTTCTAGTTTGGATTGTAATATGAAATAATTTAAAAGGGCTTCGCTCATATATAGGAAAATCGCATATGG TCCTAGTATTAAATTCTTATTGCTTACTGATTTTTTTGAGTTAAGAGTTGTTATATGCTAGAATATGAGGATGTG AATATAAATAAGAGAAAAAAAGAATAAAGTAGATTGAGTCTCCAATTTTATGTAAGCTTCAGAAGAACTGGTT TTCGATTTCAACCAGAGACTATAGCATGTGCTTGCATCTACCTTGCAGCTAGAGCACTTCAGATTCCGTTGCCAA $\tt CTCGTCCCCATTGGTTTCTTTTTTGGTACTACAGAAGAGGAAATCCAGGAAATCTGCATAGAAACACTTAGGC$ CCAAATTAAAAGCAAAGGGATTGAATCCGGATGGAACTCCAGCCCTTTCAACCCTGGGTGGATTTTCTCCAGCCT CCAAGCCATCATCACCAAGAGAAGTAAAAGCTGAAGAGAAATCACCAATCTCCATTAATGTGAAGACAGTCAAAA AAGAACCTGAGGATAGACAACAGGCTTCCAAAAGCCCTTACAATGGTGTAAGAAAAGACAGCAAGAAGAAGTAGAA ATAGCAGAAGTGCAAGTCGATCGAGGTCAAGAACACGTTCTAGATCACATACTCCAAGAAGACACTATA ATAATAGGCGGAGTCGATCTGGAACATACAGCTCGAGATCAAGAAGCAGGTCCCGCAGTCACAGTGAAAGCCCTC GAAGACATCATAATCATGGTTCTCCTCACCTTAAGGCCAAGCATACCAGAGATGATTTAAAAAGTTCAAACAGAC ATGGTCATAAAAGGAAAAATCTCGTTCTCGATCTCAGAGCAAGTCTCGGGATCACTCAGATGCAGCCAAGAAAC $\tt CTTGAAACCCTCTAGGTCTCTAGAACACTGAGGACAGTTTCTTTTGAAAAGAACTATGTTAATTTTTTTGCACAT$ ATTGCTATAAGAACTGGAGCGTGAATTCTGTAAAAATGTATCTTATTTTTATACAGATAAAATTGCAGACACTGT TCTATTTAAGTGGTTATTTGTTTAAATGATGGTGAATACTTTCTTAACACTGGTTTGTCTGCATGTGTAAAGATT

165/615

FIGURE 164

MNDSLRTNVFVRFQPETIACACIYLAARALQIPLPTRPHWFLLFGTTEEEIQEICIETLRLYTRKKPNYELLEKE VEKRKVALQEAKLKAKGLNPDGTPALSTLGGFSPASKPSSPREVKAEEKSPISINVKTVKKEPEDRQQASKSPYN GVRKDSKRSRNSRSASRSRSRTRSRSRSHTPRRHYNNRRSRSGTYSSRSRSRSRSRSHSESPRRHHNHGSPHLKAKH TRDDLKSSNRHGHKRKKSRSRSQSKSRDHSDAAKKHRHERGHHRDRRERSRSFERSHKSKHHGGSRSGHGRHRR

166/615

FIGURE 165

GGTTCCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCGTGATTTATTAACGTGGCTTA ATCTGAAGGTTCTCAGTCAAATTCTTTGTGATCTACTGATTGTGGGGGGCATGGCAAGGTTTGCTTAAAGGAGCTT GGCTGGTTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAA<u>TG</u>AAGGCGC TTCTGTTGCTGGTCTTGCCTTGGCTCAGTCCTGCTAACTACATTGACAATGTGGGCAACCTGCACTTCCTGTATT CAGAACTCTGTAAAGGTGCCTCCCACTACGGCCTGACCAAAGATAGGAAGAGGCGCTCACAAGATGGCTGTCCAG ACGCTGTGCGAGCCTCACAGCCACGGCTCCCTCCCCAGAGGTTTCTGCAGCTGCCACCATCTCCTTAATGACAG CTGGCCGGAGCAACCGAACTAGGGCACGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAAAAAAATAA ATCGAGCTTTGAGTGTTCTTCGAAGGACAAAGAGCGGGAGTGCAGTTGCCAACCATGCCGACCAGGGCAGGGAAA ATTCTGAAAACACCACTGCCCCTGAAGTCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAAATTACCAGCA TCAAGATCAATCGAGTAGATCCCAGTGAAAGCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCC TAAAGGTCAACGGGATGGACATCAGCAATGTCCCTCACAACTACGCTGTGCGTCTCCTGCGGCAGCCCTGCCAGG TGCTGTGGCTGACTGTGATGCGTGAACAGAAGTTCCGCAGCAGGAACAATGGACAGGCCCCGGATGCCTACAGAC CCCGAGATGACAGCTTTCATGTGATTCTCAACAAAAGTAGCCCCGAGGAGCAGCTTGGAATAAAACTGGTGCGCA AGGTGGATGAGCCTGGGGTTTTCATCTTCAATGTGCTGGATGGCGGTGTGGCATATCGACATGGTCAGCTTGAGG AGAATGACCGTGTGTTAGCCATCAATGGACATGATCTTCGATATGGCAGCCCAGAAAGTGCGGCTCATCTGATTC AGGCCAGTGAAAGACGTGTTCACCTCGTCGTCCCCCCAGGTTCGGCAGCGGAGCCCTGACATCTTTCAGGAAG $\tt CCGGCTGGAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCACCACCCCAAGCCCCTCCATCCTA$ CAATTACTTGTCATGAGAAGGTGGTAAATATCCAAAAAGACCCCGGTGAATCTCTCGGCATGACCGTCGCAGGGG GAGCATCACATAGAGAATGGGATTTGCCTATCTATGTCATCAGTGTTGAGCCCGGAGGAGTCATAAGCAGAGATG GAAGAATAAAAACAGGTGACATTTTGTTGAATGTGGATGGGGTCGAACTGACAGAGGTCAGCCGGAGTGAGGCAG TGGCATTATTGAAAAGAACATCATCCTCGATAGTACTCAAAGCTTTGGAAGTCAAAGAGTATGAGCCCCAGGAAG TGTGGCTGGAATTACCACGGTGCTTGTATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTCTGG GCTTCTGCATTGTAGGAGGTTATGAAGAATACAATGGAAACCAATTTTTTCATCAAATCCATTGTTGAAGGAA CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTTGCTGTCAATGGTAGAAGTACATCAGGAA TGATACATGCTTGCTTGGCAAGACTGCTGAAAGAACTTAAAGGAAGAATTACTCTAACTATTGTTTCTTGGCCTG GCACTTTTTTATAGAATCAATGATGGGTCAGAGGAAAAACAGAAAAATCACAAATAGGCTAAGAAGTTGAAACACT ATATTTATCTTGTCAGTTTTTATATTTAAAGAAAGAATACATTGTAAAAATGTCAGGAAAAGTATGATCATCTAA TGAAAGCCAGTTACACCTCAGAAAATATGATTCCAAAAAAATTAAAACTACTAGTTTTTTTCAGTGTGGAGGAT TGTATACCCCACTGAATTCAAGCTGATTTAAATTTAAAATTTGGTATATGCTGAAGTCTGCCAAGGGTACATTAT GGCCATTTTTAATTTACAGCTAAAATATTTTTTAAAATGCATTGCTGAGAAACGTTGCTTTCATCAAACAAGAAT AAATATTTTTCAGAAGTTAAA

167/615

FIGURE 166

MKALLLLVLPWLSPANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGCPDGCASLTATAPSPEVSAAATIS
LMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINRALSVLRRTKSGSAVANHADQ
GRENSENTTAPEVFPRLYHLIPDGEITSIKINRVDPSESLSIRLVGGSETPLVHIIIQHIYRDGVIARDGRLLPG
DIILKVNGMDISNVPHNYAVRLLRQPCQVLWLTVMREQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIK
LVRKVDEPGVFIFNVLDGGVAYRHGQLEENDRVLAINGHDLRYGSPESAAHLIQASERRVHLVVSRQVRQRSPDI
FQEAGWNSNGSWSPGPGERSNTPKPLHPTITCHEKVVNIQKDPGESLGMTVAGGASHREWDLPIYVISVEPGGVI
SRDGRIKTGDILLNVDGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPPSDWSP
SWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDGRIRCGDILLAVNGRS
TSGMIHACLARLLKELKGRITLTIVSWPGTFL

168/615

FIGURE 167

169/615

FIGURE 168

 ${\tt MELIPTITSWRVLILVVALTQFWCGFLCRGFHLQNHELWLLIKREFGFYSKSQYRTWQKKLAEDSTWPPINRTDYSGDGKNGFYINGGYESHEQIPKRKLKLGGQPTEQHFWARL}$

FIGURE 169

CGCTCGGGCACCAGCCGCGAAGG<u>ATG</u>GAGCTGGGTTGCTGGACGCAGTTGGGGCTCACTTTTCTTCAGCTCCT TCTCATCTCGTCCTTGCCAAGAGAGTACACAGTCATTAATGAAGCCTGCCCTGGAGCAGAGTGGAATATCATGTG TCGGGAGTGCTGTGAATATGATCAGATTGAGTGCGTCTGCCCCGGAAAGAGGGGAAGTCGTGGGTTATACCATCCC GAGCTGCCGAAATGGCTCATGGGGGGGTACCTTGGATGACTTCTATGTGAAGGGGTTCTACTGTGCAGAGTGCCG AGCAGGCTGGTACGGAGGAGACTGCATGCGATGTGGCCAGGTTCTGCGAGCCCCAAAGGGTCAGATTTTGTTGGA AAGCTATCCCCTAAATGCTCACTGTGAATGGACCATTCATGCTAAACCTGGGTTTGTCATCCAACTAAGATTTGT CATGTTGAGTCTGGAGTTTGACTACATGTGCCAGTATGACTATGTTGAGGTTCGTGATGGAGACAACCGCGATGG CCAGATCATCAAGCGTGTCTGTGGCAACGAGCGGCCAGCTCCTATCCAGAGCATAGGATCCTCACTCCACGTCCT $\tt CTTCCACTCCGATGGCTCCAAGAATTTTGACGGTTTCCATGCCATTTATGAGGAGATCACAGCATGCTCCTCATC$ CCCTTGTTTCCATGACGGCACGTGCGTCCTTGACAAGGCTGGATCTTACAAGTGTGCCTGCTTGGCAGGCTATAC TGGGCAGCGCTGTGAAAATCTCCTTGAAGAAAGAAACTGCTCAGACCCTGGGGGCCCAGTCAATGGGTACCAGAA CTCCTATGTTCTTAGTGGCAATGAGAAAAGAACTTGCCAGCAGAATGGAGAGTGGTCAGGGAAACAGCCCATCTG CATAAAAGCCTGCCGAGAACCAAAGATTTCAGACCTGGTGAGAAGGAGGTTCTTCCGATGCAGGTTCAGTCAAG AGCCCTTCCCTTTGGAGATCTGCCCATGGGATACCAACATCTGCATACCCAGCTCCAGTATGAGTGCATCTCACC $\tt CTTCTACCGCCGCCTGGGCAGCAGCAGGAGGACATGTCTGAGGACTGGGAAGTGGAGTGGGCGGCCACCATCCTG$ CCTGGTGAATGAGCGCACTGTGGTGGTGGCTGCCCACTGTTTACTGACCTGGGGAAGGTCACCATGATCAAGAC AGCAGACCTGAAAGTTGTTTTGGGGAAATTCTACCGGGATGATGACCGGGATGAGAAGACCATCCAGAGCCTACA GATTTCTGCTATCATTCTGCATCCCAACTATGACCCCATCCTGCTTGATGCTGACATCGCCATCCTGAAGCTCCT GGAGTCCCACATCACTGTGGCTGGAATGTCCTGGCAGACGTGAGGAGCCCTGGCTTCAAGAACGACACACT GCGCTCTGGGGTGGTCAGTGTGGTGGACTCGCTGCTGTGTGAGGACCATGAGGACCATGGCATCCCAGTGAG TGTCACTGATAACATGTTCTGTGCCAGCTGGGAACCCACTGCCCCTTCTGATATCTGCACTGCAGAGACAGGAGG CATCGCGGCTGTGTCCTTCCCGGGACGAGCATCTCCTGAGCCACGCTGGCATCTGATGGGACTGGTCAGCTGGAG $\verb|CTATGATAAAACATGCAGCCACAGGCTCTCCACTGCCTTCACCAAGGTGCTGCCTTTTAAAGACTGGATTGAAAG$ AAATATGAAA<u>TGA</u>ACCATGCTCATGCACTCCTTGAGAAGTGTTTCTGTATATCCGTCTGTACGTGTGTCATTGCG TGAAGCAGTGTGGGCCTGAAGTGTGATTTGGCCTGTGAACTTGGCTGTGCCAGGGCTTCTGACTTCAGGGACAAA ACTCAGTGAAGGGTGAGTAGACCTCCATTGCTGGTAGGCTGATGCCGCGTCCACTACTAGGACAGCCAATTGGAA GATGCCAGGGCTTGCAAGAAGTAAGTTTCTTCAAAGAAGACCATATACAAAACCTCTCCACTCCACTGACCTGGT GGTCTTCCCCAACTTTCAGTTATACGAATGCCATCAGCTTGACCAGGGAAGATCTGGGCTTCATGAGGCCCCTTT TGAGGCTCTCAAGTTCTAGAGAGCTGCCTGTGGGACAGCCCAGGGCAGCAGAGCTGGGATGTGCATGCCTTT

171/615

FIGURE 170

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAEWNIMCRECCEYDQIECVCPGKREVVGYTIPCCRNEENE CDSCLIHPGCTIFENCKSCRNGSWGGTLDDFYVKGFYCAECRAGWYGGDCMRCGQVLRAPKGQILLESYPLNAHC EWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDGQIIKRVCGNERPAPIQSIGSSLHVLFHSDGSKN FDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKCACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLI NGRHAKIGTVVSFFCNNSYVLSGNEKRTCQQNGEWSGKQPICIKACREPKISDLVRRRVLPMQVQSRETPLHQLY SAAFSKQKLQSAPTKKPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIE NITAPKTQGLRWPWQAAIYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAAHCVTDLGKVTMIKTADLKVVLG KFYRDDDRDEKTIQSLQISAIILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASRDLSTSFQESHITVAG WNVLADVRSPGFKNDTLRSGVVSVVDSLLCEEQHEDHGIPVSVTDNMFCASWEPTAPSDICTAETGGIAAVSFPG RASPEPRWHLMGLVSWSYDKTCSHRLSTAFTKVLPFKDWIERNMK

FIGURE 171

CTGTCGTCTTTGCTTCAGCCGCAGTCGCCACTGGCTGCCTGAGGTGCTCTTACAGCCTGTTCCAAGTGTGGCTTA ${\tt ATCCGTCTCCACCACCAGATCTTTCTCCGTGGATTCCTCTGCTAAGACCGCTGCC} {\tt ATG} {\tt CCAGTGACGGTAACCCG}$ CACCACCATCACAACCACCACGACGTCATCTTCGGGCCTGGGGTCCCCCATGATCGTGGGGTCCCCTCGGGCCCT GACACAGCCCCTGGGTCTCCTTCGCCTGCAGCTGGTGTCTACCTGCGTGGCCTTCTCGCTGGTGGCTAGCGT ${\tt GGGCGCCTGGACGGGGTCCATGGGCCATGTTCACCTGGTGCTTCTCCGTGACCCTGATCAT}$ CCTCATCGTGGAGCTGTGCGGGCTCCAGGCCCGCTTCCCCCTGTCTTGGCGCAACTTCCCCATCACCTTCGCCTG CTATGCGGCCCTCTTCTGCCTCTCGGCCTCCATCATCTACCCCACCACCTATGTCCAGTTCCTGTCCCACGGCCG TTCGCGGGACCACGCCATCGCCACCTTCTTCTCCTGCATCGCGTGTGTGGCTTACGCCACCGAAGTGGCCTG GACCCGGGCCCGGCCGGCGAGATCACTGGCTATATGGCCACCGTACCCGGGCTGCTGAAGGTGCTGGAGACCTT CGTTGCCTGCATCATCTCGCGTTCATCAGCGACCCCAACCTGTACCAGCACCAGCCGGCCCTGGAGTGGTGCGT GGCGGTGTACGCCATCTGCTTCATCCTAGCGGCCATCGCCATCCTGCAACCTGGGGGGAGTGCACCAACGTGCT CTGGCCCCTCTACCAGTTCGATGAGAAGTATGGCGGCCAGCCTCGGCGCTCGAGAGATGTAAGCTGCAGCCGCAG ${\tt CCATGCCTACTACGTGTGCCTGGGACCGCCGACTGGCCTGTGGCCATCCTGACGGCCATCAACCTACTGGCGTA}$ TCTCCAACCTCTTGTTCTTCCTGCCGAGTTTTCTTTATGGAGTACTTCTTTCCTCCGCCTTTCCTCTGTTTTC GAGTGCAGTGGTGCGATCTCAGCTCACTGCAACCCCCGCCTCCTGGGTTCAAGCGATTCTCCTCCCCCAGCCTCC CAAGTAGCTGGGAGGACAGGTGTGAGCTGCCGCACCCAGCCTGTTTCTCTTTTTCCACTCTTTTTTCTCATC TCTTTTCTGGGTTGCCTGTCGGCTTTCTTATCTGCCTGTTTTTGCAAGCACCTTCTCCTGTGTCCTTGGGAGCCCT GAGACTTCTTTCTCCCTTGCCTCCACCCACCTCCAAAGGTGCTGAGCTCACATCCACACCCCTTGCAGCCGTCC GTGTGTGTGTGTGTTTTGGGGGGTGGGGGGTGGGTAGCTGGGGATTGGGCCCTCTTTCTCCCAGTGGAGGAA GCGGGAGGCATTAAGCACCGACCCTGGGTCCCTAGGCCCCGCCTGGCACTCAGCCTTGCCAGAGATTGGCTCCAG AATTTTTGCCAGGCTTACAGAACACCCACTGCCTAGAGGCCATCTTAAAGGAAGCAGGGGCCTGGATGCCTTTCAT CCCAACTATTCTCTGTGGTATGAAAAAG

173/615

FIGURE 172

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58727
<subunit 1 of 1, 322 aa, 1 stop
<MW: 35274, pI: 8.57, NX(S/T): 1</pre>

MPVTVTRTTITTTTSSSGLGSPMIVGSPRALTQPLGLLRLLQLVSTCVAFSLVASVGAWTGSMGNWSMFTWCFC FSVTLIILIVELCGLQARFPLSWRNFPITFACYAALFCLSASIIYPTTYVQFLSHGRSRDHAIAATFFSCIACVA YATEVAWTRARPGEITGYMATVPGLLKVLETFVACIIFAFISDPNLYQHQPALEWCVAVYAICFILAAIAILLNL GECTNVLPIPFPSFLSGLALLSVLLYATALVLWPLYQFDEKYGGQPRRSRDVSCSRSHAYYVCAWDRRLAVAILT AINLLAYVADLVHSAHLVFVKV

Important features:

Transmembrane domains:

amino acids 41-60 (type II), 66-85, 101-120, 137-153, 171-192, 205-226, 235-255 and 294-312

N-glycosylation site. amino acids 66-69

Glycosaminoglycan attachment site. amino acids 18-21

FIGURE 173

GAACGTGCCACCATGCCCAGCTAATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCATGTTGGCCAGGCTGGTC TTGAACTCGTGACCTCATGATCCGCTCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGCATGAGCCACTGACGC CTGGCCAGCCTATGCATTTTTAAGAAATTATTCTGTATTAGGTGCTGTGCTAAACATTGGGCACTACAGTGACCA AAACAGACTGAATTCCCCAAGAGCCAAAGACCAGTGAGGGAGACCAACAAGAAACAGGAAATGCAAAAGAGACCA TTATTACTCACTATGACTAAGGGTCACAAATGGGGTACGTTGATGGAGAGTGATTTGTTAAGAGACTACAGAGGG AGGACAGACTACCAAGAGGGGGGCCAGGAAAGCTCCTCTGACGAGGTGGTATTTCAGCCCAAACTGGAAGAATGA AATAGCATGGGATTGGAGGAGGCTGGGGGAACACCACTTCTGCCGACCTGGGCAGGAGGCATTGAGGGCTTGAGA AAGGGCAATGGCAGTAGCAGTAGAAAGGACAGGGTAGGAGCAGGGACTTTGCAGGTGGAATCATTAGGTCTTATC TGGTGGGTGATGCAAAGGAAAGAGGTCAGGAAGCAGGGCCAGACGTGGGGAGAAGGTGTGGGGGTTTGGTTTCCA TCTTGCCGAGTCTGCCGGAATGTGGATGGGAAGACCAAGAGGAGGAGCAAGGGGCAAGGGGAAGGGAATCTTAA AGAAGTCCTGGATGCCACACTCTTCTTCCTTCCTCTCTCCTCCTCAGAGGTCTCACTCGTGGTTCTTCAT TTCCTGCCTGCCTCCATCTCCTCTGGGTGCTGGGAAAGTGGAGGATTAGCTGAAGTTTTGCTTCTCGGGGCCTG TCTGAATCTCCATTGCTTTCTGGGAGGACATAATTCACCTGTCCTAGCTTCTTATCATCTTACATTTCCCTGTAG CCACTGGGACATATGTGGTGTTCCTTCCTAGCTCCTGTCTCCTCATGCCTTTTGCTGGGTATGGGCATGTTAG GGGGAAGGTCATTGCTGTCAGAGGGGCACTGACTTTCTAATGGTGTTACCCAAGGTGAATGTTGGAGACACAGTC GCGATGCTGCCCAAGTCCCGGCGAGCCCTAACTATCCAGGAGATCGCTGCCTGGCCAGGTCCTCCCTGCATGGT ${\tt ATGCAGCCCCTCCC} \underline{{\tt ATG}} {\tt TTTCTGGCCACTTTGTCCTTTCTCCTCCCGTTTGCACATCCCTTTGGAACTGTTTCCT}$ ACATGGATCCTAACTACTGCCACCCTTCCACCTGCACCTGTGCTCCTGGCCTGGTCCTTTACCAGGCTTC ${\tt TCCACCCTCCCCTATCTCCAGGTATTTCCCAGGTGGTGAAGGACCACGTGACCAAGCCTACCGCCATGGCCCAGG}$ GCCGAGTGGCTCACCTCATTGAGTGGAAGGGCTGGAGCAAGCCGAGTGACTCACCTGCCCTGGCATCAGCCT TTTCCTCCTATTCAGACCTCAGCGAGGGCGAACAAGAGGCTCGCTTTGCAGCAGGAGTGGCTGAGCAGTTTGCCA TCGCGGAAGCCAAGCTCCGAGCATGGTCTTCGGTGGATGGCGAGGACTCCACTGATGACTCCTATGATGAGGACT $\tt TTGCTGGGGGAATGGACACAGACATGGCTGGGCAGCTGCCCCTGGGGCCGCACCTCCAGGACCTGTTCACCGGCC$ ACCGGTTCTCCCGGCCTGTGCGCCAGGGCTCCGTGGAGCCTGAGAGCCGTCTCACAGACCGTGTCCCCAGACA CCCTGTGCTCTAGTCTGTGCAGCCTGGAGGATGGGTTGTTGGGCCTCCCGGCCCGGCTGGCCTCCCAGCTGCTGG GCGATGAGCTGCTTCTCGCCAAACTGCCCCCAGCCGGGAAAGTGCCTTCCGCAGCCTGGGCCCACTGGAGGCCC ACTGCCAGCCACTCTGCCCACCACTAACGGGCAGCTGGGAACGCGGCAAGCCTCTGACCTGGCCTCTTCTG GGGTGGTGTCCTTAGATGAGGATGAGGCAGAGCCAGAGGAACAG<u>TGA</u>CCCACATCATGCCTGGCAGTGGCATGCA TCCCCCGGCTGCCAGGGGCAGAGCCTCTGTGCCCAAGTGTGGGCTCAAGGCTCCCAGCAGAGCTCCACAGCC TAGAGGGCTCCTGGGAGCGCTCGCTTCTCCGTTGTGTTTTTGCATGAAAGTGTTTTGGAGAGGAGGAGGCAGGGCTG GGCTGGGGGCGCATGTCCTGCCCCCACTCCCGGGGCTTGCCGGGGGTTGCCCGGGGCCTCTGGGGCATGGCTACA AGGGGGTTGTGACTGGGCTGTGTGAGGGTGGGGTGGGAGGGGCCCAGCAACCCCCCACCCTCCCATGCCTCTC TCTTCTCTCTCTCTCACTTCCGAGTCCATGTGCAGTGCTTGATAGAATCACCCCCACCTGGAGGGGCTGG ATTCACCTCTCCATCGTCTCTAAATCTTCCTCTTTTTTCCTAAAGACAGAAGGTTTTTTGGTCTGTTTTTTCAGTC GGATCTTCTCTCTGGGAGGCTTTGGAATGATGAAAGCATGTACCCTCCACCCTTTTCCTGGCCCCCTAATGG ATTCACGCAGAGCTCTCTGAGCGGGAGGTGGAAGAAAGGATGGCTCTGGTTGCCACAGAGCTGGGACTTCATGTT CTTCTAGAGAGGGCCACAAGAGGGCCACAGGGGTGGCCGGGAGTTGTCAGCTGATGCCTGCTGAGAGGCAGGAAT ATCCTGCATTCCAAGGTCACTGGACTGTACGTTTTTATGGTTGTGGGAAGGGTGGCTTTAGAATTAAGGGC GGCTCATTAGGTGTTTATTTTGTTCTATTTAAGAATTTGTTTTATTAAAATTAATAAAAAATCTTTTGTAAATCTC AAAAT

FIGURE 174

MFLATLSFLLPFAHPFGTVSCEYMLGSPLSSLAQVNLSPFSHPKVHMDPNYCHPSTSLHLCSLAWSFTRLLHPPL SPGISQVVKDHVTKPTAMAQGRVAHLIEWKGWSKPSDSPAALESAFSSYSDLSEGEQEARFAAGVAEQFAIAEAK LRAWSSVDGEDSTDDSYDEDFAGGMDTDMAGQLPLGPHLQDLFTGHRFSRPVRQGSVEPESDCSQTVSPDTLCSS LCSLEDGLLGSPARLASQLLGDELLLAKLPPSRESAFRSLGPLEAQDSLYNSPLTESCLSPAEEEPAPCKDCQPL CPPLTGSWERQRQASDLASSGVVSLDEDEAEPEEQ

Signal peptide:
amino acids 1-15

Casein kinase II phosphorylation site. amino acids 123-127, 128-132, 155-159, 162-166, 166-170, 228-232, 285-289, 324-328

Tyrosine kinase phosphorylation site. amino acids 44-52

N-myristoylation site. amino acids 17-23, 26-32, 173-179

Prokaryotic membrane lipoprotein lipid attachment site. amino acids $11\mbox{-}22$

FIGURE 175

TCAGTGCGACATTGTCACACTTAACCCATCTGTTTTCTCTAATGCACGACAGATTCCTTTCAGACAGGACAACTG TGATATTTCAGTTCCTGATTGTAAATACCTCCTAAGCCTGAAGCTTCTGTTACTAGCCATTGTGAGCTTCAGTTT AATACCAAAGAAGCCTACAATGTTGGCCTTAGCCAAAATTCTGTTGATTCAACGTTGTTTTATTCACTTCTATC GGGGAGCCATGGAAAAGAAAATCAAGACATAAACACAACACAGAACATTGCAGAAGTTTTTAAAACAATGGAAAA TAAACCTATTTCTTTGGAAAGTGAAGCAAACTTAAACTCAGATAAAGAAAATATAACCACCTCAAATCTCAAGGC GAGTCATTCCCCTCCTTTGAATCTACCCAACACCGCCACGGAATAACAGATTTCTCCAGTAACTCATCAGCAGA AGTGCCTTGGAATGCACCTATAGCAGATGAAGATCTTTTGCCCATCTCAGCACATCCCAATGCTACACCTGCTCT GTCTTCAGAAAACTTCACTTGGTCTTTGGTCAATGACACCGTGAAAACTCCTGATAACAGTTCCATTACAGTTAG CATCCTCTCTCAGAACCAACTTCTCCATCTGTGACCCCCTTGATAGTGGAACCAAGTGGATGGCTTACCACAAA CAGTGATAGCTTCACTGGGTTTACCCCTTATCAAGAAAAACAACTCTACAGCCTACCTTAAAATTCACCAATAA TTCAAAACTCTTTCCAAATACGTCAGATCCCCAAAAAGAAAATAGAAATACAGGAATAGTATTCGGGGCCATTTT AGGTGCTATTCTGGGTGTCTCATTGCTTACTCTTGTGGGCTACTTGTTGTGTGGAAAAAGGAAAACGGATTCATT TTCCCATCGGCGACTTTATGACGACAGAAATGAACCAGTTCTGCGATTAGACAATGCACCGGAACCTTATGATGT GAGTTTTGGGAATTCTAGCTACTACAATCCAACTTTGAATGATTCAGCCATGCCAGAAAGTGAAGAAAATGCACG TGATGGCATTCCTATGGATGACATACCTCCACTTCGTACTTCTGTATAGAACTAACAGCAAAAAAGGCGTTAAACA GCAAGTGTCATCTACATCCTAGCCTTTTGACAAATTCATCTTTCAAAAGGTTACACAAAATTACTGTCACGTGGA TTTTGTCAAGGAGATCATAAAAGCAGGAGACCAGTAGCAGAAATGTAGACAGGATGTATCATCCAAAGGTTTTC TTTCTTACAATTTTTGGCCATCCTGAGGCATTTACTAAGTAGCCTTAATTTTGTATTTTAGTAGTATTTTCTTAGT AGAAAATATTTGTGGAATCAGATAAAACTAAAAGATTTCACCATTACAGCCCTGCCTCATAACTAAATAATAAAA ATTATTCCACCAAAAAATTCTAAAACAATGAAGATGACTCTTTACTGCTCTGCCTGAAGCCCTAGTACCATAATT CAAGATTGCATTTTCTTAAATGAAAATTGAAAGGGTGCTTTTTAAAGAAAATTTGACTTAAAGCTAAAAAGAGGA CATAGCCCAGAGTTTCTGTTATTGGGAAATTGAGGCAATAGAAATGACAGACCTGTATTCTAGTACGTTATAATT TTCTAGATCAGCACACACATGATCAGCCCACTGAGTTATGAAGCTGACAATGACTGCATTCAACGGGGCCATGGC AGGAAAGCTGACCCTACCCAGGAAAGTAATAGCTTCTTTAAAAGTCTTCAAAGGTTTTTGGGAATTTTAACTTGTC TTAATATATCTTAGGCTTCAATTATTTGGGTGCCTTAAAAACTCAATGAGAATCATGGT

FIGURE 176

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58732

><subunit 1 of 1, 334 aa, 1 stop ><MW: 36294, pI: 4.98, NX(S/T): 13

MLALAKILLISTLFYSLLSGSHGKENQDINTTQNIAEVFKTMENKPISLESEANLNSDKENITTSNLKASHSPPL NLPNNSHGITDFSSNSSAEHSLGSLKPTSTISTSPPLIHSFVSKVPWNAPIADEDLLPISAHPNATPALSSENFT WSLVNDTVKTPDNSSITVSILSSEPTSPSVTPLIVEPSGWLTTNSDSFTGFTPYQEKTTLQPTLKFTNNSKLFPN TSDPQKENRNTGIVFGAILGAILGVSLLTLVGYLLCGKRKTDSFSHRRLYDDRNEPVLRLDNAPEPYDVSFGNSS YYNPTLNDSAMPESEENARDGIPMDDIPPLRTSV

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 235-262

N-glycosylation site.

amino acids 30-34, 61-65, 79-83, 90-94, 148-152, 155-159, 163-167, 218-222, 225-229, 298-302, 307-311

178/615

FIGURE 177

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTTCTTGCCT ${\tt GCAGTGAAGCAGAGAGATATATTATTCACGTAATAAAAAAC} {\tt ATG} {\tt GGCTTCAACCTGACTTTCCACCTTTCCTA}$ TGCCATTCAAGAGATTCCTAAAGCAAAGGAGTTCATGGCTAATTTCCATAAGACCCTCATTTTGGGGAAGGGAAA AACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTTGACAACTGTCCTTCTGTGTCTCCTTACCTCAGAGG CCAGAGCAAGCTCATTTTCAAACCAGATCTCACTTTGGAAGAGGTACAGGCAGAAAATCCCAAAGTGTCCAGAGG CCGGTATCGCCCTCAGGAATGTAAAGCTTTACAGAGGGTCGCCATCCTCGTTCCCCACCGGAACAGAGAGAAAACA CCTGATGTACCTGCTGGAACATCTGCATCCCTTCCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCA CCAGGCTGAAGGTAAAAAGTTTAATCGAGCCAAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAA TTGGGACTGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAGCA TCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGGGGGTGTTAC TGCCCTAAGCAGAGCAGTTTTTCAAGGTGAATGGATTCTCTAACAACTACTGGGGATGGGGAGGCGAAGACGA GGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACGGATGAAGCTCTTACACCAAGTGTCACGAGT $\tt CTGGAGAACAGATGGGTTGAGTAGTTGTTCTTATAAATTAGTATCTGTGGAACACAATCCTTTATATATCAACAT$ ATAATTTTGGCCTAGAGACTTCAAATAGTAGCACACATTAAGAACCTGTTACAGCTCATTGTTGAGCTGAATTTT TCCTTTTTGTATTTTCTTAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTTCTTAG TCATTTTGATCATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGA GGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAAAGGTACGAAGA TACAATACTGTTATTCATTTATCCTGTACAATCATCTGTGAAGTGGTGGTGTCAGGTGAGAAGGCGTCCACAAAA GAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAACTTGGGAATGAAGAGGTAGCAGGAGGGTGGAGTGTCGGC TGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGCCTTCAGGGGAGGACCTGCCCAGGTATGCCTTC CAGTGATGCCCACCAGAGAATACATTCTCTATTAGTTTTTAAAGAGTTTTTGTAAAATGATTTTGTACAAGTAGG ATATGAATTAGCAGTTTACAAGTTTACATATTAACTAATAATAATAATATGTCTATCAAATACCTCTGTAGTAAAAAT GTGAAAAAGCAAAA

179/615

FIGURE 178

MGFNLTFHLSYKFRLLLLTLCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLILGKGKTLTNEASTKKVELD NCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYRPQECKALQRVAILVPHRNREKHLMYLLEHLHPFLQR QQLDYGIYVIHQAEGKKFNRAKLLNVGYLEALKEENWDCFIFHDVDLVPENDFNLYKCEEHPKHLVVGRNSTGYR LRYSGYFGGVTALSREQFFKVNGFSNNYWGWGGEDDDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAE RMKLLHQVSRVWRTDGLSSCSYKLVSVEHNPLYINITVDFWFGA

Important features:
Signal peptide:
amino acids 1-27

N-glycosylation sites. amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.'
amino acids 191-202

FIGURE 179

CGTGGCCCGGGGTCGCCGCGGGCTGTGGGCCCCCGGAGGACCGCCGCAGTTCTCGAGCTCCAGCTGC CACCACCGATAGCCCTGCCACCACGGGAGCGGTGGTGACCATCTCGGCCAGCCTGGTGGCCAAGGACAACGGCAG CCTGGCCCTGCCGCTGACGCCCACCTCTACCGCTTCCACTGGATCCACACCCCGCTGGTGCTTACTGGCAAGAT TGCCGCTGACTGCTGGATGTGCCAGCCTGTGGCCAGGGGCTTTGTGGTCCTCCCCATCACAGAGTTCCTCGTGGG GGACCTTGTTGTCACCCAGAACACTTCCCTACCCTGGCCCAGCTCCTATCTCACTAAGACCGTCCTGAAAGTCTC ${\tt CCAGATGGTGAAGACTCCGTGGTCTATTATAACTATTCCATCATCGGGACCTTCACCGTGAAGCTCAAAGT}$ GGTGGCGGAGTGGGAAGAGGTGGAGCCGGATGCCACGAGGGCTGTGAAGCAGAAGACCGGGGACTTCTCCGCCTC GCTGAAGCTGCAGGAAACCCTTCGAGGCATCCAAGTGTTGGGGCCCCACCCTAATTCAGACCTTCCAAAAGATGAC CGTGACCTTGAACTTCCTGGGGAGCCCTCCTCTGACTGTGTGCTGGCGTCTCAAGCCTGAGTGCCTCCCGCTGGA GGAAGGGGAGTGCCACCCTGTGTCCGTGGCCAGCACAGCGTACAACCTGACCCACACCTTCAGGGACCCTGGGGA CTACTGCTTCAGCATCCGGGCCGAGAATATCATCAGCAAGACACATCAGTACCACAAGATCCAGGTGTGGCCCTC CAGAATCCAGCCGGCTGTCTTTGCTTTCCCATGTGCTACACTTATCACTGTGATGTTGGCCTTCATCATGTACAT GACCCTGCGGAATGCCACTCAGCAAAAGGACATGGTGGAGAACCCGGAGCCACCCTCTGGGGTCAGGTGCTGCTG CCAGATGTGCTGTGGGCCTTTCTTGCTGGAGACTCCATCTGAGTACCTGGAAATTGTTCGTGAGAACCACGGGCT $\tt GCTCCCGCCCCTCTATAAGTCTGTCAAAACTTACACCGTG\underline{\textbf{TGA}}\\ GCACTCCCCCTCCCCACCCCATCTCAGTGTTA$ ACTGACTGCTGACTTGGAGTTTCCAGCAGGGTGGTGTGCACCACTGACCAGGAGGGGTTCATTTGCGTGGGGCTG CAGCCATTCACCCATCTGTACAGTCCAGCCACTGACATAAGCCCCACTCGGTTACCACCCCCTTGACCCCCTACC TTTGAAGAGGCTTCGTGCAGGACTTTGATGCTTGGGGTGTTCCGTGTTGACTCCTAGGTGGGCCTGGCTGCCCAC TGCCCATTCCTCTCATATTGGCACATCTGCTGTCCATTGGGGGTTCTCAGTTTCCTCCCCCAGACAGCCCTACCT GTGCCAGAGAGCTAGAAAGAAGGTCATAAAGGGTTAAAAATCCATAACTAAAGGTTGTACACATAGATGGGCACA CGTCACATGGGCATTTCAGATGATCAGCTCTGTATCTGGTTAAGTCGGTTGCTGGGATGCACCCTGCACTAGAGC TGAGTGATTGCAGAGTGCTTTATAAATATCACCTTATTTTATCGAAACCCATCTGTGAAACTTTCACTGAGGAAA AGGCCTTGCAGCGGTAGAAGAGGGTTGAGTCAAGGCCGGGCGCGGTGGCTCACGCCTGTAATCCCAGCACTTTGGG AGGCCGAGGCGGGTGGATCACGAGATCAGGAGATCGAGACCACCCTGGCTAACACGGTGAAACCCCGTCTCTACT AAAAAATACAAAAAGTTAGCCGGGCGTGGTGGTGGTGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAGGA GAATGGTGCGAACCCGGGAGGCGGAGCTTGCAGTGAGCCCAGATGGCGCCACTGCACTCCAGCCTGAGTGACAGA GCGAGACTCTGTCTCCA

181/615

FIGURE 180

MAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTTDSPATTGAVVTISASLVAKDNGSLALPADAHLYRFHWI HTPLVLTGKMEKGLSSTIRVVGHVPGEFPVSVWVTAADCWMCQPVARGFVVLPITEFLVGDLVVTQNTSLPWPSS YLTKTVLKVSFLLHDPSNFLKTALFLYSWDFGDGTQMVTEDSVVYYNYSIIGTFTVKLKVVAEWEEVEPDATRAV KQKTGDFSASLKLQETLRGIQVLGPTLIQTFQKMTVTLNFLGSPPLTVCWRLKPECLPLEEGECHPVSVASTAYN LTHTFRDPGDYCFSIRAENIISKTHQYHKIQVWPSRIQPAVFAFPCATLITVMLAFIMYMTLRNATQQKDMVENP EPPSGVRCCCQMCCGPFLLETPSEYLEIVRENHGLLPPLYKSVKTYTV

Important features of the protein: Signal peptide: amino acids 1-24

Transmembrane domain: amino acids 339-362

N-glycosylation sites. amino acids 34-37, 58-61, 142-145, 197-200, 300-303 and 364-367

FIGURE 181

CCTGGGCCGCCCACGCCGAGCTACTGCGCCTGGGAGCGCGGGTGATCATGGGCTGCCGGGACCGCGCGC CGCCGAGGAGGCGGGGTCAGCTCCGCCGCGAGCTCCGCCAGGCCGCGGAGTGCGGCCCAGAGCCTGGCGTCAG $\tt CGGGGTGGGCGAGCTCATAGTCCGGGAGCTGGACCTCGCCTCGCTGCGCTCGGTGCGCCCTTCTGCCAGGAAAT$ GCTCCAGGAAGAGCCTAGGCTGGATGTCTTGATCAATAACGCAGGGATCTTCCAGTGCCCTTACATGAAGACTGA AGATGGGTTTGAGATGCAGTTCGGAGTGAACCATCTGGGGCACTTTCTACTCACCAATCTTCTCCTTGGACTCCT CAAAAGTTCAGCTCCCAGCAGGATTGTGGTAGTTTCTTCCAAACTTTATAAATACGGAGACATCAATTTTGATGA GGAACTAGCCCGCCGCTTAGAAGGCACAAATGTCACCGTCAATGTTGCATCCTGGTATTGTACGGACAAATCT GGGGAGGCACATACACATTCCACTGTTGGTCAAACCACTCTTCAATTTGGTGTCATGGGCTTTTTTCAAAACTCC AGTAGAAGGTGCCCAGACTTCCATTTATTTGGCCTCTTCACCTGAGGTAGAAGGAGTGTCAGGAAGATACTTTGG GGATTGTAAAGAGGAAGAACTGTTGCCCAAAGCTATGGATGAATCTGTTGCAAGAAAACTCTGGGATATCAGTGA ${\tt AGTGATGGTTGGCCTGCTAAAA} \underline{{\tt TAG}} {\tt GAACAAGGAGTAAAAGAGCTGTTTATAAAACTGCATATCAGTTATATCTG}$ TGATCAGGAATGGTGGGATTGAGAACTTGTTACTTGAAGAAAAAGAATTTTGATATTGGAATAGCCTGCTAAGA GGTACATGTGGGTATTTTGGAGTTACTGAAAAATTATTTTTGGGATAAGAGAATTTCAGCAAAGATGTTTTAAAT ATATATAGTAAGTAATAATAATAAGTACAATGAAAAATACAATTATATTGTAAAATTATAACTGGGCAAGCA TGGATGACATATTAATATTTGTCAGAATTAAGTGACTCAAAGTGCTATCGAGAGGTTTTTCAAGTATCTTTGAGT CACAAGTCTTACTTGGAATAAATTTACTGGTAC

183/615

FIGURE 182

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58747
<subunit 1 of 1, 336 aa, 1 stop
<MW: 36865, pI: 9.15, NX(S/T): 2
MAVATAAAVLAALGGALWLAARRFVGPRVQRLRRGGDPGLMHGKTVLITGANSGLGRATAAELLRLGARVIMGCR</pre>

MAVATAAAVLAALGGALWLAARRFVGPRVQRLRRGGDPGLMHGKTVLITGANSGLGRATAAELLRLGARVIMGCR DRARAEEAAGQLRRELRQAAECGPEPGVSGVGELIVRELDLASLRSVRAFCQEMLQEEPRLDVLINNAGIFQCPY MKTEDGFEMQFGVNHLGHFLLTNLLLGLLKSSAPSRIVVVSSKLYKYGDINFDDLNSEQSYNKSFCYSRSKLANI LFTRELARRLEGTNVTVNVLHPGIVRTNLGRHIHIPLLVKPLFNLVSWAFFKTPVEGAQTSIYLASSPEVEGVSG RYFGDCKEEELLPKAMDESVARKLWDISEVMVGLLK

Important features: Signal peptide: amino acids 1-21

Short-chain alcohol dehydrogenase family protein amino acids 134-144, 44-56 and 239-248

N-glycosylation site. amino acids 212-215 and 239-242

184/615

FIGURE 183

AACAGGATCTCCTCTTGCAGTCTGCAGCCCAGGACGCTGATTCCAGCAGCGCCTTACCGCGCAGCCCGAAGATTC $\texttt{ACT} \underline{\textbf{ATG}} \texttt{GTGAAAATCGCCTTCAATACCCCTACCGCCGTGCAAAAGGAGGCGCGGCAAGACGTGGAGGCCCTC}$ CTGAGCCGCACGGTCAGAACTCAGATACTGACCGGCAAGGAGCTCCGAGTTGCCACCCAGGAAAAAGAGGGCTCC ${\tt TCTGGGAGATGTATGCTTACTCTTTAGGCCTTTCATTCTTGGCAGGACTTATTGTTGGTGGAGCCTGCATT$ TACAAGTACTTCATGCCCAAGAGCACCATTTACCGTGGAGAGATGTGCTTTTTTGATTCTGAGGATCCTGCAAAT TCCCTTCGTGGAGGAGCCTAACTTCCTGCCTGTGACTGAGGAGGCTGACATTCGTGAGGATGACAACATTGCA ATCATTGATGTGCCTGTCCCCAGTTTCTCTGATAGTGACCCTGCAGCAATTATTCATGACTTTGAAAAGGGAATG ACTGCTTACCTGGACTTGTTGCTGGGGAACTGCTATCTGATGCCCCTCAATACTTCTATTGTTATGCCTCCAAAA AATCTGGTAGAGCTCTTTGGCAAACTGGCGAGTGGCAGATATCTGCCTCAAACTTATGTGGTTCGAGAAGACCTA TTCCGCCTTCGTCGCAGAGACCTCTTGCTGGGTTTCAACAAACGTGCCATTGATAAATGCTGGAAGATTAGACAC $\tt TTCCCCAACGAATTTATTGTTGAGACCAAGATCTGTCAAGAG\underline{TAA}GAGGCAACAGATAGAGTGTCCTTGGTAATA$ AGAAGTCAGAGATTTACAATATGACTTTAACATTAAGGTTTATGGGATACTCAAGATATTTACTCATGCATTTAC TAATTGGCATTGCTTGTTTTTGAAACTGAAATTACATGAGTTTCATTTTTTCTTTGCATTTATAGGGTTTAGAT TTTTTCTTTTCCTTTAAGTAAGCTCTTTATTCATCTTATGGTGGAGCAATTTTAAAATTTGAAATATTTTAAATT TTCTTGAATTTAGAAATTACATCTTTGCAGTTCTGTTAGGTGCTCTGTAATTAACCTGACTTATATGTGAACAAT TGTGTAGGTGCTGAATGCTGTAAGGAGTTTAGGTTGTATGAATTCTACAACCCTATAATAAATTTTACTCTATAC **ААААААААААААА**

FIGURE 184

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58828
<subunit 1 of 1, 263 aa, 1 stop
<MW: 29741, pI: 5.74, NX(S/T): 1
MVKIAFNTPTAVQKEEARQDVEALLSRTVRTQILTGKELRVATQEKEGSSGRCMLTLLGLSFILAGLIVGGACIY
KYFMPKSTIYRGEMCFFDSEDPANSLRGGEPNFLPVTEEADIREDDNIAIIDVPVPSFSDSDPAAIIHDFEKGMT
AYLDLLLGNCYLMPLNTSIVMPPKNLVELFGKLASGRYLPQTYVVREDLVAVEEIRDVSNLGIFIYQLCNNRKSF
RLRRRDLLLGFNKRAIDKCWKIRHFPNEFIVETKICQE</pre>

Type II transmembrane domain: amino acids 53-75

N-glycosylation site. amino acids 166-170

Casein kinase II phosphorylation site. amino acids 35-39, 132-136, 134-138

N-myristoylation site. amino acids 66-72, 103-109

Prokaryotic membrane lipoprotein lipid attachment site. amino acids 63-74

186/615

FIGURE 185

FIGURE 186

 ${\tt MALSSQIWAACLLLLLLASLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPICIFCCGCCHR} \\ {\tt SKCGMCCKT}$

FIGURE 187

 $\tt CTGTCAGGAAGGACCATCTGAAGGCTGCAATTTGTTCTTAGGGAGGCAGGTGCTGGCCTGGCCTGGATCTTCCAC$ $\mathtt{C} \underline{\mathbf{A}} \underline{\mathbf{r}} \underline{\mathbf{G}} \underline{\mathbf{T}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{G}} \underline{\mathbf{G}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{T}} \underline{\mathbf{G}} \underline{\mathbf{G}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{G}} \underline{\mathbf{C}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{C}} \underline{\mathbf{C}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{C}} \underline{\mathbf{C}} \underline{\mathbf{C}} \underline{\mathbf{T}} \underline{\mathbf{C}} \underline{\mathbf{C}}$ CCTTCTCGTTTTCATCATAGTGCCAGCCATTTTTGGAGTCTCCTTTGGTATCCGCAAACTCTACATGAAAAGTCT GTTAAAAATCTTTGCGTGGGCTACCTTGAGAATGGAGCGAGGAGCCAAGGAAGAACCACCAGCTTTACAAGCC CTACACCAACGGAATCATTGCAAAGGATCCCACTTCACTAGAAGAGATCAAAGAGATTCGTCGAAGTGGTAG TAGTAAGGCTCTGGACAACACTCCAGAGTTCGAGCTCTCTGACATTTTCTACTTTTGCCGGAAAGGAATGGAGAC CATTATGGATGATGAGGTGACAAAGAGATTCTCAGCAGAAGAACTGGAGTCCTGGAACCTGCTGAGCAGAACCAA TTATAACTTCCAGTACATCAGCCTTCGGCTCACGGTCCTGTGGGGGGTTAGGAGTGCTGATTCGGTACTGCTTTCT GCTGCCGCTCAGGATAGCACTGGCTTTCACAGGGATTAGCCTTCTGGTGGTGGCACAACTGTGGTGGGATACTT GACAGCCATCATCACCATGACAGGGAAAACAGACCAAGAAATGGTGGCCATCTGTGTGGCCAATCATACCTC ACCGATCGATGTGATCATCTTGGCCAGCGATGGCTATTATGCCATGGTGGGTCAAGTGCACGGGGGACTCATGGG TGTGATTCAGAGAGCCATGGTGAAGGCCTGCCCACACGTCTGGTTTGAGCGCTCGGAAGTGAAGGATCGCCACCT CATCAATAATACATCGGTGATGATGTTCAAAAAGGGAAGTTTTGAAATTGGAGCCACAGTTTACCCTGTTGCTAT CAAGTATGACCCTCAATTTGGCGATGCCTTCTGGAACAGCAGCAAATACGGGATGGTGACGTACCTGCTGCGAAT GATGACCAGCTGGGCCATTGTCTGCAGCGTGTGGTACCTGCCTCCCATGACTAGAGAGGCAGATGAAGATGCTGT GAAGAGGGAAAGGTGAAGGACACGTTCAAGGAGGAGCAGCAGAAGCTGTACAGCAAGATGATCGTGGGGAACCA TGGAGTTGCCGCCGCCCCCACTGCTGTGTCCTTTCCAGACTCCAGGGCTCCCCGGGCTGCTCTGGATCCCAG GACTCCGGCTTTCGCCGAGCCGCAGCGGGATCCCTGTGCACCCGGCGCAGCCTACCCTTGGTGGTCTAAACGGAT GCTGCTGGGTGTTGCGACCCAGGACGAGATGCCTTGTTTCTTTTACAATAAGTCGTTGGAGGAATGCCATTAAAG TGAACTCCCCACCTTTGCACGCTGTGCGGGCTGAGTGGTTGGGGAAGTGTGGCCATGGTCTTGTGCTAGAGATGG CGGTACAAGAGTCTGTTATGCAAGCCCGTGTGCCAGGGATGTGCTGGGGGGCGGCCACCCGCTCTCCAGGAAAGGC ACAGCTGAGGCACTGTGGCTTCGGCCTCAACATCGCCCCCAGCCTTGGAGCTCTGCAGACATGATAGGAAG GAAACTGTCATCTGCAGGGGCTTTCAGCAAAATGAAGGGTTAGATTTTTATGCTGCTGCTGATGGGGTTACTAAA ${\tt GGGAGGGGAAGAGGCCAGGTGGGCCGTGACTGGGGCCATGGGGAGAACGTGTGTTCGTACTCCAGGCTAACCCTG}$ AACTCCCCATGTGATGCGCGCTTTGTTGAATGTGTGTCTCGGTTTCCCCATCTGTAATATGAGTCGGGGGGAATG TGTTTCAAGTACAGGCCCACAAAACGGGGCACGGCAGGCCTGAGCTCAGAGCTGCTGCACTGGGCTTTGGATTTG TTCTTGTGAGTAAATAAAACTGGCTGGTGAATGA

189/615

FIGURE 188

MFLLLPFDSLIVNLLGISLTVLFTLLLVFIIVPAIFGVSFGIRKLYMKSLLKIFAWATLRMERGAKEKNHQLYKP YTNGIIAKDPTSLEEEIKEIRRSGSSKALDNTPEFELSDIFYFCRKGMETIMDDEVTKRFSAEELESWNLLSRTN YNFQYISLRLTVLWGLGVLIRYCFLLPLRIALAFTGISLLVVGTTVVGYLPNGRFKEFMSKHVHLMCYRICVRAL TAIITYHDRENRPRNGGICVANHTSPIDVIILASDGYYAMVGQVHGGLMGVIQRAMVKACPHVWFERSEVKDRHL VAKRLTEHVQDKSKLPILIFPEGTCINNTSVMMFKKGSFEIGATVYPVAIKYDPQFGDAFWNSSKYGMVTYLLRM MTSWAIVCSVWYLPPMTREADEDAVQFANRVKSAIARQGGLVDLLWDGGLKREKVKDTFKEEQQKLYSKMIVGNH KDRSRS

190/615

FIGURE 189

191/615

FIGURE 190

MALAALMIALGSLGLHTWQAQAVPTILPLGLAPDTFDDTYVGCAEEMEEKAAPLLKEEMAHHALLRESWEAAQET WEDKRRGLTLPPGFKAQNGIAIMVYTNSSNTLYWELNQAVRTGGGSRELYMRHFPFKALHFYLIRALQLLRGSGG CSRGPGEVVFRGVGSLRFEPKRLGDSVRLGQFASSSLDKAVAHRFGEKRRGCVSAPGVQLGSQSEGASSLPPWKT LLLAPGEFQLSGVGP

FIGURE 191

FIGURE 192

MAGSPTCLTLIYILWQLTGSAASGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQPEGGTIIVTQN RNRERVDFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSKPKVTMGLQSNKNGTCVTNLT CCMEHGEEDVIYTWKALGQAANESHNGSILPISWRWGESDMTFICVARNPVSRNFSSPILARKLCEGAADDPDSS MVLLCLLLVPLLLSLFVLGLFLWFLKRERQEEYIEEKKRVDICRETPNICPHSGENTEYDTIPHTNRTILKEDPA NTVYSTVEIPKKMENPHSLLTMPDTPRLFAYENVI

FIGURE 193

TGCCCCCCACTCTCGCTCCATTCGGCGGGAGCACCCAGTCCTGTACGCCAAGGAACTGGTCCTGGGGGCACCATG GTTTCGGCGGCAGCCCCCAGCCTCCTCATCCTTCTGTTGCTGCTGGGGGTCTGTGCCTGCTACCGACGCCCGC TCTGTGCCCCTGAAGGCCACGTTCCTGGAGGATGTGGCGGGTAGTGGGGGAGGCCGAGGGCTCGTCGGCCTCCTCC CCATCACCCCCCACCAACTTCCTGGATGGGATAGTGGACTTCTTCCGCCAGTACGTGATGCTGATTGCTGTGGTG GGCTCCCTGGCCTTTCTGCTGATGTTCATCGTCTGTGCCGCGGTCATCACCCGGCAGAAGCAGAAGGCCTCGGCC TATTACCCATCGTCCTTCCCCAAGAAGAAGTACGTGGACCAGAGTGACCGGGCCGGGGCCCCCGGGCCTTCAGT GAGGTCCCCGACAGAGCCCCCGACAGCCGGCCGAGGAGCCCTGGATTCCTCCCGGCAGCTCCAGGCCGACATC TTGGCCGCCACCAGAACCTCAAGTCCCCCACCAGGGCTGCACTGGGCGGTGGGGACGGAGCCAGGATGGTGGAG GGCAGGGGCCAGAGGAGAGGGCAGCCAGGAGGGGGGCCAGGAAGTCCAGGGACATGGGGTCCCAGTG GAGACACCAGAGGCGCAGGAGGCCGTGCTCAGGGGTCCTTGAGGGGGCTGTGGTGGCCGGTGAGGGCCAAGGG GAGCTGGAAGGGTCTCTCTTGTTAGCCCAGGAAGCCCAGGGACCAGTGGGTCCCCCCGAAAGCCCCTGTGCTTGC AGCAGTGTCCACCCCAGTGTCTAACAGTCCTCCCGGGCTGCCAGCCCTGACTGTCGGGCCCCCAAGTGGTCACCT CAGCATGTGCTGATTCTACAGCAGGCAGAAATGCTGGTCCCCGGTGCCCCGGAGGAATCTTACCAAGTGCCATCA CCCTGTGACAGCCAGGATAAAACATCCCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGTGCCCGGCCCAAAC TACTTTTAAAACAGCTACAGGGTAAAATCCTGCAGCACCCACTCTGGAAAATACTGCTCTTAATTTTCCTGAAG GTGGCCCCCTGTTTCTAGTTGGTCCAGGATTAGGGATGTGGGGTATAGGGCATTTAAATCCTCTCAAGCGCTCTC GGGGCTGGGGAAGGGTTTCTGACGCCCAGCCTGGAGCAGGGGGGCCCCTGGCCACCCCCTGTTGCTCACACATTGT $\tt CTGGCAGCCTGTGTCCACAATATTCGTCAGTCCTCGACAGGGAGCCTGGGCTCCGTCCTGCTTTAGGGAGGCTCT$ GGCAGGAGGTCCTCTCCCCCATCCTCCATCTGGGGCTCCCCCAACCTCTGCACAGCTCTCCAGGTGCTGAGATA AAAAAAAAAAAAAAAAA

PCT/US01/06520 WO 01/68848

195/615

FIGURE 194

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58852

><subunit 1 of 1, 283 aa, 1 stop ><MW: 29191, pI: 4.52, NX(S/T): 0

MVSAAAPSLLILLLLLGSVPATDARSVPLKATFLEDVAGSGEAEGSSASSPSLPPPWTPALSPTSMGPQPTTLG GPSPPTNFLDGIVDFFRQYVMLIAVVGSLAFLLMFIVCAAVITRQKQKASAYYPSSFPKKKYVDQSDRAGGPRAF SEVPDRAPDSRPEEALDSSRQLQADILAATQNLKSPTRAALGGGDGARMVEGRGAEEEEKGSQEGDQEVQGHGVP VETPEAQEEPCSGVLEGAVVAGEGQGELEGSLLLAQEAQGPVGPPESPCACSSVHPSV

Signal peptide:

amino acids 1-25

Transmembrane domain:

amino acids 94-118

N-myristoylation site.

amino acids 18-24, 40-46, 46-52, 145-151, 192-198, 193-199, 211-217, 238-244, 242-248

196/615

FIGURE 195

197/615

FIGURE 196

 $\label{thm:mkmlllclgltlvcvhaeeasstgrnfnvekingewhtiilasdkrekieehgnfrlfleqihvlenslvlkvhtvrdeecselsmvadktekageysvtydgfntftipktdydnflmahlinekdgetfqlmglygrepdlssdikerfaqlceehgilreniidlsnanrclqare$

198/615

FIGURE 197

199/615

FIGURE 198

MTCCEGWTSCNGFSLLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPATTMSLTARKR ACCNNRTGMFLSSFFSVITVIGALYCMLISIQALLKGPLMCNSPSNSNANCEFSLKNISDIHPESFNLQWFFNDS CAPPTGFNKPTSNDTMASGWRASSFHFDSEENKHRLIHFSVFLGLLLVGILEVLFGLSQIVIGFLGCLCGVSKRR SQIV

FIGURE 199

201/615

FIGURE 200

 ${\tt MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAGIAAVLSGKCKYKSSQKQHSPVPEKAIPLITPGSATTC}$

FIGURE 201

TGCCTGGGCAGTGGGGGGGCCCCTGCAGAGCGGAGAGGAAAGCACTGGGACAAATATTGGGGAGGCCCTT GGACATGGCCTGGGAGACGCCCTGAGCGAAGGGGTGGGAAAGGCCATTGGCAAAGAGGCCGGAGGGGCAGCTGGC GGCGCAGCAGATGCTTTGGGCAACAGGGTCGGGGAAGCAGCCCATGCTCTGGGAAACACTGGGCACGAGATTGGC AGACAGGCAGAAGATGTCATTCGACACGGAGCAGATGCTGTCCGCGGCTCCTGGCAGGGGGTGCCTGGCCACAGT GGTGCTTGGGAAACTTCTGGAGGCCATGGCATCTTTGGCTCTCAAGGTGGCCTTGGAGGCCAGGGCCAGGGCAAT GGAGCTCCCTGGGGTCAAGGAGGCAATGGAGGCCCACCAAACTTTGGGACCAACACTCAGGGAGCTGTGGCCCAG CCTGGCTATGGTTCAGTGAGAGCCAGCAACCAGAATGAAGGGTGCACGAATCCCCCACCATCTGGCTCAGGTGGA GGCTCCAGCAACTCTGGGGGAGGCAGCGGCTCACAGTCGGCAGCAGTGGCAGCAGTGGCAGCAATGGTGACAACAAC GGCTCCTCCGGCAACCACGGTGGGAGCGGCGGAGGAAATGGACATAAACCCGGGTGTGAAAAGCCAGGGAAT GAAGCCCGCGGGAGCGGGAATCTGGGATTCAGGGCTTCAGAGGGACAGGGAGTTTCCAGCAACATGAGGGAAATA AGCAAAGAGGGCAATCGCCTCCTTGGAGGCTCTGGAGACAATTATCGGGGGCAAGGGTCGAGCTGGGGCAGTGGA GGAGGTGACGCTGTTGGTGGAGTCAATACTGTGAACTCTGAGACGTCTCCTGGGATGTTTAACTTTGACACTTTC TGGAAGAATTTTAAATCCAAGCTGGGTTTCATCAACTGGGATGCCATAAACAAGGACCAGAGAAGCTCTCGCATC AAAAAAAA

203/615

FIGURE 202

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59212</pre>

><subunit 1 of 1, 440 aa, 1 stop

><MW: 42208, pI: 6.36, NX(S/T): 1

Signal peptide:

amino acids 1-21

N-glycosylation site.

amino acids 265-269

Glycosaminoglycan attachment site.

amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

Casein kinase II phosphorylation site.

amino acids 26-30, 109-113, 259-263, 300-304, 304-308

N-myristoylation site.

amino acids 17-23, 32-38, 42-48, 50-56, 60-66, 61-67, 64-70, 74-80, 90-96, 96-102, 130-136, 140-146, 149-155, 152-158, 178-184, 190-196, 194-200, 199-205, 218-224, 155-161, 159-165, 163-169, 239-245, 236-242, 238-244, 256-262, 240-246, 245-251, 246-252, 249-252, 253-259, 266-272, 270-276, 271-277, 275-281, 279-285, 283-289, 284-290, 287-293, 288-294, 291-297, 292-298, 295-301, 298-30 323-329, 325-331, 343-34 387-393, 389-395, 395-401 319-325, 298-304, 305-311, 311-317, 315-321, 322-328, 343-349, 354-360, 356-362, 374-380, 381-387,

Cell attachment sequence.

amino acids 301-304



FIGURE 203

GACCGGTGGCAATGTCCCCATGGCTACTCCTGCTGGTTGTGGGCTCCTGGCTACTCGCCCGCATCCTGGCTT GGACCTATGCCTTCTATAACAACTGCCGCCGGCTCCAGTGTTTCCCCACAGCCCCCAAAACGGAACTGGTTTTGGG GTCACCTGGGCCTGATCACTCCTACAGAGGAGGGCTTGAAGGACTCGACCCAGATGTCGGCCACCTATTCCCAGG GCTTTACGGTATGGCTGGGTCCCATCATCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATCACCA GTCGTCTGGACATGTTTGAGCACATCAGCCTCATGACCTTGGACAGTCTACAGAAATGCATCTTCAGCTTTGACA GCCATTGTCAGGAGAGGCCCAGTGAATATATTGCCACCATCTTGGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCC AGCATATCCTCCAGCACATGGACTTTCTGTATTACCTCTCCCATGACGGGCGCGCTTCCACAGGGCCTGCCGCC TGGTGCATGACTTCACAGACGCTGTCATCCGGGAGCGCGTCGCACCCTCCCCACTCAGGGTATTGATGATTTTT TCAAAGACAAAGCCAAGTCCAAGACTTTGGATTTCATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG CATTGTCAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACGGCCAGTGGCC TCTCCTGGGTCCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCGACAGGAGGTGCAAGAGCTTC TGAAGGACCGCGATCCTAAAGAGATTGAATGGGACGACCTGGCCCAGCTGCCCTTCCTGACCATGTGCGTGAAGG AGAGCCTGAGGTTACATCCCCCAGCTCCCTTCATCTCCCGATGCTGCACCCAGGACATTGTTCTCCCAGATGGCC GAGTCATCCCCAAAGGCATTACCTGCCTCATCGATATTATAGGGGŢCCATCACAACCCAACTGTGTGGCCGGATC $\tt CTGAGGTCTACGACCCCTTCGCTTTGACCCAGAGAACAGCAAGGGGAGGTCACCTCTGGCTTTTATTCCTTTCT$ $\tt CCGCAGGGCCCAGGAACTGCATCGGCCAGGCGTTCGCCATGGCGGAGATGAAAGTGGTCCTGGCGTTGATGCTGC$ $\tt TTTGGCTGCGGGTGGAGCCCCTGAATGTAGGCTTGCAG\underline{TGA}CTTTCTGACCCATCCACCTGTTTTTTTGCAGATT$ GTCATGAATAAAACGGTGCTGTCAAA

205/615

FIGURE 204

MSLLSLPWLGLRPVAMSPWLLLLLVVGSWLLARILAWTYAFYNNCRRLQCFPQPPKRNWFWGHLGLITPTEEGLK
DSTQMSATYSQGFTVWLGPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKPWLGEGILLSGGDKWSRHRRM
LTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHISLMTLDSLQKCIFSFDSHCQERPSEYIATI
LELSALVEKRSQHILQHMDFLYYLSHDGRRFHRACRLVHDFTDAVIRERRRTLPTQGIDDFFKDKAKSKTLDFID
VLLLSKDEDGKALSDEDIRAEADTFMFGGHDTTASGLSWVLYNLARHPEYQERCRQEVQELLKDRDPKEIEWDDL
AQLPFLTMCVKESLRLHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPFRFDPENS
KGRSPLAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELIMRAEGGLWLRVEPLNVGLQ

FIGURE 205

TCCCTTGACAGGTCTGGTGGCTGGTTCGGGGTCTACTGAAGGCTGTCTTGATCAGGAAACTGAAGACTCTCTGCT TTTGCCACAGCAGTTCCTGCAGCTTCCTTGAGGTGTGAACCCACATCCCTGCCCCCAGGGCCACCTGCAGGACGC CGACACCTACCCTCAGCAGACGCCGGAGAGAAATGAGTAGCAACAAAGAGCAGCGGTCAGCAGTGTTCGTGATC CTCTTTGCCCTCATCACCATCCTCTACAGCTCCAACAGTGCCAATGAGGTCTTCCATTACGGCTCCTG AAGACACTGCCCTCTCGGTGCCACCAGTGTGTGTGATTGTCAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGC AACAAGACCACCTACCGCGTCGTGGCCCATTCCAGTGTGTTCCGCGTGCTGAGGAGGCCCCAGGAGTTTGTCAAC CGGACCCCTGAAACCGTGTTCATCTTCTGGGGGCCCCCGAGCAAGATGCAGAAGCCCCAGGGCAGCCTCGTGCGT GTGATCCAGCGAGCGGCCTGGTGTTCCCCAACATGGAAGCATATGCCGTCTCTCCCGGCCGCATGCGGCAATTT GACGACCTCTTCCGGGGTGAGACGGGCAAGGACAGGAGAAGTCTCATTCGTGGTTGAGCACAGGCTGGTTTACC CCCCGCCTCCAGCGCATGCCCTACCACTACTACGAGCCCAAGGGGCCGGACGAATGTGTCACCTACATCCAGAAT GAGCACAGTCGCAAGGGCAACCACCACCGCTTCATCACCGAGAAAAGGGTCTTCTCATCGTGGGCCCAGCTGTAT AGCCTCCGCCCAGCCGCTAGGCCAGGGACCATCTTCTGGCCAATCAAGGCTTGCTGGAGTGTCTCCCAGCCAATC AGGGCCTTGAGGAGGATGTATCCTCCAGCCAATCAGGGCCTGGGGAATCTGTTGGCGAATCAGGGATTTGGGAGT CTATGTGGTTAATCAGGGGTGTCTTTCTTGTGCAGTCAGGGTCTGCGCACAGTCAATCAGGGTAGAGGGGGTATT TCTGAGTCAATCTGAGGCTAAGGACATGTCCTTTCCCATGAGGCCTTGGTTCAGAGCCCCAGGAATGGACCCCCC AATCACTCCCCACTCTGCTGGGATAATGGGGTCCTGTCCCAAGGAGCTGGGAACTTGGTGTTGCCCCCTCAATTT CCAGCACCAGAAAGAGATTGTGTGGGGGTAGAAGCTGTCTGGAGGCCCGGCCAGAGAATTTGTGGGGTTGTGG AGGTTGTGGGGGGGGGGGGGCTCCCAGAGGTGGGAGGCTGGCATCCAGGTCTTGGCTCTGCCCTGAGACCTTG GACAAACCCTTCCCCCTCTCTGGGCACCCTTCTGCCCACACCAGTTTCCAGTGCGGAGTCTGAGACCCTTTCCAC GCTCTTTGGGGGGTCTGGGGTGACCTCCCCACCTCCTGGAAAACTTTAGGGTATTTTTGCGCAAACTCCTTCAGG GGCTCTTAAAGGGCCAGGCCTCCTTTTCTGCCCTCTAGCAGGGAGGTTTTCCAACTGTTGGAGGCGCCTTTGGGG GGAGCTGTATCACCTGGGTTCTGTCCCCTGGCTCTGTATCAGGCACTTTATTAAAGCTGGGCCTCAGTGGGGTGT GTTTGTCTCCTGCTCTTCTGGAGCCTGGAAGGAAAGGGCTTCAGGAGGAGGGCTGTGAGGCTGGAGGGACCAGATG

207/615

FIGURE 206

MSSNKEQRSAVFVILFALITILILYSSNSANEVFHYGSLRGRSRRPVNLKKWSITDGYVPILGNKTLPSRCHQCV IVSSSSHLLGTKLGPEIERAECTIRMNDAPTTGYSADVGNKTTYRVVAHSSVFRVLRRPQEFVNRTPETVFIFWG PPSKMQKPQGSLVRVIQRAGLVFPNMEAYAVSPGRMRQFDDLFRGETGKDREKSHSWLSTGWFTMVIAVELCDHV HVYGMVPPNYCSQRPRLQRMPYHYYEPKGPDECVTYIQNEHSRKGNHHRFITEKRVFSSWAQLYGITFSHPSWT

Signal peptide: amino acids 1-29

Transmembrane domain: amino acids 9-31 (type II)

N-glycosylation site. amino acids 64-68, 115-119

 $\mathtt{cAMP-}$ and $\mathtt{cGMP-}dependent$ protein kinase phosphorylation site. amino acids 50--54

Casein kinase II phosphorylation site. amino acids 3-7, 29-33, 53-57, 197-201

Tyrosine kinase phosphorylation site. amino acids 253-262

N-myristoylation site. amino acids 37-43, 114-120, 290-294

FIGURE 207

CGCC<u>ATCGCAGCCATCAAAGCTTTGATTAGTTTGTCCTTTGGAGGAGCAATCGGACTGATGTTTTTGATGCTTGG</u> ATGTGCCCTTCCAATATACAACAAATACTGGCCCCTCTTTGTTCTATTTTTTACATCCTTTCACCTATTCCATA AACGGGCATTGTCGTGTCAGCTTTTGGACTCCCTATTGTATTTGCCAGAGCACATCTGATTGAGTGGGGAGCTTG TGCACTTGTTCTCACAGGAAACACAGTCATCTTTGCAACTATACTAGGCTTTTTCTTGGTCTTTGGAAGCAATGA CGACTTCAGCTGCAGCAGTGG<u>TGA</u>AAAGAAATTACTGAACTATTGTCAAATGGACTTCCTGTCATTTGTTGGCC ATTCACGCACACAGGAGATGGGGCAGTTAATGCTGAATGGTATAGCAAGCCTCTTGGGGGGTATTTTAGGTGCTCC CTTCTCACTTTTATTGTAAGCATACTATTTTCACAGAGACTTGCTGAAGGATTAAAAGGATTTTCTCTTTTGGAA AAGCTTGACTGATTTCACACTTATCTATAGTATGCTTTTTTGTGGTGTCCTGCTGAATTTAAATATTTATGTGTTT TTCCTGTTAGGTTGATTTTTTTGGAATCAATATGCAATGTTAAACACTTTTTTAATGTAATCATTTGCATTGGT TAGGAATTCAGAATTCCGCCGGCTCTATTACTGGTCAAGTACATCTTTTCTCTTAAAATTATTTAGCCTCCATTA TTACAAAAATTATAAAAATAAGTTTTCAGTCAGTCAGGATGACATCACTCCCAATGTTATGCAGACATACAGAC GGTTGGCATACGTTATAGACTGTATACTCAGTGCAAATATAGCTGCATTTATACCTCAGAGGGGCCAAGTGTTAA TGCCCATGCCCTCCGTTAAGGGTTGTTGGTTTTACTGGTAGACAGATGTTTTGTGGATTGAAAATTATTTTATGG AATTGCTACAGAGGAGTGCTTTTCTTCTCAATTGTTAGAAGAATTTATGTTAAACTTTAAGGTAAGGGTGTAAAA ACATTTTTGAGATAAGGTTTTTATTTATGTTATTATTGTTAGAGTGAGTTGCAATGTGGGAAGAAATGACATTG AAATTCCAGTTTTTGAATCCTGTTTCTATTTATAAGTGAAATTTTGTGATCTCCTATCAACCTTTCATGTTTTTACC CTGTTAAAATGGACATACATGGAACCACTACTGATGAGGGACAGTTGTATGTTTGCATCATATATGCCAGAAAAC AGGCCTTGCCATGATTAACAAGTAACTTGTTAGTCTTACAGATAATTCATGCATTAACAGTTTAAGATTTAGACC ATGGTAATAGTAGTTCTTATTCTCTAAGGTTATATCATATGTAATTTAAAAGTATTTTTAAGACAAGTTTCCTGT ATACCTCTGAACTGTTTTGATTTTGAGTTCATCATGATAGATCTGCTGTTTCCTTATAAAAGGCATTTGTTGTT GAGTTAATGCAAAGTAGCCAAGTCCAGCTATATAGCAGCTTCAGAAACATACCTGACCAAAAAATTCCCAGTAAC ${\tt CAGGCATGATCAATTTATAGTGGTCGTTTACATCTAATAATTATCAGGACTTTTTTCAGGAGTGGGTTATAAAAA}$ GGAATAAATTTGGGATTTGTTCAGCTTTTTTACTAAAGATGCCTAAAGCCACAGGTTTTATTGCCTAACTTAAGC CATGACTTTTAGATATGAGATGACGGGAAGCAGGACGAAATATCGGCGTGTGGCTGGAGCCTTCCCACTGGAGGC TGAAAGTGGCTTGTGGTATTATAATGTTCAGATTTCAAGAGGAAGGTGCAGGTACACATGAGTTAGAGAGCTGGT CCTATTTCTGTTCTGGATGTCAGTGCAGTGCACTGCTACTGTTTTATCCACTTGGCCACAGACTTTTTCTAACA GCTGCGTATTATTTCTATATACTAATTGCATTGGCAGCATTGTGTCTTTGACCTTGTATACTAGCTTGACATAGT GCTGTCTCTGATTTCTAGGCTAGTTACTTGAGATATGAATTTTCCATAGAATATGCACTGATACAACATTACCAT

209/615

FIGURE 208

 ${\tt MAGIKALISLSFGGAIGLMFLMLGCALPIYNKYWPLFVLFFYILSPIPYCIARRLVDDTDAMSNACKELAIFLTTGIVVSAFGLPIVFARAHLIEWGACALVLTGNTVIFATILGFFLVFGSNDDFSWQQW}$

210/615

FIGURE 209

 ${\tt TGGGGACTTTGGGTCAGGCCCCGAGGCAAAAGCAAGGAAGCACTGGGGAGGAATTCCATTTCCAGACTGGAGGGA}$ GAGATTCCTGCACTATGCGTCCCAGCAGCTTGGGGCAAGGTGCTGGAGAAGTCTGGCTTCGCGTCGACTGCCGCA ${\tt ACACAGACCTACTGGTGTGAGTACAGGGGGCAGCCCAGCATGTGCCAGGCTTTTGCTGACCCCAAAC}$ $\tt CTTACTGGAATCAAGCCCTGCAGGAGCTGAGGGCGCCTTCACCATGCGTGCCAGGGGGCCCCGGTGCTTAGGCCAT$ $\tt CCGTGTGCAGGGGGGCTGGACCCCAGGCCCATATGCAGCAGGTGACTTCCAGCCTCAAGGGCAGCCCAGAGCCCCAGAGCCCCAGAGCCCAGAGCCCAGAGCCCCCAGAGCCCAGAGCCCCCAGAGCCCCAGAGCCCCAGAGCCCCCAGAGCCCCAGAGCCCCAGAGCCCCCAGAGCCCCAGAGCCCCAGAGCCCCAGAGCCCCCAGAGCCCCAGAGC$ ACCAGCAGCCTGAGGCTGGGACGCCATCTCTGAGGCCCAAGGCCACAGTGAAACTCACAGAAGCAACACAGCTGG $\tt CCAGGCCCGGAGGGAATGAGGAGCAAAGAAGAAGAAGGCCTGGGAACATTGTTGGAAACCCTTCCAGGCCCTGTGCG$ ATCTCTTTTTATATTATGCCGCTTTCAATCCAACGTTCTCACACTGGAAGAAGAGAGTTTCTAATCAGATGCAAC CAATATGATAGGGAACAGGTGCTGATGGGCCCAAGAGTGACAAGCATACACAACTACTTATTATCTGTAGAAGTT $\tt TTGCTTTGTTGATCTGAGCCTTCTATGAAAGTTTAAATATGTAACGCATTCATGAATTTCCAGTGTTCAGTAAAT$

FIGURE 210

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59602
<subunit 1 of 1, 223 aa, 1 stop
<MW: 24581, pI: 9.28, NX(S/T): 0
MKFVPCLLLVTLSCLGTLGQAPRQKQGSTGEEFHFQTGGRDSCTMRPSSLGQGAGEVWLR
VDCRNTDQTYWCEYRGQPSMCQAFAADPKPYWNQALQELRRLHHACQGAPVLRPSVCREA
GPQAHMQQVTSSLKGSPEPNQQPEAGTPSLRPKATVKLTEATQLGKDSMEELGKAKPTTR
PTAKPTQPGPRPGGNEEAKKKAWEHCWKPFQALCAFLISFFRG</pre>

Important features:
Signal peptide:
Amino acids: 1-19

N-myristoylation sites:

Amino acids:

38-44;51-57;194-200

DNA photolyases class 1 proteins:

Amino acids:

58-69

Tyrosine kinase phosphorylation site:

Amino acids:

64-71

N-myristoylation sites:

Amino acids:

38-44;51-57;194-200

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids: 4-15

212/615

FIGURE 211

213/615

FIGURE 212

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59603
<subunit 1 of 1, 197 aa, 1 stop
<MW: 20832, pI: 8.74, NX(S/T): 2
MGVLGRVLLWLQLCALTQAVSKLWVPNTDFDVAANWSQNRTPCAGGAVEFPADKMVSVLV
QEGHAVSDMLLPLDGELVLASGAGFGVSDVGSHLDCGAGEPAVFRDSDRFSWHDRTCGAL
GTRHLASSSWTPSACPAATTTSSFRLVPPSAWGSALALAPCVSAASRLWAGRSRATRTWL
FSWRPARAAYASTGRAR</pre>

Important features: Signal peptide: Amino acids 1-19

N-glycosylation site: Amino acids 35-39

Glycosaminoglycan attachment site: Amino acids 81-85

N-myristoylation sites: Amino acids 82-88;118-124;153-159

C-type lectin domain proteins: Amino acids 108-118

214/615

FIGURE 213

215/615

FIGURE 214

 ${\tt MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIPFARDAVKKCFAVCLA}$

FIGURE 215

GGATTTTTGTGATCCGCGATTCGCTCCCACGGGCGGGACCTTTGTAACTGCGGGAGGCCCAGGACAGGCCCACCC TGCGGGGCGGAGGCAGCCGGGGTGAGGAGGTGAAGAAACCAAGACGCAGAGAGGGCCAAGCCCCTTGCCTTGGG TCACACAGCCAAAGGAGGCAGAGCCAGAACTCACAACCAGATCCAGAGGCAACAGGGACATGGCCACCTGGGACG AGCCACCACCACCAGTCTCAGGCGAGGAAGGCAGAGCTGCAGCCCTGACGTTGCCCCTGGCCCTGGCCCCG AGAATAACTATGCTGCCATGGTATTCCACTACATGAGCATCACCATCTTGGTCTTTTTTATGATGGAGATCATCT TTAAATTATTTGTCTTCCGCCTGAGTTCTTTCACCACAAGTTTGAGATCCTGGATGCCCGTCGTGGTGGTGGTCT ${\tt CATTCATCCTGGACATTGTCCTCCTGTTCCAGGAGCACCAGTTTGAGGCTCTGGGCCTGCTGATTCTGCTCCGGC}$ TGTGGCGGGTGGCCCGGATCATCAÁTGGGATTATCATCTCAGTTAAGACACGTTCAGAACGGCAACTCTTAAGGT ${\tt TAAAACAGATGAATGTACAATTGGCCGCCAAGATTCAACACCTTGAGTTCAGCTGCTCTGAGAAGCCCCTGGACT$ <u>GA</u>TGAGTTTGCTGTATCAACCTGTAAGGAGAAGCTCTCTCCGGATGGCTATGGGAATGAAAGAATCCGACTTCTA ATGTTCACTGGGCTGGTGTTACGACAGAGAACCTGACAGTCACTGGCCAGTTATCACTTCAGATTACAAATCACA CAGAGCATCTGCCTGTTTTCAATCACAAGAGAACAAAACCAAAATCTATAAAGATATTCTGAAAATATGACAGAA

217/615

FIGURE 216

MATWDEKAVTRRAKVAPAERMSKFLRHFTVVGDDYHAWNINYKKWENEEEEEEEQPPPTPVSGEEGRAAAPDVA PAPGPAPRAPLDFRGMLRKLFSSHRFQVIIICLVVLDALLVLAELILDLKIIQPDKNNYAAMVFHYMSITILVFF MMEIIFKLFVFRLSSFTTSLRSWMPVVVVVSFILDIVLLFQEHQFEALGLLILLRLWRVARIINGIIISVKTRSE RQLLRLKQMNVQLAAKIQHLEFSCSEKPLD

FIGURE 217

 ${\tt GGAAGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCC} \underline{{\tt ATG}} {\tt GCTTCCCTGGGG}$ ATTTCAGGGAGACACTCCATCACAGTCACTGTCGCCTCAGCTGGGAACATTGGGGAGGATGGAATCCTGAGC CATGAGTTCAAAGAAGGCAAAGATGAGCTGTCGGAGCAGGATGAAATGTTCAGAGGCCGGACAGCAGTGTTTGCT GATCAAGTGATAGTTGGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGT TATATCATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATAAAACTGGAGCCTTCAGCATGCCGGAAGTG AATGTGGACTATAATGCCAGCTCAGAGACCTTGCGGTGTGAGGCTCCCCGATGGTTCCCCCAGCCCACAGTGGTC TGGGCATCCCAAGTTGACCAGGGAGCCAACTTCTCGGAAGTCTCCAATACCAGCTTTGAGCTGAACTCTGAGAAT GTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGATCAACAACACATACTCCTGTATGATTGAAAATGAC ATTGCCAAAGCAACAGGGGATATCAAAGTGACAGAATCGGAGATCAAAAGGCGGAGTCACCTACAGCTGCTAAAC TCAAAGGCTTCTCTGTGTCTCTTCTTTCTTTGCCATCAGCTGGGCACTTCTGCCTCTCAGCCCTTACCTGATG CTAAAATAATGTGCCTTGGCCACAAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTCAC CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTGAGCAAACAAG GAAGTTGGGAAAATAATTCATGTGAACTAGACAAGTGTTTAAGAGTGATAAAGTAAAATGCACGTGGAGACAAGT GCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGTCACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTG TCTCTGAATTTTTAGTTATATGTGCTGTAATGTTGCTCTGAGGAAGCCCCTGGAAAGTCTATCCCAACATATCCA CATCTTATATTCCACAAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAG GGGCGGCTGCATTTTAGTAATGGGTCAAATGATTCACTTTTTATGATGCTTCCAAAGGTGCCTTGGCTTCTCTTC CCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGTCGGGGACACCGATTT AAAAAAA

219/615

FIGURE 218

MASLGQILFWSIISIIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLSDIVIQWLKEG VLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASLRLKNVQLTDAGTYKCYIITSKGKGNANLEYKTGAF SMPEVNVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVSNTSFELNSENVTMKVVSVLYNVTINNTYSC MIENDIAKATGDIKVTESEIKRRSHLQLLNSKASLCVSSFFAISWALLPLSPYLMLK

220/615

FIGURE 219

GAATTTGTAGAAGACAGCGGCGTTGCCATGGCGGCGTCTCTGGGGCAGGTGTTGGCTCTGGTGCTGGTGGCCGCT CTGTGGGGTGGCACGCGCTGCTGAAGCGGGCCTCCGCCGGCCTGCAGCGGGTTCATGAGCCGACCTGGGCC ${\tt CAGCAGTTGCTACAGGAGATGAAGACCCTCTTCTTGAATACTGAGTACCTGATGCCCTTTCTCCTCAACCAGTGT}$ GGATCCCTTCTCTATTACCTCACCTTGGCATCGACAGATCTGACCCTGGCTGTGCCCATCTGTAACTCTCTGGCT ATCATCTTCACACTGATTGTTGGGAAGGCCCTTGGAGAAGATATTGGTGGAAAACGTAAGTTAGACTACTGCGAG AGGACACGGCCTTTTCCCATCCTGCCCTTTCCTCTGCAGCTGTTTTGCTTCCTTGTGGCCATCAGAGTTCCCTTC CCCTGGACAGTCTGGAGAAAGACAGAGGCTGGGGTTTGGGATTGAAGACCAGACCCCATCTGAGCCCTTCCTCCA ${\tt GCCCTGTACCAGCTCCTACTGGCATGGCTGAGCTCAGACCCTCCTGATTTCTGCCTATTATCCCAGGAGCAGTTG}$ CTGGCATGGTGCTCACCGTGATAGGAATTTCACTCTGCATCACAAGCTCAGTGAGTAAGACCCAGGGGCAACAGT CTACCCTTTGAGTGGGCCGAACCCACTTCCAGCTCTGCTGCCTCCAGGAAGCCCCTGGGCCATGAAGTGCTGGCA GTGAGCGGATGGACCTAGCACTTCCCCTCTCTGGCCTTAGCTTCCTCCTCTTATGGGGGATAACAGCTACCTCA TGGATCACAATAAGAGAACAAGAGTGAAAGAGTTTTGTAACCTTCAAGTGCTGTTCAGCTGCGGGGATTTAGCAC AGGAGACTCTACGCTCACCCTCAGCAACCTTTCTGCCCCAGCAGCTCTCTTCCTGCTAACATCTCAGGCTCCCAG CCCAGCCACCATTACTGTGGCCTGATCTGGACTATCATGGTGGCAGGTTCCATGGACTGCAGAACTCCAGCTGCA CTGAATGAGGGGTGGAACCGAGGGAAGAAGGTGCGTCGGAGTGGCAGATGCAGGAAATGAGCTGTCTATTAGCCT

221/615

FIGURE 220

MAASLGQVLALVLVAALWGGTQPLLKRASAGLQRVHEPTWAQQLLQEMKTLFLNTEYLMPFLLNQCGSLLYYLTL ASTDLTLAVPICNSLAIIFTLIVGKALGEDIGGKRKLDYCECGTQLCGSRHTCVSSFPEPISPEWVRTRPFPILP FPLQLFCFLVAIRVPFPWTVWRKTEAGVWD

FIGURE 221

CTTCTGTAGGACAGTCACCAGGCCAGATCCAGAAGCCTCTCTAGGCTCCAGCTTTCTCTGTGGAAGATGACAGCA ATTATAGCAGGACCCTGCCAGGCTGTCGAAAAGATTCCGCAATAAAACTTTGCCAGTGGAAGTACCTAGTGAAA CGGCCTAAGATGCCACTTCTTCTCATGTCCCAGGCTTGAGGCCCTGTGGTCCCCATCCTTGGGAGAAGTCAGCTC CAGCACC<u>ATG</u>AAGGGCATCCTCGTTGCTGGTATCACTGCAGTGCTTGTTGCAGCTGTAGAATCTCTGAGCTGCGT GCAGTGTAATTCATGGGAAAAATCCTGTGTCAACAGCATTGCCTCTGAATGTCCCTCACATGCCAACACCAGCTG TATCAGCTCCTCAGCCAGCTCCTCTAGAGACACCAGTCAGATTATACCAGAATATGTTCTGCTCAGCGGAGAA CTGCAGTGAGGAGACACATTACAGCCTTCACTGTCCACGTGTCTGCTGAAGAACACTTTCATTTTGTAAGCCA GTGCTGCCAAGGAAAGGAATGCAGCAACACCAGCGATGCCCTGGACCCTCCCCTGAAGAACGTGTCCAGCAACGC AGAGTGCCCTGCTTGTTATGAATCTAATGGAACTTCCTGTCGTGGGAAGCCCTGGAAATGCTATGAAGAAGAACA GTGTGTCTTTCTAGTTGCAGAACTTAAGAATGACATTGAGTCTAAGAGTCTCGTGCTGAAAGGCTGTTCCAACGT CAGTAACGCCACCTGTCAGTTCCTGTCTGAAAACAAGACTCTTGGAGGAGTCATCTTTCGAAAGTTTGAGTG CCATTTCTGCTTCTCTGAGGTCCAGAGCACCCCTGCGGTGCTGACACCCTCTTTCCCTGCTCTGCCCCGTTTAA CTGCCCAGTAAGTGGGAGTCACAGGTCTCCAGGCAATGCCGACAGCTGCCTTGTTCTTCATTATTAAAGCACTGG TTCATTCACTGCCAAAAAAAAAAAAAAAAAAAAAAAAA

223/615

FIGURE 222

MKGILVAGITAVLVAAVESLSCVQCNSWEKSCVNSIASECPSHANTSCISSSASSSLETPVRLYQNMFCSAENCS EETHITAFTVHVSAEEHFHFVSQCCQGKECSNTSDALDPPLKNVSSNAECPACYESNGTSCRGKPWKCYEEEQCV FLVAELKNDIESKSLVLKGCSNVSNATCQFLSGENKTLGGVIFRKFECANVNSLTPTSAPTTSHNVGSKASLYLL ALASLLLRGLLP

224/615

FIGURE 223

TTTGGGGGCCCCATGACCCGCAGCTACCGGAGCACCGCCCGGACTGTCTTCCCCGGAAGACAAGGATAATCCTA GTGTCCACCGGCTTTAGCCGGTCGTCCGCCATTAACGAGGAGGATGGGTCTTCAGAAGAGGGGGTTGTGATTAAT GCCGGAAAGGATAGCACCAGCAGAGAGCTTCCCAGTGCGACTCCCAATACAGCGGGGAGTTCCAGCACGAGGTTT ATAGCCAATAGTCAGGAGCCTGAAATCAGGCTGACTTCAAGCCTGCCGCGCTCCCCCGGGAGGTCTACTGAGGAC CTGCCAGGCTCGCAGGCCACCCTGAGCCACTGGTCCACACCTGGGTCTACCCCGAGCCGGTGGCCGTCACCCTCA $\tt CCCACAGCCATGCCATCTCCTGAGGATCTGCGGCTGGTGCTGATGCCCTGGGGCCCGTGGCACTGCCACTGCAAG$ ${\tt TCGGGCACCATGAGCCGGAGCCGGTCTGGGAAGCTGCACGGCCTTTCCGGGCGCCTTCGAGTTGGGGCGCTGAGC}$ GACACAGTCTCTGTACTGACACCAACTGTGCCTCTCAGAGCACCACCAGTACCAGGACCACCACTACCCCCTTC $\tt CCCACCATCCACCTCAGAAGCAGTCCCAGCCTGCCACCCGCCAGCCCTGCCTAGCCTTTTTGGAAACGG$ GTCAGGATTGGCCTGGAGGATATTTGGAATAGCCTCTCTTCAGTGTTCACAGAGATGCAACCAATAGACAGAAAC CCACTAGATATTTTTAGTACAGAAAAACAAAACTGGAAAACACAA

225/615

FIGURE 224

MVPAAGALLWVLLLNLGPRAAGAQGLTQTPTEMQRVSLRFGGPMTRSYRSTARTGLPRKTRIILEDENDAMADAD RLAGPAAAELLAATVSTGFSRSSAINEEDGSSEEGVVINAGKDSTSRELPSATPNTAGSSSTRFIANSQEPEIRL TSSLPRSPGRSTEDLPGSQATLSQWSTPGSTPSRWPSPSPTAMPSPEDLRLVLMPWGPWHCHCKSGTMSRSRSGK LHGLSGRLRVGALSQLRTEHKPCTYQQCPCNRLREECPLDTSLCTDTNCASQSTTSTRTTTTPFPTIHLRSSPSL PPASPCPALAFWKRVRIGLEDIWNSLSSVFTEMQPIDRNQR

FIGURE 225

CCCGGGTCGACCCACGCGTCCGGGGAGAAAGG<u>ATG</u>GCCGGCCTGGCGGCGGCTTGGTCCTGCTAGCTGGGGCAG CGGCGCTGGCGAGCGGCTCCCAGGGCGACCGTGAGCCGGTGTACCGCGACTGCGTACTGCAGTGCGAAGAGCAGA GGGACGACTGTAAGTATGAGTGTATGTGGGTCACCGTTGGGCTCTACCTCCAGGAAGGTCACAAAGTGCCTCAGT TCCATGGCAAGTGGCCCTTCTCCCGGTTCCTGTTCTTCAAGAGCCGGCATCGGCCGTGGCCTCGTTTCTCAATG GCCTGGCCAGCCTGGTGATGCTCTGCCGCTACCGCACCTTCGTGCCAGCCTCCTCCCCCATGTACCACACCTGTG TGGCCTTCGCCTGGGTGTCCCTCAATGCATGGTTCTGGTCCACAGTCTTCCACACCAGGGACACTGACCTCACAG AGAAAATGGACTACTTCTGTGCCTCCACTGTCATCCTACACTCAATCTACCTGTGCTGCGTCAGGACCGTGGGGC TGCAGCACCCAGCTGTGGTCAGTGCCTTCCGGGCTCTCCTGCTGCTCATGCTGACCGTGCACGTCTCCTACCTGA TGGCCTGGTGCCTGTGGAACCAGCGGCGGCTGCCTCACGTGCGCAAGTGCGTGGTGGTGGTCTTGCTGCTGCAGG GGCTGTCCCTGCTCGAGCTGCTTGACTTCCCACCGCTCTTCTGGGTCCTGGATGCCCATGCCATCTGGCACATCA GCACCATCCCTGTCCACGTCCTCTTTTTCAGCTTTCTGGAAGATGACAGCCTGTACCTGCTGAAGGAATCAGAGG $\tt CCTTCTCCCCTCAACCCTTGAGATGATTTTCTCTTTTCAACTTCTTGAACTTGGACATGAGGATGTGGGCCCAG$ AATCATGTGGCCAGCCCCCTGTTGGCCCTCACCAGCCTTGGAGTCTGTTCTAGGGAAGGCCTCCCAGCATC TGGGACTCGAGAGTGGGCAGCCCCTCTACCTCCTGGAGCTGAACTGGGGTGGAACTGAGTGTTTTTAGCTCTA $\verb|CCCTCTGTCTACCTGGGAGACCAGGGGACCACAGGCCTTAGGGATACAGGGGGTCCCCTTCTGTTACCACCCCCCA| \\$ ATGGGATCTTGAGGGACCAAGCTGCTGGGATTGGGAAGGAGTTTCACCCTGACCGTTGCCCTAGCCAGGTTCCCA ${\tt GGAGGCCTCACCATACTCCCTTTCAGGGCCAGGGCTCCAGCAAGCCCAGGGCAAGGATCCTGTGCTGTCTGG}$ TTGAGAGCCTGCCACCGTGTGTCGGGAGTGTGGGCCAGGCTGAGTGCATAGGTGACAGGGCCGTGAGCATGGGCC TGGGTGTGTGAGCTCAGGCCTAGGTGCGCAGTGTGGAGACGGGTGTTGTCGGGGAAGAGGTGTGGCTTCAAAG $\tt TGTGTGTGCAGGGGGTGGGTGTTAGCGTGGGTTAGGGGAACGTGTGTGCGCGTGCTGGGGCATGTGAGA$ TGAGTGACTGCCGGTGAATGTGTCCACAGTTGAGAGGTTGGAGCAGGATGAGGGAATCCTGTCACCATCAATAAT CACTTGTGGAGCGCCAGCTCTGCCCAAGACGCCACCTGGGCGGACAGCCAGGAGCTCTCCATGGCCAGGCTGCCT GTGTGCATGTTCCCTGTCTGGTGCCCCTTTGCCCGCCTCCTGCAAACCTCACAGGGTCCCCACACAACAGTGCCC ${\tt TCCAGAAGCAGCCCTCGGAGGCAGAGGAAGGAAAATGGGGGATGGCTGGGGCTCTCTCCATCCTTTTTCTCCT}$ TGCCTTCGCATGGCTGGCCTTCCCCTCCAAAACCTCCATTCCCCTGCTGCCAGCCCCTTTGCCATAGCCTGATTT TGGGGAGGAAGGGGCGATTTGAGGGAGAAGGGGAGAAAGCTTATGGCTGGGTCTGGTTTCTCCCTTCCCAG $\tt CCCAAAGGCAGTCTCCGTGGTTGAAGCAGACTGGATTTTTGCTCTGCCCCTGACCCCTTGTCCCTCTTTGAGGGA$ GGGGAGCTATGCTAGGACTCCAACCTCAGGGACTCGGGTGGCCTGCGCTAGCTTCTTTTGATACTGAAAACTTTT

FIGURE 226

MAGLAARLVLLAGAAALASGSQGDREPVYRDCVLQCEEQNCSGGALNHFRSRQPIYMSLAGWTCRDDCKYECMWV TVGLYLQEGHKVPQFHGKWPFSRFLFFQEPASAVASFLNGLASLVMLCRYRTFVPASSPMYHTCVAFAWVSLNAW FWSTVFHTRDTDLTEKMDYFCASTVILHSIYLCCVRTVGLQHPAVVSAFRALLLLMLTVHVSYLSLIRFDYGYNL VANVAIGLVNVVWWLAWCLWNQRRLPHVRKCVVVVLLLQGLSLLELLDFPPLFWVLDAHAIWHISTIPVHVLFFS FLEDDSLYLLKESEDKFKLD

Important features: Signal peptide: amino acids 1-20

Transmembrane domains: amino acids 105-123, 138-156, 169-185, 193-209, 221-240, 256-272

N-glycosylation site. amino acids 40-44

N-myristoylation site. amino acids 43-49

CUB domain proteins profile. amino acids 285-302

Amiloride-sensitive sodium channels proteins. amino acids 162-186

FIGURE 227

 ${\tt TTCGGCTTCCGTAGAGGAGGTGGCGGGACCTTCATTTGGGGTTTCGGTTCCCCCCTTCCCCTTCCCCGGGGTC}$ TGGGGGTGACATTGCACCGCGCCCCTCGTGGGGTCGCGTTGCCACCCCACGCGGACTCCCCAGCTGGCGCGCCCC TCCCATTTGCCTGTCCTGGTCAGGCCCCCACCCCCCTTCCCACCTGACCAGCCATCGGGGGCTGCGGTGTTTTTCG TCATCCTGGTCGCAGGGGCATTTTTCTGGCTGGTCTCCCTGCTCCTGGCCTCTGTGGTCTGGTTCATCTTGGTCC GAAGATCACCCATCTCCATCCGCCAGATGGCCTATGTTTCTGGTCTCTCCTTCGGTATCATCAGTGGTGTCTTCT CTGTTATCAATATTTTGGCTGATGCACTTGGGCCAGGTGTGGTTGGGATCCATGGAGACTCACCCTATTACTTCC TGACTTCAGCCTTTCTGACAGCAGCCATTATCCTGCTCCATACCTTTTGGGGAGTTGTGTTCTTTGATGCCTGTG AGAGGAGACGGTACTGGGCTTTGGGCCTGGTGGTTGGGAGTCACCTACTGACATCGGGACTGACATTCCTGAACC ${\tt CCTGGTATGAGGCCAGCCTGCTGCCCATCTATGCAGTCACTGTTTCCATGGGGCTCTGGGCCTTCATCACAGCTG}$ ${\tt GAGGGTCCCTCGGAAGTATTCAGCGCAGCCTCTTGTGTAAGGACT{\tt GACTGGACTGATCGCCTGACAGATCC}$ $\tt CACCTGCCTGTCCACTGCCCATGACTGAGCCCAGCCCCGGGTCCATTGCCCACATTCTCTGTCTCTTCT$ CAGCCTGGGTTCAGCCAGTCAGTGACTGGTGGGTTTGAATCTGCACTTATCCCCACCACCTGGGGACCCCCTTGT TGTGTCCAGGACTCCCCTGTGTCAGTGCTCTGCTCTCACCCTGCCCAAGACTCACCTCCCTTCCCCTCTGCAGG GGGGACCCTGGGCCTGGGGTGCCCTCTGATGTCCTCGCCTGTATTTCTCCATCTCCAGTTCTGGACAGTGCA GGTTGCCAAGAAAAGGGACCTAGTTTAGCCATTGCCCTGGAGATGAAATTAATGGAGGCTCAAGGATAGATGAGC TCTGAGTTTCTCAGTACTCCCTCAAGACTGGACATCTTGGTCTTTTTCTCAGGCCTGAGGGGGAACCATTTTTGG ${\tt AACCTCCTTGGGCTATATTTTCTCTCCTCGAGTTGCTCCTCATGGCTGGGCTCATTTCGGTCCCTTTCTCCTTGG}$ TCCCAGACCTTGGGGGAAAGGAAGGAAGTGCATGTTTGGGAACTGCCATTACTGGAACTAATGGTTTTAACCTCC TTAACCACCAGCATCCCTCCTCCCCAAGGTGAAGTGGAGGGTGCTGTGGTGAGCTGGCCACTCCAGAGCTGCA GTGCCACTGGAGGAGTCAGACTACCATGACATCGTAGGGAAGGAGGGGGAGATTTTTTTGTAGTTTTAATTGGGG TGTGGGAGGGCGGGGAGGTTTTCTATAAACTGTATCATTTTCTGCTGAGGGTGGAGTGTCCCATCCTTTTAATC **ААААААААААААААААААААААААААААААА**

FIGURE 228

MGAAVFFGCTFVAFGPAFALFLITVAGDPLRVIILVAGAFFWLVSLLLASVVWFILVHVTDRSDARLQYGLLIFG AAVSVLLQEVFRFAYYKLLKKADEGLASLSEDGRSPISIRQMAYVSGLSFGIISGVFSVINILADALGPGVVGIH GDSPYYFLTSAFLTAAIILLHTFWGVVFFDACERRRYWALGLVVGSHLLTSGLTFLNPWYEASLLPIYAVTVSMG LWAFITAGGSLRSIQRSLLCKD



FIGURE 229

CGGGAGGCTGGGTCGTCATGATCCGGACCCCATTGTCGGCCTCTGCCCATCGCCTGCTCCTCCCAGGCTCCCGCG GCCGACCCCGCGCAAC<u>ATG</u>CAGCCCACGGGCCGCGAGGGTTCCCGGCGGCTCAGCCGGCGGTATCTGCGGCGTC TGCTGCTCCTGCTGCTGCTGCTGCTGCGGCAGCCCGTAACCCGCGGGAGACCACGCCGGGCGCCCCCAGAG CCCTCTCCACGCTGGGCTCCCCAGCCTCTTCACCACGCGGGTGTCCCCAGCGCCCTCACTACCCCAGGCCTCA $\tt CTACGCCAGGCACCCCCAAAACCCTGGACCTTCGGGGTCGCGCGCAGGCCCTGATGCGGAGTTTCCCACTCGTGG$ ACGGCCACAATGACCTGCCCCAGGTCCTGAGACAGCGTTACAAGAATGTGCTTCAGGATGTTAACCTGCGAAATT TCAGCCATGGTCAGACCAGCCTGGACAGGCTTAGAGACGGCCTCGTGGGTGCCCAGTTCTGGTCAGCCTCCGTCT CATGCCAGTCCCAGGACCAGACTGCCGTGCGCCTCGCCCTGGAGCAGATTGACCTCATTCACCGCATGTGTGCCT CCTACTCTGAACTCGAGCTTGTGACCTCAGCTGAAGGTCTGAACAGCTCTCAAAAGCTGGCCTCATTGGCG TGNAGGGTGGTCACTCACTGGACAGCCTCTCTGTGCTGCGCAGTTTCTATGTGCTGGGGGTTGCGCTACCTGA CACTTACCTTCACCTGCAGTACACCATGGGCAGAGGTTCCACCAAGTTCAGACACCACATGTACACCAACGTCA GCGGATTGACAAGCTTTGGTGAGAAAGTAGTAGAGGAGTTGAACCGCCTGGGCATGATGATAGATTTGTCCTATG CATCGGACACCTTGATAAGAAGGGTCCTGGAAGTGTCTCAGGCTCCTGTGATCTTCTCCCACTCAGCTGCCAGAG CTGTGTGTGACAATTTGTTGAATGTTCCCGATGATATCCTGCAGCTTCTGAAGAACGGTGGCATCGTGATGGTGA CACTGTCCATGGGGGTGCTGCAGTGCAACCTGCTTGCTAACGTGTCCACTGTGGCAGATCACTTTGACCACATCA GGGCAGTCATTGGATCTGAGTTCATCGGGATTGGTGGAAATTATGACGGGACTGGCCGGTTCCCTCAGGGGCTGG AGGATGTGTCCACATACCCAGTCCTGATAGAGGAGTTGCTGAGTCGTASCTGGAGCGAGGAAGAGCTTCAAGGTG TGGAGGCTGAGTTTCCATATGGGCAACTGAGCACATCCTGCCACCTCCTGCCTCAGAATGGACACCAGG CTACTCATCTGGAGGTGACCAAGCAGCCAACCAATCGGGTCCCCTGGAGGTCCTCAAATGCCTCCCCATACCTTG $\tt TTCCAGGCCTTGTGGCTGCCACCATCCCAACCTTCACCCAGTGGCTCTGC\underline{\textbf{TGA}}CACAGTCGGTCCCCGCAGA$ CACATGGAAAA

PCT/US01/06520

231/615

FIGURE 230

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59817

><subunit 1 of 1, 487 aa, 1 stop, 2 unknown ><MW: 53569.32, pI: 7.68, NX(S/T): 5 MQPTGREGSRALSRRYLRRLLLLLLLLLLLRQPVTRAETTPGAPRALSTLGSPSLFTTPGVPSALTTPGLTTPGTP KTLDLRGRAQALMRSFPLVDGHNDLPQVLRQRYKNVLQDVNLRNFSHGQTSLDRLRDGLVGAQFWSASVSCQSQD QTAVRLALEQIDLIHRMCASYSELELVTSAEGLNSSQKLACLIGVXGGHSLDSSLSVLRSFYVLGVRYLTLTFTC ${\tt STPWAESSTKFRHMYTNVSGLTSFGEKVVEELNRLGMMIDLSYASDTLIRRVLEVSQAPVIFSHSAARAVCDNL}$ LNVPDDILQLLKNGGIVMVTLSMGVLQCNLLANVSTVADHFDHIRAVIGSEFIGIGGNYDGTGRFPQGLEDVSTY PVLIEELLSRXWSEEELQGVLRGNLLRVFRQVEKVREESRAQSPVEAEFPYGQLSTSCHSHLVPQNGHQATHLEV TKQPTNRVPWRSSNASPYLVPGLVAAATIPTFTQWLC

Important features of the protein: Signal peptide:

amino acids 1-36

Transmembrane domain:

amino acids 313-331

N-glycosylation sites.

amino acids 119-122, 184-187, 243-246 and 333-336

N-myristoylation sites.

amino acids 41-46, 59-64, 73-78, 133-138, 182-187, 194-199, 324-329, 354-359, 357-362, 394-399, 427-432 and 472-477.

Prokaryotic membrane lipoprotein lipid attachment site. amino acids 136-146



FIGURE 231

233/615

FIGURE 232

MAAGLFGLSARRLLAAAATRGLPAARVRWESSFSRTVVAPSAVAGKRPPEPTTPWQEDPEPEDENLYEKNPDSHG · YDKDPVLDVWNMRLVFFFGVSIILVLGSTFVAYLPDYRMKEWSRREAERLVKYREANGLPIMESNCFDPSKIQLPEDE

234/615

FIGURE 233

GCGGCGGCT<u>ATG</u>CCGCTTGCTCGTCCTCGTTGCTCCTGGGGGCCCGGCGGCTGGTGCCTTGCAGAACCCCCA ACGCGCTGGGATTCGGAGCTTCAGCGGGAAGGAGTGTCCCATTACAGGCTCTTTCCCAAAGCCCTGGGGCAGCTG ATCTCCAAGTATTCTCTACGGGAGCTGCACCTGTCATTCACACAAGGCTTTTGGAGGACCCGATACTGGGGGCCCA $\verb|CCCTTCCTGCAGGCCCCATCAGGTGCAGAGCTGTGGGTCTGGTTCCAAGACACTGTCACTGATGTGGATAAATCT| \\$ TGGAAGGAGCTCAGTAATGTCCTCTCAGGGATCTTCTGCGCCTCTCTCAACTTCATCGACTCCACCAACACAGTC ACTCCCACTGCCTCCAAACCCCTGGGTCTGGCCAATGACACTGACCACTACTTTCTGCGCTATGCTGTGCTG TCTGTGCTGCTGAAGGCAGATCGCTTGTTCCACACCAGCTACCACTCCCAGGCAGTGCATATCCGCCCTGTTTGC AGAAATGCACGCTGTACTAGCATCTCCTGGGAGCTGAGGCAGACCCTGTCAGTTGTATTTGATGCCTTCATCACG GGGCAGGGAAAGAAGACTGGTCCCTCTTCCGGATGTTCTCCCGAACCCTCACGGAGCCCTGCCCCCTGGCTTCA GAGAGCCGAGTCTATGTGGACATCACCACCTACAACCAGGACAACGAGACATTAGAGGTGCACCCCACCCCGACC AACAACTCTCGAAACCTCAACATCCAGCTCAAGTGGAAGAGACCCCCAGAGAATGAGGCCCCCCAGTGCCCTTC CTGCATGCCCAGCGGTACGTGAGTGGCTATGGGCTGCAGAAGGGGGGAGCTGAGCACACTGCTGTACAACACCCAC $\verb|CCATACCGGGCCTTCCCGGTGCTGCTGGACACCGTACCCTGGTATCTGCGGCTGTATGTGCACACCCTCACC| \\$ ATCACCTCCAAGGGCAAGGAACAAACCAAGTTACATCCACTACCAGCCTGCCCAGGACCGGCTGCAACCCCAC AAGTGGACCGAGTACACGCCAGATCCTAACCATGGCTTCTATGTCAGCCCATCTGTCCTCAGCGCCCTTGTGCCC AGCATGGTAGCAGCCAAGCCAGTGGACTGGGAAGAGAGTCCCCTCTTCAACAGCCTGTTCCCAGTCTCTGATGGC TCTAACTACTTTGTGCGGCTCTACACGGAGCCGCTGCTGGTGAACCTGCCGACACCGGACTTCAGCATGCCCTAC CACATCGAGGAGCCCCGCACAGGTGGCCTGGCCAAGCGTGGCCAACCTTATCCGGCGCGCCCGAGGTGTCCCC CCACTC<u>TGA</u>TTCTTGCCCTTTCCAGCAGCTGCAGCTGCCGTTTCTCTCTGGGGAGGGGAGCCCAAGGGCTGTTTC TGCCACTTGCTCTCCTCAGAGTTGGCTTTTGAACCAAAGTGCCCTGGACCAGGTCAGGGCCTACAGCTGTTGT CCAGTACAGGAGCCACGAGCCAAATGTGGCATTTGAATTTAACTTAGAAATTCATTTCCTCACCTGTAGT GGCCACCTCTATATTGAGGTGCTCAATAAGCAAAAGTGGTCGGTGGCTGCTGTATTGGACAGCACAGAAAAAGAT $\tt TTCCATCACCAGAAAGGTCGGCTGGCAGCACTGGCCAAGGTGATGGGGTGTGCTACACAGTGTATGTCACTGT$

235/615

FIGURE 234

MPLALLVLLLLGPGGWCLAEPPRDSLREELVITPLPSGDVAATFQFRTRWDSELQREGVSHYRLFPKALGQLISK YSLRELHLSFTQGFWRTRYWGPPFLQAPSGAELWVWFQDTVTDVDKSWKELSNVLSGIFCASLNFIDSTNTVTPT ASFKPLGLANDTDHYFLRYAVLPREVVCTENLTPWKKLLPCSSKAGLSVLLKADRLFHTSYHSQAVHIRPVCRNA RCTSISWELRQTLSVVFDAFITGQGKKDWSLFRMFSRTLTEPCPLASESRVYVDITTYNQDNETLEVHPPPTTTY QDVILGTRKTYAIYDLLDTAMINNSRNLNIQLKWKRPPENEAPPVPFLHAQRYVSGYGLQKGELSTLLYNTHPYR AFPVLLLDTVPWYLRLYVHTLTITSKGKENKPSYIHYQPAQDRLQPHLLEMLIQLPANSVTKVSIQFERALLKWT EYTPDPNHGFYVSPSVLSALVPSMVAAKPVDWEESPLFNSLFPVSDGSNYFVRLYTEPLLVNLPTPDFSMPYNVI CLTCTVVAVCYGSFYNLLTRTFHIEEPRTGGLAKRLANLIRRARGVPPL

FIGURE 235

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCCAGGAGCTGCAGGACAAGCACCAGGAGC CCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGTGGGCTACCCCTGGTGGTGG TTATGGGGGTCCTGCCCCTGGAGGGCCTTATGGACCCCAGCTGGTGGAGGGCCCTATGGACACCCCAATCCTGG GATGTTCCCCTCTGGAACTCCAGGAGGACCATATGGCGGTGCAGCTCCCGGGGGCCCCTATGGTCAGCCACCTCC ${\tt AAGTTCCTACGGTGCCCAGCAGCCTGGGCTTTATGGACAGGGTGGCGCCCCTCCCAATGTGGATCCTGAGGCCTA}$ CTCCTGGTTCCAGTCGGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAA CTGCAATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCAGGCCG ${\tt CATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGGAAGAACCTCTTCCAGCAGTATGACCG}$ GGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCCAAATGGGCTACAACCTGAGCCCCCA GTTCACCCAGCTTCTGGTCTCCCGCTACTGCCCACGCTCTGCCAATCCTGCCATGCAGCTTGACCGCTTCATCCA GGTGTGCACCCAGCTGCAGGTGCTGACAGAGGCCTTCCGGGAGAAGGACACCTGTACAAGGCAACATCCGGCT ${\tt CAGGGACCTTTCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTCTTTTTCCTGTCCCTCTAGAAGAAC}$ ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCCTGCATCATAGCCACCAAATAGTGAGG ACCGGGGCTGAGGCCACACAGATAGGGGCCTGATGGAGGAGAGGATAGAAGTTGAATGTCCTGATGGCCATGAGC AGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCCTTGTAATGGAGTTAGTGTCCAGTCAGCTGAGCTCCACCC TGATGCCAGTGGTGAGTGTTCATCGGCCTGTTACCGTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAAC GCCACACCCATAAATCCTTGTGTTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTG TCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAAACTCTGA

237/615

FIGURE 236

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYGHPNPGMFPSG TPGGPYGGAAPGGPYGQPPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVDSDHSGYISMKELKQALVNCNWSS FNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDRDRSGSISYTELQQALSQMGYNLSPQFTQLL VSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREKDTAVQGNIRLSFEDFVTMTASRML

Important features of the protein: Signal peptide: amino acids 1-19

N-glycosylation site. amino acids 147-150

Casein kinase II phosphorylation sites. amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites. amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-66, 70-75, 78-83, 83-88, 87-92, 110-115

FIGURE 237

 $\texttt{CAGG} \underline{\textbf{ATG}} \texttt{CAGGGCCGCGTGGCAGGGGGCTGCGCTCCTCTGGGCCTGCTCTGTCTTCATCTCCCAGGCCT}$ $\tt CTTTGCCCGGAGCATCGGTGTTGTGGAGGAGAAAGTTTCCCAAAACTTCGGGACCAACTTGCCTCAGCTCGGACA$ ${\tt ACCTTCCTCCACTGGCCCCTCTAACTCTGAACATCCGCAGCCCGCTCTGGACCCTAGGTCTAATGACTTGGCAAG}$ GGTTCCTCTGAAGCTCAGCGTGCCTCCATCAGATGGCTTCCCACCTGCAGGAGGTTCTGCAGTGCAGAGGTGGCC TCCATCGTGGGGGCTGCCTGCCATGGATTCCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGA GGACCGCCTGGGGGAAGCGCTGCCTGAAGAACTCTCTTACCTCTCCAGTGCTGCGGCCCTCGCTCCGGGCAGTGG CCCTTTGCCTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGACTCGGA CATCCACAGGGTTCTGCCTGATCACCCCTGGGGTACCCTGAATCCCAGTGTGTCCTGGGGAGGTGGAGGCCCTGG GACTGGTTGGGGAACGAGGCCCATGCCACACCCTGAGGGAATCTGGGGTATCAATAATCAACCCCCAGGTACCAG CTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGAA TATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTCATCTATACCCAGGTATCAATAACCCATTTCCTCCTGG AGTTCTCCGCCCTCCTGGCTCTTCTTGGAACATCCCAGCTGGCTTCCCTAATCCTCCAAGCCCTAGGTTGCAGTG GGGCTAGAGCACGATAGAGGGAAACCCAACATTGGGAGTTAGAGTCCTGCTCCCGCCCCTTGCTGTGTGGGCTCA ATCCAGGCCCTGTTAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCCTGCTCATCTCCAATAAAATA **АААААААААААААААААААААААААААА**

FIGURE 238

MQGRVAGSCAPLGLLLVCLHLPGLFARSIGVVEEKVSQNFGTNLPQLGQPSSTGPSNSEHPQPALDPRSNDLARV PLKLSVPPSDGFPPAGGSAVQRWPPSWGLPAMDSWPPEDPWQMMAAAAEDRLGEALPEELSYLSSAAALAPGSGP LPGESSPDATGLSPEASLLHQDSESRRLPRSNSLGAGGKILSQRPPWSLIHRVLPDHPWGTLNPSVSWGGGGPGT GWGTRPMPHPEGIWGINNQPPGTSWGNINRYPGGSWGNINRYPGGSWGNINRYPGGSWGNIHLYPGINNPFPPGV LRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein: Signal peptide: amino acids 1-26

Casein kinase II phosphorylation sites. amino acids 56-59, 155-158

N-myristoylation sites. amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263, 259-264, 269-274, 270-275, 280-285, 281-286, 305-310

240/615

FIGURE 239

GGGCGTCTCCGGCTGCTCCTATTGAGCTGTCTGCTCGCTGTGCCCGCTGTGCCTGCTGCCCGCGCTGTCGCCG CTGCTACCGCGTCTGCTGGACGCGGGAGACGCCAGCGAGCTGGTGATTGGAGCCCTGCGGAGAGCTCAAGCGCCC AGCTCTGCCCCAGGAGCCCAGGCTGCCCCGTGAGTCCCATAGTTGCTGCAGGAGTGGAGCCATGAGCTGCGTCCT GGGTGGTGTCATCCCCTTGGGGCTGCTGTTCCTGGTCTGCGGATCCCAAGGCTACCTCCTGCCCAACGTCACTCT CTTAGAGGAGCTGCTCAGCAAATACCAGCACAACGAGTCTCACTCCCGGGTCCGCAGAGCCATCCCCAGGGAGGA CAAGGAGGAGATCCTCATGCTGCACAACAAGCTTCGGGGCCAGGTGCAGCCTCAGGCCTCCAACATGGAGTACAT GGTGAGCGCCGGCTCCGGCCGCAGAGGCTGGCACCGGGGGTGGGGCCTGGGCCACCAGCCTGCTCTGTTCCCCAG CCAGCTCTGTTCCCCAGCCAGTGCGTGTGATGGCTGGCTCAGGGTCTCCTCTGGCAGGGGAGGATCCCGGCTCTG TTCTGTTTTGTTTGTTTTGAGACAGGGTCTCACTCTGCCACTGACGCTGGAGTGCAATGGCACAATCGTCA $\tt TGCCCTGAAACCT\underline{TAG} ACTCCCGGGGTTAAGCGATCCTGCTTCAGCCTCCCAAGTAGCTGGAACTACAGGCATGC$ ${\tt ACCATGGTGCCCAGCTAGATTTTAAATATTTTGTGGAGATGGGGGTCTTGCTACGTTGCCCAGGCTGGTCTTGAA}$ CTCCTAGGCTCAAGCAATCCTCCTGCCTCAGCCTCTCAAAGTGCTAGGATTATAGGCATGAGTCACCCTGTCTGG ATGTCACTCTTGGTAGCTCCACTGGGAACACAGCTCTCAGCCTTTCCCACCTGGAGGCAGAGTGGGGAGGGGCCC AGGGCTGGGCTTTGCTGATGCTGATCTCAGCTGTGCCACACGCTAGCTGCACCACCCTGACTTCTCCTTAGCCCG TGTGAGCCTCACTTTCCACTTGGAGAGTCCTTCCTCGCGTGGTTGCCATGACTGTGAGATAAGTCGAGGCTGTGA AGGGCCCGGCACAGACTGACCTGCCTCCCCAACCCCTAGGCTTTGCTAACCGGGAAAGGAGCTAACGGTGACAGA $\tt CCCAAGCTCCAGTGTGGAAACTTCCTTCCTGGCTGGTTTTCCAGAACTACAGAGGAATGGACCACAGTCTTCCAG$ CACGTCCCAGCCTGGGTAACATGGTAAAGCCCCGTCTCTACAAAAAAATCCAAGTTAGCCGGGCATGGTGGTGCG TTGAGCCTGGGAAGTCGAGCTGCAGTGAGCTGAGATTGCACCACTGCACTCCAGCCTGGGTGACAGACCAAGAC CCTGTCTCAAAAA

FIGURE 240

Important features: Signal peptide: amino acids 1-22

N-glycosylation site. amino acids 27-31, 41-45

N-myristoylation site. amino acids 126-132, 140-146

Amidation site.
amino acids 85-89

242/615

FIGURE 241

243/615

FIGURE 242

 ${\tt MGSGLPLVLLITLLGSSHGTGPGMTLQLKLKESFLTNSSYESSFLELLEKLCLLLHLPSGTSVTLHHARSQHHVVCNT}$

244/615

FIGURE 243

FIGURE 244

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59855
<subunit 1 of 1, 93 aa, 1 stop
<MW: 10161, pI: 7.39, NX(S/T): 0
MKLVTIFLLVTISLCSYSATAFLINKVPLPVDKLAPLPLDNILPFMDPLKLLLKTLGISV
EHLVEGLRKCVNELGPEASEAVKKLLEALSHLV</pre>

Important features: Signal peptide: Amino acids 1-18

246/615

FIGURE 245

TGCTAGGCTCTGTCCCACAATGCACCCGAGAGCAGGAGCTGAAAGCCTCTAACACCCACAGATCCCTCTATGACT CGGGTGTTTGCTGGTGCCCCCAGCTGAAGCCAACAAGAGTTCTGAAGATATCCGGTGCAAATGCATCTGTCCACC GCTGGTGGACCCTCTGATCCGAAAGCCGGATGCATACACTGAGCAACTGCACAATGAGGAGGAGAATGAGGATGC ${\tt TCGCTCTATGGCAGCAGCTGCTGCATCCCTCGGGGGACCCCGAGCAAACACAGTCCTGGAGCGTGTGGAAGGTGC}$ $\tt CCAGCAGCGGTGGAAGCTGCAGGTGCAGGAGCAGCGGAAGACAGTCTTCGATCGGCACAAGATGCTCAGCTAGAT$ GGGCTGGTGTGGGTCAAGGCCCCAACACCATGGCTGCCAGCTTCCAGGCTGGACAAAGCAGGGGGCTACTT CTCCCTTCCCTCGGTTCCAGTCTTCCCTTTAAAAGCCTGTGGCATTTTTCCTCCTTCTCCCTAACTTTAGAAATG GAAGGGAGGGGAAGGCAGAAGGGAATGGAGACATTCGAGGCGCCTCAGGAGTGGATGCGATCTGTCTC TCCTGGCTCCACTCTTGCCGCCTTCCAGCTCTGGGTCTTGGGAATGTTGTTACCCTTGGAAGATAAAGCTGGGTC TTCAGGAACTCAGTGTCTGGGAGGAAAGCATGGCCCAGCATTCAGCATGTGTTCCTTTCTGCAGTGGTTCTTATC ACCACCTCCCTCCCAGCCCCGGCGCCTCAGCCCCAGCTCCAGCCCTGAGGACAGCTCTGATGGGAGAGC TGGGCCCCTGAGCCCACTGGGTCTTCAGGGTGCACTGGAAGCTGGTGTTCGCTGTCCCCTGTGCACTTCTCGCA CTGGGGCATGGAGTGCCCATGCATACTCTGCTGCCGGTCCCCTCACCTGCACTTGAGGGGTCTGGGCAGTCCCTC ${\tt ACACCACAGCCCCTGTACTTGGGTTGCCTCTTGTCCCTGAACTTCGTTGTACCAGTGCATGGAGAAAATTTTG}$ TCCTCTTGTCTTAGAGTTGTGTGTAAATCAAGGAAGCCATCATTAAATTGTTTTATTTCTCTCA

247/615

FIGURE 246

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA60278
<subunit 1 of 1, 183 aa, 1 stop
<MW: 20574, pI: 6.60, NX(s/T): 3
MKLLSLVAVVGCLLVPPAEANKSSEDIRCKCICPPYRNISGHIYNQNVSQKDCNCLHVVEPMPVPGHDVEAYCLL
CECRYEERSTTTIKVIIVIYLSVVGALLLYMAFLMLVDPLIRKPDAYTEQLHNEEENEDARSMAAAAASLGGPRA
NTVLERVEGAQQRWKLQVQEQRKTVFDRHKMLS</pre>

Important features:
Signal peptide:
amino acids 1-20

Transmembrane domain: amino acids 90-112

N-glycosylation sites. amino acids 21-24, 38-41 and 47-50

248/615

FIGURE 247

249/615

FIGURE 248

 $\verb|MIGYYLILFLMWGSSTVFCVLLIFTIAEASFSVENECLVDLCLLRICYKLSGVPNQCRVPLPSDCSK|$

Important features: Signal peptide: amino acids 1-29

FIGURE 249

AGCGGGTCTCGCTTGGGTTCCGCTAATTTCTGTCCTGAGGCGTGAGACTGAGTTCATAGGGTCCTGGGTCCCCGA TCCCTTTGCATTCCCACCCTCCGGGCTTTGCGTCTTCCTGGGGACCCCCTCGCCGGGAG<u>ATC</u>GCCGCGTTGATG CGGAGCAAGGATTCGTCCTGCTGCTCCTACTGGCCGCGGTGCTGATGGTGGAGAGCTCACAGATCGGCAGT TCGCGGGCCAAACTCAACTCCATCAAGTCCTCTCTGGGCGGGGAGACGCCTGGTCAGGCCGCCAATCGATCTGCG GGCATGTACCAAGGACTGGCATTCGGCGGCAGTAAGAAGGGCAAAAAACCTGGGGCAGGCCTACCCTTGTAGCAGT GATAAGGAGTGTGAAGTTGGGAGGTATTGCCACAGTCCCCACCAAGGATCATCGGCCTGCATGGTGTGTCGGAGA AAAAAGAGCGCTGCCACCGAGATGGCATGTGCTGCCCCAGTACCCGCTGCAATAATGGCATCTGTATCCCAGTT ACTGAAAGCATCTTAACCCCTCACATCCCGGCTCTGGATGGTACTCGGCACAGAGATCGAAACCACGGTCATTAC GACCCCTGCCTACGATCAGACTGCATTGAAGGGTTTTGCTGTGCTCGTCATTTCTGGACCAAAATCTGCAAA ${\tt CCAGTGCTCCATCAGGGGGAAGTCTGTACCAAACAACGCAAGAAGGGTTCTCATGGGCTGGAAATTTTCCAGCGT}$ TGCGACTGTGCGAAGGGCCTGTCTTGCAAAGTATGGAAAGATGCCACCTACTCCTCCAAAGCCAGACTCCATGTG TGTCAGAAAATT**TGA**TCACCATTGAGGAACATCATCAATTGCAGACTGTGAAGTTGTGTATTTAATGCATTATAG CATGGTGGAAAATAAGGTTCAGATGCAGAAGAATGGCTAAAATAAGAAACGTGATAAGAATATAGATGATCACAA AAAGGGAGAAAGAAACATGAACTGAATAGATTAGAATGGGTGACAAATGCAGTGCAGCCAGTGTTTCCATTATG CAACTTGTCTATGTAAATAATGTACACATTTGTGGAAAATGCTATTATTAAGAGAACAAGCACAGTGGAAATT ACTGATGAGTAGCATGTGACTTTCCAAGAGTTTAGGTTGTGCTGGAGGAGGGTTTCCTTCAGATTGCTGATTGC TTATACAAATAACCTACATGCCAGATTTCTATTCAACGTTAGAGTTTAACAAAATACTCCTAGAATAACTTGTTA TACAATAGGTTCTAAAAATAAAATTGCTAAACAAGAAATGAAAACATGGAGCATTGTTAATTTACAACAGAAAAT TACCTTTTGATTTGTAACACTACTTCTGCTGTTCAATCAGGGTCTTGGTAGATAAGAAAAAATCAGTCAATAT TTCAGATTCTACGGAATGACAGTATATCTCTCTTTATCCTATGTGATTCCTGCTCTGAATGCATTATATTTTCCA AACTATACCCATAAATTGTGACTAGTAAAATACTTACACAGAGCAGAATTTTCACAGATGGCAAAAAAATTTAAA GATGTCCAATATATGTGGGAAAAGAGCTAACAGAGAGATCATTATTTCTTAAAGATTGGCCATAACCTATATTTT GATAGAATTAGATTGGTAAATACATGTATTCATACATACTCTGTGGTAATAGAGACTTAAGCTGGATCTGTACTG CACTGGAGTAAGCAAGAAATTGGGAAAACTTTTTCGTTTGTTCAGGTTTTGGCAACACATAGATCATATGTCTG AGGCACAAGTTGGCTGTTCATCTTTGAAACCAGGGGATGCACAGTCTAAATGAATATCTGCATGGGATTTGCTAT TGCTGAGATCCTCAAATAATCTCAAATTTCAGGAGGTTTCACAAAATGTACTCCTGAAGTAGACAGAGTAGTGAGG TTTCATTGCCCTCTATAAGCTTCTGACTAGCCAATGGCATCATCCAATTTTCTTCCCAAACCTCTGCAGCATCTG CTTTATTGCCAAAGGGCTAGTTTCGGTTTTCTGCAGCCATTGCGGTTAAAAAATATAAGTAGGATAACTTGTAAA ACCTGCATATTGCTAATCTATAGACACCACAGTTTCTAAATTCTTTGAAACCACTTTACTACTTTTTTTAAACTT AACTCAGTTCTAAATACTTTGTCTGGAGCACAAAACAATAAAAGGTTATCTTATAGTCGTGACTTTAAACTTTTG TAGACCACAATTCACTTTTTAGTTTTCTTTTACTTAAATCCCATCTGCAGTCTCAAATTTAAGTTCTCCCAGTAG AGATTGAGTTŤGAGCCTGTATATCTATTAAAAATTTCAACTTCCCACATATATTTACTAAGATGATTAAGACTTA TTAATGAGATGTATTTCTTATAGAGATATTTCTTACAGAAAGCTTTGTAGCAGAATATATTTGCAGCTATTGAC AAAAAAAAAAAAAAA

251/615

FIGURE 250

MAALMRSKDSSCCLLLLAAVLMVESSQIGSSRAKLNSIKSSLGGETPGQAANRSAGMYQGLAFGGSKKGKNLGQA
YPCSSDKECEVGRYCHSPHQGSSACMVCRRKKKRCHRDGMCCPSTRCNNGICIPVTESILTPHIPALDGTRHRDR
NHGHYSNHDLGWQNLGRPHTKMSHIKGHEGDPCLRSSDCIEGFCCARHFWTKICKPVLHQGEVCTKQRKKGSHGL
EIFQRCDCAKGLSCKVWKDATYSSKARLHVCQKI

Signal peptide:
amino acids 1-25

252/615

FIGURE 251

AGGCGTGAGCCACCGCCCGGCCAACATCACGTTTTTAAAAATTGATTTCTTCAAATTCATGGCAAATATTTCC ATTTTCATGTAGTATTTTCTAAGTTATATTTTAGTAATTCATATGTTTTAGATTATAGGTTTTAACATACTTGTG AAAATACTTGATG TTTTAAAGCCTTGGGCAGAAATTCTGTATTGTTGAGGATTTGTTCTTTTATCCCCCTTTTAAAGTCATCCGTCCTTGGCTCAGGATTTGGAGAGCTTGCACCACAAAAATGGCAAACATCACCAGCTCCCAGAT TTTGGACCAGTTGAAAGCTCCGAGTTTGGGCCAGTTTACCACCACCCCAAGTACACAGCAGAATAGTACAAGTCA $\tt CCCTACAACTACTTCTTGGGACCTCAAGCCCCCAACATCCCAGTCCTCAGTCCTCAGTCATCTTGACTTCAA$ ATCTCAACCTGAGCCATCCCCAGTTCTTAGCCAGTTGAGCCAGCGACAACAGCACCAGAGCCAGGCAGTCACTGT TCCTCCTCGGTTTGGAGTCCTTTCCTTCCCAGGCAAAACTTCGAGAATCAACACCTGGAGACAGTCCCTCCAC ACACATCAAACTTGCTAAGCGGCGGATACCCCCAGCTTCTAAGATCCCAGCTTCTGCAGTGGAAATGCCTGGTTC ATCAGCTCCAAGCAGTGAAAATAGTAATCAGATTCCCATCAGCTTGTATTCGAAGTCTTTAAGTGAGCCTTTGAA TACATCTTTATCAATGACCAGTGCAGTACAGAACTCCACATATACAACTTCCGTCATTACCTCCTGCAGTCTGAC AAGCTCATCACTGAATTCTGCTAGTCCAGTAGCAATGTCTTCCTCTTATGACCAGAGTTCTGTGCATAACAGGAT $\verb|CCCATACCAAAGCCCTGTGAGTTCATCAGAGTCAGCTCCAGGAACCATCATGAATGGACATGGTGGTGGTCGAAG|\\$ GATAGCTCACGTGATGTGGAAAACACCAGTTGGTCAATGGCTCATTCGT**TAA**AAAGCAGCCCCTTTTGCTTTTTTG TTTTTGGACCAGGTGTTGGCTGTGGTGTTATTAGAAATGTCTTAACCACAGCAAGAAGGAGGTGGTGGTCTCATA TTCTTCTGCCCTAATCAGACTGCACCACAAGTGCAGCATACAGTATGCATTTTAAAGATGCTTGGGCCAGGCGGG ACCCTGGGCAACATGGTGAAACTCTGTCTCTACTAAAATACGAAAAACTAGCCGGGTGTGGTGGCGGCGCGTGCC TGTAATCCCAGCTACTTGGGAGGCTGAGGCACAAGAATCGCTTGAGCCAGCTTGGGCTACAAAGTGAGACTCCGT CTGAAAAGA

FIGURE 252

 $\label{thm:main} \begin{tabular} MCFKALGRNSVLLRICSFIPLLKSSVLGSGFGELAPPKMANITSSQILDQLKAPSLGQFTTTPSTQQNSTSHPTT TTSWDLKPPTSQSSVLSHLDFKSQPEPSPVLSQLSQRQQHQSQAVTVPPPGLESFPSQAKLRESTPGDSPSTVNK LLQLPSTTIENISVSVHQPQPKHIKLAKRRIPPASKIPASAVEMPGSADVTGLNVQFGALEFGSEPSLSEFGSAP SSENSNQIPISLYSKSLSEPLNTSLSMTSAVQNSTYTTSVITSCSLTSSSLNSASPVAMSSSYDQSSVHNRIPYQ SPVSSSESAPGTIMNGHGGGRSQQTLDSKYSSKLLLSWLVPTKQRKRIAHVMWKTPVGQWLIR <math display="block">\begin{tabular} \end{tabular}$

Signal peptide: amino acids 1-24

FIGURE 253

 ${\tt GGGCGCCGCGTACTCACTAGCTGAGGTGGCAGTGGTTCCACCAAC{\tt ATG}{\tt GAGCTCTCGCAGATGTCGGAGCTCAT}}$ GGAGGAGAGGAGCGGCCGGCCGCCTGCCAAAAAGCAAATGGATTTCCACCTGACAAATCTTCGGGATCCAAGAA TCTGAAGAGCCACAGCGGGAACATATCTTGCATGGACTTTAGCAGCAATGGCAAATACCTGGCTACCTGTGCAGA TGATCGCACCATCCGCATCTGGAGCACCAAGGACTTCCTGCAGCGAGAGCACCGCAGCATGAGAGCCAACGTGGA CCTCCGTGTCTTCAAGATGACCAAGCGGGAGGATGGGGGCTACACCTTCACAGCCACCCCAGAGGACTTCCCTAA AAAGCACAAGGCGCCTGTCATCGACATTGGCATTGCTAACACAGGGAAGTTTATCATGACTGCCTCCAGTGACAC TGCTGTATCTCCCTGTGGCAGATTTGTAGCCTCGTGTGGCTTCACCCCAGATGTGAAGGTTTGGGAAGTCTGCTT TGGAAAGAAGGGGGAGTTCCAGGAGGTGGTGCGAGCCTTCGAACTAAAGGGCCCACTCCGCGGCTGTGCACTCGTT TGCTTTCTCCAACGACTCACGGAGGATGGCTTCTGTCTCCAAGGATGGTACATGGAAACTGTGGGACACAGATGT GGAATACAAGAAGAAGCAGGACCCCTACTTGCTGAAGACAGGCCGCTTTGAAGAGGCGGCGGGTGCCGCCGTG CCGCCTGGCCCTCTCCCCCAACGCCCAGGTCTTGGCCTTGGCCAGTGGCAGTAGTATTCATCTCTACAATACCCG GCGGGGCGAGAAGGAGGAGTGCTTTGAGCGGGTCCATGGCGAGTGTATCGCCAACTTGTCCTTTGACATCACTGG CCGCTTTCTGGCCTCCTGTGGGGACCGGGCGGTGCGGCTGTTTCACAACACTCCTGGCCACCGAGCCATGGTGGA GGAGATGCAGGGCCACCTGAAGCGGGCCTCCAACGAGAGCACCCGCCAGAGGCTGCAGCAGCAGCTGACCCAGGC CCAAGAGACCCTGAAGAGCCTGGGTGCCCTGAAGAAG<u>TGA</u>CTCTGGGAGGGCCCGGCGCAGAGGATTGAGGAGGA GGGATCTGGCCTCCTCATGGCACTGCTGCCATCTTTCCTCCCAGGTGGAAGCCTTTCAGAAGGAGTCTCCTGGTT ACTGAGGAGAATGGTAGAGAGGAGAGAGAGAGAGAGAGATGTGATTTTTGGCCTTGTGGCAGCACATCCTCAC ACCCAAAGAAGTTTGTAAATGTTCCAGAACAACCTAGAGAACACCTGAGTACTAAGCAGCAGTTTTGCAAGGATG GGAGACTGGGATAGCTTCCCATCACAGAACTGTGTTCCATCAAAAAGACACTAAGGGATTTCCTTCTGGGCCTCA GTTCTATTTGTAAGATGGAGAATAATCCTCTCTGTGAACTCCTTGCAAAGATGATATGAGGCTAAGAGAATATCA AGTCCCCAGGTCTGGAAGAAAGTAGAAAAGAGTAGTACTATTGTCCAATGTCATGAAAGTGGTAAAAGTGGGAA CCAGTGTGCTTTGAAACCAAATTAGAAACACATTCCTTGGGAAGGCAAAGTTTTCTGGGACTTGATCATACATTT TATATGGTTGGGACTTCTCTCTCGGGAGATGATATCTTGTTTAAGGAGACCTCTTTTCAGTTCATCAAGTTCAT

255/615

FIGURE 254

MELSQMSELMGLSVLLGLLALMATAAVARGWLRAGEERSGRPACQKANGFPPDKSSGSKKQKQYQRIRKEKPQQH
NFTHRLLAAALKSHSGNISCMDFSSNGKYLATCADDRTIRIWSTKDFLQREHRSMRANVELDHATLVRFSPDCRA
FIVWLANGDTLRVFKMTKREDGGYTFTATPEDFPKKHKAPVIDIGIANTGKFIMTASSDTTVLIWSLKGQVLSTI
NTNQMNNTHAAVSPCGRFVASCGFTPDVKVWEVCFGKKGEFQEVVRAFELKGHSAAVHSFAFSNDSRRMASVSKD
GTWKLWDTDVEYKKKQDPYLLKTGRFEEAAGAAPCRLALSPNAQVLALASGSSIHLYNTRRGEKEECFERVHGEC
IANLSFDITGRFLASCGDRAVRLFHNTPGHRAMVEEMQGHLKRASNESTRQRLQQQLTQAQETLKSLGALKK

Important features:
Signal peptide:
amino acids 1-25

N-glycosylation site. amino acids 76-80, 92-96, 231-235, 289-293, 378-382, 421-425

Beta-transducin family Trp-Asp repeat protein. amino acids 30-47, 105-118, 107-119, 203-216, 205-217, 296-308

256/615

FIGURE 255

257/615

FIGURE 256

 ${\tt MANPGLGLILALGLPFLLARWGRAWGQIQTTSANENSTVLPSSTSSSSDGNLRPEAITAIIVVFSLLAALLLAVGLALLVRKLREKRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI$

FIGURE 257

259/615

FIGURE 258

MGLFRGFVFLLVLCLLHQSNTSFIKLNNNGFEDIVIVIDPSVPEDEKIIEQIEDMVTTASTYLFEATEKRFFFKN VSILIPENWKENPQYKRPKHENHKHADVIVAPPTLPGRDEPYTKQFTECGEKGEYIHFTPDLLLGKKQNEYGPPG KLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCSAGISGRNRVYKCQGGSCLSRACRIDSTTKLYGKDCQF FPDKVQTEKASIMFMQSIDSVVEFCNEKTHNQEAPSLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSLL KISQRIVCLVLDKSGSMGGKDRLNRMNQAAKHFLLQTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGL PTYPLGGTSICSGIKYAFQVIGELHSQLDGSEVLLLTDGEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMS KITGGSHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFLITWNS LPPSISLWDPSGTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSRAANSSVPPITVNAKM NKDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGAGADSFKNDGVYSRYFTAYTENGRYS LKVRAHGGANTARLKLRPPLNRAAYIPGWVVNGEIEANPPRPEIDEDTQTTLEDFSRTASGGAFVVSQVPSLPLP DQYPPSQITDLDATVHEDKIILTWTAPGDNFDVGKVQRYIIRISASILDLRDSFDDALQVNTTDLSPKEANSKES FAFKPENISEENATHIFIAIKSIDKSNLTSKVSNIAQVTLFIPQANPDDIDPTPTPTPTPTPDKSHNSGVNISTL VLSVIGSVVIVNFILSTTI

Signal peptide:
amino acids 1-21

Putative transmembrane domains: amino acids 284-300, 617-633

Leucine zipper pattern. amino acids 469-491, 476-498

N-glycosylation site. amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592, 628-632, 811-815, 832-836, 837-841, 852-856, 896-900

FIGURE 259

CGCCGGAGGCAGCGGCGTGGCGCAGCGGCGACATGCCCGTTGTCTCAGAGGACGACTTTCAGCACAGTTCAA ACTCCACCTACGGAACCACAAGCAGCAGTCTCCGAGCTGACCAGGAGGCACTGCTTGAGAAGCTGCTGGACCGCC GTCTACTGCCATGGAACTTCTTTATCACTGCCAAGGAGTACTGGATGTTCAAACTCCGCAACTCCTCCAGCCCAG ${\tt CCACCGGGGAGGACCCTGAGGGCTCAGACATCCTGAACTACTTTGAGAGCTACCTTGCCGTTGCCTCCACCGTGC}$ TGACGGTCATCCTGGCCATCTTCATGGTGATAACTGCACTGGTGAAGGTGGACACTTCCTCCTGGACCCGTGGTT TTTTTGCGGTCACCATTGTCTGCATGGTGATCCTCAGCGGTGCCTCCACTGTCTTCAGCAGCAGCATCTACGGCA TGACCGGCTCCTTTCCTATGAGGAACTCCCAAGCACTGATATCAGGAGGAGCCATGGGCGGGACGGTCAGCGCCG TGGCCTCATTGGTGGACTTGGCTGCATCCAGTGATGTGAGGAACAGCGCCCTGGCCTTCTTCCTGACGGCCACCA TCTTCCTCGTGCTCTGCATGGGACTCTACCTGCTGCTGTCCAGGCTGGAGTATGCCAGGTACTACATGAGGCCTG GATTCATTGATTCCCACACACCCCCTCTCCGCCCCATCCTGAAGAAGACGGCCAGCCTGGGCTTCTGTCACCT ACGTCTTCTTCATCACCAGCCTCATCTACCCCGCCGTCTGCACCAACATCGAGTCCCTCAACAAGGGCTCGGGCT CACTGTGGACCACCAAGTTTTTCATCCCCCTCACTACCTTCCTCTGTACAACTTTGCTGACCTATGTGGCCGGC ${\tt AGCTCACCGCCTGGATCCAGGGGCCCAACAGCAAGGCGCTCCCAGGGTTCGTGCTCCTCCGGACCTGCC}$ ${\tt ACCCCGCACTCCTCAGCTGCTGGGGCTCAGCAACGGCTACCTCAGCACCCTGGCCCTCTACGGGCCTA}$ AGATTGTGCCCAGGGAGCTGGCTGAGGCCACGGGAGTGGTGATGTCCTTTTATGTGTGCTTGGGCTTAACACTGG ${\tt GCTCAGCCTGCTCACCCTGGTGCACCTCATC} {\color{red}{\textbf{TAG}}} {\color{blue}{\textbf{AAGGGAGGACAAAGGACATTGGTGCTTCAGAGCCTT}}$ TGAAGATGAGAAGAGTGCAGGAGGCTGGGGGCCATGGAGGAAAGGCCTAAAGTTTCACTTGGGGACAGAGAG CAGAGCACACTCGGGCCTCATCCCTCCCAAGATGCCAGTGAGCCACGTCCATGCCCATTCCGTGCAAGGCAGATA TTCCAGTCATATTAACAGAACACTCCTGAGACAGTTGAAGAAGAAATAGCACAAATCAGGGGTACTCCCTTCACA ${\tt GCTGATGGTTAACATTCCACCTTCTTTCTAGCCCTTCAAAGATGCTGCCAGTGTTCGCCCTAGAGTTATTACAAA}$ GCCAGTGCCAAAACCCAGCCATGGGCTCTTTGCAACCTCCCAGCTGCGCTCATTCCAGCTGACAGCGAGATGCAA GCAAATGCTCAGCTCTCCTTACCCTGAAGGGGTCTCCCTGGAATGGAAGTCCCCTGGCATGGTCAGTCCTCAGGC CCAAGACTCAAGTGTGCACAGACCCCTGTGTTCTGCGGGTGAACAACTGCCCACTAACCAGACTGGAAAAACCCAG AAAGATGGGCCTTCCATGAATGCTTCATTCCAGAGGGACCAGAGGGCCTCCCTGTGCAAGGGATCAAGCATGTCT GGCCTGGGTTTTCAAAAAAAGGGGATCCTCATGACCTGGTGGTCTATGGCCTGGGTCAAGATGAGGGTCTTTCA

FIGURE 260

MAVVSEDDFQHSSNSTYGTTSSSLRADQEALLEKLLDRPPPGLQRPEDRFCGTYIIFFSLGIGSLLPWNFFITAK EYWMFKLRNSSSPATGEDPEGSDILNYFESYLAVASTVPSMLCLVANFLLVNRVAVHIRVLASLTVILAIFMVIT ALVKVDTSSWTRGFFAVTIVCMVILSGASTVFSSSIYGMTGSFPMRNSQALISGGAMGGTVSAVASLVDLAASSD VRNSALAFFLTATIFLVLCMGLYLLLSRLEYARYYMRPVLAAHVFSGEEELPQDSLSAPSVASRFIDSHTPPLRP ILKKTASLGFCVTYVFFITSLIYPAVCTNIESLNKGSGSLWTTKFFIPLTTFLLYNFADLCGRQLTAWIQVPGPN SKALPGFVLLRTCLIPLFVLCNYQPRVHLKTVVFQSDVYPALLSSLLGLSNGYLSTLALLYGPKIVPRELAEATG VVMSFYVCLGLTLGSACSTLLVHLI

Transmembrane domain:

amino acids 50-74 (type II), 105-127, 135-153, 163-183, 228-252, 305-330, 448-472



FIGURE 261

 $\tt CGGACGCGTGGGCTGGTGGGAAGGCCTAAAGAACTGGAAAGCCCACTCTCTTGGAACCACCACACCTGTTTA$ AAGAACCTAAGCACCATTTAAAGCCACTGGAAATTTGTTGTCTAGTGGTTGTGGGTGAATAAAGGAGGCCAGAAT <u>G</u>GATGATTTCATCTCCATTAGCCTGTCTCTGGCTATGTTGGTGGGATGTTACGTGGCCGGAATCATTCCCTT GGCTGTTAATTTCTCAGAGGAACGACTGAAGCTGGTGACTGTTTTGGGTGCTGGCCTTCTCTGTGGAACTGCTCT AACACATAATGTGATTGCATCAGACAAAGCAGCAGAAAAATCAGTTGTCCATGAACATĠAGCACGACCACGACCA ${\tt CACACAGCTGCATGCCTATATTGGTGTTTCCCTCGTTCTGGGCTTCGTTTTCATGTTGCTGGTGGACCAGATTGG}$ TAACTCCCATGTGCATTCTACTGACGATCCAGAAGCAGCAAGGTCTAGCAATTCCAAAATCACCACCACGCTGGG TCTGGTTGTCCATGCTGCAGCTGATGGTGTTGCTTTGGGAGCAGCAGCATCTACTTCACAGACCAGTGTCCAGTT CTTAGAGCGGAATCGAATCAGAAAGCACTTGCTGGTCTTTGCATTGGCAGCACCAGTTATGTCCATGGTGACATA CTTAGGACTGAGTAAGAGCAGTAAAGAAGCCCTTTCAGAGGTGAACGCCACGGGAGTGGCCATGCTTTTCTCTGC CGGGACATTTCTTTATGTTGCCACAGTACATGTCCTCCCTGAGGTGGGCGGAATAGGGCACAGCCACAAGCCCGA TGCCACGGGAGGGAGAGCCTCAGCCGCCTGGAAGTGGCAGCCCTGGTTCTGGGTTGCCTCATCCCTCTCATCCT GTCAGTAGGACACCAGCATTAAATGTTCAAGGTCCAGCCTTGGTCCAGGGCCGTTTGCCATCCAGTGAGAACAGC CGGCACGTGACAGCTACTCACTTCCTCAGTCTCTTGTCTCACCTTGCGCATCTCTACATGTATTCCTAGAGTCCA GAGGGGAGGTGAGGTTAAAACCTGAGTAATGGAAAAGCTTTTAGAGTAGAAACACATTTACGTTGCAGTTAGCTA ${\tt TAGACATCCCATTGTGTTATCTTTTAAAAGGCCCTTGACATTTTGCGTTTTAATATTTCTCTTAACCCTATTCTC}$ AGGGAAGATGGAATTTAGTTTTAAGGAAAAGAGGAGAACTTCATACTCACAATGAAATAGTGATTATGAAAATAC AGTGTTCTGTAATTAAGCTATGTCTCTTTCTTAGTTTAGAGGCTCTGCTACTTTATCCATTGATTTTTAACA TGGTTCCCACCATGTAAGACTGGTGCTTTAGCATCTATGCCACATGCGTTGATGGAAGGTCATAGCACCCACTCA $\tt CTTAGATGCTAAAGGTGATTCTAGTTAATCTGGGATTAGGGTCAGGAAAATGATAGCAAGACACATTGAAAGCTC$ TCTTTATACTCAAAAGAGATATCCATTGAAAAGGGATGTCTAGAGGGATTTAAACAGCTCCTTTGGCACGTGCCT CTCTGAATCCAGCCTGCCATTCCATCAAATGGAGCAGGAGAGGTGGGAGGAGCTTCTAAAGAGGTGACTGGTATT TTGTAGCATTCCTTGTCAAGTTCTCCTTTGCAGAATACCTGTCTCCACATTCCTAGAGAGGAGCCAAGTTCTAGT AGTTTCAGTTCTAGGCTTTCCTTCAAGAACAGTCAGATCACAAAGTGTCTTTGGAAATTAAGGGATATTAAATTT ${\tt TAAGTGATTTTGGATGGTTATTGATATCTTTGTAGTAGCTTTTTTTAAAAGACTACCAAAATGTATGGTTGTCC}$ TTTTTTTTTTTTTTTTTTTTAATTATTTCTCTTAGCAGATCAGCAATCCCTCTAGGGACCTAAATACTAGG TCAGCTTTGGCGACACTGTGTCTTCTCACATAACCACCTGTAGCAAGATGGATCATAAATGAGAAGTGTTTGCCT ATTGATTTAAAGCTTATTGGAATCATGTCTCTTGTCTCTTCGTCTTTTCTTTGCTTTTCTTAACTTTTCCCTC TAGCCTCTCCTCGCCACAATTTGCTGCTTACTGCTGGTGTTAATATTTGTGTGGGGATGAATTCTTATCAGGACAA CCACTTCTCGAACTGTAATAATGAAGATAATAATCTTTATTCTTTATCCCCCCTTCAAAGAAATTACCTTTGTG TCAAATGCCGCTTTGTTGAGCCCTTAAAATACCACCTCCTCATGTGTAAATTGACACAATCACTAATCTGGTAAT TTACACTAAGGGGGAACCAAGACTAGTTTCTTCAGGGCAGTGGACGTAGTTGTTAAAAACGTTTTCTATGAC GCATAAGCTAGCATGCCTATGATTTATTTCCTTCATGAATTTGTCACTGGATCAGCAGCTGTGGAAATAAAGCTT GCATACAATTTTACTACCAAGAGAAGGTATAGTATGGAAAGTCCAAATGACTTCCTTGATTGGATGTTAACAGCT GACTGGTGTGAGACTTGAGGTTTCATCTAGTCCTTCAAAACTATATGGTTGCCTAGATTCTCTCTGGAAACTGAC TTTGTCAAATAAATAGCAGATTGTAGTGTCAAAAAAA

FIGURE 262

MDDFISISLLSLAMLVGCYVAGIIPLAVNFSEERLKLVTVLGAGLLCGTALAVIVPEGVHALYEDILEGKHQAS ETHNVIASDKAAEKSVVHEHEHSHDHTQLHAYIGVSLVLGFVFMLLVDQIGNSHVHSTDDPEAARSSNSKITTTL GLVVHAAADGVALGAAASTSQTSVQLIVFVAIMLHKAPAAFGLVSFLMHAGLERNRIRKHLLVFALAAPVMSMVT YLGLSKSSKEALSEVNATGVAMLFSAGTFLYVATVHVLPEVGGIGHSHKPDATGGRGLSRLEVAALVLGCLIPLI LSVGHQH

Signal peptide: amino acids 1-18

Transmembrane domain: amino acids 37-56, 106-122, 211-230, 240-260, 288-304

FIGURE 263

CTCCTTAGGTGGAAACCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCCCGG CCAGCGATGCTGCCTGGCCTGGACAGGAGCCCCCAGAGAAAACCCAGGCCGACCTCCTGGCC CCAGCGATGCTGCTGGCCTGGGTCTGGACAGGAGCCCCCCAGAGAAAACCCAGGCCGACCTCCTGGCC
TTCCTGCACTCGCAGGTGGACAAGGCAGAGGTGAATGCTGGCGTCAAGCTGGCCACAAGGTATGCAGC
AGGTGCCTTTCGATAGCTTTACTCTACAGAAGGTGTACCAGCTGGAGACTGGCCTTTACCCGCCACCCCG
AGGAGAAGCCTGTGAGGAAGGACAAGCGGGATGAGTTGGTGGAAGCCATTGAATCAGCCTTGGAGACC
CTGAACAATCCTGCAGAGAACAGCCCCAATCACCGTCCTTACACGGCCTCTGATTTCATAGAAGGGAT
CTACCGAACAGAAAGGGACAAAAGGGACATTGTATGAGCTCACCTTCAAAGGGGACCACAAACACGAAT
TCAAACGCCTCATCTATCATGTTATCATGCTACCCTTAGCAAAAAGGGTGACAAATGAAAAGGTTCATGCA

FIGURE 264

MMMVRRGLLAWISRVVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQEWEEQHRNYVSSL KRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQVDKAEVNAGVKLATEYAAVPFDS FTLQKVYQLETGLTRHPEEKPVRKDKRDELVEAIESALETLNNPAENSPNHRPYTASDFIEGIYRTERDKGTLYE LTFKGDHKHEFKRLILFRPFSPIMKVKNEKLNMANTLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVY FGKEEINEVKGILENTSKAANFRNFTFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTCRLNT QPGKKVFYPVLFSQYNPGIIYGHHDAVPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDLDIKGWGGED VHLYRKYLHSNLIVVRTPVRGLFHLWHEKRCMDELTPEQYKMCMQSKAMNEASHGQLGMLVFRHEIEAHLRKQKQ KTSSKKT

FIGURE 265

TGCCATGGGGGAGCCAAGGGAAACCTGGGGCCTGCTGGATGGCTTCCCGATTTTCGCGGGTTGTTTGGTGCTGA TAGATGCTCTGCGATTTGACTTCGCCCAGCCCCAGCATTCACACGTGCCTAGAGAGCCTCCTGTCTCCCTACCCT TCCTGGGCAAACTAAGCTCCTTGCAGAGGATCCTGGAGATTCAGCCCCACCATGCCCGGCTCTACCGATCTCAGG TTGACCCTCCTACCACCATGCAGCGCCTCAAGGCCCTCACCACTGGCTCACTTCATTGATGCTG GTAGTAACTTCGCCAGCCACGCCATAGTGGAAGACAATCTCATTAAGCAGCTCACCAGTGCAGGAAGGCGTGTAG TCTTCATGGGAGATGATACCTGGAAAGACCTTTTCCCTGGTGCTTTCTCCAAAGCTTTCTTCTTCCCATCCTTCA ATGTCAGAGACCTAGACACAGTGGACAATGGCATCCTGGAACACCTCTACCCCACCATGGACAGTGGTGAATGGG ACGTGCTGATTGCTCACTTCCTGGGTGTGGACCACTGTGGCCACAAGCATGGCCCTCACCACCCTGAAATGGCCA AGAAACTTAGCCAGATGGACCAGGTGATCCAGGGACTTGTGGAGCGTCTGGAGAATGACACACTGCTGGTAGTGG CTGGGGACCATGGGATGACCACAAATGGAGGACCATGGAGGGGACAGTGAGCTGGAGGTCTCAGCTGCTCTTTTC TGTATAGCCCCACAGCAGTCTTCCCCAGCACCCCACAGAGGAGCCAGAGGTGATTCCTCAAGTTAGCCTTGTGC CCACGCTGGCCCTGCTGCTGCCCCATCCCATTTGGGAATATCGGGGAAGTGATGGCTGAGCTATTCTCAG GGGGTGAGGACTCCCAGCCCCACTCCTCTGCTTTAGCCCAAGCCTCAGCTCTCCATCTCAATGCTCAGCAGGTGT $\tt CCCGATTTCATACCTACTCAGCTGCTACTCAGGACCTTCAAGCTAAGGAGCTTCATCAGCTGCAGAACCTCT$ TCTCCAAGGCCTCTGCTGACTACCAGTGGCTTCTCCAGAGCCCCAAGGGGGGCTGAGGCGACACTGCCGACTGTGA TTGCTGAGCTGCAGCAGTTCCTGCGGGGAGCTCGGGCCATGTGCATCGAGTCTTGGGCTCGTTTCTCTCTGGTCC TCCTGGGAACTATTGAGCTGAAGCTAGATCTAGTGCTTCTAGGGGCTGTGGCTGCAGTGAGCTCATTCCTCCCTT TTCTGTGGAAAGCCTGGGCTGGCTGGGGGTCCAAGAGGCCCCTGGCAACCCTGTTTCCCATCCCTGGGCCCGTCC TGTTACTCCTGCTGTTTCGCTTGGCTGTGTTCTTCTCTGATAGTTTTGTTGTAGCTGAGGCCAGGGCCACCCCCT TCACAATGCCCCGCCTTGGCACTTCAGCCACAACAAACCCCCCACGGCACAATGGTGCATATGCCCTGAGGCTTG GAATTGGGTTGCTTTTATGTACAAGGCTAGCTGGGCTTTTTCATCGTTGCCCTGAAGAGACACCTGTTTGCCACT ${\tt CAGATGAGGCTCCCCCCGTCTCCGGGTCTCTGGGGCATCCATGGTGCTGCCTCGGGCTGTAGCAGGGCCAGGCCTGTAGCAGGGCCAGGCCTGTAGCAGGGCCAGGCCAGGCCTGTAGCAGGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGCCAGGCCA$ TGGCTGCTTCAGGGCTCGCGCTGCTGCTCTGGAAGCCTGTGACAGTGCTGGTGAAGGCTGGGGGCAGGCGCTCCAA GGACCAGGACTGTCCTCACTCCCTTCTCAGGCCCCCCCACTTCTCAAGCTGACTTGGATTATGTGGTCCCTCAAA TCTACCGACACATGCAGGAGGAGTTCCGGGGCCGGTTAGAGAGGACCAAATCTCAGGGTCCCCTGACTGTGGCTG CTTATCAGTTGGGGAGTGTCTACTCAGCTGCTATGGTCACAGCCCTCACCCTGTTGGCCTTCCCACTTCTGCTGT CAGAGGGTCATGGCTCCTGTACTTGGCTGCCTGCTTTGCTAGTGGGAGCCAACACCTTTGCCTCCACCTCCTCT TTGCAGTAGGTTGCCCACTGCTCCTGCTCTGGCCTTTCCTGTGTGAGAGTCAAGGGCTGCGGAAGAGACAGCAGC CCCCAGGGAATGAAGCTGATGCCAGAGTCAGACCCGAGGAGGAAGAGGAGCCACTGATGGAGATGCGGCTCCGGG ATGCGCCTCAGCACTTCTATGCAGCACTGCTGCAGCTGGGCCTCAAGTACCTCTTTATCCTTGGTATTCAGATTC TGGCCTGTGCCTTGGCAGCCTCCATCCTTCGCAGGCATCTCATGGTCTGGAAAGTGTTTGCCCCTAAGTTCATAT TTGAGGCTGTGGGCTTCATTGTGAGCAGCGTGGGACTTCTCCTGGGCATAGCTTTGGTGATGAGAGTGGATGGTG $\tt CTGTGAGCTCCTGGTTCAGGCAGCTATTTCTGGCCCAGCAGAGGTAGCCTAGTCTGTGATTACTGGCACTTGGCT$ ACAGAGAGTGCTGGAGAACAGTGTAGCCTGGCCTGTACAGGTACTGGATGATCTGCAAGACAGGCTCAGCCATAC TCTTACTATCATGCAGCCAGGGGCCGCTGACATCTAGGACTTCATTATTCTATAATTCAGGACCACAGTGGAGTA TGATCCCTAACTCCTGATTTGGATGCATCTGAGGGACAAGGGGGGGCGGTCTCCGAAGTGGAATAAAATAGGCCGG GCGTGGTGACTTGCACCTATAATCCCAGCACTTTGGGAGGCAGAGGTGGGAGGATTGCTTGGTCCCAGGAGTTCA

267/615

FIGURE 266

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62809
<subunit 1 of 1, 1089 aa, 1 stop
<MW: 118699, pI: 8.49, NX(S/T): 2</pre>

MQKASVLLFLAWVCFLFYAGIALFTSGFILTRLELTNHSSCQEPPGPGSLPWGSQGKPGACWMASRFSRVVLVLI
DALRFDFAQPQHSHVPREPPVSLPFLGKLSSLQRILEIQPHHARLYRSQVDPPTTTMQRLKALTTGSLPTFIDAG
SNFASHAIVEDNLIKQLTSAGRRVVFMGDDTWKDLFPGAFSKAFFFPSFNVRDLDTVDNGILEHLYPTMDSGEWD
VLIAHFLGVDHCGHKHGPHHPEMAKKLSQMDQVIQGLVERLENDTLLVVAGDHGMTTNGDHGGDSELEVSAALFL
YSPTAVFPSTPPEEPEVIPQVSLVPTLALLLGLPIPFGNIGEVMAELFSGGEDSQPHSSALAQASALHLNAQQVS
RFLHTYSAATQDLQAKELHQLQNLFSKASADYQWLLQSPKGAEATLPTVIAELQQFLRGARAMCIESWARFSLVR
MAGGTALLAASCFICLLASQWAISPGFPFCPLLLTPVAWGLVGAIAYAGLLGTIELKLDLVLLGAVAAVSSFLPF
LWKAWAGWGSKRPLATLFPIPGPVLLLLLFRLAVFFSDSFVVAEARATPFLLGSFILLLVVQLHWEGQLLPPKLL
TMPRLGTSATTNPPRHNGAYALRLGIGLLLCTRLAGLFHRCPEETPVCHSSPWLSPLASMVGGRAKNLWYGACVA
ALVALLAAVRLWLRRYGNLKSPEPPMLFVRWGLPLMALGTAAYWALASGADEAPPRLRVLVSGASMVLPRAVAGL
AASGLALLLWKPVTVLVKAGAGAPRTRTVLTPFSGPPTSQADLDYVVPQIYRHMQEEFRGRLERTKSQGPLTVAA
YQLGSVYSAAMVTALTLLAFPLLLHAERISLVFLLFLQSFLLHLLAAGIPVTTPGPFTVPWQAVSAWALMAT
QTFYSTGHQPVFPAIHWHAAFVGFPEGHGSCTWLPALLVGANTFASHLLFAVGCPLLLLWPFLCESQGLRKRQQP
PGNEADARVRPEEEEEPLMEMRLRDAPQHFYAALLQLGLKYLFILGIQILACALAASILRRHLMVWKVFAPKFIF
EAVGFIVSSVGLLLGIALVMRVDGAVSSWFRQLFLAQQR

Important features:
Signal peptide:
amino acids 1-16

Transmembrane domains:

amino acids 317-341, 451-470, 481-500, 510-527, 538-555, 831-850, 1016-1034, 1052-1070

Leucine zipper pattern. amino acids 843-864

N-glycosylation sites. amino acids 37-40, 268-271

268/615

FIGURE 267

GAGACTGCAGAGGGAGATAAAGAGAGGGCAAAGAGCCAAGAGATTTGTCCTGGGGATCCAGAAACCCATG ATACCCTACTGAACACCGAATCCCCTGGAAGCCCACAGAGACAGAGACAGCAAGAGAAGCAGAGATAAATACACT $\tt CTAGTCCTCAAATTCCCAGTCCCCTGCACCCCTTCCTGGGACACT{\color{red} ATC}{\color{blue} TTGTTCTCCGCCCTCCTGCTGGAGGTG}$ ATTTGGATCCTGGCTGCAGATGGGGGTCAACACTGGACGTATGAGGGCCCACATGGTCAGGACCATTGGCCAGCC TTGCCTGCTCTGCAGCCCCACGGATATGACCAGCCTGGCACCGAGCCTTTGGACCTGCACAACAATGGCCACACA GTGCAACTCTCTCTCCCCTCTACCCTGTATCTGGGTGGACTTCCCCGAAAATATGTAGCTGCCCAGCTCCACCTG CACTGGGGTCAGAAAGGATCCCCAGGGGGGTCAGAACACCAGATCAACAGTGAAGCCACATTTGCAGAGCTCCAC GGCATCCTAATTGAGGTGGGTGAGACTAAGAATATAGCTTATGAACACATTCTGAGTCACTTGCATGAAGTCAGG CATAAAGATCAGAAGACCTCAGTGCCTCCCTTCAACCTAAGAGAGCTGCTCCCCAAACAGCTGGGGCAGTACTTC CGCTACAATGGCTCGCTCACAACTCCCCCTTGCTACCAGAGTGTGCTCTGGACAGTTTTTTATAGAAGGTCCCAG ATTTCAATGGAACAGCTGGAAAAGCTTCAGGGGACATTGTTCTCCACAGAAGAGGAGCCCTCTAAGCTTCTGGTA CAGAACTACCGAGCCCTTCAGCCTCTCAATCAGCGCATGGTCTTTGCTTCTTTCATCCAAGCAGGATCCTCGTAT ATTGCTAGAAAGATTCGGAAGAGGGCTGGAAAACCGAAAGGTGTGGTCTTCACCTCAGCACAAGCCACGACT GAGGCATAAATTCCTTCTCAGATACCATGGATGTGGATGACTTCCCTTCATGCCTATCAGGAAGCCTCTAAAATG GGGTGTAGGATCTGGCCAGAAACACTGTAGGAGTAGTAAGCAGATGTCCTCCTTCCCCTGGACATCTCTTAGAGA GGAATGGACCCAGGCTGTCATTCCAGGAAGAACTGCAGAGCCTTCAGCCTCTCCAAACATGTAGGAGGAAATGAG GAAATCGCTGTGTTAATGCAGAGANCAAACTCTGTTTAGTTGCAGGGGAAGTTTGGGATATACCCCAAAGTC CTCTACCCCCTCACTTTATGGCCCTTTCCCTAGATATACTGCGGGATCTCTCCTTAGGATAAAGAGTTGCTGTT GAAGTTGTATATTTTGATCAATATATTTGGAAATTAAAGTTTCTGACTTT

FIGURE 268

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62812
><subunit 1 of 1, 337 aa, 1 stop
><MW: 37668, pI: 6.27, NX(S/T): 1
MLFSALLLEVIWILAADGGQHWTYEGPHGQDHWPASYPECGNNAQSPIDIQTDSVTFDPDLPALQPHGYDQPGTE</pre>

MLFSALLLEVIWILAADGGQHWTYEGPHGQDHWPASYPECGNNAQSPIDIQTDSVTFDPDLPALQPHGYDQPGTE PLDLHNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPGGSEHQINSEATFAELHIVHYDSDSYDSLSEA AERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPPFNLRELLPKQLGQYFRYNGSLTTPPCYQSV LWTVFYRRSQISMEQLEKLQGTLFSTEEEPSKLLVQNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVG CLCLLLAVYFIARKIRKKRLENRKSVVFTSAQATTEA

Important features of the protein: Signal peptide: amino acids 1-15

Transmembrane domain: amino acids 291-310

N-glycosylation site. amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins amino acids 197-245, 104-140, 22-69

FIGURE 269

 $\tt GTGGCGCTGGCGGTTGCTGTCAGCTGATTCCCGGGGTTGGTGGCAGCGGCGGTAGCAGCA\underline{\textbf{ATG}} \texttt{GACTTTCTCCTG}$ GGGAACCCGTTCAGCTCTCCAGTGGGACAGCGCATCGAGAAAGCCACAGATGGCTCCCTGCAGAGCGAGGACTGG GCCCTCAACATGGAGATCTGCGACATCATCAACGAGACGGAGGAGGTCCCAAAGATGCCCTCCGAGCAGTAAAG TGCGGGCACCGCTTCCACGTGCTGGTGGCCAGCCAGGACTTCGTGGAGAGTGTGCTGGTGAGGACCATCCTGCCC AAGAACAACCCACCACCATCGTGCATGACAAAGTGCTCAACCTCATCCAGTCCTGGGCTGACGCGTTCCGCAGC CTGGACATGCTGTCACCCATCCACACCCCAGAGGACCGTGTTCAACTCAGAGACACAATCAGGACAGGATTCTG GTGACACGCCCA<u>TAG</u>CACCAACCCCGGAACAGATTGGGAAGCTGCGCAGTGAGCTGGAGATGGTGAGTGGGAACG AGCTCAACCGCACGTGCCGAGCCATGCAGCAGCGGGTCCTGAGTGATACCCTGCTCCGGGCCCATGCCCCAAGGA GCCCTTCAGAGCCCACACTGCCAGTCGAGGCCTGGCTGGAGGCTGGCCACAGTGGAAATTCTGCCGAGCCTATTG CCCCTGAGGAGCTGCGGCGGCCAGGTACGAAGCTGCAACTCTGCGCGCAGTGGGCGAGATCTCATCAGCCCCA GGCTGCAGGTGAGGCTTCAGGGGATGCTGGGGCCCCACTGCCCTCCGCTGCCTTGCCCTCCATCCTTCTGT ${\tt TCCTTCTGGCCGGGCACCACAGCACTGGGGCTCACCTCTTGGTTGATCCTCTTGTACTGGGAGAGGTGCCTTTTG}$ TATCCCCAATTAAAGGTAGAAAACC

PCT/US01/06520 WO 01/68848

271/615

FIGURE 270

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62813 ><subunit 1 of 1, 209 aa, 1 stop
><MW: 23465, pI: 7.57, NX(S/T): 1
MDFLLGNPFSSPVGQRIEKATDGSLQSEDWALNMEICDIINETEEGPKDALRAVKKRIVGNKNFHEVMLALTVLE ${\tt TCVKNCGHRFHVLVASQDFVESVLVRTILPKNNPPTIVHDKVLNLIQSWADAFRSSPDLTGVVTIYEDLRRKGLE}$ FPMTDLDMLSPIHTPRGPCSTQRHNQDRILWALTPASKRTLASMLPLCPPRPYSPVTRP

Important features of the protein: Signal peptide:

1-15

Amino acids

N-glycosylation site: Amino acids 41-45

N-myristoylation sites:

Amino acids 6-12;23-29

FIGURE 271

FIGURE 272

PCT/US01/06520

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62845 ><subunit 1 of 1, 283 aa, 1 stop ><MW: 30350, pI: 9.66, NX(S/T): 2

 ${\tt MGLGLRGWGRPLLTVATALMLPVKPPAGSWGAQIIGGHEVTPHSRPYMASVRFGGQHHCGGFLLRARWVVSAAHC}$ ${\tt FSHRDLRTGLVVLGAHVLSTAEPTQQVFGIDALTTHPDYHPMTHANDICLLRLNGSAVLGPAVGLLRLPGRRARP}$ ${\tt PTAGTRCRVAGWGFVSDFEELPPGLMEAKVRVLDPDVCNSSWKGHLTLTMLCTRSGDSHRRGFCSADSGGPLVCR}$ ${\tt NRAHGLVSFSGLWCGDPKTPDVYTQVSAFVAWIWDVVRRSSPQPGPLPGTTRPPGEAA}$

Signal peptide:

amino acids 1-30

274/615

FIGURE 273

GAAGTTCGCGAGCGCTGGCT<u>ATG</u>GGTCCTGGGGGCGCGGCTGGCGGCTGCTGGCGGTGCTGGCGCTCGGGACAG AGCGCCGGCTGCTGGGGCTGCTGAGGCGGTACCTGCGGGGGAGGAGGCGCGGCTGCGGGACCTGACTAGATTCT ${\tt ACGACAAGGTACTTTCTTTGCATGAGGATTCAACAACCCCTGTGGCTAACCCTCTGCTTTGCATTTACTCTCATCA}$ AACGCCTGCAGTCTGACTGGAGGAATGTGGTACATAGTCTGGAGGCCAGTGAGAACATCCGAGCTCTGAAGGATG GCTATGAGAAGGTGGAGCAAGACCTTCCAGCCTTTGAGGACCTTGAGGGGAGCAGCAAGGGCCCTGATGCGGCTGC AGGACGTGTACATGCTCAATGTGAAAGGCCTGGCCCGAGGTGTCTTTCAGAGAGTCACTGGCTCTGCCATCACTG ACCTGTACAGCCCCAAACGGCTCTTTTCTCTCACAGGGGATGACTGCTTCCAAGTTGGCAAGGTGGCCTATGACA TGGGGGATTATTACCATGCCATTCCATGGCTGGAGGAGGCTGTCAGTCTCTTCCGAGGATCTTACGGAGAGTGGA AGACAGAGGATGAGGCAAGTCTAGAAGATGCCTTGGATCACTTGGCCTTTGCTTATTTCCGGGCAGAAATGTTT CGTGTGCCCTCAGCCTCTCTCGGGAGTTTCTTCTCTACAGCCCAGATAATAAGAGGATGGCCAGGAATGTCTTGA AATATGAAAGGCTCTTGGCAGAGAGCCCCAACCACGTGGTAGCTGAGGCTGTCATCCAGAGGCCCAATATACCCC ACCTGCAGACCAGAGACACCTACGAGGGGCTATGTCAGACCCTGGGTTCCCAGCCCACTCTCTACCAGATCCCTA GCCTCTACTGTTCCTATGAGACCAATTCCAACGCCTACCTGCTGCTCCAGCCCATCCGGAAGGAGGTCATCCACC TGGAGCCCTACATTGCTCTACCATGACTTCGTCAGTGACTCAGAGGCTCAGAAAATTAGAGAACTTGCAGAAC CATGGCTACAGAGGTCAGTGGCATCAGGGGGAGAAGCAGTTACAAGTGGAGTACCGCATCAGCAAAAGTGCCT GGCTGAAGGACACTGTTGACCCAAAACTGGTGACCCTCAACCACCGCATTGCTGCCCTCACAGGCCTTGATGTCC GGCCTCCCTATGCAGAGTATCTGCAGGTGGTGAACTATGGCATCGGAGGACACTATGAGCCTCACTTTGACCATG CGGTGGAAGCTGGAGGAGCCACAGCCTTCATCTATGCCAACCTCAGCGTGCCTGTGGTTAGGAATGCAGCACTGT ATAAGTGGGTGGCCAACAAGTGGATACATGAGTATGGACAGGAATTCCGCAGACCCTGCAGCTCCAGCCCTGAAG $\texttt{AC}\underline{\textbf{\textit{TGA}}} \textbf{ACTGTTGGCAGAGAGAGCTGGTGGAGTCCTGTGGCTTTCCAGAGAGCCAGGAGCCAAAAGCTGGGGTA}$ GGAGAGGAGAAAGCAGAGCCTCCTGGAAGAAGGCCTTGTCAGCTTTGTCTGTGCCTCGCAAATCAGAGGCAA GGGAGAGGTTGTTACCAGGGGACACTGAGAATGTACATTTGATCTGCCCCAGCCACGAAGTCAGAGTAGGATGC ACATCTCAACAGTCTCAGGTTCGATCAGTGGGTCTTTTGGCACTTTGAACCTTGACCACAGGGACCAAGAAGTGG CAATGAGGACACCTGCAGGAGGGGCTAGCCTGACTCCCAGAACTTTAAGACTTTCTCCCCACTGCCTTCTGCTGC GTTGAAAACAACTTTCTTTTCTTTTGTATGATGGTTTTTTTAACACAGTCATTAAAAATGTTTATAAAATCAAAA

275/615

FIGURE 274

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64849
><subunit 1 of 1, 544 aa, 1 stop
><MW: 61126, pI: 6.40, NX(S/T): 2
MGPGARLAALLAVLALGTGDPERAAARGDTFSALTSVARALAPERRLLGLLRRYLRGEEA
RLRDLTRFYDKVLSLHEDSTTPVANPLLAFTLIKRLQSDWRNVVHSLEASENIRALKDGY
EKVEQDLPAFEDLEGAARALMRLQDVYMLNVKGLARGVFQRVTGSAITDLYSPKRLFSLT
GDDCFQVGKVAYDMGDYYHAIPWLEEAVSLFRGSYGEWKTEDEASLEDALDHLAFAYFRA
GNVSCALSLSREFLLYSPDNKRMARNVLKYERLLAESPNHVVAEAVIQRPNIPHLQTRDT
YEGLCQTLGSQPTLYQIPSLYCSYETNSNAYLLLQPIRKEVIHLEPYIALYHDFVSDSEA
QKIRELAEPWLQRSVVASGEKQLQVEYRISKSAWLKDTVDPKLVTLNHRIAALTGLDVRP
PYAEYLQVVNYGIGGHYEPHFDHATSPSSPLYRMKSGNRVATFMIYLSSVEAGGATAFIY
ANLSVPVVRNAALFWWNLHRSGEGDSDTLHAGCPVLVGDKWVANKWIHEYGQEFRRPCSS
SPED

Important features of the protein:

Signal peptide:

Amino acids 1-19

Leucine zipper pattern:

Amino acids 34-56;41-63

Ribonucleotide reductase small subunit signature:

Amino acids 340-356

N-glycosylation sites:

Amino acids 242-246;482-486

Cell attachment sequence:

Amino acids 27-30

Tyrosine kinase phosphorylation site:

Amino acids 189-198

N-myristoylation sites:

Amino acids 4-10;135-141;153-159;164-170;241-247;303-309;309-315; 457-463;473-479

FIGURE 275

GGCAAC<u>ATG</u>GCTCAGCAGGCTTGCCCCAGAGCCATGGCAAAGAATGGACTTGTAATTTGCATCCTGGTGATCACC TTACTCCTGGACCAGCCACCACCACACCACATCCAGATTAAAAGCCAGGAAGCACAGCAAACGTCGAGTGAGAGAC CAGACAGTCTGTCTCCGAGGCACTAAAGTTCACAAGAAATGCTACCTTGCTTCAGAAGGTTTGAAGCATTTCCAT GAGGCCAATGAAGACTGCATTTCCAAAGGAGGAATCCTGGTTATCCCCAGGAACTCCGACGAAATCAACGCCCTC ${\tt CAAGACTATGGTAAAAGGAGCCTGCCAGGTGTCAATGACTTTTGGCTGGGCATCAATGACATGGTCACGGAAGGC}$ AAGTTTGTTGACGTCAACGGAATCGCTATCTCCTTCAACTGGGACCGTGCACAGCCTAACGGTGGCAAGCGA GAAAACTGTGTCCTGTTCTCCCAATCAGCTCAGGGCAAGTGGAGTGATGAGGCCTGTCGCAGCAGCAAGAGATAC ATATGCGAGTTCACCATCCCTAAA<u>TAG</u>GTCTTTCTCCAATGTGTCCTCCAAGCAAGATTCATCATAACTTATAGG TTCATGATCTCTAAGATCAAGTAAAAATCATAATTTTTACTTATTAAAAAAATTGCAACACAAGATCAATGTCCAT AGCAATATGATAGCATCAGCCAATTTTGCTAACACATTTCTTTGGGATTTTGCCCTTCCTGGGGTATAGGGGATC AGAAATATTGATCCATGTGCACGCAGATAAAATGGCTTCTGCTAAACAGACTAAAATCTTTCTCTCTAGTCTTTC AGGCTACCTGAAAGATTTTCCCTTGGAAGTTTAGCGTATGTTTGACTAACAAAAATTCCCTACATCAGAGACTCT AGGTGCTATATAATCCAAAAACTTTTCAGCCTGTTGCTCATTCTGTCCCATGCTGGCAATAATACCTTGTCAGCC CATTACCCTTATTTTGAATTGCTCCATCTCCTGGTGGGACTTGTATCTTGTCTGCCATATCAGAACACAAACCCC AATGAAATGACAAGGTGTATATTTGATCAATTTTCATTCCCACCATTGCATTACAACCTCTAACTTAAATGGGTA TAGCATCCTTACTCTCACCTTTTATGAGATTGAGAGTGGACTTACATTTCCTTTTTTACATTTTCGTATATTTAT ${ t TTTTTTAGCCATCATTATATGTTTAAGTCTATTATGGGCAACCAATCTTTGGAAGCTGAAAACTGAATTTAAAG$ AATGCTATCTTGGAAAATTGCATACGTCTGTGCAATTTTTTATTCTGCCTAGTGCTATTCTGCTTGTTTAACTAG ATTGTACAAAATAACTTCATTGCTTAATATCAAATTACAAAGTTTAGACTTGGAGGGAAATGGGCTTTTTAGAAG CAAACAATTTTAAATATTTTGTTCTTCAAATAAATAGTGTTTAAACATTGAATGTGTTTTTGTGAACAATATCC CACTTTGCAAACTTTAACTACACATGCTTGGAATTAAGTTTTAGCTGTTTTCATTGCTCAATAATAAAGCCTGAA

FIGURE 276

MAQQACPRAMAKNGLVICILVITLLLDQTTSHTSRLKARKHSKRRVRDKDGDLKTQIEKLWTEVNALKEIQALQT VCLRGTKVHKKCYLASEGLKHFHEANEDCISKGGILVIPRNSDEINALQDYGKRSLPGVNDFWLGINDMVTEGKF VDVNGIAISFLNWDRAQPNGGKRENCVLFSQSAQGKWSDEACRSSKRYICEFTIPK

278/615

FIGURE 277

GAGATAGGGAGTCTGGGTTTAAGTTCCTGCTCCATCTCAGGAGCCCCTGCTCCCACCCCTAGGAAGCCACCAGAC GGAGAGCCCCGGAGCCCCGTAACCCGCGGGGGAGCGCCCAGGATGCCGCGGGGGACTCGGAGCAGGTGCGCT CCCTGGTCCTGTGGGGCATCTATGCAGAGGTTGAGCGGCAGAAATATAAAACCCTTGAAAGTGCCTTCCTGG CTCCAGCCATCATCCTCATCCTGGGCGTCGTCATGTTCATGGTCTCCTTCATTGGTGTGCTGCGTCCCTCC GTGACAACCTGTACCTTCTCCAAGCATTCATGTACATCCTTGGGATCTGCCTCATCATGGAGCTCATTGGTGGCG TGGTGGCCTTGACCTTCCGGAACCAGACCATTGACTTCCTGAACGACAACATTCGAAGAGGAATTGAGAACTACT ATGATGATCTGGACTTCAAAAACATCATGGACTTTGTTCAGAAAAAGTTCAAGTGCTGTGGCGGGGGGGACTACC GAGATTGGAGCAAGAATCAGTACCACGACTGCAGTGCCCCTGGACCCCTGGCCTGTGGGGTGCCCTACACCTGCT GCATCAGGAACACGACAGAAGTTGTCAACACCCATGTGTGGCTACAAAACTATCGACAAGGAGCGTTTCAGTGTGC AGGATGTCATCTACGTGCGGGGCTGCACCAACGCCGTGATCATCTGGTTCATGGACAACTACACCATCATGGCGT GCATCCTCCTGGGCATCCTGCTTCCCCAGTTCCTGGGGGTGCTGCTGACGCTGCTGTACATCACCCGGGTGGAGG CGGGATGCTGCTTGTGCTACCCCAAT<u>TAG</u>GGCCCAGCCTGCCATGGCAGCTCCAACAAGGACCGTCTGGGATAGC ACCTCTCAGTCAACATCGTGGGGCTGGACAGGGCTGCGGCCCCTCTGCCCACACTCAGTACTGACCAAAGCCAGG GCTGTGTGTGTGTGTGTGTGTGCCCCCCGGCCTCTCCCCCAGGGAGCAGAGCCTGGGCCTCCCCTAAGAGGC TTTCCCCGAGGCAGCTCTGGAATCTGTGCCCACCTGGGGCCTGGGGAACAAGGCCCTCCTTTCTCCAGGCCTGGG CTACAGGGGAGGGAGAGCCTGAGGCTCTGCTCAGGGCCCATTTCATCTCTGGCAGTGCCTTGGCGGTGGTATTCA AGGCAGTTTTGTAGCACCTGTAATTGGGGAGAGGGAGTGTGCCCCTCGGGGCAGGAGGGAAGGGCATCTGGGGAA GGGCAGGAGGGAAGAGCTGTCCATGCAGCCACGCCCATGGCCAGGTTGGCCTCTTCTCAGCCTCCAGGTGCCTT

PCT/US01/06520 WO 01/68848

279/615

FIGURE 278

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64863

><subunit 1 of 1, 294 aa, 1 stop
><MW: 33211, pI: 5.35, NX(S/T): 3
MPRGDSEQVRYCARFSYLWLKFSLIIYSTVFWLIGALVLSVGIYAEVERQKYKTLESAFLAPAIILILLGVVMFM VSFIGVLASLRDNLYLLQAFMYILGICLIMELIGGVVALTFRNQTIDFLNDNIRRGIENYYDDLDFKNIMDFVQK $\tt KFKCCGGEDYRDWSKNQYHDCSAPGPLACGVPYTCCIRNTTEVVNTMCGYKTIDKERFSVQDVIYVRGCTNAVII$ WFMDNYTIMACILLGILLPQFLGVLLTLLYITRVEDIIMEHSVTDGLLGPGAKPSVEAAGTGCCLCYPN

Signal peptide:

amino acids 1-44

Transmembrane domains:

amino acids 22-42, 57-85, 93-116, 230-257

280/615

FIGURE 279

GAGGAGCGGCCGAGGACTCCAGCGTGCCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACACCTGGGAAG<u>AT</u> **<u>GGCCGGCCCGTGGACCTTCACCCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATCCAAGCCACCCTCAGTCCCAC</u>** TGCAGTTCTCATCCTCGGCCCAAAAGTCATCAAAGAAAAGCTGACACAGGAGCTGAAGGACCACAACGCCACCAG GGTGAACACCGTCCTGAAGCACATCATCTGGCTGAAGGTCATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCC GACCATCGTGGAGTTCCACATGACGACTGAGGCCCAAGCCACCATCCGCATGGACACCAGTGCAAGTGGCCCCAC GGTGAACGCCTTAGCTAAGCAGGTCATGAACCTCCTAGTGCCATCCCTGCCCAATCTAGTGAAAAACCAGCTGTG TCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGACCTCCTGCAGCTGGTGAAGGTGCCCATTTCCCTCAG CATTGACCGTCTGGAGTTTGACCTTCTGTATCCTGCCATCAAGGGTGACACCATTCAGCTCTACCTGGGGGCCAA GTTGTTGGACTCACAGGGAAAGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCCTGACAATGCCCACCCTGGA CAACATCCCGTTCAGCCTCATCGTGAGTCAGGACGTGGTGAAAGCTGCAGTGGCTGCTGTCTCTCCAGAAGA ATTCATGGTCCTGTTGGACTCTGTGCTTCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGCTGATCAATGA AAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGACACTCCCGAGTTTTTTATAGA ${\tt CCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTTTCCCTCCAGTGAAGCCCTCCGCCCTTTGTT}$ CACCTGGGCATCGAAGCCAGCTCGGAAGCTCAGTTTACACCAAAGGTGACCAACTTATACTCAACTTGAATAA ${\tt CATCAGCTCTGATCGATCCAGCTGATGAACTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCAT}$ CACTGAGATCATCCACTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCATTGGT GAAGGCCTTGGGATTCGAGGCAGCTGAGTCCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCCTTGTG GAAACCCAGCTCTCCTGTCTCCCAG<u>TGA</u>AGACTTGGATGGCAGCCATCAGGGAAGGCTGGGTCCCAGCTGGGAGT

FIGURE 280

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64881 ><subunit 1 of 1, 484 aa, 1 stop ><MW: 52468, pI: 7.14, NX(S/T): 3

MAGPWTFTLLCGLLAATLIQATLSPTAVLILGPKVIKEKLTQELKDHNATSILQQLPLLSAMREKPAGGIPVLGS LVNTVLKHIIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIVEFHMTTEAQATIRMDTSASGP TRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNLVKNQLCPVIEASFNGMYADLLQLVKVPISL SIDRLEFDLLYPAIKGDTIQLYLGAKLLDSQGKVTKWFNNSAASLTMPTLDNIPFSLIVSQDVVKAAVAAVLSPE EFMVLLDSVLPESAHRLKSSIGLINEKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSEALRPL FTLGIEASSEAQFYTKGDQLILNLNNISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSL VKALGFEAAESSLTKDALVLTPASLWKPSSPVSQ

Important features of the protein: Signal peptide: amino acids 1-21

N-glycosylation sites. amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site. amino acids 412-415

LBP / BPI / CETP family proteins. amino acids 407-457

282/615

FIGURE 281

 $\tt CTTTCCACCTTTCTCTTCCCACCTTAGACCTCCTTTCCTGCCCTCCTTTCCTGCCCACCGCTGCTTCCTGGC$ $\tt CTTTTCGTCTCCCTTCCTCCCGACTCCGGGCCTGACCCTGGGGGAAAGGATGGTTCCCGAGGT$ CATGTTCTGCCTTTTCCATGGGAAGAGATACTCCCCCGGCGAGAGCTGGCACCCCTACTTGGAGCCACAAGGCCT GATGTACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCCTCCACTGTCCGCCTGTCCA $\tt CTGCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACCTCACACTCCCTCTGGACTCCG$ GGCCCCACCAAAGTCCTGCCAGCACAACGGGACCATGTACCAACACGGAGAGATCTTCAGTGCCCATGAGCTGTT CCCCTCCCGCCTGCCCAACCAGTGTGTCCTCTGCAGCTGCACAGAGGGCCAGATCTACTGCGGCCTCACAACCTG CCCCGAACCAGGCTGCCCAGCACCCCTCCCACTGCCAGACTCCTGCCAAGCCTGCAAAGATGAGGCAAGTGA GCAATCGGATGAAGAGGACAGTGTGCAGTCGCTCCATGGGGTGAGACATCCTCAGGATCCATGTTCCAGTGATGC TGGGAGAAAGAGAGCCCGGGCACCCCAGCCCCCACTGGCCTCTGAGCTTCATCCCTCGCCACTT CAGACCCAAGGGAGCAGCACCAACTGTCAAGATCGTCCTGAAGGAGAAACATAAGAAAGCCTGTGTGCATGG CGGGAAGACGTACTCCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCTTCGGCCCCTTGCCTGCATCCTATG CACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCCCACCGAGTACCCCTGCCGTCACCCCGAGAA AGTGGCTGGGAAGTGCTGCAAGATTTGCCCAGAGGACAAAGCAGACCCTGGCCACAGTGAGATCAGTTCTACCAG GTGTCCCAAGGCACCGGGCCGGGTCCTCGTCCACACATCGGTATCCCCAAGCCCAGACAACCTGCGTCGCTTTGC CCTGGAACACGAGGCCTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAAACTGAGGCTCA GAGAGGTGAAGTACCTGGCCCAAGGCCACACGCCAGAATCTTCCACTTGACTCAGATCAAGAAAGTCAGGAAGC AAGACTTCCAGAAAGAGCACAGCACTTCCGACTGCTCGCCCCCACGAAGGTCACTGGAACGTCTTCCTAG $\tt CCCAGACCCTGGAGCTGAAGGTCACGGCCAGTCCAGACAAAGTGACCAAGACATAACAAAGACCTAACAGTTGCA$ AAAAAA

FIGURE 282

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64902

><subunit 1 of 1, 451 aa, 1 stop ><MW: 49675, pI: 7.15, NX(S/T): 1

MVPEVRVLSSLLGLALLWFPLDSHARARPDMFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSEGAHVSCYRLH CPPVHCPQPVTEPQQCCPKCVEPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELFPSRLPNQCVLCSCTEGQIYC GLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVRHPQDPCSSDAGRKRGPGTPAPTGLSAPLSF IPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYSHGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPTEYPC RHPEKVAGKCCKICPEDKADPGHSEISSTRCPKAPGRVLVHTSVSPSPDNLRRFALEHEASDLVEIYLWKLVKDE ETEAQRGEVPGPRPHSQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSPDPGAEGHGOSROSDQDITKT

Signal peptide: amino acids 1-25

FIGURE 283

GCGATGGTGCGCCCGGTGGCGGTGGCGGCGGCGGTTGCGGAGGCTTCCTTGGTCGGATTGCAACGAGGAGAAGAT GCGGCGGGCCGCGGGCAGGTGGACGCGTCGCCGGGCCCCGGGTTGCGGGGCCGAGCCCACCCCTTCCCTA GGGCGACGCTCCCACGGCCCAGGCCCCGAGGACCGGGCCCCGCGCGCCACCGTCCACCGACCCTGGCTGCGA CTTCTCCAGCCCAGTCCCCGGAGACCACCCCTCTTTGGGCGACTGCTGGACCCTCTTCCACCACCTTTCAGGCGC CGCTCGGCCCTCGCCGACCACCCCTCCGGCGGCGGAACGCACTTCGACCACCTCTCAGGCGCCGACCAGACCCG CTCCCCGGACCCCGACCCCGATCTCCCCAGCAGCAGCAGCAGCGTCCTCCCCACCCCACCTGCCACCGAGG CCCCCTCTCGCCTCCCAGAGTATGTATGTAACTGCTCTGTGGTTGGAAGCCTGAATGTGAATCGCTGCAACC AGACCACAGGGCAGTGTGAGTGTCGGCCAGGTTATCAGGGGCTTCACTGTGAAACCTGCAAAGAGGGCTTTTACC TACTGGTTTAAACAAAGGAGGATGAGGGTCATAGATTTACAAAATATTTTATATACTTTTATTCTCTTACTTTAT ATGTTATATTTAATGTCAGGATTTAAAAACATCTAATTTACTGATTTAGTTCTTCAAAAGCACTAGAGTCGCCAA TTTTTCTCTGGGATAATTTCTGTAAATTTCATGGGAAAAAATTATTGAAGAATAAATCTGCTTTCTGGAAGGGCT TTCAGGCATGAAACCTGCTAGGAGGTTTAGAAATGTTCTTATGTTTATTAATATACCATTGGAGTTTGAGGAAAT TTGTTGTTTGGTTTATTTTTCTCTCTAATCAAAATTCTACATTTGTTTCTTTGGACATCTAAAGCTTAACCTGGG GGTACCCTAATTTATTTAACTAGTGGTAAGTAGACTGGTTTTACTCTATTTACCAGTACATTTTTGAGACCAAAA GTAGATTAAGCAGGAATTATCTTTAAACTATTATGTTATTTGGAGGTAATTTAATCTAGTGGAATAATGTACTGT TATCTAAGCATTTGCCTTGTACTGCACTGAAAGTAATTATTCTTTGACCTTATGTGAGGCACTTGGCTTTTTGTG GACCCCAAGTCAAAAAACTGAAGAGACAGTATTAAATAATGAAAAAAATAATGACAGGTTATACTCAGTGTAACC TGGGTATAACCCAAGATCTGCTGCCACTTACGAGCTGTGTTCCTTGGGCAAGTAATTTCCTTTCACTGAGCTTGT CTGGTTTGTTTTAATTTCAAAGGAATATTATGGACTGAAATGAGAGAACATGTTTTAAGAACTTTTAGCTCCTTG ACAAAGAAGTGCTTTATACTTTAGCACTAAATATTTTAAATGCTTTATAAATGATATTATACTGTTATGGAATAT TGTATCATATTGTAGTTTATTAAAAATGTAGAAGAGGCTGGCCGGTGGCTCACGCCTGTAATCCTAGCACTTT GGGAGGCCAAGGCGGGTGGATCACTTGAGGCCAGGAGTTCTAGATGAGCCTGGCCAGCACAGTGAAACCCCGTCT CTACTAAAAATACAAACAAATTAGCTGGGCGTGGTGGCACACCTGTAGTCCCAGCTACTCGGGAGGCTGAGGC AGGAGAATCGGTTGAACCCGGGAGGTGGAGGTTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGTGAG

285/615

FIGURE 284

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64952
><subunit 1 of 1, 258 aa, 1 stop
><MW: 25716, pI: 8.13, NX(S/T): 5
MRSLPSLGGLALLCCAAAAAAVASAASAGNVTGGGGAAGQVDASPGPGLRGEPSHPFPRATAPTAQAPRTGPPRA
TVHRPLAATSPAQSPETTPLWATAGPSSTTFQAPLGPSPTTPPAAERTSTTSQAPTRPAPTTLSTTTGPAPTTPV
ATTVPAPTTPRTPTPDLPSSSNSSVLPTPPATEAPSSPPPEYVCNCSVVGSLNVNRCNQTTGQCECRPGYQGLHC

Important features of the protein: Signal peptide: amino acids 1-25

ETCKEGFYLNYTSGLCQPCDCSPHGALSIPCNR

N-glycosylation sites. amino acids 30-33, 172-175, 195-198, 208-211, 235-238

EGF-like domain cysteine pattern signature. amino acids 214-226.

286/615

FIGURE 285

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCCAGACATGCTGCTGCTGCTGCTGCTCCTGGGGGG $\overline{\textbf{AGGGAGAGGGCGGAAGGACAAGTAAACTGCTGACGATGCAGGAGTTCCGTGACGGTGCAGGAAGGCCTGTGT}$ GTCCATGTGCCCTGCTCCTTCTCCTACCCCTGGCATGGCTGGATTTACCCTGGCCCAGTAGTTCATGGCTACTGG ACTCGGGACCGATTCCACCTCCTTGGGGACCCACATACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGA AGTGATGCGGGGGAGATACTTCTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCT GTGAATGTGACAGCCTTGACCCACAGGCCCAACATCCTCATCCCAGGCACCCTGGAGTCCGGCTGCCCCCAGAAT $\tt CCCCTGGACCCCTCCACCACCGCTCCTCGGTGCTCACCCTCATCCCACAGCCCCAGGACCATGGCACCAGCCTC$ ACCTGTCAGGTGACCTTCCCTGGGGCCAGCGTGACCACGAACAAGACCGTCCATCTCAACGTGTCCTACCCGCCT CAGAACTTGACCATGACTGTCTTCCAAGGAGACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCA CTCCCAGAGGGCCAGTCTCTGCGCCTGGTCTGTGCAGTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGC CTGAGCTGGAGAGGCCTGACCCTGTGCCCCTCACAGCCCTCAAACCCGGGGGTGCTGGAGCTGCCTTGGGTGCAC CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCTGAACGTCTCC CTGCAGAGCCAAAGCCACATCAGGAGTGACTCAGGGGGTGGTCGGGGGGAGCTGGAGCCACAGCCCTGGTCTTCCTG TCCTTCTGCGTCATCTTCGTTGTAGTGAGGTCCTGCAGGAAGAAATCGGCAAGGCCAGCAGCGGCGTGGGAGAT ${\tt AGTCCCCAGACCAGCCTCCCCAGCTTCTGCCCGCTCCTCAGTGGGGGAAGGAGGAGCTCCAGTATGCATCCCTC}$ AGCTTCCAGATGGTGAAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATC $\texttt{CACAGA} \underline{\textbf{TGA}} \texttt{GAAACTGCAGAGACTCACCCTGATTGAGGGATCACAGCCCCTCCAGGCAAGGGAGAAGTCAGAGGC}$ TGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATGTGCAGAGTGAAAAGC ACAGACAAATTCCTA

287/615

FIGURE 286

MLLLLLPLLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSYPSHGWIYPGPVVHGYWFREGANTDQDAPVA TNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNYKHHRLSVNVTALTHRPNILI PGTLESGCPQNLTCSVPWACEQGTPPMISWIGTSVSPLDPSTTRSSVLTLIPQPQDHGTSLTCQVTFPGASVTTN KTVHLNVSYPPQNLTMTVFQGDGTVSTVLGNGSSLSLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPS NPGVLELPWVHLRDAAEFTCRAQNPLGSQQVYLNVSLQSKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRK KSARPAAGVGDTGIEDANAVRGSASQGPLTEPWAEDSPPDQPPPASARSSVGEGELQYASLSFQMVKPWDSRGQE ATDTEYSEIKIHR

Signal peptide:
amino acids 1-15

Transmembrane domain: amino acids 351-370

FIGURE 287

CGCGAGCTGAGAGGAGCAGGTAGAGGGGGCAGAGGCGGGACTGTCGTCTGGGGGGAGCCGCCCAGGAGGCTCCTCAG ${\tt GCCGACCCCAGACCCTGGCTGGCCAGG} \underline{\textbf{ATC}} {\tt AAGTATCTCCGGCACCGGCGCCCCAATGCCACCCTCATTCTGGCC}$ GCGATCCCCGAGGCCCTGGCCTGGCCCACTCCACCCGCCCAGCCCGGCCCCGTGCCATGCCAACACCTCT ATGGTCACCCACCCGGACTTCGCCACGCAGCCGCAGCACGTTCAGAACTTCCTCTGTACAGACACTGCCGCCAC TTTCCCCTGCTGCAGGACGTGCCCCCCTCTAAGTGCGCGCAGCCGGTCTTCCTGCTGCTGGTGATCAAGTCCTCC CCTAGCAACTATGTGCGCCGCGAGCTGCTGCGGCGCACGTGGGGCCGCAAGGTACGGGGTTTGCAGCTG GCACAGACTCACGGAGACATCCTGCAGTGGGACTTCCACGACTCCTTCTTCAACCTCACGCTCAAGCAGGTCCTG TTCTTACAGTGGCAGAGACAAGGTGCGCCAACGCCAGCTTCGTGCTCAACGGGGATGATGACGTCTTTGCACAC ACAGACAACATGGTCTTCTACCTGCAGGACCATGACCCTGGCCGCCACCTCTTCGTGGGGCAACTGATCCAAAAC ATCTTCCCCATTGATGATGTCTTCCTGGGTATGTGTCTGGAGCTTGAGGGACTGCACCCTCCCACAGCGGC ATCCGCACGTCTGGCGTGCGGGCTCCATCGCAACACCTGTCCTCTTTGACCCCTGCTTCTACCGAGACCTGCTG $\textbf{ACCTTCCTCCCAGGAAGC} \overline{\textbf{TGA}} \textbf{GACCTTTGTGGTCTGAGCATAAGGGAGTGCCAGGGAAGGTTTGAGGTTTGATGA$ GTGAATATTCTGGCTGGCGAACTCCTACACATCCTTCAAAACCCACCTGGTACTGTTCCAGCATCTTCCCTGGAT GGCTGGAGGAACTCCAGAAAATATCCATCTTCTTTTTGTGGCTGCTAATGGCAGAAGTGCCTGTGCTAGAGTTCC AACTGTGGATGCATCCGTTCGGTTTGAGTCAAAGTCTTACTTCCCTGCTCTCACCTACTCACAGACGGGATGCTA $A {\tt GACAACTCAGAAGGTTGGGGGGGTACCAGAGGGTGGTGGAATAGGACCGCCCCCTCCTTACTTGTGGGATCAA}$ GGGTCCTCATTAGGAGCCCCCATCCCTGTGTTCCCCAAGAATTCAGAGAACAGCACTGGGGCTGGAATGATCTTT AATGGGCCCAACGGCCAACAGGCATATGCCTCACTACTGCCTGGAGAAGGGAGAGTTCAGGTCCTCCAGCAGCCT CCTCAGTGTCTGCCAGTCAAGCTTCACAGGCATTGTGATGGGGCAGCCTTGGGGAATATAAAATTTTGTGAAGAA **ААААААААААААААААААААААААААААААА**

FIGURE 288

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA65413</pre>

<subunit 1 of 1, 372 aa, 1 stop

<MW: 42515, pI: 8.92, NX(S/T): 6

MKYLRHRRPNATLILAIGAFTLLLFSLLVSPPTCKVQEQPPAIPEALAWPTPPTRPAPAPCHANTSMVTHPDFAT QPQHVQNFLLYRHCRHFPLLQDVPPSKCAQPVFLLLVIKSSPSNYVRRELLRRTWGRERKVRGLQLRLLFLVGTA SNPHEARKVNRLLELEAQTHGDILQWDFHDSFFNLTLKQVLFLQWQETRCANASFVLNGDDDVFAHTDNMVFYLQ DHDPGRHLFVGQLIQNVGPIRAFWSKYYVPEVVTQNERYPPYCGGGGFLLSRFTAAALRRAAHVLDIFPIDDVFL GMCLELEGLKPASHSGIRTSGVRAPSQHLSSFDPCFYRDLLLVHRFLPYEMLLMWDALNQPNLTCGNQTQIY

Important features:

Type II transmembrane domain:

Amino acids 15-34

N-glycosylation sites:

Amino acids 10-14;64-68;184-188;202-206;362-366;367-371

TonB-dependent receptor proteins signature 1:

1-32

Amino acids

N-myristoylation sites:

Amino acids 308-314;316-322

FIGURE 289A

CGCGCTCCCGCGCGCCTCCTCGGGCTCCACGCGTCTTGCCCCGCAGAGGCAGCCTCCTCCAGGAGCGGGGCCCT GCACACCATGGCCCCGGGTGGGCAGGGGTCGGCCCGCCGTGCCGCCCTGGCGTGGCCTTGGCGTTGGC GAGCGTCCTGAGTGGGCCTCCAGCCTGCCCCACCAAGTGTACCTGCTCCGCTGCCAGCGTGGACTGCCA $\tt CGGGCTGGGCCTCCGCGGGTTCCTCGGGGCATCCCCCGCAACGCTGAGCGCCTTGACCTGGACAGAAATAATAT$ CACCAGGATCACCAAGATGGACTTCGCTGGGCTCAAGAACCTCCGAGTCTTGCATCTGGAAGACAACCAGGTCAG CGTCATCGAGAGAGGCGCCTTCCAGGACCTGAAGCAGCTAGAGCGACTGCGCCTGAACAAGAATAAGCTGCAAGT CCTTCCAGAATTGCTTTTCCAGAGCACGCCGAAGCTCACCAGACTAGATTTGAGTGAAAACCAGATCCAGGGGAT CCCGAGGAAGGCGTTCCGCGGCATCACCGATGTGAAGAACCTGCAACTGGACAACAACCACATCAGCTGCATTGA AGATGGAGCCTTCCGAGCGCTGCGCGATTTGGAGATCCTTACCCTCAACAACAACAACATCAGTCGCATCCTGGT CACCAGCTTCAACCACATGCCGAAGATCCGAACTCTGCGCCTCCACTCCAACCACCTCTACTGCGACTGCCACCT GGCCTGGCTCTCGGATTGGCTGCGACAGCGACAGTTGGCCAGTTCACACTCTGCATGGCTCCTGTGCATTT GAGGGGCTTCAACGTGGCGGATGTGCAGAAGAAGGAGTACGTGTGCCCAGCCCCCACTCGGAGCCCCCATCCTG CAATGCCAACTCCATCTCCTGCCCTTCGCCCTGCACGTGCAGCAATAACATCGTGGACTGTCGAGGAAAGGGCTT GATGGAGATTCCTGCCAACTTGCCGGAGGGCATCGTCGAAATACGCCTAGAACAGAACTCCATCAAAGCCATCCC TGCAGGAGCCTTCACCCAGTACAAGAAACTGAAGCGAATAGACATCAGCAAGAATCAGATATCGGATATTGCTCC AGATGCCTTCCAGGGCCTGAAATCACTCACATCGCTGGTCCTGTATGGGAACAAGATCACCGAGATTGCCAAGGG GTTTCAGGACCTGCAGAACCTCAACTTGCTCTCCCTGTATGACAACAAGCTGCAGACCATCAGCAAGGGGGCTCTT CGCCCCTCTGCAGTCCATCCAGACACTCCACTTAGCCCAAAACCCATTTGTGTGCGCACTGCCACTTGAAGTGGCT GGCCGACTACCTCCAGGACAACCCCATCGAGACAAGCGGGGCCCGCTGCAGCAGCCCCGCGCCGACTCGCCAACAA GCGCATCAGCCAGATCAAGAGCAAGAAGTTCCGCTGCTCAGGCTCCGAGGATTACCGCAGCAGCTTCAGCAGCGA GTGCTTCATGGACCTCGTGTGCCCCGAGAAGTGTCGCTGTGAGGGCACGATTGTGGACTGCTCCAACCAGAAGCT GGTCCGCATCCCAAGCCACCTCCCTGAATATGTCACCGACCTGCGACTGAATGACAATGAGGTATCTGTTCTGGA AGAGGGAGCTTTCGATGGAGCAGCCGTGCAGGAGCTGATGCTGACAGGGAACCAGCTGGAGACCGTGCACGG GCGCGTGTTCCGTGGCCTCAGTGGCCTCAAAACCTTGATGCTGAGGAGTAACTTGATCAGCTGTGTGAGTAATGA CACCTTTGCCGGCCTGAGTTCGGTGAGACTGCTGTCCCTCTATGACAATCGGATCACCACCATCACCCCTGGGGC CTTCACCACGCTTGTCTCCCTGTCCACCATAAACCTCCTGTCCAACCCCTTCAACTGCAACTGCCACCTGGCCTG GCTCGGCAAGTGGTTGAGGAAGAGGCGGATCGTCAGTGGGAACCCTAGGTGCCAGAAGCCATTTTTCCTCAAGGA GATTCCCATCCAGGATGTGGCCATCCAGGACTTCACCTGTGATGGCAACGAGGAGAGATAGCTGCCAGCTGAGCCC GCGCTGCCCGGAGCAGTGCACCTGTATGGAGACAGTGGTGCGATGCAGCAACAAGGGGCTCCGCGCCCTCCCCAG CCTCCGACACCTGACGCTTATTGACCTGAGCAACAACAGCATCAGCATGCTGACCAATTACACCTTCAGTAACAT GTCTCACCTCTCCACTCTGATCCTGAGCTACAACCGGCTGAGGTGCATCCCCGTCCACGCCTTCAACGGGCTGCG GTCCCTGCGAGTGCTAACCCTCCATGGCAATGACATTTCCAGCGTTCCTGAAGGCTCCTTCAACGACCTCACATC TCTTTCCCATCTGGCGCTGGGAACCAACCCACTCCACTGTGACTGCAGTCTTCGGTGGCTGTCGGAGTGGGTGAA GGCGGGGTACAAGGAGCCTGGCATCGCCCGCTGCAGTAGCCCTGAGCCCATGGCTGACAGGCTCCTGCTCACCAC CCCGTGCAAGAATAACGGGACATGCACCCAGGACCCTGTGGAGCTGTACCGCTGTGCCCC

FIGURE 289B

TACAGCTACAAGGGCAAGGACTGCACTGTGCCCATCAACACCTGCATCCAGAACCCCTGTCAGCATGGAGGCACC TGCCACCTGAGTGACAGCCACAAGGATGGGTTCAGCTGCTCCTGCCCTCTGGGCTTTGAGGGGCAGCGGTGTGAG ATCAACCCAGATGACTGTGAGGACAACGACTGCGAAAACAATGCCACCTGCGTGGACGGGATCAACAACTACGTG TGTATCTGTCCGCCTAACTACACAGGTGAGCTATGCGACGAGGTGATTGACCACTGTGTGCCTGAGCTGAACCTC TGTCAGCATGAGGCCAAGTGCATCCCCCTGGACAAAGGATTCAGCTGCGAGTGTGTCCCTGGCTACAGCGGGAAG ACCAGCCCATGCGACCAGTACGAGTGCCAGAACGGGGCCCAGTGCATCGTGGTGCAGCAGGAGCCCACCTGCCGC TGCCCACCAGGCTTCGCCGGCCCCAGATGCGAGAAGCTCATCACTGTCAACTTCGTGGGCAAAGACTCCTACGTG GAACTGGCCTCCGCCAAGGTCCGACCCCAGGCCAACATCTCCCTGCAGGTGGCCACTGACAAGGACAACGGCATC $\tt CTTCTCTACAAAGGAGACAATGACCCCCTGGCACTGGAGCTGTACCAGGGCCACGTGCGGCTGGTCTATGACAGC$ CTGAGTTCCCCTCCAACCACTGTACAGTGTGGAGACAGTGAATGATGGGCAGTTTCACAGTGTGGAGCTGGTG ACGCTAAACCAGACCCTGAACCTAGTAGTGGACAAAGGAACTCCAAAGAGCCTGGGGAAGCTCCAGAAGCAGCCA GCAGTGGGCATCAACAGCCCCCTCTACCTTGGAGGCATCCCCACCTCCACCGGCCTCTCCGCCTTGCGCCAGGGC ACGGACCGCCTCTAGGCGGCTTCCACGGATGCATCCATGAGGTGCGCATCAACAACGAGCTGCAGGACTTCAAG GCCCTCCCACCACAGTCCCTGGGGGTGTCACCAGGCTGCAAGTCCTGCACCGTGTGCAAGCACGGCCTGTGCCGC TCCGTGGAGAAGGACAGCGTGGTGTGCGAGTGCCGCCCAGGCTGGACCGGCCCACTCTGCGACCAGGAGGCCCGG GACCCCTGCCTCGGCCACAGATGCCACCATGGAAAATGTGTGGCAACTGGGACCTCATACATGTGCAAGTGTGCC GAGGGCTATGGAGGGGACTTGTGTGACAACAAGAATGACTCTGCCAATGCCTGCTCAGCCTTCAAGTGTCACCAT GGGCAGTGCCACATCTCAGACCAAGGGGAGCCCTACTGCCTGTGCCAGCCCGGCTTTAGCGGCGAGCACTGCCAA CAAGAGAATCCGTGCCTGGGACAAGTAGTCCGAGAGGTGATCCGCCGCCAGAAAGGTTATGCATCATGTGCCACA $\tt CGGAAATACGTCTTCCAGTGCACGGACGGCTCCTCGTTTGTAGAAGAGGTGGAGAGACACTTAGAGTGCGGCTGC$ $\tt CTCGCGTGTTCC\underline{TAA}GCCCCTGCCTGCCTGCCACCTCTCGGACTCCAGCTTGATGGAGTTGGGACAGCCAT$ GTGGGACCCCCTGGTGATTCAGCATGAAGGAAATGAAGCTGGAGAGGAAGGTAAAGAAGAAGAAGAATATTAAGTA

292/615

FIGURE 290

MAPGWAGVGAAVRARLALALASVLSGPPAVACPTKCTCSAASVDCHGLGLRAVPRGIPRNAERLDLDRNNITR ${\tt ITKMDFAGLKNLRVLHLEDNQVSVIERGAFQDLKQLERLRLNKNKLQVLPELLFQSTPKLTRLDLSENQIQGIPR}$ KAFRGITDVKNLQLDNNHISCIEDGAFRALRDLEILTLNNNNISRILVTSFNHMPKIRTLRLHSNHLYCDCHLAW LSDWLRQRRTVGQFTLCMAPVHLRGFNVADVQKKEYVCPAPHSEPPSCNANSISCPSPCTCSNNIVDCRGKGLME IPANLPEGIVEIRLEQNSIKAIPAGAFTQYKKLKRIDISKNQISDIAPDAFQGLKSLTSLVLYGNKITEIAKGLF DGLVSLQLLLLNANKINCLRVNTFQDLQNLNLLSLYDNKLQTISKGLFAPLQSIQTLHLAQNPFVCDCHLKWLAD YLQDNPIETSGARCSSPRRLANKRISQIKSKKFRCSGSEDYRSRFSSECFMDLVCPEKCRCEGTIVDCSNOKLVR IPSHLPEYVTDLRLNDNEVSVLEATGIFKKLPNLRKINLSNNKIKEVREGAFDGAASVQELMLTGNQLETVHGRV FRGLSGLKTLMLRSNLISCVSNDTFAGLSSVRLLSLYDNRITTITPGAFTTLVSLSTINLLSNPFNCNCHLAWLG KWLRKRRIVSGNPRCQKPFFLKEIPIQDVAIQDFTCDGNEESSCQLSPRCPEQCTCMETVVRCSNKGLRALPRGM PKDVTELYLEGNHLTAVPRELSALRHLTLIDLSNNSISMLTNYTFSNMSHLSTLILSYNRLRCIPVHAFNGLRSL RVLTLHGNDISSVPEGSFNDLTSLSHLALGTNPLHCDCSLRWLSEWVKAGYKEPGIARCSSPEPMADRLLLTTPT HRFQCKGPVDINIVAKCNACLSSPCKNNGTCTQDPVELYRCACPYSYKGKDCTVPINTCIQNPCQHGGTCHLSDS HKDGFSCSCPLGFEGQRCEINPDDCEDNDCENNATCVDGINNYVCICPPNYTGELCDEVIDHCVPELNLCQHEAK CIPLDKGFSCECVPGYSGKLCETDNDDCVAHKCRHGAQCVDTINGYTCTCPQGFSGPFCEHPPPMVLLQTSPCDQ YECQNGAQCIVVQQEPTCRCPPGFAGPRCEKLITVNFVGKDSYVELASAKVRPQANISLQVATDKDNGILLYKGD NDPLALELYQGHVRLVYDSLSSPPTTVYSVETVNDGQFHSVELVTLNQTLNLVVDKGTPKSLGKLQKQPAVGINS $\verb"PLYLGGIPTSTGLSALRQGTDRPLGGFHGCIHEVRINNELQDFKALPPQSLGVSPGCKSCTVCKHGLCRSVEKDS"$ VVCECRPGWTGPLCDQEARDPCLGHRCHHGKCVATGTSYMCKCAEGYGGDLCDNKNDSANACSAFKCHHGQCHIS DQGEPYCLCQPGFSGEHCQQENPCLGQVVREVIRRQKGYASCATASKVPIMECRGGCGPQCCQPTRSKRRKYVFQ CTDGSSFVEEVERHLECGCLACS

Signal peptide: amino acids 1-27

293/615

FIGURE 291

FIGURE 292

 ${\tt MKAAGILTLIGCLVTGAESKIYTRCKLAKIFSRAGLDNYWGFSLGNWICMAYYESGYNTTAPTVLDDGSIDYGIFQINSFAWCRRGKLKENNHCHVACSALITDDLTDAIICARKIVKETQGMNYWQGWKKHCEGRDLSEWKKGCEVS}$

Signal peptide: amino acids 1-19

FIGURE 293

TGCAGCTGAGACTCAGACAAGATTACAATCAACCCACCTCCTGCTGTTTCTCATAGCGACCACCAGAGGA TGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGTTCTTCGTCTCCATCTCTGCCCAGAAGCTGC ${\tt AAGGAAATCAAAGACGAATGTCCTAGTGCATTTGATGGCCTGTATTTTCTCCGCACTGAGAATGGTGTTATCTAC}$ CAGACCTTCTGTGACATGACCTCTGGGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCATGAGAATGACATGCGT ${\tt GGGAAGTGCACGGTGGGCGATCGCTGGTCCAGTCAGCAGGGCAAAGCAGACTACCCAGAGGGGGACGGCAAC}$ TGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACTACGAC ATCCAGGCCAAGGACCTGGCCATCTGGCACGTGCCCAATAAGTCCCCCATGCAGCACTGGAGAAACAGCTCCCTG CTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCTGTTTGGCATCTACCAGAAATATCCA GTGAAATATGGAGAAAGTGTTGGACTGACAACGGCCCGGTGATCCCTGTGGTCTATGATTTTGGCGACGCC CAGAAAACAGCATCTTATTACTCACCCTATGGCCAGCGGGAATTCACTGCGGGATTTGTTCAGTTCAGGGTATTT AATAACGAGAGAGCCCAACGCCTTGTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATT GGTGGAGGAGGATACTTTCCAGAGGCCAGTCCCCAGCAGTGTGGAGATTTTTCTGGTTTTGATTGGAGTGGATAT ${\tt GGAACTCATGTTGGTTACAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCGT\underline{\textbf{r}}\underline{\textbf{c}}\underline{\textbf{a}}\text{GAGTTT}$ TGTGGGAGGGAACCCAGACCTCTCCCCAACCATGAGATCCCAAGGATGGAGAACAACTTACCCAGTAGCTAGA ATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGAAAAAA

296/615

FIGURE 294

MNQLSFLLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVIYQTFCDMTSG GGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIW HVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGIYQKYPVKYGEGKCWTDNGPVIPVVYDFGDAQKTASYYSP YGQREFTAGFVQFRVFNNERAANALCAGMRVTGCNTEHHCIGGGGYFPEASPQQCGDFSGFDWSGYGTHVGYSSS REITEAAVLLFYR

FIGURE 295

CAGGCCATTTGCATCCCACTGTCCTTGTGTTCGGAGCCAGGCCACACCGTCCTCAGCAGTGTCATGTGTTAAAAA $\tt CGCCAAGCTGAATATATC\underline{ATG}CCCCTATTAAAACTTGTACATGGCTCCCCATTGGTTTTTTGGAGAAAAGTTCAAG$ CACTTCCCAGATCTGCTTCTCACCAAGAGAGATTCTTTTCTTAAACGACTATACAGGGCCCCAATTGACTGGATA GAGGAATACACCACAGGCATGGCAGACTGCATCTTAGTCAACAGCCAGTTCACAGCTGCTGTTTTTAAGGAAACA TTCAAGTCCCTGTCTCACATAGACCCTGATGTCCTCTATCCATCTCTAAATGTCACCAGCTTTGACTCAGTTGTT CCTGAAAAGCTGGATGACCTAGTCCCCAAGGGGAAAAAATTCCTGCTGCTCTCCATCAACAGATACGAAAGGAAG ${\tt AAAAATCTGACTTTGGCACTGGAAGCCCTAGTACAGCTGCGTGGAAGATTGACATCCCAAGATTGGGAGGGGTT}$ CATCTGATCGTGGCAGGTGGTTATGACGAGAGAGTCCTGGAGAATGTGGAACATTATCAGGAATTGAAGAAAATG CACAGCTGCACGTGTGTGTCTTTACACACCAAGCAATGAGCACTTTGGCATTGTCCCTCTGGAAGCCATGTACATG CAGTGCCCAGTCATTGCTGTTAATTCGGGTGGACCCTTGGAGTCCATTGACCACAGTGTCACAGGGTTTCTGTGT CTGGCTGGAAGAGCCAGAGTGAAGGAAAAATTTTCCCCTGAAGCATTTACAGAACAGCTCTACCGATATGTTACC AAACTGCTGGTA<u>TAA</u>TCAGATTGTTTTTAAGATCTCCATTAATGTCATTTTTATGGATTGTAGACCCAGTTTTGA AACCAAAAAAGAAACCTAGAATCTAATGCAGAAGAGATCTTTTAAAAAATAAACTTGAGTCTTGAATGTGAGCCA CTTTCCTATATACCACACCTCCCTGTCCACTTTTCAGAAAAACCATGTCTTTTATGCTATAATCATTCCAAATTT TGCCAGTGTTAAGTTACAAATGTGGTGTCATTCCATGTTCAGCAGAGTATTTTAATTATATTTTCTCGGGATTAT TGCTCTTCTGTCTATAAATTTTGAATGATACTGTGCCTTAATTGGTTTTCATAGTGTTAAGTGTGTATCATTATCA AAGTTGATTAATTTGGCTTCATAGTATAATGAGAGCAGGGCTATTGTAGTTCCCAGATTCAATCCACCGAAGTGT TCACTGTCATCTGTTAGGGAATTTTTGTTTGTCCTGTCTTTGCCTGGATCCATAGCGAGAGTGCTCTGTATTTTT

298/615

FIGURE 296

MPLLKLVHGSPLVFGEKFKLFTLVSACIPVFRLARRRKKILFYCHFPDLLLTKRDSFLKRLYRAPIDWIEEYTTG
MADCILVNSQFTAAVFKETFKSLSHIDPDVLYPSLNVTSFDSVVPEKLDDLVPKGKKFLLLSINRYERKKNLTLA
LEALVQLRGRLTSQDWERVHLIVAGGYDERVLENVEHYQELKKMVQQSDLGQYVTFLRSFSDKQKISLLHSCTCV
LYTPSNEHFGIVPLEAMYMQCPVIAVNSGGPLESIDHSVTGFLCEPDPVHFSEAIEKFIREPSLKATMGLAGRAR
VKEKFSPEAFTEQLYRYVTKLLV

Signal peptide:

amino acids 1-15

FIGURE 297

GACTACGCCGATCCGAGACGTGGCTCCCTGGGCCGCAGAACCATGTTGGACTTCGCCGATCTTCGCCGTTACCTTC TTGCTGGCGTTGGTGGGAGCCGTGCTCTACCTCTATCCGGCTTCCAGACAAGCTGCAGGAATTCCAGGGATTACT CCAACTGAAGAAAAAGATGGTAATCTTCCAGATATTGTGAATAGTGGAAGTTTGCATGAGTTCCTGGTTAATTTG CATGAGAGATATGGGCCTGTGGTCTCCTTCTGGTTTGGCAGGCGCCTCGTGGTTAGTTTGGGCACTGTTGATGTA CTGAAGCAGCATATCAATCCCAATAAGACATCGGACCCTTTTGAAACCATGCTGAAGTCATTATTAAGGTATCAA TCTGGTGGTGGCAGTGTGAAAACCACATGAGGAAAAAATTGTATGAAAATGGTGTGACTGATTCTCTGAAG AGTAACTTTGCCCTCCTAAAGCTTTCAGAAGAATTATTAGATAAATGGCTCTCCTACCCAGAGACCCAGCAC GTGCCCCTCAGCCAGCATATGCTTTGGTTTTGCTATGAAGTCTGTTACACAGATGGTAATGGGTAGTACATTTGAA GATGATCAGGAAGTCATTCGCTTCCAGAAGAATCATGGCACAGTTTGGTCTGAGATTGGAAAAGGCTTTCTAGAT GGGTCACTTGATAAAAACATGACTCGGAAAAAACAATATGAAGATGCCCTCATGCAACTGGAGTCTGTTTTAAGG AACATCATAAAAGAACGAAAAGGAACTTCAGTCAACATATTTTCATTGACTCCTTAGTACAAGGGAACCTT AATGACCAACAGATCCTAGAAGACAGTATGATATTTTCTCTGGCCAGTTGCATAATAACTGCAAAATTGTGTACC AATGGTCCTGTTACTCCAGAGAAAATTGAGCAGCTCAGATATTGTCAGCATGTGCTTTGTGAAACTGTTCGAACT GCCAAACTGACTCCAGTTTCTGCCCAGCTTCAAGATATTGAAGGAAAAATTGACCGATTTATTATTCCTAGAGAG ACCCTCGTCCTTTATGCCCTTGGTGTGGTACTTCAGGATCCTAATACTTGGCCATCTCCACACAAGTTTGATCCA GATCGGTTTGATGAATTAGTAATGAAAACTTTTTCCTCACTTGGATTCTCAGGCACACAGGAGTGTCCAGAG TTGAGGTTTGCATATATGGTGACCACAGTACTTCTTAGTGTATTGGTGAAGAGACTGCACCTACTTTCTGTGGAG GGACAGGTTATTGAAACAAAGTATGAACTGGTAACATCATCAAGGGAAGAAGCTTGGATCACTGTCTCAAAGAGA AATCCTTTTATAAACCAGTATCACTTTGTAATATAAACACCTATTTGTACTTAA

300/615

FIGURE 298

MLDFAIFAVTFLLALVGAVLYLYPASRQAAGIPGITPTEEKDGNLPDIVNSGSLHEFLVNLHERYGPVVSFWFGR
RLVVSLGTVDVLKQHINPNKTSDPFETMLKSLLRYQSGGGSVSENHMRKKLYENGVTDSLKSNFALLLKLSEELL
DKWLSYPETQHVPLSQHMLGFAMKSVTQMVMGSTFEDDQEVIRFQKNHGTVWSEIGKGFLDGSLDKNMTRKKQYE
DALMQLESVLRNIIKERKGRNFSQHIFIDSLVQGNLNDQQILEDSMIFSLASCIITAKLCTWAICFLTTSEEVQK
KLYEEINQVFGNGPVTPEKIEQLRYCQHVLCETVRTAKLTPVSAQLQDIEGKIDRFIIPRETLVLYALGVVLQDP
NTWPSPHKFDPDRFDDELVMKTFSSLGFSGTQECPELRFAYMVTTVLLSVLVKRLHLLSVEGQVIETKYELVTSS
REEAWITVSKRY

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 271-290

301/615

FIGURE 299

302/615

FIGURE 300

MGRVSGLVPSRFLTLLAHLVVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFAVELAGFLSGV SMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCSALPAVTEMALFVTVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

FIGURE 301

TTCGTGTTCCTGGTGCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATGGTCCTCCCGGCTCAGAGGAC CCTGAGCGTGATGACCACGAGGGCCAGCCCCGGCCCCGGGTGCCTCGGAAGCGGGGCCACATCTCACCTAAGTCC $\tt CCCAACCGCCCGAACCACGCCCCCCCCCCCCCCCAGCCAAGGTGAAGAAATCTTTGGCTGGGGCGACTTCTACTCC$ AACATCAAGACGGTGGCCCTGAACCTGCTCACAGGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTC CACTTCCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCCAGTAAAGCTGTAGAGTTC CACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATGGAGTGGGAGAAGGTA GAACGGGGCCGCCGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTGCTCCCGAGACCACGCTCAGAGCTCA GCCACCTGGAGCTGCTCCCAGCCCTTCAAAGTCGTCTGTGTCTACATCGCCTTCTACAGCACGGACTATCGGCTG $\tt GTCCAGAAGGTGTGCCCAGATTACAACTACCATAGTGATACCCCCTACTACCCATCTGGG\underline{\textbf{T}GA}CCCGGGGCAGGC$ CACAGAGGCCAGGCCAGGCTGGAAGGACAGGCCTGCCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGG AGAAAGGGTCCCAAGTGCTGGTCCCAACCTGAAGCTGTGGAGTGACTAGATCACAGGAGCACTGGAGGAGGAGTG GGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGTGCTGGGTCCCCGAGGCCTGTGGGCAG GCCGATCAGTGTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGCCCTTGGTTCTTGCCATCCTGAGGAAAGATA GAGCCAGTCAGCAGGGTGGGGTGGGGCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCCTTGTC GTGTGCTGAGCATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCT CCAGCCAGGCCACCCCTTTCCAAAATTCCCTCTTCTGCCAGTACTCCCCCTGTACCACCCCATTGCTGATGGCACA CCCATCCTTAAGCTAAGACAGGACGATTGTGGTCCTCCCACACTAAGGCCACAGCCCATCCGCGTGCTGTGTGTC $\tt CCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCGGAGAGGGGTCCCTCAACAGTCAGCC$ AACCGCTGATTGCTGACTTTTGTGTGAAGAATCGTGTTCTTGGAGCAGGAAATAAAGCTTGCCCCGGGGCA

304/615

FIGURE 302

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66521

><subunit 1 of 1, 252 aa, 1 stop

><MW: 28127, pI: 8.91, NX(S/T): 5

MQLTRCCFVFLVQGSLYLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTLLGLLAPPGEA WGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTFSVHFQHNATGQGNISISLVP PSKAVEFHQEQQIFIEAKASKIFNCRMEWEKVERGRRTSLCTHDPAKICSRDHAQSSATWSCSQPFKVVCVYIAF YSTDYRLVQKVCPDYNYHSDTPYYPSG

Important features of the protein:

Signal peptide:

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase amino acids 61-71

305/615

FIGURE 303

FIGURE 304

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66658

><subunit 1 of 1, 257 aa, 1 stop

><MW: 28472, pI: 9.33, NX(S/T): 0

MTAAVFFGCAFIAFGPALALYVFTIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKDGPTQKYLLIFG AFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLLAYVSGLGFGIMSGVFSFVNTLSDSLGPGTVGIHG DSPQFFLYSAFMTLVIILLHVFWGIVFFDGCEKKKWGILLIVLLTHLLVSAQTFISSYYGINLASAFIILVLMGT WAFLAAGGSCRSLKLCLLCQDKNFLLYNQRSR

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

307/615

FIGURE 305

308/615

FIGURE 306

 $\label{thm:cligit} $$ MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQQSNQVFPSLSLIPLTQM$$ LTLGPDLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPIFVTQLGAQGTILSSEE$$ LPQIFTSLIIHSLFPGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG$$ TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ$

Signal peptide:

amino acids 1-16

FIGURE 307

CCGGGGACATCAGGATACTGTTCATTGGGCCCTTATTGGGTCCAGCATCTGTGGCCAAGAAAATTTTTTG GGGACCAAGTTTTGAGGATTAATGTCAGAAATGGAGACGAGATCAGCAAATTGAGTCAACTAGTGAATTCAAACA ACTTGAAGCTCAATTTCTGGAAATCTCCCTCCTCCTTCAATCGGCCTGTGGATGTCCTGGTCCCATCTGTCAGTC TGCAGGCATTTAAATCCTTCCTGAGATCCCAGGGCTTAGAGTACGCAGTGACAATTGAGGACCTGCAGGCCCTTT TAGACAATGAAGATGAAATGCAACACAATGAAGGGCAAGAACGGAGCAGTAATAACTTCAACTACGGGGCTT ACCATTCCCTGGAAGCTATTTACCACGAGATGGACAACATTGCCGCAGACTTTCCTGACCTGGCGAGGAGGGTGA AGATTGGACATTCGTTTGAAAACCGGCCGATGTATGTACTGAAGTTCAGCACTGGGAAAGGCGTGAGGCGGCCGG $\tt CCGTTTGGCTGAATGCAGGCATCCATTCCCGAGAGTGGATCTCCCAGGCCACTGCAATCTGGACGGCAAGGAAGA$ TTGTATCTGATTACCAGAGGGATCCAGCTATCACCTCCATCTTGGAGAAAATGGATATTTTCTTGTTGCCTGTGG CCAATCCTGATGGATATGTGTATACTCAAACTCAAAACCGATTATGGAGGAAGACGCGGTCCCGAAATCCTGGAA GCTCCTGCATTGGTGCTGACCCAAATAGAAACTGGAACGCTAGTTTTGCAGGAAAGGGAGCCAGCGACAACCCTT GCTCCGAAGTGTACCATGGACCCCACGCCAATTCGGAAGTGGAGGTGAAATCAGTGGTAGATTTCATCCAAAAAC ATGGGAATTTCAAGGGCTTCATCGACCTGCACAGCTACTCGCAGCTGCTGATGTATCCATATGGGTACTCAGTCA AAAAGGCCCCAGATGCCGAGGAACTCGACAAGGTGGCGAGGCTTGCGGCCAAAGCTCTGGCTTCTGTGTCGGGCA CTGAGTACCAAGTGGGTCCCACCTGCACCACTGTCTATCCAGCTAGCGGGAGCATCGACTGGGCGTATGACA ACGGCATCAAATTTGCATTCACATTTGAGTTGAGAGATACCGGGACCTATGGCTTCCTCCTGCCAGCTAACCAGA TCATCCCCACTGCAGAGGAGACGTGGCTGGGGCTGAAGACCATCATGGAGCATGTGCGGGACAACCTCTACTAGG ${\tt TCGTGTGTCCTGGCGGTGTCCCTGCAAGAACTGGTTCTGCCAGCCTGCTCAATTTTGGTCCTGCTGTTTTTGATG}$ GTCTCTCTCTCTCTCTCTATCTTTTAGAACCAAAGAACATCTGAGATGATTCTCTACCCTCATCCACATCTAGCCAAGC CAGTGACCTTGCTCTGGTGGCACTGTGGGAGACACCACTTGTCTTTAGGTGGGTCTCAAAGATGATGTAGAATTT CCTTTAATTTCTCGCAGTCTTCCTGGAAAATATTTTCCTTTGAGCAGCAAATCTTGTAGGGATATCAGTGAAGGT CTCTCCCTCCTCTCTGTTTTTTTTTTTTTTGAGACAGAGTTTTGCTCTTGTTGCCCAGGCTGGAGTGTGA TGGCTCGATCTTGGCTCACCACAACCTCTGCCTCCTGGGTTCAAGCAATTCTCCTGCCTCAGCCTCTTGAGTAGC TTGGTTTATAGGCGCATGCCACCATGCCTGGCTAATTTTGTGTTTTTAGTAGAGACAGGGTTTCTCCATGTTGGT CAGGCTGGTCTCAAACTCCCAACCTCAGGTGATCTGCCCTCCTTGGCCTCCCAGAGTGCTGGGATTACAGGTGTG AGCCACTGTGCCGGGCCCGTCCCTTTTTTTAGGCCTGAATACAAAGTAGAAGATCACTTTCCTTCACTGTGC GATCTGTGTCACTGTAGGTACTGTGCCCAGGAAGGCTGGGTGAAGTGACCATCTAAATTGCAGGATGGTGAAATT ATCCCCATCTGTCCTAATGGGCTTACCTCCTCTTTGCCTTTTGAACTCACTTCAAAGATCTAGGCCTCATCTTAC AGGTCCTAAATCACTCATCTGGCCTGGATAATCTCACTGCCCTGGCACATTCCCATTTGTGCTGTGGTGTATCCT TTTTGTATCCTGGACCACAAGTTCCTAAGTAGAGCAAGAATTCATCAACCAGCTGCCTCTTGTTTCATCTCACCT AAAAAAAAA

310/615

FIGURE 308

MRWILFIGALIGSSICGQEKFFGDQVLRINVRNGDEISKLSQLVNSNNLKLNFWKSPSSFNRPVDVLVPSVSLQA FKSFLRSQGLEYAVTIEDLQALLDNEDDEMQHNEGQERSSNNFNYGAYHSLEAIYHEMDNIAADFPDLARRVKIG HSFENRPMYVLKFSTGKGVRRPAVWLNAGIHSREWISQATAIWTARKIVSDYQRDPAITSILEKMDIFLLPVANP DGYVYTQTQNRLWRKTRSRNPGSSCIGADPNRNWNASFAGKGASDNPCSEVYHGPHANSEVEVKSVVDFIQKHGN FKGFIDLHSYSQLLMYPYGYSVKKAPDAEELDKVARLAAKALASVSGTEYQVGPTCTTVYPASGSSIDWAYDNGI KFAFTFELRDTGTYGFLLPANQIIPTAEETWLGLKTIMEHVRDNLY

Signal peptide: amino acids 1-16

FIGURE 309

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCACGCCTGAGTCCAAGAT TCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTATCTCTTCACCTTCAAGTCCC CTTTCTCAAGAATCCTCTGTTCTTTGCCCTCTAAAGTCTTGGTACATCTAGGACCCAGGCATCTTGCTTTCCAGC CACAAAGAGACAG<u>ATG</u>AAGATGCAGAAAGGAAATGTTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGC CAACTCTGGGTCCAGTGTGACCTCCAGTGGGGTCAGCACACCATCTCAGGGTCCAGCGTGACCTCCAATGG GGTCAGCATAGTCACCAACTCTGAGTTCCATACAACCTCCAGTGGGATCAGCACAGCCACCAACTCTGAGTTCAG CAACTCTGAGTCCAGCACCCTCCAGTGGGGCCAGCACACTCACCAACTCTGGGTCCAGTGTGACCTCCAGTGG ${\tt AGCCAGCACTGCCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAG}$ CACACTCTCCAGTGGGGCCAGCACACCCAACTCTGACTCCAGCACACCTCCAGTGGGGCTAGCACACCAC CAACTCTGAGTCCAGCACAACCTCCAGTGGGGCCAGCACACCCCAACTCTGAGTCCAGCACAGTGTCCAGTAG GGCCAGCACTGCCAACTCTGAGTCCAGCACAACCTCCAGTGGGGCCAGCACACCACCAACTCTGAGTCCAG AACGACCTCCAATGGGGCTGGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCCAGCACACCAC CAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG GGCCAGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCTAGCACAGCCACCAACTCTGACTCCAG CACAACCTCCAGTGGGGCCGGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCAC CAATTCTGAGTCCAGCACCCCTCCAGTGGGGCCAACACGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGG GGCCAACACGCCACCCAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAG CACAACCTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACCTCCAGTGGGGCTAGCACAGCCAC CAACTCTGACTCCAGCACAACCTCCAGTGAGGCCAGCACACCCCAACTCTGAGTCTAGCACAGTGTCCAGTGG GATCAGCACAGTCACCAATTCTGAGTCCAGCACAACCTCCAGTGGGGCCAACACACCCAACTCTGGGTCCAG TGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGAATGCACAACTTCCCATAGTGCATCTACTGCAGT GAGTGAGGCAAAGCCTGGTGGGTCCCTGGTGCCGTGGGAAATCTTCCTCATCACCCTGGTCTCGGTTGTGGCGGC CGTGGGGCTCTTTGCTGGGCTCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGT CTACCACCCTCATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAATCATGGAGCCCCCCACAGGCCCAG GTGGAGTCCTAACTGGTTCTGGAGGAGACCAGTATCATCGATAGCCATGGAGATGAGCGGGAGGAACAGCGGGCC $\mathtt{C}\underline{\mathbf{TGA}}$ GCAGCCCGGAAGCAAGTGCCGCATTCTTCAGGAAGGAAGAGCCTGGGCACCCAAGACCTGGTTTCCTTT CATTCATCCCAGGAGACCCCTCCCAGCTTTGTTTGAGATCCTGAAAATCTTGAAGAAGGTATTCCTCACCTTTCT ACACGACAAAGAGAAGCTGTGCTTGCCCCGGGGTGGGTATCTAGCTCTGAGATGAACTCAGTTATAGGAGAAAAC **ААААААААААААААААААААААААААААА**

312/615

FIGURE 310

MKMQKGNVLLMFGLLLHLEAATNSNETSTSANTGSSVISSGASTATNSGSSVTSSGVSTATIS
GSSVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESS
TPSSGASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTS
SGASTATNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTSNGA
GTATNSESSTTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTA
TNSDSSTTSSGAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNS
ESSTVSSGASTATNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESS
TVSSGISTVTNSESSTTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGS
LVPWEIFLITLVSVVAAVGLFAGLFFCVRNSLSLRNTFNTAVYHPHGLNHGLGPGPGGNHGAP
HRPRWSPNWFWRRPVSSIAMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

FIGURE 311A

CTAAGCCGGAGGATGTGCAGCTGCGGCGGCGCCGCCTACGAAGAGGACGGGGACAGGCGCCGTGCGAACCGA GCCCACGCCGCCGCCAGCCCCGAGGGCTGCCGGTCCGGCAGGCGGCGCTTCCCAGGCCGCGGGGGGCGCGCG GCGATGCGCGCGGGGCGCAGCTCTGGCCGCCCGGCTCGGACCCAGATGGCGGCCCGCGCGACAGGAACTTTCTCT TCGTGGGAGTCATGACCGCCCAGAAATACCTGCAGACTCGGGCCGTGGCCGCCTACAGAACATGGTCCAAGACAA GTGTGGACGACTCCTACCCGCCCAGAAGAAGTCCTTCATGATGCTCAAGTACATGCACGACCACTACTTGGACA AGTATGAATGGTTTATGAGAGCAGATGATGACGTGTACATCAAAGGAGACCGTCTGGAGAACTTCCTGAGGAGTT TGAACAGCAGCGAGCCCCTCTTTCTTGGGCAGACAGGCCTGGGCACCACGGAAGAAATGGGAAAACTGGCCCTGG AGCCTGGTGAGAACTTCTGCATGGGGGGGCCTGGCGTGATCATGAGCCGGGAGGTGCTTCGGAGAATGGTGCCGC ACATTGGCAAGTGTCTCCGGGAGATGTACACCACCCATGAGGACGTGGAGGTGGGAAGGTGTCCCGGAGGTTTG CAGGGGTGCAGTGTCTCGGTCTTATGAGATGCGGCAGCTTTTTTATGAGAATTACGAGCAGAACAAAAAGGGGT ACAGGCTCCACAGCTACATGCTGAGCCGCAAGATATCCGAGCTCCGCCATCGCACAATACAGCTGCACCGCGAAA TTGTCCTGATGAGCAAATACAGCAACACAGAAATTCATAAAGAGGACCTCCAGCTGGGAATCCCTCCTCCTCA TGAGGTTTCAGCCCCGCCAGCGAGAGGAGATTCTGGAATGGGAGTTTCTGACTGGAAAATACTTGTATTCGGCAG TGGAGATGATCAATGCCAACGCCAAGACCAGAGGGCGCATCATTGACTTCAAAGAGATCCAGTACCGCCTACCGCC GGGTGAACCCCATGTATGGGGCTGAGTACATCCTGGACCTGCTGCTTCTGTACAAAAAGCACAAAAGGGAAGAAAA TGGATGCACAAGAGTTGGCCAAGAGAATCAATCAGGAATCTGGATCCTTGTCCTTTCTCTCAAACTCCCTGAAGA AGCTCGTCCCCTTTCAGCTCCCTGGGTCGAAGAGTGAGCACAAAGAACCCAAAGATAAAAAGATAAACATACTGA TTCCTTTGTCTGGGCGTTTCGACATGTTTGTGAGATTTATGGGAAACTTTGAGAAGACGTGTCTTATCCCCAATC AGAACGTCAAGCTCGTGGTTCTGCTTTTCAATTCTGACTCCAACCCTGACAAGGCCAAACAAGTTGAACTGATGA GAGATTACCGCATTAAGTACCCTAAAGCCGACATGCAGATTTTGCCTGTGTCTGGAGAGTTTTCAAGAGCCCTGG $\tt CCCTGGAAGTAGGATCCTCCCAGTTTAACAATGAATCTTTGCTCTTCTTCTGCGACGTCGACCTCGTGTTTACTA$ CAGAATTCCTTCAGCGATGTCGAGCAAATACAGTTCTGGGCCAACAAATATATTTTCCAATCATCTTCAGCCAGT ATGACCCAAAGATTGTTTATAGTGGGAAAGTTCCCAGTGACAACCATTTTGCCTTTACTCAGAAAAACTGGCTTCT ${\tt AGGAAGTAGGAGTAGTCCACGTCCACCATCCTGTCTTTTGTGATCCCAATCTTGACCCCAAACAGTACAAAATGT}$ ${\tt GTTACAGTAAAAGCAGCAATAATAATGGCTCAGTGAGGACAGCC} \underline{{\tt TAA}} {\tt TGTCCAGCTTTGCTGGAAAAGACGTTTT}$ TAATTATCTAATTTATTTTCAAAAATTTTTTGTATGATCAGTTTTTGAAGTCCGTATACAAGGATATATTTTAC AAGTGGTTTTCTTACATAGGACTCCTTTAAGATTGAGCTTTCTGAACAAGAAGGTGATCAGTGTTTGCCTTTGAA CACATCTTCTTGCTGAACATTATGTAGCAGACCTGCTTAACTTTGACTTGAAATGTACCTGATGAACAAAACTTT TTTAAAAAAATGTTTTCTTTTGAGACCCTTTGCTCCAGTCCTATGGCAGAAAACGTGAACATTCCTGCAAAGTAT TATTGTAACAAAACACTGTAACTCTGGTAAATGTTCTGTTGTTGATTGTTAACATTCCACAGATTCTACCTTTTGT GTTTTGTTTTTTTTTTACAATTGTTTTAAAGCCATTTCATGTTCCAGTTGTAAGATAAGGAAATGTGATAATA GCTGTTTCATCATTGTCTTCAGGAGAGCTTTCCAGAGTTGATCATTTCCTCTCATGGTACTCTGCTCAGCATGGC CAGTGGCGCAATCTTGGCTCACTTTAACCTCCACTTCCCTGGTTCAAGCAATTCCCCTGCCTTTGCCTCCGAGT GCAAGCCCAGCTGGCCACGTAGGTTTTAAAGCAAGGGGCGTGAAGAAGGCACAGTGAGGTATGTGGCTGTTCTCG TGGTAGTTCATTCGGCCTAAATAGACCTGGCATTAAATTTCAAGAAGGATTTGGCATTTTCTCTTCTTGACCCTT CTCTTTAAAGGGTAAAATATTAATGTTTAGAATGACAAAGATGAATTATTACAATAAATCTGATGTACACAGACT GAAACATACACACATACACCCTAATCAAAACGTTGGGGAAAAATGTATTTGGTTTTGTTCCTTTCATCCTGTCTG TGTTATGTGGGTGGAGATGGTTTTCATTCTTTCATTACTGTTTTGTTTTATCCTTTGTATCTGAAATACCTTTAA

314/615

FIGURE 311B

315/615

FIGURE 312

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68836

><subunit 1 of 1, 802 aa, 1 stop

><MW: 91812, pI: 9.52, NX(S/T): 3

MAARGRRAWLSVLLGLVLGFVLASRLVLPRASELKRAGPRRRASPEGCRSGQAAASQAGGARG DARGAQLWPPGSDPDGGPRDRNFLFVGVMTAQKYLQTRAVAAYRTWSKTIPGKVQFFSSEGSD TSVPIPVVPLRGVDDSYPPQKKSFMMLKYMHDHYLDKYEWFMRADDDVYIKGDRLENFLRSLN SSEPLFLGQTGLGTTEEMGKLALEPGENFCMGGPGVIMSREVLRRMVPHIGKCLREMYTTHED VEVGRCVRRFAGVQCVWSYEMRQLFYENYEQNKKGYIRDLHNSKIHQAITLHPNKNPPYQYRL HSYMLSRKISELRHRTIQLHREIVLMSKYSNTEIHKEDLQLGIPPSFMRFQPRQREEILEWEF LTGKYLYSAVDGQPPRRGMDSAQREALDDIVMQVMEMINANAKTRGRIIDFKEIQYGYRRVNP MYGAEYILDLLLLYKKHKGKKMTVPVRRHAYLQQTFSKIQFVEHEELDAQELAKRINQESGSL SFLSNSLKKLVPFQLPGSKSEHKEPKDKKINILIPLSGRFDMFVRFMGNFEKTCLIPNQNVKL VVLLFNSDSNPDKAKQVELMRDYRIKYPKADMQILPVSGEFSRALALEVGSSQFNNESLLFFC DVDLVFTTEFLQRCRANTVLGQQIYFPIIFSQYDPKIVYSGKVPSDNHFAFTQKTGFWRNYGF GITCIYKGDLVRVGGFDVSIQGWGLEDVDLFNKVVQAGLKTFRSQEVGVVHVHHPVFCDPNLD PKQYKMCLGSKASTYGSTQQLAEMWLEKNDPSYSKSSNNNGSVRTA

Signal peptide:

amino acids 1-23

316/615

FIGURE 313

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCCGCACGGAGGTTGTGACCCC TACGGAGCCCCAGCTTGCCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCCTGCTTGTCACA GGTGGGAGCTGGAACTATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCA ACAAATGGATGATGTGATAT**ATG**CATTCCAGGGGAAGGGAAATTGTGGTGCTTCTGAACCCAT GGTCAATTAACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCT TTGGAATCATGGTGTCATGGAAAGGGATTTACTTTATACTGACTCTGTTTTGGGGAAGCTTTT TTGGAAGCATTTTCATGCTGAGTCCCTTTTTACCTTTGATGTTTGTAAACCCATCTTGGTATC GCTGGATCAACAACCGCCTTGTGGCAACATGGCTCACCCTACCTGTGGCATTATTGGAGACCA TCATGAACCATCGGACAAGAATGGACTGGATGTTCCTGTGGAATTGCCTGATGCGATATAGCT CCATGCAGGCTGCCTATATCTTCATTCATAGGAAATGGAAGGATGACAAGAGCCATTTCG AAGACATGATTGATTACTTTTGTGATATTCACGAACCACTTCAACTCCTCATATTCCCAGAAG GGACTGATCTCACAGAAAACAGCAAGTCTCGAAGTAATGCATTTGCTGAAAAAAATGGACTTC AGAAATATGAATATGTTTTACATCCAAGAACTACAGGCTTTACTTTTGTGGTAGACCGTCTAA GAGAAGGTAAGAACCTTGATGCTGTCCATGATATCACTGTGGCGTATCCTCACAACATTCCTC AATCAGAGAAGCACCTCCTCCAAGGAGACTTTCCCAGGGAAATCCACTTTCACGTCCACCGGT ATCCAATAGACACCCTCCCCACATCCAAGGAGGACCTTCAACTCTGGTGCCACAAACGGTGGG AAGAGAAAGAAGAGGCTGCGTTCCTTCTATCAAGGGGAGAAGAATTTTTATTTTACCGGAC AGAGTGTCATTCCACCTTGCAAGTCTGAACTCAGGGTCCTTGTGGTCAAATTGCTCTCTATAC TGTATTGGACCCTGTTCAGCCCTGCAATGTGCCTACTCATATTTTGTACAGTCTTGTTAAGT GGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGAGAATATTTGGTGGACTGGAGA TCATAGAACTTGCATGTTACCGACTTTTACACAAACAGCCACATTTAAATTCAAAGAAAAATG $\texttt{AG} \underline{\textbf{TAA}} \texttt{GATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTGGAAATGTTCTAAACCTT}$ TCTAAGCTCAGATGCATTTTTGCATGACTATGTCGAATATTTCTTACTGCCATCATTATTTGT TGTAATTTCGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTTGGGCCAGAATA TTATTAAACAATCATCAGGCTTTTAAA

317/615

FIGURE 314

MHSRGREIVVLLNPWSINEAVSSYCTYFIKQDSKSFGIMVSWKGIYFILTLFWGSFFGSIFML SPFLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTR MDWMFLWNCLMRYSYLRLEKICLKASLKGVPGFGWAMQAAAYIFIHRKWKDDKSHFEDMIDYF CDIHEPLQLLIFPEGTDLTENSKSRSNAFAEKNGLQKYEYVLHPRTTGFTFVVDRLREGKNLD AVHDITVAYPHNIPQSEKHLLQGDFPREIHFHVHRYPIDTLPTSKEDLQLWCHKRWEEKEERL RSFYQGEKNFYFTGQSVIPPCKSELRVLVVKLLSILYWTLFSPAMCLLIYLYSLVKWYFIITI VIFVLQERIFGGLEIIELACYRLLHKQPHLNSKKNE

Important features of the protein: Signal peptide:

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108, 354-377

FIGURE 315

CGGCTCGAGCGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGA CCTCCAAATCATCCATCCACCCTGCTGTCATCTGTTTTCATAGTGTGAGATCAACCCACAGG AATATCCATGGCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTCAGGACAGTG GCAAGTCACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTG CTCCCTCTTTCCTGAGACCAGTGCAGAGGCTATGGAAGTGCGGTTCTTCAGGAATCAGTTCCA TGCTGTGGTCCACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCG AGGGAGAACTGAGTTTGTGAAGGACTCCATTGCAGGGGGGGCGTGTCTCTCTAAGGCTAAAAAA CATCACTCCCTCGGACATCGGCCTGTATGGGTGCTGGTTCAGTTCCCAGATTTACGATGAGGA GGCCACCTGGGAGCTGCGGTGGCAGCACTGGGCTCACTTCCTCATTTCCATCGTGGGATA TGTTGACGGAGGTATCCAGTTACTCTGCCTGTCCTCAGGCTGGTTCCCCCAGCCCACAGCCAA GTGGAAAGGTCCACAAGGACAGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAG CCTGTATGATGTGGAGATCTCCATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCCAT CCACCTTGCTGAGCAGAGTCATGAGGTGGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCA TGTCATGGGGATGATAATTGTTTTCTTCAAATCCAAAGGGAAAATCCAGGCGGAACTGGACTG GAGAAGAAAGCACGGACAGGCAGAATTGAGAGACGCCCGGAAACACGCAGTGGAGGTGACTCT GGATCCAGAGACGCCTCACCCGAAGCTCTGCGTTTCTGATCTGAAAACTGTAACCCATAGAAA AGCTCCCCAGGAGGTGCCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTTCTCA GGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGACGTGGGACAAAATGTAGGGTGGTATGT GGGAGTGTCGCGGATGACGTAGACAGGGGGGAAGAACAATGTGACTTTGTCTCCCAACAATGG GTATTGGGTCCTCAGACTGACAACAGAACATTTGTATTTCACATTCAATCCCCATTTTATCAG CCTCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCCTGGACTATGAGGGTGGGACCAT CTCCTTCTTCAATACAAATGACCAGTCCCTTATTTATACCCTGCTGACATGTCAGTTTGAAGG CTTGTTGAGACCCTATATCCAGCATGCGATGTATGACGAGGAAAAGGGGACTCCCATATTCAT CAGACACAGCCAAGGGAGAGTGCTCCCGACAGGTGGCCCCAGCTTCCTCTCCGGAGCCTGCGC ACAGAGAGTCACGCCCCCCACTCTCTTTAGGGAGCTGAGGTTCTTCTGCCCTGAGCCCTGCA GCAGCGGCAGTCACAGCTTCCAGATGAGGGGGGGATTGGCCTGACCCTGTGGGAGTCAGAAGCC ATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTTGTGAAAACTCCATC CAGCTAAGCGATCTTGAACAAGTCACAACCTCCCAGGCTCCTCATTTGCTAGTCACGGACAGT GATTCCTGCCTCACAGGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTTGCAGGTTTGA GGGCACAGTGTTTGCTAATGATGTGTTTTTATATTATACATTTTCCCACCATAAACTCTGTTT GCTTATTCCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACAC CTGCTTTGTGAGGCTCAAAGAATAAAGAGGGGGTAGGATTTTTCACTGATTCTATAAGCCCAG TATCCCTCATTAACACAGACACAAAAATTCTAAATAAAATTTTTAACAAATTAAACTAAACAAT ATATTTAAAGATGATATATAACTACTCAGTGTGGTTTGTCCCACAAATGCAGAGTTGGTTTAA TATTTAAATATCAACCAGTGTAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAAA AAAAAAAA

319/615

FIGURE 316

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68866

><subunit 1 of 1, 466 aa, 1 stop ><MW: 52279, pI: 6.16, NX(S/T): 2

MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAV VHLYRDGEDWESKQMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEAT WELRVAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGQDLSSDSRANADGYSLY DVEISIIVQENAGSILCSIHLAEQSHEVESKVLIGETFFQPSPWRLASILLGLLCGALCGVVM GMIIVFFKSKGKIQAELDWRRKHGQAELRDARKHAVEVTLDPETAHPKLCVSDLKTVTHRKAP QEVPHSEKRFTRKSVVASQGFQAGRHYWEVDVGQNVGWYVGVCRDDVDRGKNNVTLSPNNGYW VLRLTTEHLYFTFNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLLTCQFEGLL RPYIQHAMYDEEKGTPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

320/615

FIGURE 317

321/615

FIGURE 318

FIGURE 319

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAG GAAAAGAGTTTGTTGGGAACCCTGGGTTATCGGCCTCGTCATCTTCATATCCCTGATTGTCCT GGCAGTGTGCATTGGACTCACTGTTCATTATGTGAGATATAATCAAAAGAAGACCTACAATTA CTATAGCACATTGTCATTTACAACTGACAAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAA CAATTTTACAGAAATGAGCCAGAGACTTGAATCAATGGTGAAAAATGCATTTTATAAATCTCC ATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTCAGTCAACAGAAGCATGGAGTGTT GGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGAAACTGTAGATAAAAT TGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCCTAAAGTAGATCCTCA AACACGAAGAAGTAAAACTCTAGGTCAGAGTCTCAGGATCGTTGGTGGGACAGAAGTAGAAGA GGGTGAATGGCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTT AATTAATGCCACATGGCTTGTGAGTGCTGCTCACTGTTTTACAACATATAAGAACCCTGCCAG ATGGACTGCTTCCTTTGGAGTAACAATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAAT AATTGTCCATGAAAAATACAAACACCCATCACATGACTATGATATTTCTCTTTGCAGAGCTTTC TAGCCCTGTTCCCTACACAAATGCAGTACATAGAGTTTGTCTCCCTGATGCATCCTATGAGTT TCAACCAGGTGATGTTTTGTGACAGGATTTGGAGCACTGAAAAATGATGGTTACAGTCA AAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACTTGCAATGAACCTCAAGC TTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGC ATGCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGC TGGAATAGTGAGCTGGGGAGATGAATGTGCGAAACCCAACAAGCCTGGTGTTTATACTAGAGT TACGGCCTTGCGGGACTGGATTACTTCAAAAACTGGTATC**TAA**GAGACAAAAGCCTCATGGAA CAGATAACATTTTTTTTTTTTTTTTGGGTGTGGAGGCCATTTTTAGAGATACAGAATTGGAGA AGACTTGCAAAACAGCTAGATTTGACTGATCTCAATAAACTGTTTGCTTGATGCATGTATTTT CTTCCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCAGATCAACTCTGTCATCTGTGA GCAATAGTTGAAACTTTATGTACATAGAGAAATAGATAATACAATATTACATTACAGCCTGTA TTCATTTGTTCTCTAGAAGTTTTGTCAGAATTTTGACTTGTTGACATAAATTTGTAATGCATA TATACAATTTGAAGCACTCCTTTTCTTCAGTTCCTCAGCTCCTCTCATTTCAGCAAATATCCA TTTTCAAGGTGCAGAACAAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCCTACATTTTA TTGGCACAGAAAAGTATTAGGTGTTTTTCTTAGTGGAATATTAGAAATGATCATATTCATTAT GAAAGGTCAAGCAAAGACAGCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAACTAA GTTAAGGAAGTCCAGAAAGAAGCCAAGATATATCCTTATTTTCATTTCCAAACAACTACTATG ATAAATGTGAAGAAGATTCTGTTTTTTTGTGACCTATAATAATTATACAAACTTCATGCAATG TACTTGTTCTAAGCAAATTAAAGCAAATATTTATTTAACATTGTTACTGAGGATGTCAACATA TAACAATAAAATATAAATCACCCA

323/615

FIGURE 320

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68871

><subunit 1 of 1, 423 aa, 1 stop

><MW: 47696, pI: 8.96, NX(S/T): 3

MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTYNYYSTLSFTTDK LYAEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQVIKFSQQKHGVLAHMLLICRFH STEDPETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQS LRIVGGTEVEEGEWPWQASLQWDGSHRCGATLINATWLVSAAHCFTTYKNPARWTASFGVTIK PSKMKRGLRRIIVHEKYKHPSHDYDISLAELSSPVPYTNAVHRVCLPDASYEFQPGDVMFVTG FGALKNDGYSQNHLRQAQVTLIDATTCNEPQAYNDAITPRMLCAGSLEGKTDACQGDSGGPLV SSDARDIWYLAGIVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

FIGURE 321

 $\tt CCGGGCTCCTGGGTGAGGCCGGCAAGTTTGGAGCGTGGTCAGACAATAGGGGCGTGGCTACGG$ CTCGCGGAGCGCAACCAACGCTCTAGACCAGACCTGGGCTCGAGACCATAACTGTTTGGCTTT AACAGTACGTGGGCGGCCGGAATCCGGGAGTCCGGTGACCCGGGCTGTGGTCTAGCATAAAGG CGGAGCCCAGAAGAAGGGGCGGGTATGGGAGAAGCCTCCCCACCTGCCCCCGCAAGGCGGCA TCTGCTGGTCCTGCTGCTCCTCTCTACCCTGGTGATCCCCTCCGCTGCAGCTCCTATCCA TGATGCTGACGCCCAAGAGACTCCTTGGGTCTCACAGGCCTCCAGAGCCTACTCCAAGGCTT CAGCCGACTTTTCCTGAAAGGTAACCTGCTTCGGGGCATAGACAGCTTATTCTCTGCCCCCAT GGACTTCCGGGGCCTCCCTGGGAACTACCACAAAGAGGAGAACCAGGAGCACCAGCTGGGGAA CAACACCCTCTCCAGCCACCTCCAGATCGACAAGATGACCGACAACAAGACAGGAGAGGTGCT GATCTCCGAGAATGTGGTGGCATCCATTCAACCAGCGGAGGGGAGCTTCGAGGGTGATTTGAA GGTACCCAGGATGGAGGAGGAGGGCCCTGGTACCCATCCAGAAGGCCACGGACAGCTTCCAC ACAGAACTCCATCCCGGGTGGCCTTCTGGATCATTAAGCTGCCACGGCGGAGGTCCCACCAG GATGCCCTGGAGGCCGCCACTGGCTCAGCGAGAAGCGACACCGCCTGCAGGCCATCCGGGAT GGACTCCGCAAGGGACCCACAAGGACGTCCTAGAAGAGGGGACCGAGAGCTCCTCCCACTCC $\tt AGGCTGTCCCCCGAAAGACCCACTTACTGTACATCCTCAGGCCCTCTCGGCAGCTG{\color{red} \bf{TAG}} GGG$ TGGGGACCGGGGAGCACCTGCCTGTAGCCCCCATCAGACCCTGCCCCAAGCACCATATGGAAA TAAAGTTCTTTCTTACATCTAAAAA

325/615

FIGURE 322

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68879

><subunit 1 of 1, 242 aa, 1 stop

><MW: 27007, pI: 8.68, NX(S/T): .2

MGEASPPAPARRHLLVLLLLLSTLVIPSAAAPIHDADAQESSLGLTGLQSLLQGFSRLFL KGNLLRGIDSLFSAPMDFRGLPGNYHKEENQEHQLGNNTLSSHLQIDKMTDNKTGEVLIS ENVVASIQPAEGSFEGDLKVPRMEEKEALVPIQKATDSFHTELHPRVAFWIIKLPRRRSH QDALEGGHWLSEKRHRLQAIRDGLRKGTHKDVLEEGTESSSHSRLSPRKTHLLYILRPSR QL

Important features of the protein:

Signal peptide:

Amino acids 1-30

N-glycosylation sites:

Amino acids 97-101;112-116

N-myristoylation sites:

Amino acids 80-86;132-138;203-209;216-222

FIGURE 323

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCC CAGCGCCGACGATCGCTGCCGTTTTGCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTC ${\tt TCCCTTACGGGGCTCACA} {\tt \underline{ATG}} {\tt GCCAGAGAAGATTCCGTGAAGTGTCTGCGCTGCCTCTAC}$ GCCCTCAATCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGG GACTACCTAAATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTG ACTTACTTTCCTGTGGTTCATCCGGTCATGATTGCTGTTTGCTGTTTCCTTATCATTGTGGGG ATGTTAGGATATTGTGGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGT TTGCTTGTCATTTTCTGTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACTTATG GTTCCAGTACAATGGTCAGATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCT GTATATTTCACTGACTGGTTGGAAATGACAGAGATGGACTGGCCCCCAGATTCCTGCTGTTT AGAGAATTCCCAGGATGTTCCAAACAGGCCCACCAGGAAGATCTCAGTGACCTTTATCAAGAG GGTTGTGGGAAGAAATGTATTCCTTTTTGAGAGGAACCAAACAACTGCAGGTGCTGAGGTTT CTGGGAATCTCCATTGGGGTGACACAAATCCTGGCCATGATTCTCACCATTACTCTGCTCTGG GCTCTGTATTATGATAGAAGGGAGCCTGGGACAGACCAAATGATGTCCTTGAAGAATGACAAC TCTCAGCACCTGTCATGTCCCTCAGTAGAACTGTTGAAACCAAGCCTGTCAAGAATCTTTGAA CACACATCCATGGCAAACAGCTTTAATACACACTTTGAGATGGAGGAGTTA**TAA**AAAGAAATG TCACAGAAGAAACCACAAACTTGTTTTATTGGACTTGTGAATTTTTGAGTACATACTATGTG TTTCAGAAATATGTAGAAATAAAATGTTGCCATAAAATAACACCTAAGCATATACTATTCTA TGCTTTAAAATGAGGATGGAAAAGTTTCATGTCATAAGTCACCACCTGGACAATAATTGATGC CCTTAAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCCTGTGTATGACTTTTACTGAAC ACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCCGCATCCATGCAAACGAGTCACA TATGGTGGGACTGGAGCCATAGTAAAGGTTGATTTACTTCTACCAACTAGTATATAAAGTACT AATTAAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTACTCAGCGATCTATTC TTCTGATGCTAAATAAATTATATCAGAAAACTTTCAATATTGGTGACTACCTAAATGTGAT TTTTGCTGGTTACTAAAATATTCTTACCACTTAAAAGAGCAAGCTAACACATTGTCTTAAGCT GATCAGGGATTTTTTGTATATAAGTCTGTTTAAATCTGTATAATTCAGTCGATTTCAGTTCT GATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGTCCTGTATAGCATCATTATTTTTA GCCTTTCCTGTTAATAAAGCTTTACTATTCTGTCCTGGGCTTATATTACACATATAACTGTTA TTTAAATACTTAACCACTAATTTTGAAAATTACCAGTGTGATACATAGGAATCATTATTCAGA ATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTCAGAA AGGACTTGTATGCTGTTTTTCTCCCAAATGAAGACTCTTTTTGACACTAAACACTTTTTAAAA AGCTTATCTTTGCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATTCTACAGA AAATAGTGTTCTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAAACATGTGACAATTTAG AGATTCTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAAATTTT TTTACAAGAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGTAT TAA

327/615

FIGURE 324

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68880

><subunit 1 of 1, 305 aa, 1 stop

><MW: 35383, pI: 5.99, NX(S/T): 0

MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMRDYLNNVLTLTAETRVEEAVILTYFPVV
HPVMIAVCCFLIIVGMLGYCGTVKRNLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWS
DMVTLKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTEMDWPPDSCCVREFPGC
SKQAHQEDLSDLYQEGCGKKMYSFLRGTKQLQVLRFLGISIGVTQILAMILTITLLWALYYDR
REPGTDQMMSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

FIGURE 325

AGCAGTGCATTGCTGGAGCGAGGAGAAGCTCACGAATCAGCTGCAGGTCTCTGTTTTGAAAAA GCAGAGATACAGAGGCAGAGGAAAAGGGTGGACTCCTATGTGACCTGTTCTTAGAGCAAGACA ATCACCATCTGAATTCCAGAAGCCCTGTTCATGGTTGGGGGATATTTTCTCGACTGC**ATG**GAAT CAGAAAGAAGCAAAAGGATGGGAAATGCCTGCATTCCCCTGAAAAGAATTGCTTATTTCCTAT GTCTCTTATCTGCGCTTTTGCTGACTGAGGGGAAGAACCAGCGAAGCCAAAATGCCCTGCCG TGTGTACTTGTACCAAAGATAATGCTTTATGTGAGAATGCCAGATCCATTCCACGCACCGTTC CTCCTGATGTTATCTCATTATCCTTTGTGAGATCTGGTTTTACTGAAATCTCAGAAGGGAGTT TTTTATTCACGCCATCGCTGCAGCTCTTGTTATTCACATCGAACTCCTTTGATGTGATCAGTG CAATTTCAAGACATACTTTCCGGGGACTAAAGTCATTAATTCACTTGAGCCTTGCAAACAACA ATCTCCAGACACTCCCAAAAGATATTTTCAAAGGCCTGGATTCTTTAACAAATGTGGACCTGA GGGGTAATTCATTTAATTGTGACTGTAAACTGAAATGGCTAGTGGAATGGCTTGGCCACCCA ATGCAACTGTTGAAGACATCTACTGCGAAGGCCCCCCAGAATACAAGAAGCGCAAAATCAATA GTCTCTCCTCGAAGGATTTCGATTGCATCATTACAGAATTTGCAAAGTCTCAAGACCTGCCTT ATCAATCATTGTCCATAGACACTTTTTCTTATTTGAATGATGAGTATGTAGTCATCGCTCAGC CTTTTACTGGAAAATGCATTTTCCTTGAATGGGACCATGTGGAAAAGACCTTCCGGAATTATG ACAACATTACAGGCACATCCACTGTAGTATGCAAGCCTATAGTCATTGAAACTCAGCTCTATG TCATAAAAATCCAGGATATTGAAATTCTCAAAATCCGAAAACCCAATGACATTGAAACATTCA AGATTGAAAACAACTGGTACTTTGTTGTTGCTGACAGTTCAAAAGCTGGTTTTACTACCATTTAC AAATGGAACGGAAACGGATTCTACTCCCATCAATCCTTACACGCGTGGTACAGGGACACTGAT GTGGAATATCTAGAAATAGTCAGAACACCTCAGACACTCAGAACGCCTCATTTAATTCTGTCT AGTAGTTCCCAGCGTCCTGTAATTTATCAGTGGAACAAAGCAACACAATTATTCACTAACCAA ACTGACATTCCTAACATGGAGGATGTGTACGCAGTGAAGCACTTCTCAGTGAAAGGGGACGTG TACATTTGCTTGACAAGATTCATTGGTGATTCCAAAGTCATGAAATGGGGAGGCTCCTCGTTC TACCAATATGCAATTCTTGGAAGTGATTACTCCTTTACTCAAGTGTATAACTGGGATGCAGAG AAAGCCAAATTTGTGAAATTTCAGGAATTAAATGTTCAGGCACCAAGATCATTCACACATGTG TCCATTAATAAGCGTAATTTTCTTTTTGCTTCCAGTTTTAAGGGAAATACACAGATTTACAAA CATGTCATAGTTGACTTAAGCGCA<u>TGA</u>GACACCAAATTCTGTGGCTGCCATCAGAAATTTTCT ACAGTACATGACCCGGATGAACTCAATGCATGATGACTCTTCTTATCACACTTGCAAATGAAT GCCTTTCAAACATTGAGACTGCTAGAACCAAGCACTACCAGTATCTCCATCCTTAACTGTCCA GTCCAGTGATGTGGGAAGTTACCTTTTATAAGACAAAATTTAATTGTGTAACTGTTCTTTGCA GTGAAGATGTGTAAATAAGCGTTTAATGGTATCTGTTACTCCAAAAAGAAATATTAATATGTA $\tt CTTTTCCATTTATTCATGTGTACAGAAACAACTGCCAAATAAAATGTTTACATTTTCTT$ TCATA

FIGURE 326

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68882

><subunit 1 of 1, 557 aa, 1 stop

><MW: 63818, pI: 8.61, NX(S/T): 3

MESERSKRMGNACIPLKRIAYFLCLLSALLLTEGKKPAKPKCPAVCTCTKDNALCENARS IPRTVPPDVISLSFVRSGFTEISEGSFLFTPSLQLLLFTSNSFDVISDDAFIGLPHLEYL FIENNNIKSISRHTFRGLKSLIHLSLANNNLQTLPKDIFKGLDSLTNVDLRGNSFNCDCK LKWLVEWLGHTNATVEDIYCEGPPEYKKRKINSLSSKDFDCIITEFAKSQDLPYQSLSID TFSYLNDEYVVIAQPFTGKCIFLEWDHVEKTFRNYDNITGTSTVVCKPIVIETQLYVIVA QLFGGSHIYKRDSFANKFIKIQDIEILKIRKPNDIETFKIENNWYFVVADSSKAGFTTIY KWNGNGFYSHQSLHAWYRDTDVEYLEIVRTPQTLRTPHLILSSSSQRPVIYQWNKATQLF TNQTDIPNMEDVYAVKHFSVKGDVYICLTRFIGDSKVMKWGGSSFQDIQRMPSRGSMVFQ PLQINNYQYAILGSDYSFTQVYNWDAEKAKFVKFQELNVQAPRSFTHVSINKRNFLFASS FKGNTQIYKHVIVDLSA

Important features of the protein:

Signal peptide:

Amino acids 1-34

Transmembrane domain:

Amino acids 281-306

N-glycosylation sites:

Amino acids 192-196;277-281;422-426

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 310-314

Tyrosine kinase phosphorylation sites:

Amino acids 228-235;378-385

N-myristoylation sites:

Amino acids 172-178;493-499

Amidation site:

Amino acids 33-37

FIGURE 327

CCAAGGCCAGAGCTGTGGACACCTTATCCCACTCATCCTCATCCTCTTCCTCTGATAAAGCCC AAGAGAAGGGGACAAAGGAACACCAGTATTAAGAGGATTTTCCAGTGTTTCTGGCAGTTTGGTC CAGAAGGATGCCTCCATTCCTGCTTCTCACCTGCCTCTTCATCACAGGCACCTCCGTGTCACC CGTGGCCCTAGATCCTTGTTCTGCTTACATCAGCCTGAATGAGCCCTGGAGGAACACTGACCA CCAGTTGGATGAGTCTCAAGGTCCTCCTCTATGTGACAACCATGTGAATGGGGAGTGGTACCA CTTCACGGGCATGCCGGAGATGCCATGCCTACCTTCTGCATACCAGAAAACCACTGTGGAAC CCACGCACCTGTCTGGCTCAATGGCAGCCACCCCCTAGAAGGCGACGGCATTGTGCAACGCCA GGCTTGTGCCAGCTTCAATGGGAACTGCTGTCTCTGGAACACCACGGTGGAAGTCAAGGCTTG CCCTGGAGGCTACTATGTGTATCGTCTGACCAAGCCCAGCGTCTGCTTCCACGTCTACTGTGG TCATTTTTATGACATCTGCGACGAGGACTGCCATGGCAGCTGCTCAGATACCAGCGAGTGCAC GCAAAACAACGGTGGCTGCAGTGAGATCTGTGTGAACCTCAAAAACTCCTACCGCTGTGAGTG TGGGGTTGGCCGTGTGCTAAGAAGTGATGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAA TAACAATGGTGGCTGCAGCCACTCTTGCCTTGGATCTGAGAAAGGCTACCAGTGTGAATGTCC CCGGGGCCTGGTGTCTGAGGATAACCACACTTGCCAAGTCCCTGTGTTGTGCAAATCAAA TGCCATTGAAGTGAACATCCCCAGGGAGCTGGTTGGTGGCCTGGAGCTCTTCCTGACCAACAC CTCCTGCCGAGGAGTGTCCAACGGCACCCATGTCAACATCCTCTTCTCTCAAGACATGTGG TACAGTGGTCGATGTGGTGAATGACAAGATTGTGGCCAGCAACCTCGTGACAGGTCTACCCAA GCAGACCCCGGGGAGCAGCGGGGACTTCATCATCCGAACCAGCAAGCTGCTGATCCCGGTGAC CTGCGAGTTTCCACGCCTGTACACCATTTCTGAAGGATACGTTCCCAACCTTCGAAACTCCCC ACTGGAAATCATGAGCCGAAATCATGGGATCTTCCCATTCACTCTGGAGATCTTCAAGGACAA TGAGTTTGAAGAGCCTTACCGGGAAGCTCTGCCCACCCTCAAGCTTCGTGACTCCCTCTACTT TGGCATTGAGCCCGTGGTGCACGTGAGCGGCTTGGAAAGCTTGGTGGAGAGCTGCTTTGCCAC CCCCACCTCCAAGATCGACGAGGTCCTGAAATACTACCTCATCCGGGATGGCTGTTTTCAGA TGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGGTCCCTGTCTT CAAGTTTGTGGGCAAAGACCACAAGGAAGTGTTTCTGCACTGCCGGGTTCTTGTCTGTGGAGT GTTGGACGAGCGTTCCCGCTGTGCCCAGGGTTGCCACCGGCGAATGCGTCGTGGGGCAGGAGG AGAGGACTCAGCCGGTCTACAGGGCCAGACGCTAACAGGCGGCCCGATCCGCATCGACTGGGA GGACTAGTTCGTAGCCATACCTCGAGTCCCTGCATTGGACGGCTCTGCTCTTTGGAGCTTCTC CCCCCACCGCCTCTAAGAACATCTGCCAACAGCTGGGTTCAGACTTCACACTGTGAGTTCAG ACTCCCAGCACCAACTCACTCTGATTCTGGTCCATTCAGTGGGCACAGGTCACAGCACTGCTG AACAATGTGGCCTGGGTGGGGTTTCATCTTTCTAGGGTTGAAAACTAAACTGTCCACCCAGAA AGACACTCACCCCATTTCCTCATTTCTTTCCTACACTTAAATACCTCGTGTATGGTGCAATC AGACCACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCCTAGAAAAATTAAACAG TTACTGAAATTATGACTTAAATACCCAATGACTCCTTAAATATGTAAATTATAGTTATACCTT GAAATTTCAATTCAAATGCAGACTAATTATAGGGAATTTGGAAGTGTATCAATAAAACAGTAT ATAATTT

FIGURE 328

MPPFLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHQLDESQGPPLCDNHVNGEWYHFT GMAGDAMPTFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNTTVEVKACPG GYYVYRLTKPSVCFHVYCGHFYDICDEDCHGSCSDTSECTCAPGTVLGPDRQTCFDENECEQN NGGCSEICVNLKNSYRCECGVGRVLRSDGKTCEDVEGCHNNNGGCSHSCLGSEKGYQCECPRG LVLSEDNHTCQVPVLCKSNAIEVNIPRELVGGLELFLTNTSCRGVSNGTHVNILFSLKTCGTV VDVVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVTCEFPRLYTISEGYVPNLRNSPLE IMSRNHGIFPFTLEIFKDNEFEEPYREALPTLKLRDSLYFGIEPVVHVSGLESLVESCFATPT SKIDEVLKYYLIRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRVLVCGVLD ERSRCAQGCHRRMRRGAGGEDSAGLQGQTLTGGPIRIDWED

Important features of the protein: Signal peptide:

amino acids 1-16 ·

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.

amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306, 522-528, 531-537

Aspartic acid and asparagine hydroxylation site.

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

FIGURE 329

GAGAGAGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCT TGTGTGGGGAGGCCCTCCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACC GGGAGGATCACAGAGCCAGCATGTTACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCG ATGTCAAACCCCTGCGCAAACCCCGTATCCCCATGGAGACCTTCAGAAAGGTGGGGATCCCCA TCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGTGGTTGTCCTCATCAAGGTGATTC TGGATAAATACTACTTCCTCTGCGGGCAGCCTCTCCACTTCATCCCGAGGAAGCAGCTGTGTG ACGGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTCCCCGAAG GGCCTGCAGTGGCÄGTCCGCCTCTCCAAGGACCGATCCACACTGCAGGTGCTGGACTCGGCCA CAGGGAACTGGTTCTCTGCCTGTTTCGACAACTTCACAGAAGCTCTCGCTGAGACAGCCTGTA GGCAGATGGGCTACAGCAGAGCTGTGGAGATTGGCCCAGACCAGGATCTGGATGTTGTTGAAA TCACAGAAAACAGCCAGGAGCTTCGCATGCGGAACTCAAGTGGGCCCTGTCTCTCAGGCTCCC AGGAGGCCTCTGTGGATTCTTGGCCTTGGCAGGTCAGCATCCAGTACGACAAACAGCACGTCT GTGGAGGAGCATCCTGGACCCCCACTGGGTCCTCACGGCAGCCCACTGCTTCAGGAAACATA CCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAAACTGGGCAGCTTCCCATCCCTGG CTGTGGCCAAGATCATCATCATTGAATTCAACCCCATGTACCCCAAAGACAATGACATCGCCC TTGATGAGGAGCTCACTCCAGCCACCCCACTTTGGATCATTGGATGGGGCTTTACGAAGCAGA ATGGAGGGAAGATGTCTGACATACTGCTGCAGGCGTCAGTCCAGGTCATTGACAGCACACGGT GCAATGCAGACGATGCGTACCAGGGGGAAGTCACCGAGAAGATGATGTGTGCAGGCATCCCGG AAGGGGGTGTGGACACCTGCCAGGGTGACAGTGGTGGGCCCCTGATGTACCAATCTGACCAGT GGCATGTGGTGGGCATCGTTAGCTGGGGCTATGGCTGCGGGGGCCCGAGCACCCCAGGAGTAT ACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCTGGAAGGCTGAGCTG**TAA**TGCT GCTGCCCCTTTGCAGTGCTGGGAGCCGCTTCCTTCCTGCCCTGCCCACCTGGGGATCCCCCAA AGTCAGACACAGAGCAAGAGTCCCCTTGGGTACACCCCTCTGCCCACAGCCTCAGCATTTCTT GGAGCAGCAAAGGGCCTCAATTCCTGTAAGAGACCCTCGCAGCCCAGAGGCGCCCAGAGGAAG TCAGCAGCCCTAGCTCGGCCACACTTGGTGCTCCCAGCATCCCAGGGAGAGACACAGCCCACT GAACAAGGTCTCAGGGGTATTGCTAAGCCAAGAAGGAACTTTCCCACACTACTGAATGGAAGC AGGCTGTCTTGTAAAAGCCCAGATCACTGTGGGCTGGAGAGGAAAGGGAAAGGGTCTGCGCCA GCCCTGTCCGTCTTCACCCATCCCCAAGCCTACTAGAGCAAGAAACCAGTTGTAATATAAAAT GCACTGCCCTACTGTTGGTATGACTACCGTTACCTACTGTTGTCATTGTTATTACAGCTATGG

333/615

FIGURE 330

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68885</pre>

><subunit 1 of 1, 432 aa, 1 stop

><MW: 47644, pI: 5.18, NX(S/T): 2

MLQDPDSDQPLNSLDVKPLRKPRIPMETFRKVGIPIIIALLSLASIIIVVVLIKVILDKYYFL CGQPLHFIPRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQVLDSATGNWFSA CFDNFTEALAETACRQMGYSRAVEIGPDQDLDVVEITENSQELRMRNSSGPCLSGSLVSLHCL ACGKSLKTPRVVGGEEASVDSWPWQVSIQYDKQHVCGGSILDPHWVLTAAHCFRKHTDVFNWK VRAGSDKLGSFPSLAVAKIIIIEFNPMYPKDNDIALMKLQFPLTFSGTVRPICLPFFDEELTP ATPLWIIGWGFTKQNGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMCAGIPEGGVDTC QGDSGGPLMYQSDQWHVVGIVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL

Transmembrane domain:

amino acids 32-53 (typeII)

334/615

FIGURE 331

AGTGGTTCGATGGGAAGGATCTTTCTCCAAGTGGTTCCTCTTGAGGGGAGCATTTCTGCTGGC ${\tt TCCAGGACTTTGGCCATCTATAAAGCTTGGCA} \underline{{\tt ATG}} {\tt AGAAATAAGAAAATTCTCAAGGAGGACG}$ AGCTCTTGAGTGAGACCCAACAAGCTGCTTTTCACCAAATTGCAATGGAGCCTTTCGAAATCA ATGTTCCAAAGCCCAAGAGGAGAAATGGGGTGAACTTCTCCCTAGCTGTGGTGGTCATCTACC TGATCCTGCTCACCGCTGGCCTGGGCTGCTGGTGGTCCAAGTTCTGAATCTGCAGGCGCGGC ${\tt TCCGGGTCCTGGAGATGTATTTCCTCAATGACACTCTGGCGGCTGAGGACAGCCCGTCCTTCT}$ CCTTGCTGCAGTCAGCACCCTGGAGAACACCTGGCTCAGGGTGCATCGAGGCTGCAAGTCC TGCAGGCCCAACTCACCTGGGTCCGCGTCAGCCATGAGCACTTGCTGCAGCGGGTAGACAACT TCACTCAGAACCCAGGGATGTTCAGAATCAAAGGTGAACAAGGCGCCCCAGGTCTTCAAGGTC ACAAGGGGCCATGGCCTGGTGCCCCTGGCCCGGGACCACCTGCTGAGAAGGGAG CCAAGGGGGCTATGGGACGAGGTGGAGCAACAGGCCCCTCGGGACCCCAAGGCCCACCGGGAG TCAAGGGAGAGGCGGCCTCCAAGGACCCCAGGGTGCTCCAGGGAAGCAAGGAGCCACTGGCA CCCCAGGACCCCAAGGAGAAAGGGCAGCAAAGGCGATGGGGGTCTCATTGGCCCAAAAGGGG AAACTGGAACTAAGGGAGAGAAAGGAGACCTGGGTCTCCCAGGAAGCAAAGGGGACAGGGGCCA TGAAAGGAGATGCAGGGGTCATGGGGCCTCCTGGAGCCCAGGGGAGTAAAGGTGACTTCGGGA GGCCAGGCCCACCAGGTTTGGCTGGTTTTCCTGGAGCTAAAGGAGATCAAGGACAACCTGGAC TGCAGGGTGTTCCGGGCCCTCCTGGTGCAGTGGGACACCCAGGTGCCAAGGGTGAGCCTGGCA GTGCTGGCTCCCTGGGCGAGCAGGACTTCCAGGGAGCCCCGGGAGTCCAGGAGCCACAGGCC TGAAAGGAAGCAAAGGGACACAGGACTTCAAGGACAGCAAGGAAGAAAAGGAGAATCAGGAG TTCCAGGCCCTGCAGGTGTGAAGGGAGAACAGGGGAGCCCAGGGCTGGCAGGTCCCAAGGGAG CCCCTGGACAAGCTGGCCAGAAGGGAGACCAGGGAGTGAAAGGATCTTCTGGGGAGCAAGGAG TAAAGGGAGAAAAAGGTGAAAGGGTGAAAACTCAGTGTCCGTCAGGATTGTCGGCAGTAGTA ACCGAGGCCGGGCTGAAGTTTACTACAGTGGTACCTGGGGGACAATTTGCGATGACGAGTGGC AAGTGGGAGCTGGCACTGGCCAGATCTGGCTGGATAATGTTCAGTGTCGGGGCACGGAGAGTA CCCTGTGGAGCTGCACCAAGAATAGCTGGGGCCATCATGACTGCAGCCACGAGGAGGACGCAG GCGTGGAGTGCAGCGTC<u>TGA</u>CCCGGAAACCCTTTCACTTCTCTCCCCGAGGTGTCCTCGGG CTCATATGTGGGAAGGCAGAGGATCTCTGAGGAGTTCCCTGGGGACAACTGAGCAGCCTCTGG AGAGGGGCCATTAATAAAGCTCAACATCATTGA

335/615

FIGURE 332

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA68886

><subunit 1 of 1, 520 aa, 1 stop

><MW: 52658, pI: 9.16, NX(S/T): 3

MRNKKILKEDELLSETQQAAFHQIAMEPFEINVPKPKRRNGVNFSLAVVVIYLILLTAGAGLL VVQVLNLQARLRVLEMYFLNDTLAAEDSPSFSLLQSAHPGEHLAQGASRLQVLQAQLTWVRVS HEHLLQRVDNFTQNPGMFRIKGEQGAPGLQGHKGAMGMPGAPGPPGPPAEKGAKGAMGRDGAT GPSGPQGPPGVKGEAGLQGPQGAPGKQGATGTPGPQGEKGSKGDGGLIGPKGETGTKGEKGDL GLPGSKGDRGMKGDAGVMGPPGAQGSKGDFGRPGPPGLAGFPGAKGDQGQPGLQGVPGPPGAV GHPGAKGEPGSAGSPGRAGLPGSPGSPGATGLKGSKGDTGLQGQQGRKGESGVPGPAGVKGEQ GSPGLAGPKGAPGQAGQKGDQGVKGSSGEQGVKGEKGERGENSVSVRIVGSSNRGRAEVYYSG TWGTICDDEWQNSDAIVFCRMLGYSKGRALYKVGAGTGQIWLDNVQCRGTESTLWSCTKNSWG HHDCSHEEDAGVECSV

Transmembrane domain:

amino acids 47-66 (type II)

N-glycosylation sites.

amino acids 43-47, 83-87, 136-140

Tyrosine kinase phosphorylation site.

amino acids 432-440

N-myristoylation sites.

amino acids 41-47, 178-184, 253-259, 274-280, 340-346, 346-352, 400-406, 441-447, 475-481, 490-496, 515-521

Amidation site.

amino acids 360-364

Leucine zipper pattern.

amino acids 56-78

Speract receptor repeat

amino acids 422-471, 488-519

Clq domain proteins.

amino acids 151-184, 301-334, 316-349

FIGURE 333

CCATCCCCCCAGGTCCAGCCCTCAGTGCTGTCCCATCCAGCAGGGCTACCCTGAAGCTCTGGC TGCAGCCCTCCGTCCAGTGGGCAGGCGGCTTCATCCCTCCTTTCTCTCCCAAAGCCCAACTG CTGTCACTGCATGCTCTGCCAAGGAGGAGGGAACTGCAGTGACAGCAGGAGTAAGAGTGGGAG GCAGGACAGACTGGGACACAGGTATGGAGAGGGGGTTCAGCGAGCCTAGAGAGGGCAGACTA TCAGGGTGCCGGCGGTGAGAATCCAGGGAGAGGGGGGGAAACAGAAGAGGGGCAGAAGACCGG GGCACTTGTGGGTTGCAGAGCCCTCAGCC<u>ATG</u>TTGGGAGCCAAGCCACACTGGCTACCAGGT CCCCTACACAGTCCCGGGCTGCCCTTGGTTCTGGTGCTTCTGGCCCTGGGGGCCGGGTGGGCC GCTGCTGCAGGGGGGCCCGGGGGAGCCCCTGGGAGAGGCACCCCCTGGGCGAGTGGCATTT GCTGCGGTCCGAAGCCACCATGAGCCAGCAGGGGAAACCGGCAATGGCACCAGTGGGGCC ATCTACTTCGACCAGGTCCTGGTGAACGAGGGCGGTGGCTTTGACCGGGCCTCTGGCTCCTTC GTAGCCCCTGTCCGGGTGTCTACAGCTTCCGGTTCCATGTGGTGAAGGTGTACAACCGCCAA ACTGTCCAGGTGAGCCTGATGCTGAACACGTGGCCTGTCATCTCAGCCTTTGCCAATGATCCT GACGTGACCCGGGAGGCAGCCACCAGCTCTGTGCTACTGCCCTTGGACCCTGGGGACCGAGTG TCTCTGCGCCTGCGTCGGGGGAATCTACTGGGTGGTTGGAAATACTCAAGTTTCTCTGGCTTC CTCATCTTCCCTCTC<u>TGAGGACCCAAGTCTTTCAAGCACAAGAATCCAGCCCCTGACAACTT</u>T CTTCTGCCCTCTTGCCCCAGAAACAGCAGAGGCAGAGAGACTCCCTCTGGCTCCTATC CCACCTCTTTGCATGGGACCCTGTGCCAAACACCCAAGTTTAAGAGAGAAGAGTAGAGCTGTGGC ATCTCCAGACCAGGCCTTTCCACCCACCCCCCGGTTACCCTCCCAGCCACCTGCTGCATC TGCGGCCTCTGCTCCTCCGGTTCCCCCACCCCAGCTTCCTGCTCAATGCTGATCAGGGACAGG TGGCGCAGGTGAGCCTGACAGGCCCCCACAGGAGCCCAGATGGACAAGCCTCAGCGTACCCTG CCAGCACCGTATGGGCTAGGGTGGGAGGCTCAGCCACAGGCAGAAGGGTGGGAAGGGCCTGGA GTCTGTGGCTGAGGAAGGAAGGAGGGTGTATTGTCTAGACTGAACATGGTACACATTCTG CATGTATAGCAGAGCAGCAGCAGGTAGCAATCCTGGCTGTCCTTCTATGCTGGATCCCAGAT GGACTCTGGCCCTTACCTCCCCACCTGAGATTAGGGTGAGTGTTTTGCTCTGGCTGAGAGCA GAGCTGAGAGCAGGTATACAGAGCTGGAAGTGGACCATGGAAAACATCGATAACCATGCATCC TCTTGCTTGGCCACCTCCTGAAACTGCTCCACCTTTGAAGTTTGAACTTTAGTCCCTCCACAC TCTGACTGCCTCCTTCCTCCCAGCTCTCTCACTGAGTTATCTTCACTGTACCTGTTCCAG ${\tt CATATCCCCACTATCTCTTTTCTCCTGATCTGTGCTGTCTTATTCTCCTCCTTAGGCTTCCT}$ ATTACCTGGGATTCCATGATTCATTCCTTCAGACCCTCTCCTGCCAGTATGCTAAACCCTCCC TCTCTCTTTCTTATCCCGCTGTCCCATTGGCCCAGCCTGGATGAATCTATCAATAAAACAACT AGAGAATGGTGGTCAGTGAGACACTATAGAATTACTAAGGAGAAGATGCCTCTGGAGTTTGGA AATTAAAAA

PCT/US01/06520 WO 01/68848

337/615

FIGURE 334

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71180

><subunit 1 of 1, 205 aa, 1 stop ><MW: 21521, pI: 7.07, NX(S/T): 1

MLGAKPHWLPGPLHSPGLPLVLVLLALGAGWAQEGSEPVLLEGECLVVCEPGRAAAGGPGGAA $\verb|LGEAPPGRVAFAAVRSHHHEPAGETGNGTSGAIYFDQVLVNEGGGFDRASGSFVAPVRGVYSF|$ RFHVVKVYNRQTVQVSLMLNTWPVISAFANDPDVTREAATSSVLLPLDPGDRVSLRLRRGNLL GGWKYSSFSGFLIFPL

Signal peptide:

amino acids 1-32

FIGURE 335

GCTGTTTCTCTCGCGCCACCACTGGCCGCCGGCCGCAGCTCCAGGTGTCCTAGCCGCCCAGCC TCGACGCCGTCCCGGGACCCCTGTGCTCTGCGCGAAGCCCTGGCCCCGGGGGCCGGGGCATGG GACCCTCATAGCCGCCTACTCCGGGGTCCTGCGCGGCGAGCGTCAGGCCGAGGCTGACCGGAG CCAGCGCTCTCACGGAGGACCTGCGCTGTCGCGCGAGGGGTCTGGGAGATGGGGCACTGGATC CAGCATCCTCCCGCCCTCCAGGACCTCTTCTCTGTCACCTGGCTCAATAGGTCCAAGGTGGA AAAGCAGCTACAGGTCATCTCAGTGCTCCAGTGGGTCCTGTCCTTGTACTGGGAGTGGC CTGCAGTGCCATCCTCATGTACATATTCTGCACTGATTGCTGGCTCATCGCTGTGCTCTACTT CACTTGGCTGGTGTTTGACTGGAACACCCAAGAAAGGTGGCAGGAGGTCACAGTGGGTCCG AAACTGGGCTGTGTGGCGCTACTTTCGAGACTACTTTCCCATCCAGCTGGTGAAGACACACAA CCTGCTGACCACCAGGAACTATATCTTTGGATACCACCCCCATGGTATCATGGGCCTGGGTGC CTTCTGCAACTTCAGCACAGAGGCCACAGAAGTGAGCAAGAAGTTCCCAGGCATACGGCCTTA CCTGGCTACACTGGCAGCCAACTTCCGAATGCCTGTTTTGAGGGAGTACCTGATGTCTGGAGG TATCTGCCCTGTCAGCCGGGACACCATAGACTATTTGCTTTCAAAGAATGGGAGTGGCAATGC TATCATCATCGTGGTCGGGGGTGCGGCTGAGTCTCTGAGCTCCATGCCTGGCAAGAATGCAGT CACCCTGCGGAACCGCAAGGGCTTTGTGAAACTGGCCCTGCGTCATGGAGCTGACCTGGTTCC CATCTACTCCTTTGGAGAGAATGAAGTGTACAAGCAGGTGATCTTCGAGGAGGGCTCCTGGGG CCGATGGGTCCAGAAGATCCAGAAATACATTGGTTTCGCCCCATGCATCTTCCATGGTCG AGGCCTCTTCTCCTCCGACACCTGGGGGCTGGTGCCCTACTCCAAGCCCATCACCACTGTTGT GGGAGAGCCCATCACCATCCCCAAGCTGGAGCACCCAACCCAGCAAGACATCGACCTGTACCA CACCATGTACATGGAGGCCCTGGTGAAGCTCTTCGACAAGCCAAGACCAAGTTCGGCCTCCC GGAGACTGAGGTCCTGGAGGTGAAC**TGA**GCCAGCCTTCGGGGCCAATTCCCTGGAGGAACCAG CTGCAAATCACTTTTTTGCTCTGTAAATTTGGAAGTGTCATGGGTGTCTGTGGGTTATTTAAA

339/615

FIGURE 336

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71184

><subunit 1 of 1, 388 aa, 1 stop

><MW: 43831, pI: 9.64, NX(S/T): 3

MKTLIAAYSGVLRGERQAEADRSQRSHGGPALSREGSGRWGTGSSILSALQDLFSVTWLNRSK VEKQLQVISVLQWVLSFLVLGVACSAILMYIFCTDCWLIAVLYFTWLVFDWNTPKKGGRRSQW VRNWAVWRYFRDYFPIQLVKTHNLLTTRNYIFGYHPHGIMGLGAFCNFSTEATEVSKKFPGIR PYLATLAGNFRMPVLREYLMSGGICPVSRDTIDYLLSKNGSGNAIIIVVGGAAESLSSMPGKN AVTLRNRKGFVKLALRHGADLVPIYSFGENEVYKQVIFEEGSWGRWVQKKFQKYIGFAPCIFH GRGLFSSDTWGLVPYSKPITTVVGEPITIPKLEHPTQQDIDLYHTMYMEALVKLFDKHKTKFG LPETEVLEVN

Important features of the protein:

Transmembrane domain:

amino acids 76-97

N-glycosylation sites.

amino acids 60-63, 173-176, 228-231

N-myristoylation sites.

amino acids 10-15, 41-46, 84-89, 120-125, 169-174, 229-234, 240-245, 318-323, 378-383

FIGURE 337

 $\tt CGGCTGTCCTCAGCGAGGGGCCGTGCACCCGCTCCTGAGCAGCGCC\underline{ATG}_{GGCCTGCTGGCCTTCCTGAAGACCCA}$ GTTCGTGCTGCACCTGCTGGTCGGCTTTGTCTTCGTGGTGAGTGGTCTGGTCAACCTTCGTCCAGCTGTGCAC ACTGGTCATGCTGCTGGAGTGGTCCTGCACGGAGTGTACACTGTTCACGGACCAGGCCACGGTAGAGCGCTT GCGCTTCGGAGTGCTGGGGAGCTCCAAGGTCCTCGCTAAGAAGGAGCTGCTCTACGTGCCCCTCATCGGCTGGAC GTGGTACTTTCTGGAGATTGTTCTGCAAGCGGAAGTGGGAGGACCCGGGACACCGTGGTCGAAGGGCTGAG GCGCCTGTCGGACTACCCCGAGTACATGTGGTTTCTCCTGTACTGCGAGGGGACGCGCTTCACGGAGACCAAGCA CTTCACCACCGCAGTCAAGTGCCTCCGGGGGACAGTCGCAGCTGTCTATGATGTAACCCTGAACTTCAGAGGAAA CAAGAACCCGTCCCTGCTGGGGATCCTCTACGGGAAGAAGTACGAGGCGGACATGTGCGTGAGGAGATTTCCTCT GGAAGACATCCCGCTGGATGAAAAGGAAGCAGCTCAGTGGCTTCATAAACTGTACCAGGAGAAGGACGCGCTCCA GGAGATATATAATCAGAAGGGCATGTTTCCAGGGGAGCAGTTTAAGCCTGCCCGGAGGCCGTGGACCCTCCTGAA TCTCCTGATCCTGACTTTCTTGGGGTTTGTGGGAGCAGCTTCCTTTGGAGTTCGCAGACTGATAGGAGAATCGCT TGAACCTGGGAGGTGGAGATTGCAGTGAGCTGAGATGGCATCACTGTACTCCAGCCTAGGCAACAGAGCAAGACT CAGTCTCAAAAAAAAAAAAAAACAAAAAAACCCCAGAAATTCTGGAGTTGAACTGTGTAGTTACTGACATGAAAA ATTCACTAGAGGCTGAACAGCAGATTTGAGCAGGCAGAAAAAAATCAGCAAGCTTGAAGATGGTACCTTGAGATT TTTCAGGCTAATGAAAAAAGAATGAAGGAAAATTAACAGCCTCAGAGACCCATGGTGCACCGTCACACAAATCAA GTAACCTACCCACTCAGGAAGCTCAGTGAACTCCAATGAGGATGAATATCAGAGATCCACACCTAGATATTTCAT AATCAAAGTGTCAAATGACAAAGAATCTTGAAAGCAGCAAGAGATGAGCAACTTATCTTGTTCAAAGGATCTTTG ATCAGATTAACAGCTCATTTCTCCTCAGAAATCATGGGAGCCAGGAGATAGTGGGATGAACACTGTTGAAGGCAA ATTTAATCCCTAATAACAATTAGTCAAGCTTCCTTGACCTGTAGGAAGGCCTGTCTTTAGGCCGGGCACAGTGGC TTACACCTGTAATCCCAGCACTTTGGGAGGCCCAGACGGGTGGATCATTTGGGGTCAGGCTGATCTCAAACTCCT ATTTCTTTTTAAGGCTGAATGATGGGGGCCAGGCACGATGGCTCACGCCTGTGATCCCAAGTAGCTTGGATTGTA AACATGCACCACCATGCCTGGCTAATTTTTTGTATTTTTAGTAGAGACGTGTTAGCCAGGCTGGTCTCGATCTCCT GACCTCAAGTGACCACCTGCCTCAGCCTCCCAAAGTACTGGGATTACAGGCGTGAGCCACTGTGCCTGGCCTTGA GCATCTTGTGATGTGCTTATTGGCCATTTGTATATCTTCTATCTTCTTTTGGGGAAATGTCTGTTCAAGTCCTTTG ${\tt CAGTGGCACAGTCTTGGCTCACTCCAGCCTCCTGGGCTGCAGTGATCCTCCCACCTCAGCCTCCCTTGT}$ GAGGGGCCGGGTGTGGCCCCAACTACCAGGGAGACTGAAGTGGGAGGATCGCTTGGGCATGAGAAGTCGAGGCTG CAGTGAGTCGAGGTTGTGCGACTGCATTCCAGCCTGGACAACAGAGTGAGACCCTGTCTC

FIGURE 338

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71213

><subunit 1 of 1, 368 aa, 1 stop ><MW: 42550, pI: 9.11, NX(S/T): 1

 ${\tt MGLLAFLKTQFVLHLLVGFVFVVSGLVINFVQLCTLALWPVSKQLYRRLNCRLAYSLWSQLVM}$ LLEWWSCTECTLFTDQATVERFGKEHAVIILNHNFEIDFLCGWTMCERFGVLGSSKVLAKKEL LYVPLIGWTWYFLEIVFCKRKWEEDRDTVVEGLRRLSDYPEYMWFLLYCEGTRFTETKHRVSM EVAAAKGLPVLKYHLLPRTKGFTTAVKCLRGTVAAVYDVTLNFRGNKNPSLLGILYGKKYEAD MCVRRFPLEDIPLDEKEAAQWLHKLYQEKDALQEIYNQKGMFPGEQFKPARRPWTLLNFLSWA TILLSPLFSFVLGVFASGSPLLILTFLGFVGAASFGVRRLIGESLEPGRWRLQ

Important features of the protein:

Signal peptide:

amino acids 1-25

Transmembrane domains:

amino acids 307-323, 335-352

Tyrosine kinase phosphorylation sites.

amino acids 160-168, 161-169

342/615

FIGURE 339

TACGCCTGATACGGCCCTGGGTTAGAAGGGAAGGGAAGATAAACTTTTATACAAATGGGGATA GCTGGGGTCTGAGACCTGCTTCCTCAGTAAAATTCCTGGGATCTGCCTATACCTTCTTTTCTC TAACCTGGCATACCCTGCTTAAAGCCTCTCAGGGCTTCTCTCTGTTCTTAGGATCAAAGTATT TAGAGCTACAAGAGCCCTCATGGTCTGGCCCCTGCCCCCTGGCCAGCTTCATTGTACATGTG $\tt GTGTTCTCTTGTCGTTCCTG\underline{TAA} \tt TGTGGTATGCCATGGGGTCTTTGCACAAGCCTTTCCTCTT$ TGGCTGGACACTGTTCCCTGCCCCCCCATACTCTTCCTACTTAATATGTAGTCATCCTGCAG ATTTCAATTCTAACATCATTTTCTCCAGGGATCCTGGCCTGACAGAATCTCATCTTGTTTAAT GCTCTCATAAGACCACTTGTTTCCCTTTTTGCAGCACTTGCCACTCAGTTGTATCTTTATGTGC GTTTGTGGTTGTATGGGTTGTGTCTCCCCAGAATGCCCAGCTCTGAGCTGCGTGAGGGTC CTAAATGGAGGAGATGAGGAAAAGATTGAAATCTCTCAGTTCACCAGATGGTGTAGGGCC CAGCATTGTAAATTCACACGTTGACTGTGCTTGTGAATTATCTGGGGATGCAGGTCCTGATTC AGTAGGCCCAGGTTGGGCATCTCTAACAAACTCCCACGTGATGCTGATGCTGGTCCTATGAAC TATACTAAATAGTAAGAATCTATGGAGCCAGGCTGGGCATGGTGGCTCACACCTATGATCCCA GCACTTTGGGAGGCTGAGGCTGATCACCTGGAGTCAGGATTTCAAGACTAGCCTGGCCA ACATGGTGGAACCCCATCTGTACTAAAAATACACAAATTAGCTGGGCATGGTGGCACATGCCT GTAGTCCCAGCTACTTGGGAGGCTGAAGCAAGAATCGCTTGAACCTGGGAGGCGGAGGTTG CAGTGAGCCGAGATCAGGCCACTGTATTCCAACCAGGGTGACAGAGTGAGACTCTATGTCCAA AAAAAAAAAA

343/615

FIGURE 340

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71234
><subunit 1 of 1, 143 aa, 1 stop
><MW: 15624, pI: 9.58, NX(S/T): 0
MHHSLQCPGAATRHIHLCVCFSFALALGHFLLISLVGKGLSLSCGVGGRQAGLRLIRPWVRRE
GKINFYTNGDSWGLRPASSVKFLGSAYTFFSLTWHTLLKASQGFSLFLGSKYLELQEPSWSGP
CPPGQLHCTCGVLLSFL

Important features of the protein: Signal peptide: amino acids 1-28

344/615

FIGURE 341

PCT/US01/06520 WO 01/68848

345/615

FIGURE 342

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71269

><subunit 1 of 1, 220 aa, 1 stop ><MW: 24075, pI: 7.67, NX(S/T): 3

MAGLSRGSARALLAALLASTLLALLVSPARGRGGRDHGDWDEASRLPPLPPREDAARVAR FVTHVSDWGALATISTLEAVRGRPFADVLSLSDGPPGAGSGVPYFYLSPLQLSVSNLQEN PYATLTMTLAQTNFCKKHGFDPQSPLCVHIMLSGTVTKVNETEMDIAKHSLFIRHPEMKT WPSSHNWFFAKLNITNIWVLDYFGGPKIVTPEEYYNVTVQ

Important features of the protein:

Transmembrane domain:

Amino acids 11-29

N-glycosylation sites:

Amino acids 160-164;193-197;216-220

N-myristoylation sites:

Amino acids 3-9;7-13;69-75;97-103

FIGURE 343

GGCTGGACTGGAACTCCTGGTCCCAAGTGATCCACCCGCCTCAGCCTCCCAAGGTGCTGTGAT TATAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACTTTTTCAGCAACTAAAAAAGCCACAG AAAATCTGTTTTTTGTTCTCTTGTAACTAGCCTTTACCTTCCTAACACAGAGGATCTGTCACT GTGGCTCTGGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGT CCCCTCGAAGCCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAAC TGTCTCACGTCTGGAGGCACTGACTCGGGCAGTGCAGGTAGCTGAGCCTCTTGGTAGCTGCGG CTTTCAAGGTGGGCCTTGCCCTGGCCGTAGAAGGGAT**TGA**CAAGCCCGAAGATTTCATAGGCG ATGGCTCCCACTGCCCAGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGG CATGTCCTGCACATCACCTGATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCT TGAGTGAGCTGTGGCTCAGACCCAGAAGGGGTCTGCTTAGACCACCTGGTTTATGTGACAGGA TGCCAAATTATGGGTCAGAAAAGATGGAGGTGTTGGGTTATCACAAGGCATCGAGTCTCCTGC ATTCAGTGGACATGTGGGGGAAGGGCTGCCGATGGCGCATGACACTCGGGACTCACCTCTG GGGCCATCAGACAGCCGTTTCCGCCCCGATCCACGTACCAGCTGCTGAAGGGCAACTGCAGGC GGAAGGAGCAAGCAAAGTGACCATTTCTCCTCCCCTCCTTCCCTCTGAGAGGCCCTCCTATGT CCCTACTAAAGCCACCAGCAAGACATAGCTGACAGGGGCTAATGGCTCAGTGTTGGCCCAGGA GGTCAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCTGTGCGAACACGGAAATGCCTCCAGT AAGCACAGGCTGCAAAATCCCCAGGCAAAGGACTGTGTGGCTCAATTTAAATCATGTTCTAGT AATTGGAGCTGTCCCCAAGACCAAAGGAGCTAGAGCTTGGTTCAAATGATCTCCAAGGGCCCT TATACCCCAGGAGACTTTGATTTGAATTTGAAACCCCAAATCCAAACCTAAGAACCAGGTGCA TTAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACATTTTGGGAGGCCGAGGCG GGTAGATCACCTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCTGTCTC TACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATCCCAGCTACTCGGG AGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACAGGAGAATCACT **GTAA**

347/615

FIGURE 344

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71277
><subunit 1 of 1, 109 aa, 1 stop
><MW: 11822, pI: 8.63, NX(S/T): 0
MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTAS
PCWPLAGAVPSPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD

Signal peptide: amino acids 1-15

FIGURE 345

CCGCCGCCGCAGCCGCTACCGCCGCTGCAGCCGCTTTCCGCGGCCTGGGCCTCTCGCCGTCAG C<u>ATG</u>CCACACGCCTTCAAGCCCGGGGACTTGGTGTTCGCTAAGATGAAGGGCTACCCTCACTG CTTTTTCTTTGGCACACACGAAACAGCCTTCCTGGGACCCAAGGACCTGTTCCCCTACGACAA ATGTAAAGACAAGTACGGGAAGCCCAACAAGAGGAAAGGCTTCAATGAAGGGCTGTGGGAGAT CCAGAACAACCCCCACGCCAGCTACAGCGCCCCTCCGCCAGTGAGCTCCTCCGACAGCGAGGC CCCCGAGGCCAACCCCGCCGACGGCAGTGACGCTGACGAGGACGATGAGGACCGGGGGGTCAT GGCCGTCACAGCGGTAACCGCCACAGCTGCCAGCGACAGGATGGAGAGCGACTCAGACTCAGA CAAGAGTAGCGACAACAGTGGCCTGAAGAGGAAGACGCCTGCGCTAAAGATGTCGGTCTCGAA ACGAGCCCGAAAGGCCTCCAGCGACCTGGATCAGGCCAGCGTGTCCCCATCCGAAGAGAGAAA CTCGGAAAGCTCATCTGAGTCGGAGAAGACCAGCGACCAGGACTTCACACCTGAGAAGAAGC CTCCGACTCCGACTCCAAGGCCGATTCGGACGGGGCCAAGCCTGAGCCGGTGGCCATGGCGCG GTCGGCGTCCTCCTCCTCCTCCTCCTCCTCCGACTCCGATGTGTCTGTGAAGAAGCC TCCGAGGGCAGGAAGCCAGCGGAGAAGCCTCTCCCGAAGCCGCGAGGGCGGAAACCGAAGCC TGAACGGCCTCCGTCCAGCTCCAGCAGTGACAGTGACAGCGACGAGGTGGACCGCATCAGTGA GTGGAAGCGGCGGACGAGCCGGAGGCGCGAGCTGGAGGCCCGGCGGCGAGAGCAGGA CGACCGCGGGGAGGCTGAGCGGGGCAGCGGCGGCAGCAGCGGGAGGACGAGCTCAGGGAGGACGA TGAGCCCGTCAAGAAGCGGGGACGCAAGGGCCGGGGCCGGGGTCCCCCGTCCTCTGACTC CGAGCCCGAGGCCGAGCTGGAGAGAGAGGCCAAGAAATCAGCGAAGAAGCCGCAGTCCTCAAG CACAGAGCCCGCCAGGAAACCTGGCCAGAAGGAGAAGAGTGCGGCCCGAGGAGAAGCAACA AGCCAAGCCCGTGAAGGTGGAGCGGACCCGGAAGCGGTCCGAGGGCTTCTCGATGGACAGGAA GGTAGAGAAGAAGAAGCCCTCCGTGGAGGAGAAGCTGCAGAAGCTGCACAGTGAGATCAA GTTTGCCCTAAAGGTCGACAGCCCGGACGTGAAGAGGTGCCTGAATGCCCTAGAGGAGCTGGG AACCCTGCAGGTGACCTCTCAGATCCTCCAGAAGAACACAGACGTGGTGGCCACCTTGAAGAA GATTCGCCGTTACAAAGCGAACAAGGACGTAATGGAGAAGGCAGCAGAAGTCTATACCCGGCT CAAGTCGCGGGTCCTCGGCCCAAAGATCGAGGCGGTGCAGAAAGTGAACAAGGCTGGGATGGA GAAGGAGAAGCCGAGGAGAAGCTGGCCGGGGAGGACTGGCCGGGGAGGAGCCCCCCAGGA GAAGGCGGAGGACAAGCCCAGCACCGATCTCTCAGCCCCAGTGAATGGCGAGGCCACATCACA GTGTGGCTCCTCTGAAGACCTGCACGACAGCGTACGGGAGGGTCCCGACCTGGACAGGCCTGG GAGCGACCGGCAGGAGCGCGAGAGGGCACGGGGGGACTCGGAGGCCCTGGACGAGGAGAGC**TG** ${f \underline{A}}$ GCCGCGGGCAGCCAGCCCCGCCCGAGCTCAGGCTGCCCCTCTCCTTCCCCGGCTC GCAGGAGAGCAGAGAACTGTGGGGAACGCTGTGCTGTTTTGTATTTGTTCCCTTGGGTT TTTTTTTCCTGCCTAATTTCTGTGATTTCCAACCAACATGAAATGACTATAAACGGTTTTTTA **ATGA**

349/615

FIGURE 346

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71286

><subunit 1 of 1, 671 aa, 1 stop

><MW: 74317, pI: 7.61; NX(S/T): 0

MPHAFKPGDLVFAKMKGYPHWPARIDDIADGAVKPPPNKYPIFFFGTHETAFLGPKDLFPYDK
CKDKYGKPNKRKGFNEGLWEIQNNPHASYSAPPPVSSSDSEAPEANPADGSDADEDDEDRGVM
AVTAVTATAASDRMESDSDSDKSSDNSGLKRKTPALKMSVSKRARKASSDLDQASVSPSEEEN
SESSSESEKTSDQDFTPEKKAAVRAPRRGPLGGRKKKKAPSASDSDSKADSDGAKPEPVAMAR
SASSSSSSSSSSDSDVSVKKPPRGRKPAEKPLPKPRGRKPKPERPPSSSSSDSDSDEVDRISE
WKRRDEARRRELEARRRREQEEELRRLREQEKEEKERRERADRGEAERGSGGSSGDELREDD
EPVKKRGRKGRGRGPPSSSDSEPEAELEREAKKSAKKPQSSSTEPARKPGQKEKRVRPEEKQQ
AKPVKVERTRKRSEGFSMDRKVEKKKEPSVEEKLQKLHSEIKFALKVDSPDVKRCLNALEELG
TLQVTSQILQKNTDVVATLKKIRRYKANKDVMEKAAEVYTRLKSRVLGPKIEAVQKVNKAGME
KEKAEEKLAGEELAGEEAPQEKAEDKPSTDLSAPVNGEATSQKGESAEDKEHEEGRDSEEGPR
CGSSEDLHDSVREGPDLDRPGSDRQERERARGDSEALDEES

Signal peptide:

amino acids 1-13

FIGURE 347

GTTGGTTCTCCTGGATCTTCACCTTACCAACTGCAGATCTTGGGACTCATCAGCCTCAATAATTATATAAATTA ACACCATTTGAAAGAGAACATTGTTTTCATC<u>ATG</u>AATGCTAATAAAGATGAAAGACTTAAAGCCAGAAGCCAAGA TTTTCACCTTTTTCCTGCTTTGATGATGCTAAGCATGACCATGTTGTTTCTTCCAGTCACTGGCACTTTGAAGCA ${\tt AAATATTCCAAGACTCAAGCTAACCTACAAAGACTTGCTGCTTTCAAATAGCTGTATTCCCTTTTTTGGGTTCATC}$ CTTTCTACTCAGTCTGGTTGACTTAAACAAAAATTTTAAGAAGATTTATTGGCCTGCTACAAGGAACGGGTGGA ATTATGTAAATTAGCTGGGAAAGATGCCAATACAGAATGTGCAAATTTCATCAGAGTACTTCAGCCCTATAACAA AACTCACATATATGTGTGTGGAACTGGAGCATTTCATCCAATATGTGGGTATATTGATCTTGGAGTCTACAAGGA GGATATTATATTCAAACTAGACACACATAATTTGGAGTCTGGCAGACTGAAATGTCCTTTCGATCCTCAGCAGCC TTTTGCTTCAGTAATGACAGATGAGTACCTCTACTCTGGAACAGCTTCTGATTTCCTTGGCAAAGATACTGCATT CACTCGATCCCTTGGGCCTACTCATGACCACCACTACATCAGAACTGACATTTCAGAGCACTACTGGCTCAATGG AGCAAAATTTATTGGAACTTTCTTCATACCAGACACCTACAATCCAGATGATGATAAAATATATTTCTTCTTTCG TGAATCATCTCAAGAAGGCAGTACCTCCGATAAAACCATCCTTTCTCGAGTTGGAAGAGTTTGTAAGAATGATGT AGGAGGACAACGCAGCCTGATAAACAAGTGGACGACTTTTCTTAAGGCCAGACTGATTTGCTCAATTCCTGGAAG AGTATATGGAGTCTTTACTACAACCAGCTCCATCTTCAAAGGCTCTGCTGTTTGTGTGTATAGCATGGCTGACAT CAGAGCAGTTTTTAATGGTCCATATGCTCATAAGGAAAGTGCAGACCATCGTTGGGTGCAGTATGATGGGAGAAT TCCTTATCCACGGCCTGGTACATGTCCAAGCAAAACCTATGACCCACTGATTAAGTCCACCCGAGATTTTCCAGA TGATGTCATCAGTTTCATAAAGCGGCACTCTGTGATGTATAAGTCCGTATACCCAGTTGCAGGAGGACCAACGTT CAAGAGAATCAATGTGGATTACAGACTGACACAGATAGTGGTGGATCATGTCATTGCAGAAGATGGCCAGTACGA TGTAATGTTTCTTGGAACAGACATTGGAACTGTCCTCAAAGTTGTCAGCATTTCAAAGGAAAAGTGGAATATGGA GCAACAATTGTACATTGGTTCCCGAGATGGATTAGTTCAGCTCTCCTTGCACAGATGCGACACTTATGGGAAAGC TTCTAAAAGGAGAGCTAGACGCCAAGATGTAAAATATGGCGACCCAATCACCCAGTGCTGGGACATCGAAGACAG CATTAGTCATGAAACTGCTGATGAAAAGGTGATTTTTGGCATTGAATTTAACTCAACCTTTCTGGAATGTATACC TAAATCCCAACAAGCAACTATTAAATGGTATATCCAGAGGTCAGGGGATGAGCATCGAGAGGAGTTGAAGCCCGA TGAAAGAATCATCAAAACGGAATATGGGCTACTGATTCGAAGTTTGCAGAAGAAGAAGGATTCTGGGATGTATTACTG CAAAGCCCAGGAGCACACTTTCATCCACACCATAGTGAAGCTGACTTTGAATGTCATTGAGAATGAACAGATGGA AAATACCCAGAGGCCAGAGCATGAGGAGGGGCAGGTCAAGGATCTATTGGCTGAGTCACGGTTGAGATACAAAGA $\tt CTACATCCAAATCCTTAGCAGCCCAAACTTCAGCCTCGACCAGTACTGCGAACAGATGTGGCACAGGGAGAAGCG$ GAGACAGAGAAACAAGGGGGGCCCAAAGTGGAAGCACATGCAGGAAATGAAGAAGAAACGAAATCGAAGACATCA CAGAGACCTGGATGAGCTCCCTAGAGCTGTAGCCACGTAGTTTTCTACTTAATTTAAAGAAAAGAATTCCTTACC TATAAAAACATTGCCTTCTGTTTTGTATATCCCTTATAGTAATTCATAAATGCTTCCCATGGAGTTTTGCTAAGG CACAAGACAATAATCTGAATAAGACAATATGTGATGAATATAAGAAAGGGCAAAAAATTCATTTGAACCAGTTTT CCAAGAACAAATCTTGCACAAGCAAAGTATAAGAATTATCCTAAAAATAGGGGGGTTTACAGTTGTAAATGTTTTA GCTTTATTCCCTCGAATGTCCATTAAGCATGGAATTTACCATGCAGTTGTGCTATGTTCTTATGAACAGATATAT CATTCCTATTGAGAACCAGCTACCTTGTGGTAGGGAATAAGAGGTCAGACAAATTAAGACAACTCCCATTATC TGGCCACTGGGGTTAAATTTAGTGTACTACAACATTGATTTACTGAAGGGCACTAATGTTTCCCCCAGGATTTCT ATTGACTAGTCAGGAGTAACAGGTTCACAGAGAGAGTTGGTGCTTAGTTATGTGTTTTTTAGAGTATATACTAA GCTCTACAGGGACAGAATGCTTAATAAATACTTTAATAAGATATGGGAAAATATTTTAATAAAACAAGGAAAACA TAATGATGTATAATGCATCCTGATGGGAAGGCATGCAGATGGGATTTGTTAGAAGACAGAAGGAAAGACAGCCAT AAATTCTGGCTTTGGGGAAAACTCATATCCCCATGAAAAGGAAGAACAATCACAAATAAAGTGAGAGTAATGTAA CTTTATTCTCTCTGTATATTGGATTTTGTGATTATATTTGAGTGAATAGGAGAAAACAATATATAACACACAGA AACGGAAAGGGTTAAATTAACTCTTTGACATCTTCACTCAACCTTTTCTCATTGCTGAGTTAATCTGTTGTAATT GTAGTATTGTTTTTGTAATTTAACAATAAATAAGCCTGCTACATGT

351/615

FIGURE 348

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71883

><subunit 1 of 1, 777 aa, 1 stop

><MW: 89651, pI: 7.97, NX(S/T): 3

MNANKDERLKARSQDFHLFPALMMLSMTMLFLPVTGTLKQNIPRLKLTYKDLLLSNSCIPFLG
SSEGLDFQTLLLDEERGRLLLGAKDHIFLLSLVDLNKNFKKIYWPAAKERVELCKLAGKDANT
ECANFIRVLQPYNKTHIYVCGTGAFHPICGYIDLGVYKEDIIFKLDTHNLESGRLKCPFDPQQ
PFASVMTDEYLYSGTASDFLGKDTAFTRSLGPTHDHHYIRTDISEHYWLNGAKFIGTFFIPDT
YNPDDDKIYFFFRESSQEGSTSDKTILSRVGRVCKNDVGGQRSLINKWTTFLKARLICSIPGS
DGADTYFDELQDIYLLPTRDERNPVVYGVFTTTSSIFKGSAVCVYSMADIRAVFNGPYAHKES
ADHRWVQYDGRIPYPRPGTCPSKTYDPLIKSTRDFPDDVISFIKRHSVMYKSVYPVAGGPTFK
RINVDYRLTQIVVDHVIAEDGQYDVMFLGTDIGTVLKVVSISKEKWNMEEVVLEELQIFKHSS
IILNMELSLKQQQLYIGSRDGLVQLSLHRCDTYGKACADCCLARDPYCAWDGNACSRYAPTSK
RRARRQDVKYGDPITQCWDIEDSISHETADEKVIFGIEFNSTFLECIPKSQQATIKWYIQRSG
DEHREELKPDERIIKTEYGLLIRSLQKKDSGMYYCKAQEHTFIHTIVKLTLNVIENEQMENTQ
RAEHEEGQVKDLLAESRLRYKDYIQILSSPNFSLDQYCEQMWHREKRRQRNKGGPKWKHMQEM
KKKRNRRHHRDLDELPRAVAT

Important features of the protein:

Signal peptide:

amino acids 1-36

N-glycosylation sites.

amino acids 139-142, 607-610, 724-727

Tyrosine kinase phosphorylation site.

amino acids 571-576

Gram-positive cocci surface proteins 'anchoring' hexapeptide.

amino acids 32-37

FIGURE 349

CCCTGACCTCCCTGAGCCACACTGAGCTGGAAGCCGCAGAGGTCATCCTGGAGCATGCCCACCGCGGGGAGCAGA GTGGCCTGGAGAAAGAGGTTCAGCGCTTGACCAGCCGAGCTGCCCGTGACTACAAGATCCAGAACCATGGGCATC AGCCATTGAGGGTGTCATGGAGCTACAGAGGGGAGGGAAAGGTATTTTAAGGTAACAGTGTGGCACAATAGTTAA ${\tt AGGGAAGATTAAATGACATAATGTATGTG} \underline{{\tt ATG}} {\tt CAACTAGCAAAGTACCAGTCCCATAGTAAGTCATGCCCCACAG}$ TATTTCCACCCACCCTGTTCTCTGCCTTCCCAACCAGGTACTGCAACGACTGGAGCAGAGGCGGCAGCAGGCTT CAGAGCGGGAGGCTCCAAGCATAGAACAGAGGTTACAGGAAGTGCGAGAGAGCATCCGCCGGCCACAGGTGAGCC TGACCCAGGCCCAGGATGAGGTGGAGCAGGAGCGGCGCTCAGTGAGGCTCGGCTGTCCCAGAGGGACCTCTCTC CAACCGCTGAGGATGCTGAGCTTTCTGACTTTGAGGAATGTGAGGAGACGGGAGAGCTCTTTGAGGAGCCTGCCC GTGCAGAGGAGCTGAGCTTCCCTGAGGGGGGCACTCATCCGTCTGCCCCGGGCCCAAGATGGAGTAGATGACG $\texttt{CAGATCCCCTCACC} \underline{\textbf{TGA}} \texttt{AGGCCAGGGAAGCCTTGACCCCCAGTGATGCTGCCCTATCTTCAAGCTGTCAGA}$ ${\tt CCACACCATCAATGATCCAGAGCAACACAGCCAAAAGCTGGAATCGCCCTTATTTCCACCCTCACCTCCAAGGGT}$ GGAACTACTTCTCTCTCTGTCATGACCCTATCTAGGGTGGTGAAATGCCTGAAATCTCTGGGGCTGGAAACC $\tt CTGTAATGGTCTGAGCGGATTTATTGACAATGAATAAAGGGCACGAAGGCCAGGCCAGGGCCTGGGCCTCTTGTG$ $\tt TGAGGGGCTGTGACCTCTGAGGCCCCCAGCCTGAGACTGTGCAACTCCAGGTGGAAGTAGAGCTGGTCCCTC$ AGCTGGGGGGCAGTGCTGTCCAGTGGAGGGGGGGGCTTTCACGCCCACCCCCCTGGCCCTGCCAGCTGGTAG TCCATCAGCACAATGAAGGAGAACTTGGAGAAGAAGAATAACACTGTTGCTTCCTGTTCAAGCTGTGTCCAGC TTTTCCCCTGGGGCTCCAGGACCTTCCCTACCTCCACCACCAAACCAAGGGATTTATAGCAAAGGCTAAGCCTGC AGTTTACTCTGGGGGGTTCAGGGAGCCGAAAGGCTTAAATAGTTTAAGTAGGTGATGGGAAGATGAGATTACCTCA TTTAGGGCTCAGGCAGACTCACCTCACATACTCCCTGCTCCCTGTGGTAGAGACACCTGAGAGAAAGGGGGAGGGG TCAACAATGAGAGACCAGGAGTAGGTCCTATCAGTGCCCCCCAGAGTAGAGAGCAATAAGAGCCCAGCCCAGTGC AGTCCCGGCTGTGTTTTCCTACCTGGTGATCAGAAGTGTCTGGTTTGCTTGGCTGCCCATTTGCCTCTTGAGTGG GCAGCCCTGGGCTTGGGCCCCTCCGGCCCTCAGTGTTGGCTCTGCAGAAGCTCTGGGGTTCCCTTCAAGTG TCTCAGGGGGCAGCCTCTCCATGGCAGGCATCCCTGCCTTGGGCTGCCCTCCCCCAGACCCCTGACCACCCCTG AGATTGTGGGGCACATTGTGTAGCCTGACTTCTGCTGGAGCTCCCAGTCCAGGAGAAAGAGCCAAGGCCCACTT TTGGGATCAGGTGCCTGATCACTGGGCCCCCTACCTCAGCCCCCCTTTCCCTGGAGCACCTGCCCACCTGCCCA GCCTCTTGCTGCGGCTGCAATGGATGCAAGGGGCTGCAGAGCCCCAGGTGCACTGTGATGATGGGAGGGGGCTC ${\tt TCATGTTTGTTTCTTACGTTCTTTCAGCATGCTCCTTAAAACCCCAGAAGCCCCAATTTCCCCAAGCCCCATTT}$ TTTCTTGTCTTATCTAATAAACTCAATATTAAG

FIGURE 350

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73401

><subunit 1 of 1, 370 aa, 1 stop ><MW: 40685, pI: 4.53, NX(S/T): 0

MQLAKYQSHSKSCPTVFPPTPVLCLPNQVLQRLEQRRQQASEREAPSIEQRLQEVRESIRRAQ ${\tt VSQVKGAARLALLQGAGLDVERWLKPAMTQAQDEVEQERRLSEARLSQRDLSPTAEDAELSDF}$ EECEETGELFEEPAPQALATRALPCPAHVVFRYQAGREDELTITEGEWLEVIEEGDADEWVKA ${\tt RNQHGEVGFVPERYLNFPDLSLPESSQDSDNPCGAEPTAFLAQALYSYTGQSAEELSFPEGAL}$ IRLLPRAQDGVDDGFWRGEFGGRVGVFPSLLVEELLGPPGPPELSDPEQMLPSPSPPSFSPPA PTSVLDGPPAPVLPGDKALDFPGFLDMMAPRLRPMRPPPPPPAKAPDPGHPDPLT



FIGURE 351A

CACAGGGAGACCCACAGACACATATGCACGAGAGAGACAGAGGAGGAGAAAGAGACAAAGGCACAGCGGAA GAAGGCAGAGACAGGCAGGCACAGAAGCCGCCCAGACAGAGTCCTACAGAGGGGAGAGGCCAGAGAAGCTGCAGA AGACACAGGCAGGGAGAGACAAAGATCCAGGAAAGGAGGGCTCAGGAGGAGAGTTTGGAGAAGCCAGACCCCTGG GCACCTCTCCCAAGCCCAAGGACTAAGTTTTCTCCATTTCCTTTAACGGTCCTCAGCCCTTCTGAAAACTTTGCC ${\tt TCTGACCTTGGCAGGAGTCCAAGCCCCCAGGCTACAGAGAGGAGCTTTCCAAAGCTAGGGTGTGGAGGACTTGGT}$ GCCCTAGACGGCCTCAGTCCCTCCCAGCTGCAGTACCAGTGCCATGTCCCAGACAGGCTCGCATCCCGGGAGGGG GCTGCTTCTGCTACTGCTCTCTCTCTCCCCCCCGGCTGGCCAGCCCCCTCCCCCGGGAGGAGGAGAT CGTGTTTCCAGAGAAGCTCAACGGCAGCGTCCTGCCTGGCTCGGGCGCCCCTGCCAGGCTGTTGTGCCGCTTGCA GGCCTTTGGGGAGACGCTGCTACTAGAGCTGGAGCAGGACTCCGGTGTGCAGGTCGAGGGGCTGACAGTGCAGTA GGAGTCGGTGGCATCTCTGCACTGGGATGGGGGAGCCCTGTTAGGCGTGTTACAATATCGGGGGGCTGAACTCCA TGCCAGCGGTCAAGGTCCCATGTGCAACGTCAAGGCTCCTTTGGAAGCCCCAGCCCCAGACCCCGAAGAGCCCA GCGCTTTGCTTCACTGAGTAGATTTGTGGAGACACTGGTGGTGGCAGATGACAAGATGGCCGCATTCCACGGTGC GGGGCTAAAGCGCTACCTGCTAACAGTGATGGCAGCAGCCAAGGCCTTCAAGCACCCAAGCATCCGCAATCC TGTCAGCTTGGTGGTGACTCGGCTAGTGATCCTGGGGTCAGGCGAGGGGGCCCCAAGTGGGGCCCAGTGCTGC CCAGACCCTGCGCAGCTTCTGTGCCTGGCAGCGGGGCCTCAACACCCCTGAGGACTCGGGCCCTGACCACTTTGA TGAACTGGGTCATGTCTTCAACATGCTCCATGACAACTCCAAGCCATGCATCAGTTTGAATGGGCCTTTGAGCAC $\tt CTCTCGCCATGTCATGGCCCCTGTGATGGCTCATGTGGATCCTGAGGAGCCCTGGTCCCCTGCAGTGCCCGCTT$ CATCACTGACTTCCTGGACAATGGCTATGGGCACTGTCTCTTAGACAAACCAGAGGCTCCATTGCATCTGCCTGT GACTTTCCCTGGCAAGGACTATGATGCTGACCGCCAGTGCCAGCTGACCTTCGGGCCCGACTCACGCCATTGTCC ACAGCTGCCGCCCTGTGCTGCCCTCTGGTGCTCTGGCCACCTCAATGGCCATGCCATGTGCCAGACCAAACA TGGGGGTGTCTCCAGTTCTCCCCGAGACTGCACGAGGCCTGTCCCCCGGAATGGTGCAAGTACTGTGAGGG GTGTGCTGCCTACAACCACCGCACCGCACCTCTTCAAGAGCTTCCCAGGGCCCATGGACTGGGTTCCTCGCTACAC AGGCGTGGCCCCCAGGACCAGTGCAAACTCACCTGCCAGGCCCGGGCACTGGGCTACTACTATGTGCTGGAGCC ACGGGTGGTAGATGGGACCCCCTGTTCCCCGGACAGCTCCTCGGTCTGTGTCCAGGGCCGATGCATCCATGCTGG CTGTGATCGCATCATTGGCTCCAAGAAGAAGTTTGACAAGTGCATGGTGTGCGGAGGGGACGGTTCTGGTTGCAG CATTCTTGTCCGGCAGCAGGGAAACCCTGGCCACCGGAGCATCTACTTGGCCCTGAAGCTGCCAGATGGCTCCTA TGCCCTCAATGGTGAATACACGCTGATGCCCTCCCCCACAGATGTGGTACTGCCTGGGGCAGTCAGCTTGCGCTA CAGCGGGGCCACTGCAGCCTCAGAGACACTGTCAGGCCATGGGCCACTGGCCCAGCCTTTGACACTGCAAGTCCT AGTGGCTGGCAACCCCCAGGACACACGCCTCCGATACAGCTTCTTCGTGCCCCGGCCGACCCCTTCAACGCCACG CCCCACTCCCCAGGACTGGCTGCACCGAAGAGCACAGATTCTGGAGATCCTTCGGCGGCGCCCCTGGGCGGCAG CTGTTGCTGCCTCATGCTAAGACTCAGTGGGGAGGGGCTGTGGGCGTGAGACCTGCCCCTCCTCTCTCCCCTAAT CCTGACCCCTGACCCCTCATAGCCCTCACCCTGGGGCTAGGAAATCCAGGGTGGTGGTGATAGGTATAAGTGGTG TTCCTGAATTTTATTTTTTGGGAAAAGAAAAGTCAAGGGTAGGGTGGGCCTTCAGGGAGTGAGGGATTATCTTTT TTTTTTTTTTTTTTTTTTTTTTTTTTTGAGACAGATCTCGCTCTGTCGCCCAGGCTGGAGTGCAATG ACCAGGGCTGGAATGATTTCAGCTCACTGCAACCTTCGCCACCTGGGTTCCAGCAATTCTCCTGCCTCAGCCTCC ${\tt CGAGTAGCTGAGATTATAGGCACCTACCACCACGCCCGGCTAATTTTTGTATTTTTAGTAGAGACGGGGTTTCAC}$ ${\tt ACAGGCGTGAGCCACCGTGCCACCCAACTAATTTTTGTATTTTTAGTAGAGACAGGGTTTCACCATGT}$ TGGCCAGGCTGCTCTTGAACTCCTGACCTCAGGTAATCGACCTGCCTCGGCCTCCCAAAGTGCTGGGATTACAGG

355/615

FIGURE 351B

356/615

FIGURE 352

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73492

><subunit 1 of 1, 837 aa, 1 stop

><MW: 90167, pI: 8.39, NX(S/T): 1

MSQTGSHPGRGLAGRWLWGAQPCLLLPIVPLSWLVWLLLLLLASLLPSARLASPLPREEEIVF
PEKLNGSVLPGSGAPARLLCRLQAFGETLLLELEQDSGVQVEGLTVQYLGQAPELLGGAEPGT
YLTGTINGDPESVASLHWDGGALLGVLQYRGAELHLQPLEGGTPNSAGGPGAHILRRKSPASG
QGPMCNVKAPLGSPSPRPRRAKRFASLSRFVETLVVADDKMAAFHGAGLKRYLLTVMAAAAKA
FKHPSIRNPVSLVVTRLVILGSGEEGPQVGPSAAQTLRSFCAWQRGLNTPEDSGPDHFDTAIL
FTRQDLCGVSTCDTLGMADVGTVCDPARSCAIVEDDGLQSAFTAAHELGHVFNMLHDNSKPCI
SLNGPLSTSRHVMAPVMAHVDPEEPWSPCSARFITDFLDNGYGHCLLDKPEAPLHLPVTFPGK
DYDADRQCQLTFGPDSRHCPQLPPPCAALWCSGHLNGHAMCQTKHSPWADGTPCGPAQACMGG
RCLHMDQLQDFNIPQAGGWGPWGPWGDCSRTCGGGVQFSSRDCTRPVPRNGGKYCEGRRTRFR
SCNTEDCPTGSALTFREEQCAAYNHRTDLFKSFPGPMDWVPRYTGVAPQDQCKLTCQARALGY
YYVLEPRVVDGTPCSPDSSSVCVQGRCIHAGCDRIIGSKKKFDKCMVCGGDGSGCSKQSGSFR
KFRYGYNNVVTIPAGATHILVRQQGNPGHRSIYLALKLPDGSYALNGEYTLMPSPTDVVLPGA
VSLRYSGATAASETLSGHGPLAQPLTLQVLVAGNPQDTRLRYSFFVPRPTPSTPRPTPQDWLH
RRAQILEILRRRPWAGRK

Important features of the protein:

Signal peptide:

amino acids 1-48

N-glycosylation site.

amino acids 68-71

Glycosaminoglycan attachment site

amino acids 188-191, 772-775

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 182-185

Tyrosine kinase phosphorylation site.

amino acids 730-736

N-myristoylation sites.

amino acids 5-10, 19-24, 121-126, 125-130, 130-135, 147-152, 167-172, 168-173, 174-179, 323-328, 352-357, 539-544, 555-560, 577-582, 679-684, 682-687, 763-768

Amidation sites.

amino acids 560-563, 834-837

Leucine zipper pattern.

amino acids 17-38, 24-45

Neutral zinc metallopeptidases, zinc-binding region signature.

amino acids 358-367

FIGURE 353

GCGGAACTGGCTCCGGCTGGCACCTGAGGAGCGGCGTGACCCCGAGGGCCCCAGGGAGCTGCCC GGCTGGCCTAGGCAGCCAGCCACCATGGCCAGCACGGCCGTGCAGCTTCTGGGCTTCCTGC TCAGCTTCCTGGGCATGGTGGGCACGTTGATCACCACCATCCTGCCGCACTGGCGGAGGACAG TGTGGCACAGCACAGGCATCTACCAGTGCCAGATCTACCGATCCCTGCTGGCGCTGCCCCAAG GCGCCGTCATCGGGATGAAGTGCACGCGCTGCGCCAAGGGCCACCCCGCCAAGACCACCTTTG CCATCCTCGGCGGCACCCTCTTCATCCTGGCCGGCCTCCTGTGCATGGTGGCCGTCTCCTGGA CCACCAACGACGTGGTGCAGAACTTCTACAACCCGCTGCTGCCCAGCGGCATGAAGTTTGAGA $\tt TTGGCCAGGCCCTGTACCTGGGCTTCATCTCCTCGTCCCTCTCGCTCATTGGTGGCACCCTGC$ TTTGCCTGTCCTGCCAGGACGAGGCACCCTACAGGCCCTACCAGGCCCCGCCCAGGGCCACCA CGACCACTGCAAACACCGCACCTGCCTACCAGCCACCAGCTGCCTACAAAGACAATCGGGCCC $\verb|CCTCAGTGACCTCGGCCACGCACAGCGGGTACAGGCTGAACGACTACGTG| \textbf{TGA} \\ \texttt{GTCCCCACAG} \\$ TTCCAGCACAAAGTTTACTTCTGGGCAATTTTTGTATCCAAGGAAATAATGTGAATGCGAGGA AATGTCTTTAGAGCACAGGGACAGAGGGGGGAAATAAGAGGGGGGAAAAGCTCTCTATACCAAA TAACAAGTTTAATATAAAGTGACTTGGGAGTTTGGTCAGTGGGGTTTGGTTTGTGATCCAGGAA

FIGURE 354

MASTAVQLLGFLLSFLGMVGTLITTILPHWRRTAHVGTNILTAVSYLKGLWMECVWHSTGIYQ CQIYRSLLALPQDLQAARALMVISCLLSGIACACAVIGMKCTRCAKGTPAKTTFAILGGTLFI LAGLLCMVAVSWTTNDVVQNFYNPLLPSGMKFEIGQALYLGFISSSLSLIGGTLLCLSCQDEA PYRPYQAPPRATTTTANTAPAYQPPAAYKDNRAPSVTSATHSGYRLNDYV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domains:

amino acids 82-103, 115-141, 160-182

FIGURE 355

GAGCTCCCCTCAGGAGCGCGTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGC AGGCGGCAGGCGGCCGGCCAGGATCATGCCCACCACCACGTGCCAAGTGGTGGCGTTCCTCC TGTCCATCCTGGGGCTGGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCACCCAGG ACCTGTACGACAACCCCGTCACCTCCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGA GGCAGAGTTCAGGCTTCACCGAATGCAGGCCCTATTTCACCATCCTGGGACTTCCAGCCATGC TGCAGGCAGTGCGAGCCCTGATGATCGTAGGCATCGTCCTGGGTGCCATTGGCCTCCTGGTAT CCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTGCCAAAGCCAACATGA CACTGACCTCCGGGATCATGTTCATTGTCTCAGGTCTTTGTGCAATTGCTGGAGTGTCTGTGT TTGCCAACATGCTGGTGACTAACTTCTGGATGTCCACAGCTAACATGTACACCGGCATGGGTG GGATGGTGCAGACTGTTCAGACCAGGTACACATTTGGTGCGGCTCTGTTCGTGGGCTGGGTCG CTGGAGGCCTCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCCTGGCACCAG AAGAAACCAACTACAAAGCCGTTTCTTATCATGCCTCAGGCCACAGTGTTGCCTACAAGCCTG GAGGCTTCAAGGCCAGCACTGGCTTTGGGTCCAACACCAAAAACAAGAAGATATACGATGGAG GTGCCCGCACAGAGGACGAGGTACAATCTTATCCTTCCAAGCACGACTATGTGTAATGCTCTA AGACCTCTCAGCACGGGCGGAAGAAACTCCCGGAGAGCTCACCCAAAAAACAAGGAGATCCCA TCTAGATTTCTTCTTGCTTTTGACTCACAGCTGGAAGTTAGAAAAGCCTCGATTTCATCTTTG GAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCCACCATAAAACAGCTGAG TTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTAAATATAA ACTCCCCCTCTTCCTCCTAGTCAATAAACCCATTGATGATCTATTTCCCAGCTTATCCCCAAG AAAACTTTTGAAAGGAAAGATAGACCCAAAGATGTTATTTTCTGCTGTTTTGAATTTTTGTCTC CCCACCCCAACTTGGCTAGTAATAAACACTTACTGAAGAAGAAGCAATAAGAGAAAGATATT TGTAATCTCTCCAGCCCATGATCTCGGTTTTCTTACACTGTGATCTTAAAAGTTACCAAACCA AAGTCATTTTCAGTTTGAGGCAACCAAACCTTTCTACTGCTGTTGACATCTTCTTATTACAGC AACACCATTCTAGGAGTTTCCTGAGCTCTCCACTGGAGTCCTCTTTCTGTCGCGGGTCAGAAA TTGTCCCTAGATGAATGAGAAAATTATTTTTTTTAATTTAAGTCCTAAATATAGTTAAAATAA ATAATGTTTTAGTAAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAG AAGGAAATGAAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAA GTACAAATTCCATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGG ATCACTTGAGCCCAGAAGTTCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAA ATACAGAGAGAAAAAATCAGCCAGTCATGGTGGCATACACCTGTAGTCCCAGCATTCCGGGAG GCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGTTGGGGCTGCAGTGAGCCATGATCACACC ACACAGCAAGTCCTAGGAAGTAGGTTAAAACTAATTCTTTAA

360/615

FIGURE 356

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73734

><subunit 1 of 1, 261 aa, 1 stop

><MW: 27856, pI: 8.50, NX(S/T): 1

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLWRSCVRQSSGFTEC RPYFTILGLPAMLQAVRALMIVGIVLGAIGLLVSIFALKCIRIGSMEDSAKANMTLTSGIMFI VSGLCAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGG VMMCIACRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQ SYPSKHDYV

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

FIGURE 357

GGAAAAACTGTTCTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCCGG AGTCCAGCTGGCTAAAACTCATCCCAGAGGATAATCGCCAACCCATGCCTTAGAAATCGCTGGG CTGTTTCTTGGTGGTGTTGGAATGGTGGCACAGTGGCTGTCACTGTCATGCCTCAGTGGAGA GTGTCGGCCTTCATTGAAAACAACATCGTGGTTTTTTGAAAACTTCTGGGAAGGACTGTGGATG AATTGCGTGAGGCAGGCTAACATCAGGATGCAGTGCAAAATCTATGATTCCCTGCTGGCTCTT TCTCCGGACCTACAGGCAGCCAGAGGACTGATGTGTGCTGCTTCCGTGATGTCCTTCTTGGCT TTCATGATGGCCATCCTTGGCATGAAATGCACCAGGTGCACGGGGGACAATGAGAAGGTGAAG GCTCACATTCTGCTGACGGCTGGAATCATCTTCATCACCGGGCATGGTGGTGCTCATCCCT GTGAGCTGGGTTGCCAATGCCATCATCAGAGATTTCTATAACTCAATAGTGAATGTTGCCCAA AAACGTGAGCTTGGAGAAGCTCTCTACTTAGGATGGACCACGGCACTGGTGCTGATTGTTGGA GGAGCTCTGTTCTGCTGCGTTTTTTGTTGCAACGAAAAGAGCAGTAGCTACAGATACTCGATA CCTTCCCATCGCACAACCCAAAAAAGTTATCACACCGGAAAGAAGTCACCGAGCGTCTACTCC AGAAGTCAGTATGTGTATGTTTTTTTTTAACTTTACTATAAAGCCATGCAAATGACA AAAATCTATATTACTTTCTCAAAATGGACCCCAAAGAAACTTTGATTTACTGTTCTTAACTGC CTAATCTTAATTACAGGAACTGTGCATCAGCTATTTATGATTCTATAAGCTATTTCAGCAGAA TGAGATATTAAACCCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGG TTCAAGCATCTACTCTTTTTATCATTTACTTCAAAATGACATTGCTAAAGACTGCATTATTTT ACTACTGTAATTTCTCCACGACATAGCATTATGTACATAGATGAGTGTAACATTTATATCTCA CATAGAGACATGCTTATATGGTTTTATTTAAAATGAAATGCCAGTCCATTACACTGAATAAAT AGAACTCAACTATTGCTTTTCAGGGAAATCATGGATAGGGTTGAAGAAGGTTACTATTAATTG TTTAAAAACAGCTTAGGGATTAATGTCCTCCATTTATAATGAAGATTAAAATGAAGGCTTTAA TCAGCATTGTAAAGGAAATTGAATGGCTTTCTGATATGCTGTTTTTTAGCCTAGGAGTTAGAA TTTAAAACGCAGATATTTTGTCAAGGGGCTTTGCATTCAAACTGCTTTTCCAGGGCTATACTC AGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTTAGGAAAAGTGAAAATATTTTT GTCTTGGTTTTCATTTGCTTACCAAAAAAACAACAACAAAAAAAGTTGTCCTTTGAGAACTTC CTTCTTGTACCATTTCTGTTTAGTTTTACTAAAATCTGTAAATACTGTATTTTTCTGTTTATT GAATGTGTTCTATTTGCTTTATACATTTATATTAATAAATTGTACATTTTTCTAATT

362/615

FIGURE 358

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73735</pre>

><subunit 1 of 1, 225 aa, 1 stop

><MW: 24845, pI: 9.07, NX(S/T): 0

MATHALEIAGLFLGGVGMVGTVAVTVMPQWRVSAFIENNIVVFENFWEGLWMNCVRQANIRMQ CKIYDSLLALSPDLQAARGLMCAASVMSFLAFMMAILGMKCTRCTGDNEKVKAHILLTAGIIF IITGMVVLIPVSWVANAIIRDFYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCCN EKSSSYRYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

FIGURE 359

364/615

FIGURE 360

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73742

><subunit 1 of 1, 148 aa, 1 stop

><MW: 17183, pI: 8.77, NX(S/T): 0

MAASPARPAVLALTGLALLLLCWGPGGISGNKLKLMLQKREAPVPTKTKVAVDENKAKEFLG SLKRQKRQLWDRTRPEVQQWYQQFLYMGFDEAKFEDDITYWLNRDRNGHEYYGDYYQRHYDED SAIGPRSPYGFRHGASVNYDDY

Signal peptide:

amino acids 1-30

FIGURE 361

366/615

FIGURE 362

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73746

><subunit 1 of 1, 148 aa, 1 stop

><MW: 16896, pI: 6.05, NX(S/T): 1

MTKALLIYLVSSFLALNQASLISRCDLAQVLQLEDLDGFEGYSLSDWLCLAFVESKFNISKIN ENADGSFDYGLFQINSHYWCNDYKSYSENLCHVDCQDLLNPNLLAGIHCAKRIVSGARGMNNW VEWRLHCSGRPLSYWLTGCRLR

Signal peptide:

amino acids 1-18

FIGURE 363

TCTGACCTGACTGGAAGCGTCCAAAGAGGGACGCTGTCAGCCCTGCTTGACTGAGAACCCAC TTGAAGTCCCTGTGAATGGGCTTTCAGAAGGCAATTAAAGAAATCCACTCAGAGAGGACTTGG GGTGAAACTTGGGTCCTGTGGTTTTCTGATTGTAAGTGGAAGCAGGTCTTGCACACGCTGTTG GCAAATGTCAGGACCAGGTTAAGTGACTGGCAGAAAAACTTCCAGGTGGAACAAGCAACCCAT. GTTCTGCTGCAAGCTTGAAGGAGCCTGGAGCGGAGAAAGCTAACTTGAACATGACCTGTTGC ATTTGGCAAGTTCTAGCAAC**ATG**CTCCTAAGGAAGCGATACAGGCACAGACCATGCAGACTCC AGTTCCTCCTGCTGCTCCTGATGCTGGGATGCGTCCTGATGATGGTGGCGATGTTGCACCCTC CCCACCACACCCTGCACCAGACTGTCACAGCCCAAGCCAGCACAGCCCTGAAGCCAGGT ACCGCCTGGACTTTGGGGAATCCCAGGATTGGGTACTGGAAGCTGAGGATGAGGGTGAAGAGT ACAGCCCTCTGGAGGGCCTGCCACCCTTTATCTCACTGCGGGAGGATCAGCTGCTGGTGGCCG TGGCCTTACCCCAGGCCAGAAGGAACCAGAGCCAGGGCAGGAGAGGTGGGAGCTACCGCCTCA TCAAGCAGCCAAGGAGGCAGGATAAGGAAGCCCCAAAGAGGGACTGGGGGGGCTGATGAGGACG GGGAGGTGTCTGAAGAAGAGGAGTTGACCCCGTTCAGCCTGGACCCACGTGGCCTCCAGGAGG ${\tt CACTCAGTGCCCGCATCCCCTCCAGAGGGCTCTGCCCGAGGTGCGGCACCCACTGTGTCTGC}$ AGCAGCACCCTCAGGACAGCCTGCCCACAGCCAGCGTCATCCTGTTTCCATGATGAGGCCT GGTCCACTCTCCTGCGGACTGTACACAGCATCCTCGACAGGTGCCCAGGGCCTTCCTGAAGG AGATCATCCTCGTGGACGACCTCAGCCAGCAAGGACAACTCAAGTCTGCTCTCAGCGAATATG TGGCCAGGCTGGAGGGGTGAAGTTACTCAGGAGCAACAAGAGGCTGGGTGCCATCAGGGCCC GGATGCTGGGGGCCACCAGAGCCACCGGGGATGTGCTCGTCTTCATGGATGCCCACTGCGAGT GCCACCCAGGCTGGCTGGAGCCCCTCCTCAGCAGAATAGCTGGTGACAGGAGCCGAGTGGTAT CTCCGGTGATAGATGTGATTGACTGGAAGACTTTCCAGTATTACCCCTCAAAGGACCTGCAGC GTGGGGTGTTGGACTGGAAGCTGGATTTCCACTGGGAACCTTTGCCAGAGCATGTGAGGAAGG CCCTCCAGTCCCCATAAGCCCCATCAGGAGCCCTGTGGTGCCCGGAGAGGTGGTGGCCATGG ACAGACATTACTTCCAAAACACTGGAGCGTATGACTCTCTTATGTCGCTGCGAGGTGGTGAAA ACCTCGAACTGTCTTTCAAGGCCTGGCTCTGTGGTGGCTCTGTTGAAATCCTTCCCTGCTCTC GGGTAGGACACATCTACCAAAATCAGGATTCCCATTCCCCCCTCGACCAGGAGGCCACCCTGA GGAACAGGGTTCGCATTGCTGAGACCTGGCTGGGGTCATTCAAAGAAACCTTCTACAAGCATA GCCCAGAGGCCTTCTCCTTGAGCAAGGCTGAGAAGCCAGACTGCATGGAACGCTTGCAGCTGC AAAGGAGACTGGGTTGTCGGACATTCCACTGGTTTCTGGCTAATGTCTACCCTGAGCTGTACC CATCTGAACCCAGGCCCAGTTTCTCTGGAAAGCTCCACAACACTGGACTTGGGCTCTGTGCAG ACTGCCAGGCAGAAGGGGACATCCTGGGCTGTCCCATGGTGTTGGCTCCTTGCAGTGACAGCC GGCAGCAACAGTACCTGCAGCACACCAGCAGGAAGGAGATTCACTTTGGCAGCCCACAGCACC TGTGCTTTGCTGTCAGGCAGGAGCAGGTGATTCTTCAGAACTGCACGGAGGAAGGCCTGGCCA GCATGGAAGCTGTGGTGCAAGAAAACAATAAAGATTTGTACCTGCGTCCGTGTGATGGAAAAG AAGGAAAAGAGAATTTTGGCCATCAAAATCCAGCTCCAAGTGAACGTAAAGAGCTTATATATT TCATGAAGCTGATCCTTTTGTGTGTGTGTCCTCTTGTGTTAGGAGAAAAAAGCTCTATGAAA

FIGURE 364

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73760

><subunit 1 of 1, 639 aa, 1 stop

><MW: 73063, pI: 6.84, NX(S/T): 2

MLLRKRYRHRPCRLQFLLLLLMLGCVLMMVAMLHPPHHTLHQTVTAQASKHSPEARYRLDFGE
SQDWVLEAEDEGEEYSPLEGLPPFISLREDQLLVAVALPQARRNQSQGRRGGSYRLIKQPRRQ
DKEAPKRDWGADEDGEVSEEEELTPFSLDPRGLQEALSARIPLQRALPEVRHPLCLQQHPQDS
LPTASVILCFHDEAWSTLLRTVHSILDTVPRAFLKEIILVDDLSQQGQLKSALSEYVARLEGV
KLLRSNKRLGAIRARMLGATRATGDVLVFMDAHCECHPGWLEPLLSRIAGDRSRVVSPVIDVI
DWKTFQYYPSKDLQRGVLDWKLDFHWEPLPEHVRKALQSPISPIRSPVVPGEVVAMDRHYFQN
TGAYDSLMSLRGGENLELSFKAWLCGGSVEILPCSRVGHIYQNQDSHSPLDQEATLRNRVRIA
ETWLGSFKETFYKHSPEAFSLSKAEKPDCMERLQLQRRLGCRTFHWFLANVYPELYPSEPRPS
FSGKLHNTGLGLCADCQAEGDILGCPMVLAPCSDSRQQQYLQHTSRKEIHFGSPQHLCFAVRQ
EQVILQNCTEEGLAIHQQHWDFQENGMIVHILSGKCMEAVVQENNKDLYLRPCDGKARQQWRF
DQINAVDER

Signal peptide:

amino acids 1-28

369/615

FIGURE 365

GGAGAGAGGCGCGCGGTGAAAGGCGCATTGATGCAGCCTGCGGCGCCTCGGAGCGCGGCG AGCCAGACGCTGACCACGTTCCTCTCCTCGGTCTCCTCCGCCTCCAGCTCCGCGCTGCCCGGC AGCCGGGAGCCATGCGACCCCAGGGCCCCGCCGCCTCCCCGCAGCGGCTCCGCGGCCTCCTGC TGCTCCTGCTGCTGCAGCTGCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAA AGGCGCAGCTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAG CAGGAGTGCCTGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCC CAGGTCGGGATGGATTCAAAGGAGAAAAGGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCT GGACACCCAACTACAAGCAGTGTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAA TTGCGGAGTGTACATTTACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTTGTTCAGTGGCT CACTTCGGCTAAAATGCAGAAATGCATGCTGTCAGCGTTGGTATTTCACATTCAATGGAGCTG ATTCAACAATTAATATTCATCGCACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTG GATTAGTGGATGTTGCTATCTGGGTTGGCACTTGTTCAGATTACCCAAAAGGAGATGCTTCTA CTGGATGGAATTCAGTTTCTCGCATCATTATTGAAGAACTACCAAAA**TAA**ATGCTTTAATTTT CATTTGCTACCTCTTTTTTTATTATGCCTTGGAATGGTTCACTTAAATGACATTTTAAATAAG TTTATGTATACATCTGAATGAAAAGCAAAGCTAAATATGTTTACAGACCAAAGTGTGATTTCA TAGTTGGTTAGAATACTTTCTTCATAGTCACATTCTCTCAACCTATAATTTTGGAATATTGTTG TGGTCTTTTGTTTTTCTCTTAGTATAGCATTTTTAAAAAAATATAAAAAGCTACCAATCTTTG

FIGURE 366

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76393

><subunit 1 of 1, 243 aa, 1 stop

><MW: 26266, pI: 8.43, NX(S/T): 1

MRPQGPAASPQRLRGLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAGVP GRDGSPGANVIPGTPGIPGRDGFKGEKGECLRESFEESWTPNYKQCSWSSLNYGIDLGKIAEC TFTKMRSNSALRVLFSGSLRLKCRNACCQRWYFTFNGAECSGPLPIEAIIYLDQGSPEMNSTI NIHRTSSVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

371/615

FIGURE 367

372/615

FIGURE 368

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76398</pre>

><subunit 1 of 1, 121 aa, 1 stop

><MW: 12073, pI: 4.11, NX(S/T): 0

MASCLALRMALLLVSGVLAPAVLTDDVPQEPVPTLWNEPAELPSGEGPVESTSPGREPVDTGP PAPTVAPGPEDSTAQERLDQGGGSLGPGAIAAIVIAALLATCVVLALVVVALRKFSAS

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 91-110

Glycosaminoglycan attachment site.

amino acids 44-47

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 116-119

N-myristoylation site.

amino acids 91-96

FIGURE 369

GGGCCGGGACGGCCATGCCCTGCTGCTGCCTGTGCCTGACGGCGCGCCGCCCACG GCTGTCTGCACTGCCACAGCAACTTCTCCAAGAAGTTCTCCTTCTACCGCCACCATGTGAACT TCAAGTCCTGGTGGGTGGGCGACATCCCCGTGTCAGGGGGCGCTGCTCACCGACTGGAGCGACG ACACGATGAAGGAGCTGCACCTGGCCATCCCCGCCAAGATCACCCGGGAGAAGCTGGACCAAG TGGCGACAGCAGTGTACCAGATGATGGATCAGCTGTACCAGGGGAAGATGTACTTCCCCGGGT ATTTCCCCAACGAGCTGCGAAACATCTTCCGGGAGCAGGTGCACCTCATCCAGAACGCCATCA TAGCACCTGAAGGATCAATGCCATCACCCCGCGGGGACCTCCCCTAAGTAGCCCCCCAGAGGCG CTGGGAGTGTTGCCACCGCCCTCCCTGAAGTTTGCTCCATCTCACGCTGGGGGTCAACCTGG GGACCCCTTCCCTCCGGGCCATGGACACACATACATGAAAACCAGGCCGCATCGACTGTCAGC ACCGCTGTGGCATCTTCCAGTACGAGACCATCTCCTGCAACAACTGCACAGACTCGCACGTCG TGTCCCTGGGGTCCCAGGCTCTCCTTGGAGGGGGCTCCCCGCCTTCCACCTGGCTGTCATCGG GTAGGGCGGGCCGTGGGTTCAGGGGCGCACCACTTCCAAGCCTGTGTCCCACAGGTCCTCGG CCTCCTCAAACCAACACAGGCAGTGTGTGTGTGAGCACCTCGTGGGTGAGTATGTGTGGGG CACAGGCTGGCTCCCTCAGCTCCTAGAGGGGGCTCCCGAGGAGGTGGAACCTCAACC CAGCTCTGCGCAGGGGGGCTGCAGTCCTTTTCTCCCTCAAAGGTCTCCGACCCTCAGCTGG AGGCGGCATCTTTCCTAAAGGGTCCCCATAGGGTCTGGTTCCACCCCATCCCAGGTCTGTGG TCAGAGCCTGGGAGGGTTCCCTACGATGGTTAGGGGTGCCCCATGGAGGGGCTGACTGCCCCA CATTGCCTTTCAGACAGGACACGAGCATGAGGTAAGGCCGCCCTGACCTGGACTTCAGGGGGGA GGGGGTAAAGGGAGAGAGGGGGGGCTAGGGGGTCCTCTAGATCAGTGGGGGCACTGCAGGT GGGGCTCTCCCTATACCTGGGACACCTGCTGGATGTCACCTCTGCAACCACACCCATGTGGTG GTTTCATGAACAGACCACGCTCCTCTGCCTTCTCCTGGCCTGGGACACACAGAGCCACCCCGG CCTTGTGAGTGACCCAGAGAAGGGGGGCCCCGGGAGAAGGGGTGCTCGTAAGCCAACACCAGC GTGCCGCGGCCTGCACACCCTTCGGACATCCCAGGCACGAGGGTGTCGTGGATGTGGCCACAC ATAGGACCACGTCCCAGCTGGGAGGAGGCCTGGGGCCCCCAGGGAGGAGGCAGGGGGT GGGGGACATGGAGGCTGAGGCAGCCTCGTCTCCCCGCAGCCTGGTATCGCCAGCCTTAAGGT GTCTGGAGCCCCCACACTTGGCCAACCTGACCTTGGAAGATGCTGCTGAGTGTCTCAAGCAGC GCCTGTCACTCTGGAGCTGGGCTGCTGCCTCAGGACCCCCTCTCCGACCCCGGACAGAGC TGAGCTGGCCAGGGCCAGGAGGGGAGGGAGGGAATGGGGGTGGGCTGTGCGCAGCATCAG CGCCTGGGCAGGTCCGCAGAGCTGCGGGATGTGATTAAAGTCCCTGATGTTTCTC

374/615

FIGURE 370

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76399

><subunit 1 of 1, 157 aa, 1 stop

><MW: 17681, pI: 7.65, NX(S/T): 1

MALLLCLVCLTAALAHGCLHCHSNFSKKFSFYRHHVNFKSWWVGDIPVSGALLTDWSDDTMKE LHLAIPAKITREKLDQVATAVYQMMDQLYQGKMYFPGYFPNELRNIFREQVHLIQNAIIERHL APGSWGGGQLSREGPSLAPEGSMPSPRGDLP

Signal peptide:

amino acids 1-15

375/615

FIGURE 371

GCCGGCTGTGCAGAGACGCC<u>ATG</u>TACCGGCTCCTGTCAGCAGTGACTGCCCGGGCTGCCGCCC CCGGGGGCTTGGCCTCAAGCTGCGGACGACGCGGGGTCCATCAGCGCGCCGGGCTGCCGCCTC TCGGCCACGGCTGGGGCCCTCGGGCTGGGGCTGGGGCTCGGGGTGAAGCTGG ${\tt CAGGTGGGCTGAGGGGCGCGGCCCCGGCGCGCGCGCCCGGGCCCTGAGGCGTCGC}$ CTCTGGCCGAGCCGCCACAGGAGCAGTCCCTCGCCCGTGGTCTCCGCAGACCCCGGCGCCGC CCTGCTCCAGGTGCTTCGCCAGAGCCATCGAGAGCAGCCGCGACCTGCTGCACAGGATCAAGG ATGAGGTGGCCCCCGGCATAGTGGTTGGAGTTTCTGTAGATGGAAAAGAAGTCTGGTCAG AAGGTTTAGGTTATGCTGATGTTGAGAACCGTGTACCATGTAAACCAGAGACAGTTATGCGAA TTGCTAGCATCAGCAAAAGTCTCACCATGGTTGCTCTTGCCAAATTGTGGGAAGCAGGGAAAC TGGATCTTGATATTCCAGTACAACATTATGTTCCCGAATTCCCAGAAAAAGAATATGAAGGTG AAAAGGTTTCTGTCACAACAAGATTACTGATTTCCCATTTAAGTGGAATTCGTCATTATGAAA AGGACATAAAAAAGGTGAAAGAAGAGAAAGCTTATAAAGCCTTGAAGATGATGAAAGAGAAATG TTGCATTTGAGCAAGAAAAGAAGGCAAAAGTAATGAAAAGAATGATTTTACTAAATTTAAAA CAGAGCAGGAGAATGAAGCCAAATGCCGGAATTCAAAACCTGGCAAGAAAAAGAATGATTTTG AACAAGGCGAATTATATTTGAGAGAAAAGTTTGAAAATTCAATTGAATCCCTAAGATTATTTA AAAATGATCCTTTGTTCTTCAAACCTGGTAGTCAGTTTTTGTATTCAACTTTTGGCTATACCC TACTGGCAGCCATAGTAGAGAGAGCTTCAGGATGTAAATATTTTGGACTATATGCAGAAAATAT TCCATGACTTGGATATGCTGACGACTGTGCAGGAAGAAACGAGCCAGTGATTTACAATAGAG CAAGG**TAA**ATGAATACCTTCTGCTGTGTCTAGCTATATCGCATCTTAACACTATTTTATTAAT TAAAAGTCAAATTTTCTTTGTTTCCATTCCAAAATCAACCTGCCACATTTTGGGAGCTTTTCT ACATGTCTGTTTTCTCATCTGTAAAGTGAAGGAAGTAAAACATGTTTATAAAGTAAAAAAA

376/615

FIGURE 372

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76522

><subunit 1 of 1, 373 aa, 1 stop

><MW: 41221, pI: 8.54, NX(S/T): 0

MYRLLSAVTARAAAPGGLASSCGRRGVHQRAGLPPLGHGWVGGLGLGLGLALGVKLAGGLRGA
APAQSPAAPDPEASPLAEPPQEQSLAPWSPQTPAPPCSRCFARAIESSRDLLHRIKDEVGAPG
IVVGVSVDGKEVWSEGLGYADVENRVPCKPETVMRIASISKSLTMVALAKLWEAGKLDLDIPV
QHYVPEFPEKEYEGEKVSVTTRLLISHLSGIRHYEKDIKKVKEEKAYKALKMMKENVAFEQEK
EGKSNEKNDFTKFKTEQENEAKCRNSKPGKKKNDFEQGELYLREKFENSIESLRLFKNDPLFF
KPGSQFLYSTFGYTLLAAIVERASGCKYLDYMQKIFHDLDMLTTVQEENEPVIYNRAR

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 39-60

377/615

FIGURE 373

GACTACGGGGAGAGAGAGAGCCAGGACAGCTGCTGAGACCTCTAAGAAGTCCAGATACTAA GAGCAAAGATGTTTCAAACTGGGGGCCTCATTGTCTTCTACGGGCTGTTAGCCCAGACCATGG CCCAGTTTGGAGGCCTGCCCGTGCCCTGGACCAGACCCTGCCCTTGAATGTGAATCCAGCCCTG CCCTTGAGTCCCACAGGTCTTGCAGGAAGCTTGACAAATGCCCTCAGCAATGGCCTGCTGTCT GGGGCCTGTTGGGCATTCTGGAAAACCTTCCGCTCCTGGACATCCTGAAGCCTGGAGGAGGT ACTTCTGGTGGCCTCCTTGGGGGACTGCTTGGAAAAGTGACGTCAGTGATTCCTGGCCTGAAC AACATCATTGACATAAAGGTCACTGACCCCCAGCTGCTGGAACTTGGCCTTGTGCAGAGCCCT GATGGCCACCGTCTCTATGTCACCATCCCTCTCGGCATAAAGCTCCAAGTGAATACGCCCCTG GTCGGTGCAAGTCTGTTGAGGCTGGCTGTGAAGCTGGACATCACTGCAGAAATCTTAGCTGTG AGAGATAAGCAGGAGGATCCACCTGGTCCTTGGTGACTGCACCCATTCCCCTGGAAGCCTG CAAATTTCTCTGCTTGATGGACTTGGCCCCCTCCCCATTCAAGGTCTTCTGGACAGCCTCACA GGGATCTTGAATAAAGTCCTGCCTGAGTTGGTTCAGGGCAACGTGTGCCCTCTGGTCAATGAG GTTCTCAGAGGCTTGGACATCACCCTGGTGCATGACATTGTTAACATGCTGATCCACGGACTA CAGTTTGTCATCAAGGTC**TAA**GCCTTCCAGGAAGGGGCTGGCCTCTGCTGAGCTGCTTCCCAG TGCTCACAGATGGCTGGCCCATGTGCTGGAAGATGACACAGTTGCCTTCTCTCCGAGGAACCT GCCCCTCTCCTTTCCCACCAGGCGTGTGTAACATCCCATGTGCCTCACCTAATAAAATGGCT CTTCTTATGCA

378/615

FIGURE 374

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76533</pre>

><subunit 1 of 1, 256 aa, 1 stop

><MW: 26713, pI: 5.62, NX(S/T): 0

MFQTGGLIVFYGLLAQTMAQFGGLPVPLDQTLPLNVNPALPLSPTGLAGSLTNALSNGLL SGGLLGILENLPLLDILKPGGGTSGGLLGGLLGKVTSVIPGLNNIIDIKVTDPQLLELGL VQSPDGHRLYVTIPLGIKLQVNTPLVGASLLRLAVKLDITAEILAVRDKQERIHLVLGDC THSPGSLQISLLDGLGPLPIQGLLDSLTGILNKVLPELVQGNVCPLVNEVLRGLDITLVH DIVNMLIHGLQFVIKV

Important features of the protein:

Signal peptide:

Amino acids 1-19

Transmembrane domain:

Amino acids 79-97

N-myristoylation sites:

Amino acids 46-52;49-55;58-64;62-68;66-72;80-86;81-87;

82-88;85-91;86-92;89-95;202-208;233-239

379/615

FIGURE 375

AGTTCTGAGAAAGAAGGAAATAAACACAGGCACCAAACCACTATCCTAAGTTGACTGTCCTTT AAAT**ATG**TCAAGATCCAGACTTTTCAGTGTCACCTCAGCGATCTCAACGATAGGGATCTTGTG TTTGCCGCTATTCCAGTTGGTGCTCTCGGACCTACCATGCGAAGAAGATGAAATGTGTGTAAA TTATAATGACCAACACCCTAATGGCTGGTATATCTGGATCCTCCTGCTGCTGGTTTTTGGTGGC AGCTCTTCTCTGTGGAGCTGTGGTCCTCCTGCCTCCAGTGCTGAGGAGACCCCGAATTGA TTCTCACAGGCGCACCATGGCAGTTTTTGCTGTTGGAGACTTGGACTCTATTTATGGGACAGA AGCAGCTGTGAGTCCAACTGTTGGAATTCACCTTCAAACTCAAACCCCTGACCTATATCCTGT TCCTGCTCCATGTTTTTGGCCCTTTAGGCTCCCCACCTCCATATGAAGAAATTGTAAAAACAAC CTGATTTTAGGTGTGGATTATCAATTTAAAGTATTAACGACATCTGTAATTCCAAAACATCAA ATTTAGGAATAGTTATTTCAGTTGTTGGAAATGTCCAGAGATCTATTCATATAGTCTGAGGAA GGACAATTCGACAAAAGAATGGATGTTGGAAAAAATTTTTGGTCATGGAGATGTTTAAATAGTA AAGTAGCAGGCTTTTGATGTGTCACTGCTGTATCATACTTTTATGCTACACAACCAAATTAAT GCTTCTCCACTAGTATCCAAACAGGCAACAATTAGGTGCTGGAAGTAGTTTCCATCACATTTA GGACTCCACTGCAGTATACAGCACACCATTTTCTGCTTTAAACTCTTTCCTAGCATGGGGTCC ATAAAAATTATTATAACTATAACCAATAGCCCAAGCCGAGAATCCAACATGTCCAGAACCAGAAC CAGAAAGATAGTATTTGAATGAAGGTGAGGGGAGAGAGTAGGAAAAAGAAAAGTTTGGAGTTG AAGGGTAAAGGATAAATGAAGAGGAAAAGGAAAAGATTACAAGTCTCAGCAAAAACAAGAGGT TTTATGCCCCAACCTGAAGAGGAAGAATTGTAGATAGAAGGTGAAGGAGATTGCTGAAGATA GGCCTCCATAGTCCATAGTGTTTCTCTGGAGCCTCAGGGCTTGGCATTTATTGCAGCATCATG CTAAGAACCTTCGGCATAGGTATCTGTTCCCATGAGGACTGCAGAAGTAGCAATGAGACATCT

380/615

FIGURE 376

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77303

><subunit 1 of 1, 146 aa, 1 stop

><MW: 16116, pI: 4.99, NX(S/T): 0

MSRSRLFSVTSAISTIGILCLPLFQLVLSDLPCEEDEMCVNYNDQHPNGWYIWILLLLVLVAA LLCGAVVLCLQCWLRRPRIDSHRRTMAVFAVGDLDSIYGTEAAVSPTVGIHLQTQTPDLYPVP APCFGPLGSPPPYEEIVKTT

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 52-70

381/615

FIGURE 377

CGCGGATCGGACCCAAGCAGGTCGGCGGCGGCGGCAGGAGAGCGGCCGGGCGTCAGCTCCTCG ACCCCGTGTCGGGCTAGTCCAGCGAGGCGGACGGGCGGGGGGGCCCATGGCCAGGCCCGGC ATGGAGCGGTGGCGCGGCTGGCGCTGGTGACGGGGGCCTCGGGGGGCCATCGGCGCGCCC GTGGCCCGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCCCGCACTGTGGGCAAC ATCGAGGAGCTGGCTGAATGTAAGAGTGCAGGCTACCCCGGGACTTTGATCCCCTACAGA TGTGACCTATCAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGC GGTGTAGACATCTGCATCAACAATGCTGGCTTGGCCCGGCCTGACACCCTGCTCTCAGGCAGC ACCAGTGGTTGGAAGGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAA GCCTACCAGTCCATGAAGGAGCGGAATGTGGACGATGGGCACATCATTAACATCAATAGCATG TCTGGCCACCGAGTGTTACCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTC ACTGCGCTGACAGAGGGACTGAGGCAAGAGCTTCGGGAGGCCCAGACCCACATCCGAGCCACG TGCATCTCCCAGGTGTGGTGGAGACACAATTCGCCTTCAAACTCCACGACAAGGACCCTGAG AAGGCAGCTGCCACCTATGAGCAAATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTT ATCTACGTCCTCAGCACCCCCGCACACATCCAGATTGGAGACATCCAGATGAGGCCCACGGAG CCTCTGGATTTTAGGTGTTGATTTCTGGATCACGGGATACCACTTCCTGTCCACACCCCGACC AGGGGCTAGAAAATTTGTTTGAGATTTTTTATATCATCTTGTCAAATTGCTTCAGTTGTAAATG TGAAAAATGGGCTGGGGAAAGGAGGTGGTCCCTAATTGTTTACTTGTTAACTTGTTCTTG TGCCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTGTCTTCCCTTTGACATGGGAAAGGAGTT GTGGCCAAAATCCCCATCTTCTTGCACCTCAACGTCTGTGGCTCAGGGCTGGGGTGGCAGAGG ACTGCACCCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCCAGCCCAGTCTTGGCTTCTTGT ${\tt CCCCTCCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAGCAGAACACCAGGGCCTGGC}$

382/615

FIGURE 378

MARPGMERWRDRLALVTGASGGIGAAVARALVQQGLKVVGCARTVGNIEELAAECKSAGYPGT LIPYRCDLSNEEDILSMFSAIRSQHSGVDICINNAGLARPDTLLSGSTSGWKDMFNVNVLALS ICTREAYQSMKERNVDDGHIININSMSGHRVLPLSVTHFYSATKYAVTALTEGLRQELREAQT HIRATCISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQ MRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115, 199-205

Short-chain alcohol dehyrogenase.

amino acids 30-42, 104-114

FIGURE 379

TCTCCAGCTCGATCTGGAGGCTGCTTCGCCAGTGTGGGACGCAGCTGACGCCCGCTTATTAGC TCTCGCTGCGTCGCCCCGGCTCAGAAGCTCCGTGGCGGCGGCGACCGTGACGAGAAGCCCACG GCCAGCTCAGTTCTCTTCTACTTTGGGAGAGAGAGAAAGTCAGATGCCCCTTTTAAACTCCCT CTTCAAAACTCATCTCCTGGGTGACTGAGTTAATAGAGTGGATACAACCTTGCTGAAGATGAA ${\tt CAAGTTACCATTTTTCAGTCAAGTCTGTTTGTTTGCTTCTTCAGAA} \underline{\textbf{ATG}} \\ \texttt{TTTTTTACAATCTC}$ AAGAAAAATATGTCCCAGAAATTGAGTTTACTGTTGCTTGTATTTGGACTCATTTGGGGGATT GATGTTACTGCACTATACTTTTCAACAACCAAGACATCAAAGCAGTGTCAAGTTACGTGAGCA AATACTAGACTTAAGCAAAAGATATGTTAAAGCTCTAGCAGAGGAAAATAAGAACACAGTGGA TGTCGAGAACGGTGCTTCTATGGCAGGATATGCGGATCTGAAAAGAACAATTGCTGTCCTTCT GGATGACATTTTGCAACGATTGGTGAAGCTGGAGAACAAAGTTGACTATATTGTTGTGAATGG CTCAGCAGCCAACACCAATGGTACTAGTGGGAATTTGGTGCCAGTAACCACAAATAAAAG AACGAATGTCTCGGGCAGTATCAGA**TAG**CAGTTGAAAATCACCTTGTGCTGCTCCATCCACTG TGGATTATATCCTATGGCAGAAAAGCTTTATAATTGCTGGCTTAGGACAGAGCAATACTTTAC AATAAAAGCTCTACACATTTTCAAGGAGTATGCTGGATTCATGGAACTCTAATTCTGTACATA AAAATTTTAAAGTTATTTGTTTGCTTTCAGGCAAGTCTGTTCAATGCTGTACTATGTCCTTAA AGAGAATTTGGTAACTTGGTTGATGTGGTAAGCAGATAGGTGAGTTTTGTATAAATCTTTTGT GTTTGAGATCAAGCTGAAATGAAAACACTGAAAAACATGGATTCATTTCTATAACACATTTAT TTAAGTATAACACGTTTTTTGGACAAGTGAAGAATGTTTAATCATTCTGTCATTTGTTCTC AATAGATGTAACTGTTAGACTACGGCTATTTGAAAAAATGTGCTTATTGTACTATATTTTGTT ATTCCAATTATGAGCAGAGAAAGGAAATATAATGTTGAAAATAATGTTTTGAAATCATGACCC AAAGAATGTATTGATTTGCACTATCCTTCAGAATAACTGAAGGTTAATTATTGTATATTTTTA AAAATTACACTTATAAGAGTATAATCTTGAAATGGGTAGCAGCCACTGTCCATTACCTATCGT AAACATTGGGGCAATTTAATAACAGCATTAAAATAGTTGTAAACTCTAATCTTATACTTATTG GAATGTTCATTTAAAAGTTTAATCCTTTGAGTGTCTATGCTATCAGGAAAGCACATTATTTCC ATATTTGGGTTAATTTTGCTTTTATTATATTGGTCTAGGAGGAAGGGACTTTGGAGAATGGAA CTCTTGAGGACTTTAGCCAGGTGTATATAATAAAGGTACTTTTGTGCTGCATTAAATTGCTTG GAAAGTGTTAACATTATATATAAGAGTATCCTTTATGAAATTTTGAATTTGTATAACAGA TGCATTAGATATTCATTTTATATAATGGCCACTTAAAATAAGAACATTTAAAATATAAACTAT GAAGATTGACTATCTTTTCAGGAAAAAAGCTGTATATAGCACAGGGAACCCTAATCTTGGGTA ATTCTAGTATAAAACAAATTATACTTTTATTTAAATTTCCCTTGTAGCAAATCTAATTGCCAC AGATTTAGACTATATAGAATTTAGATATTGTATTGTTCGTCATTATAATATGCTACCACATGT AGCAATAATTACAATATTTTATTAAAATAATATGTGAAATATTGTTTCATGAAAGACAGATT TTGCCAGGT

384/615

FIGURE 380

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77648

><subunit 1 of 1, 140 aa, 1 stop

><MW: 15668, pI: 10.14, NX(S/T): 5

MFFTISRKNMSQKLSLLLLVFGLIWGLMLLHYTFQQPRHQSSVKLREQILDLSKRYVKALAEE NKNTVDVENGASMAGYADLKRTIAVLLDDILQRLVKLENKVDYIVVNGSAANTTNGTSGNLVP VTTNKRTNVSGSIR

Important features of the protein:

Signal peptide:

amino acids 1-26

FIGURE 381

AACTTCTACATGGGCCTCCTGCTGCTGGTGCTCTTCCTCAGCCTCCTGCCGGTGGCCTACACC ATCATGTCCCTCCCACCCTCTTTGACTGCGGGCCGTTCAGGTGCAGAGTCTCAGTTGCCCGG GAGCACCTCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCCAGAATTCCAGTTCTGGTT TCATGCCAGCCTGTAAAAGGCCATGGAACTTTGGGTGAATCACCGATGCCATTTAAGAGGGTT TTCTGCCAGGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTCATTTCAGTAGCCACCAG CCACCTGTGGCCGTTGAGTGCTTGAAA**TGA**GGAACTGAGAAAATTAATTTCTCATGTATTTTT CTCATTTATTTATTTAACTGATAGTTGTACATATTTGGGGGGTACATGTGATATTTGG ATACATGTATACAATATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACAT TTATTTTTTTTTTTTAGACAGAGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTGGTGCC ATCTCAGCTTACTGCAACCTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCAACCTCCCAA GTAGCTGGGACTACAGGCATGCACCACAATGCCCAACTAATTTTTGTATTTTAGTAGAGACG GGGTTTTGCCATGTTGCCCAGGCTGGCCTTGAACTCCTGGCCTCAAACAATCCACTTGCCTCG GCCTCCCAAAGTGTTATGATTACAGGCGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTT CTTTGTGTTGGGAACTTTGAAATTATACAATGAATTATTGTTAACTGTCATCTCCCTGCTGTG ACTTCATCCCCACTCCTCTATCCTTCCCAACCTCTGATCACCTCATTCTACTCTCTACCTC CATGAGATCCACTTTTTTAGCTCCCACATGTGAGTAAGAAAATGCAATATTTGTCTTTCTGTG TTTCGTTCTTAATTTCAATTAAAATAACCACACATGGCAAAAA

386/615

FIGURE 382

 ${\tt MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRIPVLVSCQ} \\ {\tt PVKGHGTLGESPMPFKRVFCQDGNVRSFCVCAVHFSSHQPPVAVECLK} \\ {\tt Constraints} \\ {\tt Constrai$

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

FIGURE 383

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACC**ATG**ATCAGCGCAG CCTGGAGCATCTTCCTCATCGGGACTAAAATTGGGCTGTTCCTTCAAGTAGCACCTCTATCAG TTATGGCTAAATCCTGTCCATCTGTGTGTCGCTGCGATGCGGGTTTCATTTACTGTAATGATC GCTTTCTGACATCCATTCCAACAGGAATACCAGAGGATGCTACAACTCTCTACCTTCAGAACA ACCTATACCACAACAGTTTAGATGAATTTCCTACCAACCTCCCAAAGTATGTAAAAGAGTTAC ATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAAAAATTCCCTATCTGG AAGAATTACATTTAGATGACAACTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCATTCCGAG ACAGCAACTATCTCCGACTGCTTTTCCTGTCCCGTAATCACCTTAGCACAATTCCCTGGGGTT TGCCCAGGACTATAGAAGAACTACGCTTGGATGATAATCGCATATCCACTATTTCATCACCAT CTCTTCAAGGTCTCACTAGTCTAAAACGCCTGGTTCTAGATGGAAACCTGTTGAACAATCATG GTTTAGGTGACAAAGTTTTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATT CCCTGACTGCACCAGTAAACCTTCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATA ACCACATCAATCGGGTGCCCCCAAATGCTTTTTCTTATCTAAGGCAGCTCTATCGACTGGATA TGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTTGATGATTTGGACAATATAACAC AACTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATGGGTACGTGACTGGT TACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAAAGGTTC GTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAA GCACCATTCAGATAACCACTGCAATACCCAACACTGTATCCTGCCCAAGGACAGTGGCCAG CTCCAGTGACCAAACAGCCAGATATTAAGAACCCCAAGCTCACTAAGGATCAACAAACCACAG GGAGTCCCTCAAGAAAAACAATTACAATTACTGTGAAGTCTGTCACCTCTGATACCATTCATA TCTCTTGGAAACTTGCTCTACCTATGACTGCTTTGAGACTCAGCTGGCTTAAACTGGGCCATA GCCCGGCATTTGGATCTATAACAGAAACAATTGTAACAGGGGAACGCAGTGAGTACTTGGTCA CAGCCCTGGAGCCTGATTCACCCTATAAAGTATGCATGGTTCCCATGGAAACCAGCAACCTCT ACCTATTTGATGAAACTCCTGTTTGTATTGAGACTGAAACTGCACCCCTTCGAATGTACAACC CTACAACCACCCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAAAACCCCAATTTACCTTTGG CTGCCATCATTGGTGGGGCTGTGGCCCTGGTTACCATTGCCCTTCTTGCTTTAGTGTGTTGGT ATGTTCATAGGAATGGATCGCTCTTCTCAAGGAACTGTGCATATAGCAAAGGGAGGAGAAGAA AGGATGACTATGCAGAAGCTGGCACTAAGAAGGACAACTCTATCCTGGAAATCAGGGAAACTT CTTTTCAGATGTTACCAATAAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAATACACACCA TATTTCCTCCTAATGGAATGAATCTGTACAAAAACAATCACAGTGAAAGCAGTAGTAACCGAA ${\tt GCTACAGAGACAGTGGTATTCCAGACTCAGATCACTCACACTCA} {\tt TGA} {\tt TGCTGAAGGACTCACA}$ GCAGACTTGTGTTTTTGGGTTTTTTTAAACCTAAGGGAGGTGATGGT

388/615

FIGURE 384

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRCDAGFIYCNDRFLTSIPTGIPEDATTL YLQNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIRTITYDSLSK IPYLEELHLDDNSVSAVSIEEGAFRDSNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRIST ISSPSLQGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTNLRKL YLQDNHINRVPPNAFSYLRQLYRLDMSNNNLSNLPQGIFDDLDNITQLILRNNPWYCGCKMKW VRDWLQSLPVKVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQ GQWPAPVTKQPDIKNPKLTKDQQTTGSPSRKTITITVKSVTSDTIHISWKLALPMTALRLSWL KLGHSPAFGSITETIVTGERSEYLVTALEPDSPYKVCMVPMETSNLYLFDETPVCIETETAPL RMYNPTTTLNREQEKEPYKNPNLPLAAIIGGAVALVTIALLALVCWYVHRNGSLFSRNCAYSK GRRRKDDYAEAGTKKDNSILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNLYKNNHSES SSNRSYRDSGIPDSDHSHS

Important features of the protein:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.

amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561, 640-645

Amidation site.

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44



FIGURE 385

CCGTCATCCCCTGCAGCCACCCTTCCCAGAGTCCTTTGCCCAGGCCACCCCAGGCTTCTTGG . CAGCCCTGCCGGGCCACTTGTCTTC<u>ATG</u>TCTGCCAGGGGGAGGTGGGAAGGAGGTGGGAGGAG GGCGTGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGCTGAGCGTGTGACCAGCAGTGA GCAGAGGCCGGCCATGCCAGCCTGGGGCTGCTCCTGCTCTTACTGACAGCACTGCCACC GCTGTGGTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCT GATCCTGTCTGCGCTGGAGAGAGCCACCGTCTTCCTAGAACAGAGGCTGCCTGAAATCAACCT GGATGGCATGGTGGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCCGGGAGAAGTGGGC CCAGGAGCCCCTGCTGCAGCCGCTGAGCCTGCGCGTGGGGGATGCTGGGGGAGAGCTGGAGGC TGCCATCCAGAGATCCCTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCA GCTGACCCTCCAGCCCGGGTTTTGGAAGCTCCCACATGCCTGGATCCACACTGATGCCTCCTT GGTGTACCCCACGTTCGGGCCCCAGGACTCATTCTCAGAGGAGAAGTGACGTGTGCCTGGT GCAGCTGCTGGGAACCGGGACGGACAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAG CCTCATGACCAAGCCCGGCTGCTCAGGCTACTGCCTGTCCCACCAACTGCTCTTCTTCCTCTG GGCCAGAATGAGGGGATGCACACAGGGACCACTCCAACAGAGCCAGGACTATATCAACCTCTT CTGCGCCAACATGATGGACTTGAACCGCAGAGCTGAGGCCATCGGATACGCCTACCCTACCCG GGACATCTTCATGGAAAACATCATGTTCTGTGGAATGGGCGGCTTCTCCGACTTCTACAAGCT TGCTGAAGATGAAGAATTATCTAAAGCTATTCAATATCAGCAGCATTTTTCGAGGAGAGTGAA GAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGTTGCTCAGGCTGGAGTACAGTGGCGCAA TCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAAGCAATTCTCTTGCCTCATCCTCCCGAG TAGCTGGGACTACAGGAGCGTGCCACCATACCTGGCTAATTTTTATATTTTTTTAGTAGAGAC AGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGATCTCAAGAGATCCGCCCACCTC AGGCTCCCAAAGTGTGGGATTA**TAG**GTGTGAGCCACCGTGTCTGGCTGAAAAGCACTTTCAAA GAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTCATGGGGGGCTCTCTCCCC TAGATGCTGCTCCCACACACACACCACAGCAGTGGCAGCCCTGGGTGGCTTCCTATACA TCCTGGCAGAATACCCCCCAGCAAACAGAGAGCCACCCCATCCACACCGCCACCACCAAGCA GCCGCTGAGACGGACGGTTCCATGCCAGCTGCCTGGAGGAGGAACAGACCCCTTTAGTCCTCA TCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGGATAAGCAAA GCCACCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGGGGCCGGG

FIGURE 386

MSARGRWEGGGRRACRGSLGLARAQGAERVTSSEQRPAMASLGLLLLLLLTALPPLWSSSLPG LDTAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPL SLRVGMLGEKLEAAIQRSLHYLKLSDPKYLREFQLTLQPGFWKLPHAWIHTDASLVYPTFGPQ DSFSEERSDVCLVQLLGTGTDSSEPCGLSDLCRSLMTKPGCSGYCLSHQLLFFLWARMRGCTQ GPLQQSQDYINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILS WQKQQEGCFGEPDAEDEELSKAIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQPLP PGFKQFSCLILPSSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLISRDPPTSGSQSVGL

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

391/615

FIGURE 387

TGCTGCTGCTATCGGGGGATGTCCAGAGCTCGGAGGTGCCCGGGGCTGCTGCTGAGGGATCGG GAGGGAGTGGGCTCGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCAGTTGTTCCAGGGG TGAAGCCTCAGGACTGGATCTCGGCGGCCCGAGTGCTGGTAGACGGAGAAGAGCACGTCGGTT TCCTTAAGACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGGAAG TTGTATCTCCAGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGA GAGCAAGATATGTGAATTACATCAAAACATCAGAGGTTGTCAGACTGCCCTATCCTCTCCAAA TGAAATCTTCAGGTCCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTTC TAATGAACCCAATGGTTATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCTAAAG TGGTCAACAAGTGATCCTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATT CCAACCATGAGTTGCCTGATGTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAAATCATCTG GCAAATCTAGCAGCGGCAGCAGTAAAACAGGCAAAAGTGGGGCTGGCAAAAGGAGG<mark>TAG</mark>TCAG GCCGTCCAGAGCTGGCATTTGCACAAACACGGCAACACTGGGTGGCATCCAAGTCTTGGAAAA CCGTGTGAAGCAACTACTATAAACTTGAGTCATCCCGACGTTGATCTCTTACAACTGTGTATGTT AACTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGT ATGAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCCTATAGAAAATGCCATTAATAAA TTATATGAACTACTATACATTATGTATATTAATTAAAACATCTTAATCCAGAAATCAAAAAAA AAAAAAAAAAAAAAAAAA

392/615

FIGURE 388

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEGSGGSGVGIGDRFKIEGRAVVPGVKPQDWIS AARVLVDGEEHVGFLKTDGSFVVHDIPSGSYVVEVVSPAYRFDPVRVDITSKGKMRARYVNYI KTSEVVRLPYPLQMKSSGPPSYFIKRESWGWTDFLMNPMVMMMVLPLLIFVLLPKVVNTSDPD MRREMEQSMNMLNSNHELPDVSEFMTRLFSSKSSGKSSSGSSKTGKSGAGKRR

Important features of the protein:

Signal sequence:

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

393/615

FIGURE 389

CTGGCTGGTGGCTGCCTGCTGTTCAGCATTGGGAATGGTACCACCTCCCGAAAATGTCAG AATGAATTCTGTTAATTTCAAGAACATTCTACAGTGGGAGTCACCTGCTTTTGCCAAAGGGAA CCTGACTTTCACAGCTCAGTACCTAAGTTATAGGATATTCCAAGATAAATGCATGAATACTAC CTTGACGGAATGTGATTTCTCAAGTCTTTCCAAGTATGGTGACCACACCTTGAGAGTCAGGGC TGAATTTGCAGATGAGCATTCAGACTGGGTAAACATCACCTTCTGTCCTGTGGATGACACCAT TATTGGACCCCTGGAATGCAAGTAGAAGTACTTGCTGATTCTTTACATATGCGTTTCTTAGC CCCTAAAATTGAGAATGAATACGAAACTTGGACTATGAAGAATGTGTATAACTCATGGACTTA TAATGTGCAATACTGGAAAAACGGTACTGATGAAAAGTTTCAAATTACTCCCCAGTATGACTT TGAGGTCCTCAGAAACCTGGAGCCATGGACAACTTATTGTGTTCAAGTTCGAGGGTTTCTTCC TGATCGGAACAAGCTGGGGAATGGAGTGAGCCTGTCTGTGAGCAAACAACCCATGACGAAAC GGTCCCCTCCTGGATGGTGGCCGTCATCCTCATGGCCTCGGTCTTCATGGTCTGCCTGGCACT CCTCGGCTGCTTCTCCTTGCTGTGCTGCGTTTACAAGAAGACAAAGTACGCCTTCTCCCCTÄG GAATTCTCTTCCACAGCACCTGAAAGAGTTTTTTGGGCCATCCTCATCATAACACACTTCTGTT TTTCTCCTTTCCATTGTCGGATGAGAATGATGTTTTTGACAAGCTAAGTGTCATTGCAGAAGA CTCTGAGAGCGGCAAGCAGAATCCTGGTGACAGCTGCAGCCTCGGGACCCCGCCTGGGCAGGG ${\tt GCCCCAAAGC}{ extbf{TAG}}{\tt GCTCTGAGAAGGAAACACACTCGGCTGGGCACAGTGACGTACTCCATCTC}$ CATCTAGAACTCCAGACCTGGACTTAGCCACCAGAGAGCTACATTTTAAAGGCTGTCTTGGCA AAAATACTCCATTTGGGAACTCACTGCCTTATAAAGGCTTTCATGATGTTTTCAGAAGTTGGC CACTGAGAGTGTAATTTTCAGCCTTTTATATCACTAAAATAAGATCATGTTTTAATTGTGAGA ATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAATATGGTGAAACCCAGTCTCTACTAA AAATACAAAAATTAGCTAGGCATGATGGCGCATGCCTATAATCCCAGCTACTCGAGTGCCTGA GGCAGGAGAATTGCATGAACCCGGGAGGAGGAGGAGGAGGTTGCAGTGAGCCGAGATAGCGGC AGAAACAGAAATACTTAAAATGAGGAATAAGAATGGAGATGTTACATCTGGTAGATGTAACAT TCTACCAGATTATGGATGGACTGATCTGAAAATCGACCTCAACTCAAGGGTGGTCAGCTCAAT ATGTTTTATATGCTGCTGGTGCTCCATTAAAGTTTTACTCTGTGTTGC

FIGURE 390

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83551</pre>

><subunit 1 of 1, 325 aa, 1 stop

><MW: 37011, pI: 5.09, NX(S/T): 4

MAWSLGSWLGGCLLVSALGMVPPPENVRMNSVNFKNILQWESPAFAKGNLTFTAQYLSYRIFQ DKCMNTTLTECDFSSLSKYGDHTLRVRAEFADEHSDWVNITFCPVDDTIIGPPGMQVEVLADS LHMRFLAPKIENEYETWTMKNVYNSWTYNVQYWKNGTDEKFQITPQYDFEVLRNLEPWTTYCV QVRGFLPDRNKAGEWSEPVCEQTTHDETVPSWMVAVILMASVFMVCLALLGCFSLLWCVYKKT KYAFSPRNSLPQHLKEFLGHPHHNTLLFFSFPLSDENDVFDKLSVIAEDSESGKQNPGDSCSL GTPPGQGPQS

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 222-245

N-glycosylation sites.

amino acids 49-53, 68-72, 102-106, 161-165

N-myristoylation sites.

amino acids 6-12, 316-322



FIGURE 391

AGCACCTGAGCTGGTGGTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGG TCCAGACGAGGGCATCAAGCACAGAATCAAGTGGAACCGGAAGGCCCTGCCCAGCACTGCCC TCGACATTGACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCG ATGGCATCCACTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCACCGGCT GCATCAATGCCACCCAGGCGGCGAACCAGGGGGGGGTTCCAGAAGCCAGACAACAAGCTCCACC AGAGGGGCGCAGGACTTCGGGTCACCATGCACCAGCCAGTGCTCCTCTGCCTTCTGGCTTTGA TCTGGCTCATGGTGAAA<u>TAA</u>GCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCAAA TCCTGGCAAGTGACCCAGCTCTTCTCCCCCAAACCCACGCGTGTTCTGAAGGTGCCCAGGAGC GGCGATGCACTCGCACTGCAAATGCCGCTCCCACGTATGCGCCCTGGTATGTGCCTGCGTTCT GATAGATGGGGGACTGTGGCTTCTCCGTCACTCCATTCTCAGCCCCTAGCAGAGCGTCTGGCA CACTAGATTAGTAGTAAATGCTTGATGAGAAGAACACATCAGGCACTGCGCCACCTGCTTCAC AGTACTTCCCAACACTCTTAGAGGTAGGTGTATTCCCGTTTTACAGATAAGGAAACTGAGGC CCAGAGAGCTGAAGTACTGCACCCAGCATCACCAGCTAGAAAGTGGCAGAGCCAGGATTCAAC CCTGGCTTGTCTAACCCCAGGTTTTCTGCTCTGTCCAATTCCAGAGCTGTCTGGTGATCACTT TATGTCTCACAGGGACCCACATCCAAACATGTATCTCTAATGAAATTGTGAAAGCTCCATGTT TAGAAATAAATGAAAACACCTGA

FIGURE 392

MRKHLSWWWLATVCMLLFSHLSAVQTRGIKHRIKWNRKALPSTAQITEAQVAENRPGAFIKQG RKLDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNK LHQQVLWRLVQELCSLKHCEFWLERGAGLRVTMHQPVLLCLLALIWLMVK

Important features of the protein: Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66



FIGURE 393

CAAGCATCACTTACAGGACCAGAGGGACAAGACATGACTGTGATGAGGAGCTGCTTTCGCCAA TTTAACACCAAGAAGAATTGAGGCTGCTTGGGAGGAAGGCCAGGAGGAACACGAGACTGAGAG **ATC**AATTTTCAACAGAGGCTGCAAAGCCTGTGGACTTTAGCCAGACCCTTCTGCCCTCCTTTG CTGGCGACAGCCTCTCAAATGCAGATGGTTGTGCTCCCTTGCCTGGGTTTTACCCTGCTTCTC TGGAGCCAGGTATCAGGGGCCCAGGGCCAAGAATTCCACTTTGGGCCCTGCCAAGTGAAGGGG GTTGTTCCCCAGAAACTGTGGGAAGCCTTCTGGGCTGTGAAAGACACTATGCAAGCTCAGGAT AACATCACGAGTGCCCGGCTGCTGCAGCAGGAGGTTCTGCAGAACGTCTCGGATGCTGAGAGC TGTTACCTTGTCCACACCCTGCTGGAGTTCTACTTGAAAACTGTTTTCAAAAACCACCACAAT AGAACAGTTGAAGTCAGGACTCTGAAGTCATTCTCTACTCTGGCCAACAACTTTGTTCTCATC GTGTCACAACTGCAACCCAGTCAAGAAAATGAGATGTTTTCCATCAGAGACAGTGCACACAGG CGGTTTCTGCTATTCCGGAGAGCATTCAAACAGTTGGACGTAGAAGCAGCTCTGACCAAAGCC CTTGGGGAAGTGGACATTCTTCTGACCTGGATGCAGAAATTCTACAAGCTC**TGA**ATGTCTAGA ${\tt CCAGGACCTCCCTCGCCTGGCACTGGTTTGTTCCCTGTGTCATTTCAAACAGTCTCCCTTCC}$ TATGCTGTTCACTGGACACTTCACGCCCTTGGCCATGGGTCCCATTCTTGGCCCAGGATTATT GTCAAAGAAGTCATTCTTTAAGCAGCGCCAGTGACAGTCAGGGAAGGTGCCTCTGGATGCTGT AACTGAAGTTCTATTTATTTGTGAGACTGTAAGTTACATGAAGGCAGCAGAATATTGTGCCCC ATGCTTCTTTACCCCTCACAATCCTTGCCACAGTGTGGGGCAGTGGATGGGTGCTTAGTAAGT ACTTAATAAACTGTGGTGCTTTTTTTGGCCTGTCTTTGGATTGTTAAAAAACAGAGAGGGATG CTTGGATGTAAAACTGAACTTCAGAGCATGAAAATCACACTGTCTTCTGATATCTGCAGGGAC AGAGCATTGGGGTGGGGGTAAGGTGCATCTGTTTGAAAAGTAAACGATAAAATGTGGATTAAA TCCACTTGAGTGTCAAGCTGACCTTGCTGATGGTGACATTGCACCTGGATGTACTATCCAATC AAAA

FIGURE 394

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA88002

><subunit 1 of 1, 206 aa, 1 stop ><MW: 23799, pI: 9.12, NX(S/T): 3

 ${\tt MNFQQRLQSLWTL} \bar{{\tt ARPFCPPLLATASQMQMVVLPCLGFTLLLWSQVSGAQGQEFHFGPCQVKG}$ VVPQKLWEAFWAVKDTMQAQDNITSARLLQQEVLQNVSDAESCYLVHTLLEFYLKTVFKNHHN ${\tt RTVEVRTLKSFSTLANNFVLIVSQLQPSQENEMFSIRDSAHRRFLLFRRAFKQLDVEAALTKA}$ LGEVDILLTWMQKFYKL

Signal sequence:

amino acids 1-42

N-glycosylation sites.

amino acids 85-89, 99-103, 126-130

FIGURE 395

FIGURE 396

 ${\tt MFRSSLLFWPPLCLLSLFLLILISSIYSESCKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGTCEGLFYEYIA}$

Important features of the protein: Signal peptide: amino acids 1-25

N-myristoylation site. amino acids 62-68

FIGURE 397

 $\mathtt{C} \underline{\mathtt{ATG}} \mathtt{CCGCTGCCGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGGACGGCAGTTCCCTG}$ TGTCTCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGT CATATATGGGCAAAAGAATGGCTGAATAAATCAGAATGCAGAAATATCAATAGAACCTACTG TGATCTTTCTGCTGAAACTTCTGACTACGAACACCAGTATTATGCCAAAGTTAAGGCCATTTG GGGAACAAAGTGTTCCAAATGGGCTGAAAGTGGACGGTTCTATCCTTTTTTAGAAACACAAAT TGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCCTGACAGCTCC AGAGAAGTGGAAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCT GAAGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAA CCACACGCTGGTGCTCACCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCTT CGTCCCAGGGCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGA TCAATCATCAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGT GTTTCTTTTTCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACA CCCAGCAAATTTGATTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGA AAAAATCGTGATTAACTTTATCACCCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGA TATGAGTTTACTGGGAAAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAA CCTGAGGCCCCCTCAGGAGGAGGAGGGGGGAAACATTTAGGGTATGCTTCGCATTTGATGGA AATTTTTTTGTGACTCTGAAGAAAACACGGAAGGTACTTCTCTCACCCAGCAAGAGTCCCTCAG CAGAACAATACCCCCGGATAAAACAGTCATTGAATATGAATATGATGTCAGAACCACTGACAT TTGTGCGGGGCCTGAAGAGCAGGAGCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATT ATTGGAGTCGCAGCCGTTGGCAGTCTTGGGCCCGCAAACGTTACAGTACTCATACACCCC AGAGCCATCGACCGCTGGTCGACTGGGATCCCCAAACTGGCAGGCTGTGTATTCCTTCGCT GTCCAGCTTCGACCAGGATTCAGAGGGCCTGCGAGCCTTCTGAGGGGGATGGGCTCGGAGAGGA GGGTCTTCTATCTAGACTCTATGAGGAGCCGGCTCCAGACAGGCCACCAGGAGAAAATGAAAC CTATCTCATGCAATTCATGGAGGAATGGGGGTTATATGTGCAGATGGAAAAC**TGA**TGCCAACA CTTCCTTTTGCCTTTTGTTTCCTGTGCAAACAAGTGAGTCACCCCTTTGATCCCAGCCATAAA GTACCTGGGATGAAAGAAGTTTTTTCCAGTTTGTCAGTGTCTGTGAGAA

FIGURE 398

MPLPPLLLLLAAPWGRAVPCVSGGLPKPANITFLSINMKNVLQWTPPEGLQGVKVTYTVQYF
IYGQKKWLNKSECRNINRTYCDLSAETSDYEHQYYAKVKAIWGTKCSKWAESGRFYPFLETQI
GPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIYSNLKYNVSVLNTKSNRTWSQCVTN
HTLVLTWLEPNTLYCVHVESFVPGPPRRAQPSEKQCARTLKDQSSEFKAKIIFWYVLPISITV
FLFSVMGYSIYRYIHVGKEKHPANLILIYGNEFDKRFFVPAEKIVINFITLNISDDSKISHQD
MSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFCDSEENTEGTSLTQQESLS
RTIPPDKTVIEYEYDVRTTDICAGPEEQELSLQEEVSTQGTLLESQAALAVLGPQTLQYSYTP
QLQDLDPLAQEHTDSEEGPEEEPSTTLVDWDPQTGRLCIPSLSSFDQDSEGCEPSEGDGLGEE
GLLSRLYEEPAPDRPPGENETYLMQFMEEWGLYVQMEN

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 240-260

N-glycosylation sites.

amino acids 31-34, 72-75, 80-83, 171-174, 180-183, 189-192, 304-307, 523-526

Tyrosine kinase phosphorylation site.

amino acids 385-392, 518-526

N-myristoylation sites.

amino acids 53-58, 106-111, 368-373, 492-497

Tissue factor

amino acids 1-278

FIGURE 399

CCGGCG<u>ATG</u>TCGCTCGTGCTGAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAG CCGACCGTTCAATGTGGCTCTGAAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTA ATCCCCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAACTAGTGTTGCAACAGGGGAC TATTCAATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTTGAAG GCCACCAAGATTTGTGTGACGGGCAAAAGCAACTTCCAGTCCTACAGCTGTGTGAGGTGCAAT TACACAGAGGCCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCCTACATC GGCTTCCCTGTAGAGCTGAACACAGTCTATTTCATTGGGGCCCATAATATTCCTAATGCAAAT ATGAATGAAGATGGCCCTTCCATGTCTGTGAATTTCACCTCACCAGGCTGCCTAGACCACATA ATGAAATATAAAAAAAGTGTGTCAAGGCCGGAAGCCTGTGGGATCCGAACATCACTGCTTGT AAGAAGAATGAGGAGACAGTAGAAGTGAACTTCACAACCACTCCCCTGGGAAACAGATACATG GCTCTTATCCAACACACCACTATCATCGGGTTTTCTCAGGTGTTTTGAGCCACACCAGAAGAAA CAAACGCGAGCTTCAGTGGTGATTCCAGTGACTGGGGGATAGTGAAGGTGCTACGGTGCAGCTG ACTCCATATTTTCCTACTTGTGGCAGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGC AGGCACGAAAGGATCAAGAAGACTTCCTTTTCTACCACCACACTACTGCCCCCCATTAAGGTT CTTGTGGTTTACCCATCTGAAATATGTTTCCATCACACAATTTGTTACTTCACTGAATTTCTT CAAAACCATTGCAGAAGTGAGGTCATCCTTGAAAAGTGGCAGAAAAAGAAAATAGCAGAGATG GGTCCAGTGCAGTGCCTTGCCACTCAAAAGAAGGCAGCAGACAAAGTCGTCTTCCTTTTTCC AATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAAGAGCGAGGGCAGTCCCAGTGAGAAC TCTCAAGACCTCTTCCCCCTTGCCTTTAACCTTTTCTGCAGTGATCTAAGAAGCCAGATTCAT CTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACAAAAGACGATTACAATGCTCTC AGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTTCTGTGCAGAACTTCTCCAT GTCAAGCAGCAGGTGTCAGCAGGAAAAAGATCACAAGCCTGCCACGATGGCTGCTCCTTG TAG

FIGURE 400

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLIPGDLRDLRVEPVTTSVATGDYS
ILMNVSWVLRADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGF
PVELNTVYFIGAHNIPNANMNEDGPSMSVNFTSPGCLDHIMKYKKKCVKAGSLWDPNITACKK
NEETVEVNFTTTPLGNRYMALIQHSTIIGFSQVFEPHQKKQTRASVVIPVTGDSEGATVQLTP
YFPTCGSDCIRHKGTVVLCPQTGVPFPLDNNKSKPGGWLPLLLLSLLVATWVLVAGIYLMWRH
ERIKKTSFSTTTLLPPIKVLVVYPSEICFHHTICYFTEFLQNHCRSEVILEKWQKKKIAEMGP
VQWLATQKKAADKVVFLLSNDVNSVCDGTCGKSEGSPSENSQDLFPLAFNLFCSDLRSQIHLH
KYVVVYFREIDTKDDYNALSVCPKYHLMKDATAFCAELLHVKQQVSAGKRSQACHDGCCSL

Important features of the protein:

Signal peptide:

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.

amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201 and 283 - 287

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

FIGURE 401

 ${\tt GGGAACAGGGAACTATCAGCCGTCGGCCTCCGGGCCCTGCATTCTCTAGCC} \underline{\textbf{ATG}} {\tt GACCG}$ GGACCTTTTGCGGCAGTCGCTAAATTGCCACGGGTCGTCTTTGCTCTCTACTTCGGAG GATACAGAAATTCATCTCCAAAAAAGCGGATCTGCTTTTTGCACTTTCCTGGAAATCAGA TGCACCTGCAACTTCTGAAATTAATGAAGACAGTGAAGATCATTATGCCAATCATGCCACC TTTAGAGCAATTCATGGAGATACCTAGTATGGATCGGAGAGAGCTGTTTTTCCGAGATAT TGAGCGTGGTGATATAGTGATTGGAAGAATTAGTTCTATTCGGGAATTCGGTTTTTTCAT GGTGTTGATCTGTTTAGGAAGTGGTATCATGAGAGATATAGCCCACTTAGAAATCACAGC TCTTTGTCCCTTAAGAGATGTGCCTTCTCACAGTAACCATGGGGATCCTTTATCATATTA CCAAACTGGTGACATCATTCGAGCTGGAATCAAGGATATTGACAGATACCATGAAAAGCT AGCAGTATCTCTGTATAGCTCTTCTCTTCCACCACCCTATCTGGTATTAAATTAGGTGT AATTAGCTCTGAAGAGCTTCCTTTATACTACAGGAGAAGTGTTGAGCTAAATAGCAATTC TTTGGAGTCCTATGAAAATGTCATGCAGAGTTCCTTGGGATTTGTTAATCCAGGAGTAGT TGAATTCCTTCTAGAAAAACTAGGAATAGATGAATCTAATCCACCATCTTTAATGAGAGG CGCATCTTGGGCTTTAAAATGTGTGAAGATCGGAGTTGACTATTTTAAAGTTGGACGCCA TTTGGTAGCTCGTGGAGCATTATATGCGACAAAAGGAAGTTTGAACAAAGCAATAGAAGA TTTTGAGCTTGCATTAGAAAACTGTCCAACTCACAGAAATGCAAGAAAATACCTCTGCCA GACACTTGTAGAGAGAGGAGGACAGTTAGAAGAAGAAGAAAAGTTTTTAAATGCTGAAAG TTACTATAAGAAAGCCTTGGCTTTGGATGAGACTTTTAAAGATGCAGAGGATGCTTTGCA GAAACTTCATAAATATATGCAGAAATCTTTGGAATTAAGAGAAAAACAAGCTGAAAAGGA AGAAAAGCAGAAAACAAAGAAAATAGAAACAAGTGCAGAAAAGTTGCGTAAGCTCTTAAA AGAAGAGAAGAGGCTAAAGAAGAAAAAGAAGAAAATCAACTTCTTCTTCAAGTGTTTCTTC TGCTGATGAATCAGTGTCTTCATCATCATCCTCTTCCTCTTCTGGTCACAAAAGGCATAA GAAACATAAGAGGAACCGTTCAGAGTCTTCTCGCAGTTCCAGAAGGCATTCATCTAGGGC ATCCTCAAATCAGATAGATCAGAATAGGAAAGATGAGTGCTACCCAGTTCCAGCTAATAC TTCAGCATCTTTTCTTAACCATAAACAAGAAGTGGAGAAACTACTGGGGAAGCAGGATAG ACAGCCTCAGGCAGGTCCTTCAGGAGATATTCCAGAAGAGGGCATTGTTATCATAGATGA CAGCTCCATTCATGTTACTGACCCTGAAGACCTTCAAGTGGGACAAGATATGGAGGTGGA AGACAGTGGTATTGATGATCCTGACCACGGG<u>TAG</u>GCTTAGGTTTATGTGTGTGTATGTGT CTTAGTTTTTAACAAAAAATTAAAAAGTAAAAAACTAAAAATAGAAAAATGCTTAGAG AATAAGGATATAAAGAATATTTTTGTGCAGTTGAACAATGAGTGCTTAAGCTAAATGTCA TCACAAAAGAGTAAAAAATTTTACAAAATTAAAAATGTTTAAAGTTAAAAAGCTCTAGG AAGCTAAGGTCAATTTATTATTGGAGAAATAAAATTATTTTTTATGAATTTACTGT

406/615

FIGURE 402

MDRDLLRQSLNCHGSSLLSLLRSEQQDNPHFRSLLGSAAEPARGPPPQHPLQGRKEKRVD NIEIQKFISKKADLLFALSWKSDAPATSEINEDSEDHYAIMPPLEQFMEIPSMDRRELFF RDIERGDIVIGRISSIREFGFFMVLICLGSGIMRDIAHLEITALCPLRDVPSHSNHGDPL SYYQTGDIIRAGIKDIDRYHEKLAVSLYSSSLPPHLSGIKLGVISSEELPLYYRRSVELN SNSLESYENVMQSSLGFVNPGVVEFLLEKLGIDESNPPSLMRGLQSKNFSEDDFASALRK KQSASWALKCVKIGVDYFKVGRHVDAMNEYNKALEIDKQNVEALVARGALYATKGSLNKA IEDFELALENCPTHRNARKYLCQTLVERGGQLEEEEKFLNAESYYKKALALDETFKDAED ALQKLHKYMQKSLELREKQAEKEEKQKTKKIETSAEKLRKLLKEEKRLKKKRRKSTSSSS VSSADESVSSSSSSSSSGHKRHKKHKRNRSESSRSSRRHSSRASSNQIDQNRKDECYPVP ANTSASFLNHKQEVEKLLGKQDRLQYEKTQIKEKDRCPLSSSSLEIPDDFGVYSYLFKKL TIKQPQAGPSGDIPEEGIVIIDDSSIHVTDPEDLQVGQDMEVEDSGIDDPDHG

Important features of the protein:

Signal peptide:

Amino acids 1-23

Transmembrane domain:

Amino acids 138-155

N-glycosylation sites:

Amino acids 288-292;508-512;542-546

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 300-304;472-476;473-477;517-521;598-602

N-myristoylation sites:

Amino acids 218-224;222-228;271-277;348-354

Amidation site:

Amino acids 52-56

Cell attachment sequence:

Amino acids 125-128

FIGURE 403

CCGAGGCGGAGGAGCCCGAGGGGGGCGCGAGCCCCGCATGAATCATTGTAGTCAATCATTTTC CAGTTCTCAGCCGCTCAGTTGTGATCAAGGGACACGTGGTTTCCGAACTGCCAGCTCAGAATA GGAAAATAACTTGGGATTTTATATTGGAAGAC**ATG**GATCTTGCTGCCAACGAGATCAGCATTT AGAAGGCAATTGAAAAATTTATCAGACAGCTGCTGGAAAAGAATGAACCTCAGAGACCCCCCC CGCAGTATCCTCCTTATAGTTGTGTATAAGGTTCTCGCAACCTTGGGATTAATCTTGCTCA CTGCCTACTTTGTGATTCAACCTTTCAGCCCATTAGCACCTGAGCCAGTGCTTTCTGGAGCTC ACACCTGGCGCTCACTCATCCATCACATTAGGCTGATGTCCTTGCCCATTGCCAAGAAGTACA ACCCCTGGTGGACAAACGACTGTGAGCAGAATGAGTCAGAGCCCATTCCTGCCAACTGCACTG GCTGTGCCCAGAAACACCTGAAGGTGATGCTCCTGGAAGACGCCCCAAGGAAATTTGAGAGGC TCCATCCACTGGTGATCAAGACGGGAAAGCCCCTGTTGGAGGAAGAGATTCAGCATTTTTTGT GCCAGTACCCTGAGGCGACAGAAGGCTTCTCTGAAGGGTTTTTCGCCAAGTGGTGGCGCTGCT TTCCTGAGCGGTGGTTCCCATTTCCTTATCCATGGAGGAGACCTCTGAACAGATCACAAATGT TACGTGAGCTTTTTCCTGTTTTCACTCACCTGCCATTTCCAAAAGATGCCTCTTTAAACAAGT GCTCCTTTCTTCACCCAGAACCTGTTGTGGGGGAGTAAGATGCATAAGATGCCTGACCTATTTA TCTACGTTATAGCCAGAGGGGTCCAGCCTTTGGTCATCTGCGATGGAACCGCTTTCTCAGAAC TG**TAG**GAAATAGAACTGTGCACAGGAACAGCTTCCAGAGCCGAAAACCAGGTTGAAAGGGGAA AAATAAAAACAAAAACGATGAAACTGCAAAAA

FIGURE 404

MDLAANEISIYDKLSETVDLVRQTGHQCGMSEKAIEKFIRQLLEKNEPQRPPPQYPLLIVVYK VLATLGLILLTAYFVIQPFSPLAPEPVLSGAHTWRSLIHHIRLMSLPIAKKYMSENKGVPLHG GDEDRPFPDFDPWWTNDCEQNESEPIPANCTGCAQKHLKVMLLEDAPRKFERLHPLVIKTGKP LLEEEIQHFLCQYPEATEGFSEGFFAKWWRCFPERWFPFPYPWRRPLNRSQMLRELFPVFTHL PFPKDASLNKCSFLHPEPVVGSKMHKMPDLFIIGSGEAMLQLIPPFQCRRHCQSVAMPIEPGD IGYVDTTHWKVYVIARGVQPLVICDGTAFSEL

FIGURE 405

TGCCGGGCTGCGGGCGCCTTGACTCTCCCTCCACCTGCCTCCTCGGGCTCCACTCGTCTGCCCCTGGACTCCC GTCTCCTCCTGTCCTCCGGCTTCCCAGAGCTCCCTCCTTATGGCAGCAGCTTCCCGCGTCTCCGGCGCAGCTTCT CAGCGGACGACCCTCTCGCTCCGGGGCTGAGCCCAGTCCCTGGATGTTGCTGAAACTCTCGAGATCATGCGCGGG TTTGGCTGCTGCTTCCCCGCCGGGTGCCACTGCCACCGCCGCCTCTGCTGCCGCCGTCCGCGGGATGCTCAG TAGCCCGCTGCCCGGCCCCCGCGATCCTGTGTTCCTCGGAAGCCGTTTGCTGCTGCAGAGTTGCACGAACTAGTC ATGGTGCTGTGGGAGTCCCCGCGGCAGTGCAGCAGCTGGACACTTTGCGAGGGCTTTTGCTGCTGCTGCTGCTG CCCGTCATGCTACTCATCGTAGCCCGGCCGGTGAAGCTCGCTGCTTTCCCTACCTCCTTAAGTGACTGCCAAACG CCCACCGGCTGGAATTGCTCTGGTTATGATGACAGAGAAAATGATCTCTTCCTCTGTGACACCAACACCTGTAAA TTTGATGGGGAATGTTTAAGAATTGGAGACACTGTGACTTGCGTCTGTCAGTTCAAGTGCAACAATGACTATGTG GAGATACTTGTGGTGTCAGAAGGATCATGTGCCACAGATGCAGGATCAGGATCTGGAGATGGAGTCCATGAAGGC TCTGGAGAAACTAGTCAAAAGGAGACATCCACCTGTGATATTTGCCAGTTTGGTGCAGAATGTGACGAAGATGCC GAGGATGTCTGGTGTGTGTAATATTGACTGTTCTCAAACCAACTTCAATCCCCTCTGCGCTTCTGATGGGAAA TCTTATGATAATGCATGCCAAATCAAAGAAGCATCGTGTCAGAAACAGGAGAAAATTGAAGTCATGTCTTTGGGT CGATGTCAAGATAACACAACTACAACTACTAAGTCTGAAGATGGGCATTATGCAAGAACAGATTATGCAGAGAAT GGGAAGTGTGAGCATTCTATCAATATGCAGGAGCCATCTTGCAGGTGTGATGCTGGTTATACTGGACAACACTGT GAAAAAAAGGACTACAGTGTTCTATACGTTGTTCCCGGTCCTGTACGATTTCAGTATGTCTTAATCGCAGCTGTG ATTGGAACAATTCAGATTGCTGTCATCTGTGTGGTGGTCCTCTGCATCACAAGGAAATGCCCCCAGAAGCAACAGA ATTCACAGACAGAAGCAAAATACAGGGCACTACAGTTCAGACAATACAACAAGAGCGTCCACGAGGTTAATCTAA AGGGAGCATGTTTCACAGTGGCTGGACTACCGAGAGCTTGGACTACACAATACAGTATTATAGACAAAAGAATAA GACAAGAGATCTACACATGTTGCCTTGCATTTGTGGTAATCTACACCAATGAAAACATGTACTACAGCTATATTT TCACACAATATAGTTTTTTCTTTCCCATGTATTTGTTATATAATAATAATACTCAGTGATGAG

FIGURE 406

MVLWESPRQCSSWTLCEGFCWLLLLPVMLLIVARPVKLAAFPTSLSDCQTPTGWNCSGY DDRENDLFLCDTNTCKFDGECLRIGDTVTCVCQFKCNNDYVPVCGSNGESYQNECYLRQ AACKQQSEILVVSEGSCATDAGSGSGDGVHEGSGETSQKETSTCDICQFGAECDEDAED VWCVCNIDCSQTNFNPLCASDGKSYDNACQIKEASCQKQEKIEVMSLGRCQDNTTTTTK. SEDGHYARTDYAENANKLEESAREHHIPCPEHYNGFCMHGKCEHSINMQEPSCRCDAGY TGQHCEKKDYSVLYVVPGPVRFQYVLIAAVIGTIQIAVICVVVLCITRKCPRSNRIHRQ KQNTGHYSSDNTTRASTRLI

FIGURE 407

CTCGCAGCCGAGCGCCGGGGAAGGGCTCTCCTTCCAGCGCCGAGCACTGGGCCCTGGCAG ACGCCCCAAGATTGTTGTGAGGAGTCTAGCCAGTTGGTGAGCGCTGTAATCTGAACCAGCTGT GTCCAGACTGAGGCCCCATTTGCATTGTTTAACATACTTAGAAAATGAAGTGTTCATTTTTAA CATTCCTCCTCCAATTGGTTTAATGCTGAATTACTGAAGAGGGCTAAGCAAAACCAGGTGCTT GCGCTGAGGGCTCTGCAGTGGCTGGGAGGACCCCGGCGCTCTCCCCGTGTCCTCTCCACGACT CGCTCGGCCCCTCTGGAATAAAACACCCGCGAGGCCCCGAGGGCCCAGAGGAGGCCGACGTGCC CGAGCTCCTCCGGGGGTCCCGCCGCGAGCTTTCTTCTCGCCTTCGCATCTCCTCCTCGCGCG TCTTGGAC**ATG**CCAGGAATAAAAAGGATACTCACTGTTACCATTCTGGCTCTCTGTCTTCCAA GCCCTGGGAATGCACAGGCACAGTGCACGAATGGCTTTGACCTGGATCGCCAGTCAGGACAGT GTTTAGATATTGATGAATGCCGAACCATCCCCGAGGCCTGCCGAGGAGACATGATGTGTTTA ACCAAAATGGCGGGTATTTATGCATTCCCCGGACAAACCCTGTGTATCGAGGGCCCTACTCGA ACCCCTACTCGACCCCCTACTCAGGTCCGTACCCAGCAGCTGCCCCACCACTCTCAGCTCCAA TCAATACTGAAGGCGGGTACACCTGCTCCTGCACCGACGGATATTGGCTTCTGGAAGGCCAGT GCTTAGACATTGATGAATGTCGCTATGGTTACTGCCAGCAGCTCTGTGCGAATGTTCCTGGAT CCTATTCTTGTACATGCAACCCTGGTTTTACCCTCAATGAGGATGGAAGGTCTTGCCAAGATG TGAACGAGTGTGCCACCGAGAACCCCTGCGTGCAAACCTGCGTCAACACCTACGGCTCTCTCA TCTGCCGCTGTGACCCAGGATATGAACTTGAGGAAGATGGCGTTCATTGCAGTGATATGGACG AGTGCAGCTTCTCTGAGTTCCTCTGCCAACATGAGTGTGTGAACCAGCCCGGCACATACTTCT GCTCCTGCCCTCCAGGCTACATCCTGCTGGATGACAACCGAAGCTGCCAAGACATCAACGAAT GTGAGCACAGGAACCACGTGCAACCTGCAGCAGACGTGCTACAATTTACAAGGGGGCTTCA AATGCATCGACCCCATCCGCTGTGAGGAGCCTTATCTGAGGATCAGTGATAACCGCTGTATGT GTCCTGCTGAGAACCCTGGCTGCAGAGACCAGCCCTTTACCATCTTGTACCGGGACATGGACG TGGTGTCAGGACGCTCCGTTCCCGCTGACATCTTCCAAATGCAAGCCACGACCCGCTACCCTG GGGCCTATTACATTTTCCAGATCAAATCTGGGAATGAGGGCAGAAATTTTACATGCGGCAAA CGGGCCCCATCAGTGCCACCCTGGTGATGACACGCCCCATCAAAGGGCCCCGGGAAATCCAGC TGGACTTGGAAATGATCACTGTCAACACTGTCATCAACTTCAGAGGCAGCTCCGTGATCCGAC TGCGGATATATGTGTCGCAGTACCCATTC**TGA**GCCTCGGGCTGGAGCCTCCGACGCTGCCTCT CATTGGCACCAAGGGACAGGAGAAGAGAGAATAACAGAGAGATGAGAGCGACACAGACGT TAGGCATTTCCTGCTGAACGTTTCCCCGAAGAGTCAGCCCCGACTTCCTGACTCTCACCTGTA CTATTGCAGACCTGTCACCCTGCAGGACTTGCCACCCCCAGTTCCTATGACACAGTTATCAAA AAGTATTATCATTGCTCCCCTGATAGAAGATTGTTGGTGAATTTTCAAGGCCTTCAGTTTATT TCCACTATTTTCAAAGAAAATAGATTAGGTTTGCGGGGGTCTGAGTCTATGTTCAAAGACTGT GAACAGCTTGCTGTCACTTCTTCACCTCTTCCACTCTCTCACTGTGTTACTGCTTTGCA AAGACCCGGGAGCTGGCGGGGAACCCTGGGAGTAGCTAGTTTGCTTTTTGCGTACACAGAGAA GGCTATGTAAACAAACCACAGCAGGATCGAAGGGTTTTTAGAGAATGTGTTTCAAAACCATGC CTGGTATTTTCAACCATAAAAGAAGTTTCAGTTGTCCTTAAATTTGTATAACGGTTTAATTCT GTCTTGTTCATTTTGAGTATTTTTAAAAAATATGTCGTAGAATTCCTTCGAAAGGCCTTCAGA CACATGCTATGTTCTGTCTTCCCAAACCCAGTCTCCTCTCCATTTTAGCCCAGTGTTTTCTTT GAGGACCCCTTAATCTTGCTTTCTTTAGAATTTTTACCCAATTGGATTGGAATGCAGAGGTCT CCAAACTGATTAAATATTTGAAGAGA

412/615

FIGURE 408

MPGIKRILTVTILALCLPSPGNAQAQCTNGFDLDRQSGQCLDIDECRTIPEACRGDMMCVNQNGGYLCIPRTNPVYRGPYSNPYSTPYSGPYPAAAPPLSAPNYPTISRPLICRFGYQMDESNQCVDVDECATDSHQCNPTQICINTEGGYTCSCTDGYWLLEGQCLDIDECRYGYCQQLCANVPGSYSCTONPGFTLNEDGRSCQDVNECATENPCVQTCVNTYGSLICRCDPGYELEEDGVHCSDMDECSFSEFLCQHECVNQPGTYFCSCPPGYILLDDNRSCQDINECEHRNHTCNLQQTCYNLQGGFKCIDPIRCEEPYLRISDNRCMCPAENPGCRDQPFTILYRDMDVVSGRSVPADIFQMQATTRYPGAYYIFQIKSGNEGREFYMRQTGPISATLVMTRPIKGPREIQLDLEMITVNTVINFRGSSVIRLRIYVSQYPF

Important features of the protein: Signal peptide:

amino acids 1-25

N-glycosylation sites.

amino acids 283-287, 296-300

N-myristoylation sites.

amino acids 21-27, 64-70, 149-155, 186-192, 226-232, 242-248, 267-273, 310-316

Aspartic acid and asparagine hydroxylation sites.

amino acids 144-156, 181-193, 262-274

Cell attachment sequence.

amino acids 54-57

Calcium-binding EGF-like.

amino acids 131-166, 172-205, 211-245, 251-286

FIGURE 409

GGGAGGAGCACCGACTGCGCCCCCCCTGAGAG<u>ATG</u>GTTGGTGCCATGTGGAAGGTGATTGTT TCGCTGGTCCTGTTGATGCCTGGCCCCTGTGATGGGCTGTTTCGCTCCCTATACAGAAGTGTT TCCATGCCACCTAAGGGAGACTCAGGACAGCCATTATTTCTCACCCCTTACATTGAAGCTGGG AAGATCCAAAAAGGAAGAGAATTGAGTTTGGTCGGCCCTTTCCCAGGACTGAACATGAAGAGT TATGCCGGCTTCCTCACCGTGAATAAGACTTACAACAGCAACCTCTTCTTCTGGTTCTTCCCA GCTCAGATACAGCCAGAAGATGCCCCAGTAGTTCTCTGGCTACAGGGTGGGCCGGGAGGTTCA TCCATGTTTGGACTCTTTGTGGAACATGGGCCTTATGTTGTCACAAGTAACATGACCTTGCGT GACAGAGACTTCCCCTGGACCACACGCTCTCCATGCTTTACATTGACAATCCAGTGGGCACA GGCTTCAGTTTTACTGATGATACCCACGGATATGCAGTCAATGAGGACGATGTAGCACGGGAT TTATACAGTGCACTAATTCAGTTTTTCCAGATATTTCCTGAATATAAAAATAATGACTTTTAT AACCCTGTGAGAGAGGTGAAGATCAACCTGAACGGAATTGCTATTGGAGATGGATATTCTGAT CCCGAATCAATTATAGGGGGCTATGCAGAATTCCTGTACCAAATTGGCTTGTTGGATGAGAAG CAAAAAAGTACTTCCAGAAGCAGTGCCATGAATGCATAGAACACATCAGGAAGCAGAACTGG TTTGAGGCCTTTGAAATACTGGATAAACTACTAGATGGCGACTTAACAAGTGATCCTTCTTAC TTCCAGAATGTTACAGGATGTAGTAATTACTATAACTTTTTTGCGGTGCACGGAACCTGAGGAT CAGCTTTACTATGTGAAATTTTTGTCACTCCCAGAGGTGAGACAAGCCATCCACGTGGGGAAT AAGCCATGGTTAACTGAAATCATGAATAATTATAAGGTTCTGATCTACAATGGCCAACTGGAC ATCATCGTGGCAGCTGCCCTGACAGAGCGCTCCTTGATGGGCATGGACTGGAAAGGATCCCAG GAATACAAGAAGCCAGAAAAAAAAGTTTGGAAGATCTTTAAATCTGACAGTGAAGTGGCTGGT TACATCCGGCAAGCGGGTGACTTCCATCAGGTAATTATTCGAGGTGGAGGACATATTTTACCC TATGACCAGCCTCTGAGAGCTTTTGACATGATTAATCGATTCATTTATGGAAAAGGATGGGAT CCTTATGTTGGA<u>TAA</u>ACTACCTTCCCAAAAGAGAACATCAGAGGTTTTCATTGCTGAAAAGAA AATCGTAAAAACAGAAAATGTCATAGGAATAAAAAAAATTATCTTTTCATATCTGCAAGATTTT TTTCATCAATAAAAATTATCCTTGAAACAAGTGAGCTTTTGTTTTTGGGGGGGAGATGTTTACT ACAAAATTAACATGAGTACATGAGTAAGAATTACATTATTTAACTTAAAGGATGAAAGGTATG GATGATGTGACACTGAGACAAGATGTATAAATGAAATTTTAGGGTCTTGAATAGGAAGTTTTA CCAATAACAGAAGTTTGGCATGCCGTGAAGGTGTTTGGAAATATTATTGGATAAGAATAGCTC AATTATCCCAAATAAATGGATGAAGCTATAATAGTTTTGGGGAAAAGATTCTCAAATGTATAA

FIGURE 410

MVGAMWKVIVSLVLLMPGPCDGLFRSLYRSVSMPPKGDSGQPLFLTPYIEAGKIQKGRELSLV GPFPGLNMKSYAGFLTVNKTYNSNLFFWFFPAQIQPEDAPVVLWLQGGPGGSSMFGLFVEHGP YVVTSNMTLRDRDFPWTTTLSMLYIDNPVGTGFSFTDDTHGYAVNEDDVARDLYSALIQFFQI FPEYKNNDFYVTGESYAGKYVPAIAHLIHSLNPVREVKINLNGIAIGDGYSDPESIIGGYAEF LYQIGLLDEKQKKYFQKQCHECIEHIRKQNWFEAFEILDKLLDGDLTSDPSYFQNVTGCSNYY NFLRCTEPEDQLYYVKFLSLPEVRQAIHVGNQTFNDGTIVEKYLREDTVQSVKPWLTEIMNNY KVLIYNGQLDIIVAAALTERSLMGMDWKGSQEYKKAEKKVWKIFKSDSEVAGYIRQAGDFHQV IIRGGGHILPYDQPLRAFDMINRFIYGKGWDPYVG

Signal sequence:

amino acids 1-22

N-glycosylation site.

amino acids 81-85, 132-136, 307-311, 346-350

Casein kinase II phosphorylation site.

amino acids 134-138, 160-164, 240-244, 321-325, 334-338, 348-352, 353-357, 424-428

Tyrosine kinase phosphorylation site.

amino acids 423-432

N-myristoylation site.

amino acids 22-28, 110-116, 156-162, 232-238

Serine carboxypeptidases, serine active site.

amino acids 200-208

Crystallins beta and gamma 'Greek key' motif signature.

amino acids 375-391

FIGURE 411

GCAAGCCAAGGCGCTGTTTGAGAAGGTGAAGAAGTTCCGGACCCATGTGGAGGAGGGGGGACATTGTGTACCGCCT $\mathtt{CTAC} \underline{\mathbf{ATG}} \mathtt{CGGCAGACCATCATCAAGGTGATCAAGTTCATCCTCATCATCTGCTACACCGTCTACTACGTGCACAA$ CACACTGTGGTGGATGCTACGGCGCTCCCTCAAGAAGTACTCGTTTGAGTCGATCCGTGAGGAGAGCAGCTACAG GGACAAGCTCCGGCAGCGCTCACCAAGAACGCGCAGGACAAGCTGGAGCTGCACCTGTTCATGCTCAGTGGCAT $\tt CCCTGACACTGTGTTTGACCTGGTGGAGCTGGAGGTCCTCAAGCTGGAGCTGATCCCCGACGTGACCATCCCGCC$ GGCCTTCCTGCGCGAGAACCTGCGGGCGCTGCACATCAAGTTCACCGACATCAAGGAGATCCCGCTGTGGATCTA TAGCCTGAAGACACTGGAGGAGCTGCACCTGACGGGCAACCTGAGCGCGGAGAACAACCGCTACATCGTCATCGA AGATGTGGGCGTGCACCTGCAGAAGCTGTCCATCAACAATGAGGGCACCAAGCTCATCGTCCTCAACAGCCTCAA GAAGATGGCGAACCTGACTGGGGCTGGACCTGCGACCTGGAGCGCATCCCCCACTCCATCTTCAGCCT $\verb|CCACAACCTGCAGGAGATTGACCTCAAGGACAACCTCAAGACCATCGAGGAGATCATCAGCTTCCAGCACCT|\\$ GCACCGCCTCACCTGCCTTAAGCTGTGGTACAACCACATCGCCTACATCCCCATCCAGATCGGCAACCTCACCAA AGCCATCACGGCCAACCGGATCGAGACGCTCCCTCCGGAGCTCTTCCAGTGCCGGAAGCTGCGGGCCCTGCACCT GGGCAACAACGTGCTGCAGTCACTGCCCTCCAGGGTGGGCGAGCTGACCAACCTGACGCAGATCGAGCTGCGGGG ${\tt GGACCTGTTCAACACTGCCACCCGAGGTGAAGGAGCGGCTGTGGAGGGCTGACAAGGAGCAGGCC\underline{{\tt TGA}}{\tt GCGAGGCCGGCTGACAAGGAGCAGGCC}$ ${\tt GCCGGCCCAGCAGCAGCAGCAGCAGGACCGCTGCCCAGTCCTCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGGCAGGCCTAGCTTCTCCCAGGCCCGGAGGGCCAGGCCTAGCTTCTCCCAGGCCCAGGCCCAGGCCCAGGCCTAGCTTCTCCCAGGCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGC$ AACTCCCGGACAGCCAGGACAGCCTCGCGGCTGGGCAGGAGCCTGGGGCCGCTTGTGAGTCAGGCCAGAGCGAGA GGACAGTATCTGTGGGGCTGGCCCCTTTTCTCCCTCTGAGACTCACGTCCCCCAGGGCAAGTGCTTGTGGAGGAG AGCAAGTCTCAAGAGCGCAGTATTTGGATAATCAGGGTCTCCTCCCTGGAGGCCAGCTCTGCCCCAGGGGCTGAG AGATAACTTATACATTCCCAAGAAAGTTCAGCCCAGATGGAAGGTGTTCAGGGAAAGGTGGGCTGCCTTTTCCCC ${\tt AAAAGACACTAACGGCCAGTGAGTTGGAGTCTCAGGGCAGGGTGGCAGTTTCCCTTGAGCAAAGCAGCCAGACGT}$ TGAACTGTGTTTCCTTTCCCTGGGCGCAGGGTGCAGGGTGTCTTCCGGATCTGGTGTGACCTTGGTCCAGGAGTT ATGTGTCTTGGCAGGCACTCATTTCTGTGGCTGTCGGCCAGGGGAATGTTCTGGAGCTGCCAAGGAGGAGGAG CGCACAGTGTTAAGGAGCCAAGAGGAGCCACTTCGCCCAGACTTTGTTTCCCCACCTCCTGCGGCATGGGTGTGT ${\tt CCAGTGCCACCGCTGCCTCCATCAGCCCTGTCGCCACCTGGTCCTTCATGAAGAGCAGACACTTA}$ GAGGCTGGTCGGGAATGGGGAGGTCGCCCCTGGGAGGCCAGGCGTTGGTTCCAAGCCGGTTCCCGTCCCTGGCGC CTGGAGTGCACACAGCCCAGTCGGCACCTGGTGGCTGGAAGCCAACCTGCTTTAGATCACTCGGGTCCCCACCTT AGAAGGGTCCCCGCCTTAGATCAATCACGTGGACACTAAGGCACGTTTTAGAGGTCTCTTGTCTTAATGATTATGT CCATCCGTCTGTCCGTCCATTTGTGTTTTCTGCGTCGTGTCATTGGATATAATCCTCAGAAATAATGCACACTAG CCTCTGACAACCATGAAGCAAAAATCCGTTACATGTGGGTCTGAACTTGTAGACTCGGTCACAGTATCAAATAAA ATCTATAACAGAAAAAAAAAAAAAA

FIGURE 412

MRQTIIKVIKFILIICYTVYYVHNIKFDVDCTVDIESLTGYRTYRCAHPLATLFKILASFYIS LVIFYGLICMYTLWWMLRRSLKKYSFESIREESSYSDIPDVKNDFAFMLHLIDQYDPLYSKRF AVFLSEVSENKLRQLNLNNEWTLDKLRQRLTKNAQDKLELHLFMLSGIPDTVFDLVELEVLKL ELIPDVTIPPSIAQLTGLKELWLYHTAAKIEAPALAFLRENLRALHIKFTDIKEIPLWIYSLK TLEELHLTGNLSAENNRYIVIDGLRELKRLKVLRLKSNLSKLPQVVTDVGVHLQKLSINNEGT KLIVLNSLKKMANLTELELIRCDLERIPHSIFSLHNLQEIDLKDNNLKTIEEIISFQHLHRLT CLKLWYNHIAYIPIQIGNLTNLERLYLNRNKIEKIPTQLFYCRKLRYLDLSHNNLTFLPADIG LLQNLQNLAITANRIETLPPELFQCRKLRALHLGNNVLQSLPSRVGELTNLTQIELRGNRLEC LPVELGECPLLKRSGLVVEEDLFNTLPPEVKERLWRADKEOA

Transmembrane domain:

amino acids 51-75 (type II)

N-glycosylation site.

amino acids 262-266, 290-294, 328-332, 396-400, 432-436, 491-495

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 85-89

Casein kinase II phosphorylation site.

amino acids 91-95, 97-101, 177-181, 253-257, 330-334, 364-368, 398-402, 493-497

N-myristoylation site.

amino acids 173-179, 261-267, 395-401, 441-447

FIGURE 413

GAATCATCCACGCACCTGCAGCTCTGCTGAGAGAGTGCAAGCCGTGGGGGTTTTTGAGCTCATC TTCATCATTCATATGAGGAAATAAGTGGTAAAATCCTTGGAAATACA<u>ATG</u>AGACTCATCAGAA ACATTTACATATTTTGTAGTATTGTTATGACAGCAGAGGGTGATGCTCCAGAGCTGCCAGAAG AAAGGGAACTGATGACCAACTGCTCCAACATGTCTCTAAGAAAGGTTCCCGCAGACTTGACCCCAGCCACAACGACACTGGATTTATCCTATAACCTCCTTTTTCAACTCCAGAGTTCAGATTTTC ATTCTGTCTCCAAACTGAGAGTTTTGATTCTATGCCATAACAGAATTCAACAGCTGGATCTCA TGCCTATCTGTGAGGAAGCTGGCAACATGTCACACCTGGAAATCCTTAGGTTTGAGTGGGGCAAAATACAAAAATCAGATTTCCAGAAAATTGCTCATCTGCATCTAAATACTGTCTTCTTAGGATTCAGAACTCTCCTCATTATGAAGAAGGTAGCCTGCCCATCTTAAACACAACAAAACTGCACATTGTTTTACCAATGGACACAAAATTTCTGGGTTCTTTTTGCGTGATGGAATCAAGACTTCAAAAA TATTAGAAATGACAAATTTCTGGGTTCTTTTGCGTGATGGATCAAGACTTCAAAAATTTTTAGAAATGAAATGCAACGAAATCTTAGTTTAGAAATGCAACGAAATCTTAGTTTAGAAAATGCTAAGACATCGGTTCTATTTGCTTAATAAAGTTGATTTACTCTTGGGACGACCTTTTCCTTATCTTACAATTTGTTTTGGCATACATCAGTGGAACACTTTCAGATCCGAAATGTGACTTTTGGTGGTAAGGCTTATCTTGACCACAATTCATTTGACTACTCAAATACTGTAATGA GAACTATAAAATTGGAGCATGTACATTTCAGAGTGTTTTACATTCAACAGGATAAAATCTATT GTCAAAATCTATTACAACATAAAAATGATGAAAATTGCTCATGGCCAGAAACTGTGGTCAATA TGAATCTGTCATACAATAAATTGTCTGATTCTGTCTTCAGGTGCTTGCCCAAAAGTATTCAAA TACTTGACCTAAATAATAACCAAATCCAAACTGTACCTAAAGAGACTATTCATCTGATGGCCT TACGAGAACTAAATATTGCATTTAATTTTCTAACTGATCTCCCTGGATGCAGTCATTTCAGTA GACTTTCAGTTCTGAACATTGAAATGAACTTCATTCTCAGCCCATCTCTGGATTTTGTTCAGA GACTITCAGITCIGAACATTGAAATGAACTTCATTCTCAGCCCATCTCTGGATTTTGTTCAGA
GCTGCCAGGAAGTTAAAACTCTAAATGCGGGAAGAAATCCATTCCGGTGTACCTGTGAATTAA
AAAATTTCATTCAGCTTGAAACATATTCAGAGGTCATGATGGTTGGATGGTCAGATTCATACA
CCTGTGAATACCCTTTAAACCTAAGGGGAACTAGGTTAAAAGACGTTCATCTCCACGAATTAT
CTTGCAACACAGCTCTGTTGATTGTCACCATTGTGGTTATTATGCTAGTTCTGGGGTTGGCTG
TGGCCTTCTGCTGTCTCCACTTTGATCTGCCCTGGTATCTCAGGATGCTAGGTCAATGCACAC
AAACATGGCACAGGGGTTAGGAAAACCCAAGAACACAAGAAAATGTCCGATTCCACG AAAATTCTGATCATATAATTCTTATCTTACTGGAACCCATTCCATTCTATTGCATCCCACCA GGTATCATAAACTGAAAGCTCTCCTGGAAAAAAAAGCATACTTGGAATGGCCCAAGGATAGGC GTAAATGTGGGCTTTTCTGGGCAAACCTTCGAGCTGCTATTAATGTTAATGTATTAGCCACCA GAGAAATGTATGAACTGCAGACATTCACAGAGTTAAATGAAGAGTCTCGAGGTTCTACAATCT CTCTGATGAGAACAGATTGTCTA**TAA**AATCCCACAGTCCTTGGGAAGTTGGGGACCACATACA TAGAATGAATCTGTATTTCTTTTATAAGTAGAAAAAAAATAAAGATAGTTTTTACAGCCT

418/615

FIGURE 414

MRLIRNIYIFCSIVMTAEGDAPELPEERELMTNCSNMSLRKVPADLTPATTTLDLSYNLLFQL QSSDFHSVSKLRVLILCHNRIQQLDLKTFEFNKELRYLDLSNNRLKSVTWYLLAGLRYLDLSF NDFDTMPICEEAGNMSHLEILGLSGAKIQKSDFQKIAHLHLNTVFLGFRTLPHYEEGSLPILN TTKLHIVLPMDTNFWVLLRDGIKTSKILEMTNIDGKSQFVSYEMQRNLSLENAKTSVLLLNKV DLLWDDLFLILQFVWHTSVEHFQIRNVTFGGKAYLDHNSFDYSNTVMRTIKLEHVHFRVFYIQ QDKIYLLLTKMDIENLTISNAQMPHMLFPNYPTKFQYLNFANNILTDELFKRTIQLPHLKTLI LNGNKLETLSLVSCFANNTPLEHLDLSQNLLQHKNDENCSWPETVVNMNLSYNKLSDSVFRCL PKSIQILDLNNNQIQTVPKETIHLMALRELNIAFNFLTDLPGCSHFSRLSVLNIEMNFILSPS LDFVQSCQEVKTLNAGRNPFRCTCELKNFIQLETYSEVMMVGWSDSYTCEYPLNLRGTRLKDV HLHELSCNTALLIVTIVVIMLVLGLAVAFCCLHFDLPWYLRMLGQCTQTWHRVRKTTQEQLKR NVRFHAFISYSEHDSLWVKNELIPNLEKEDGSILICLYESYFDPGKSISENIVSFIEKSYKSI FVLSPNFVQNEWCHYEFYFAHHNLFHENSDHIILILLEPIPFYCIPTRYHKLKALLEKKAYLE WPKDRKCGLFWANLRAAINVNVLATREMYELQTFTELNEESRGSTISLMRTDCL

FIGURE 415

CGGCAAAGTTTGGCCCGAAGAGGAAGTGGTCTCAAACCCCGGCAGGTGGCGACCAGGCCAGACCAGGGGCGCTCG CTGCCTGCGGGCGGCTGTAGGCGAGGCCGCCCCAGTGCCGAGACCCGGGGCTTCAGGAGCCGGCCCCGGGAG AGAAGAGTGCGGCGGCGGACGAGAAAACAACTCCAAAGTTGGCGAAAGGCACCGCCCCTACTCCCGGGCTGCCG $\tt CCGCCTCCCCGCCCCAGCCCTGGCATCCAGAGTACGGGTCGAGCCCGGGCCATGGAGCCCCCTGGGGAGGCGG$ GCACCTCTGGACAGCCCAGGATGCTGTTGGCCACCCTCCTCCTCCTCCTTCGTGGAGGCGCTCTGGCCCATCCAG ACCGGATTATTTTCCAAATCATGCTTGTGAGGACCCCCCAGCAGTGCTCTTAGAAGTGCAGGGCACCTTACAGA GGCCCCTGGTCCGGGACAGCCGCACCTCCCCTGCCAACTGCACCTGGCTCATCCTGGGCAGCAAGGAACAGACTG TCACCATCAGGTTCCAGAAGCTACACCTGGCCTGTGGCTCAGAGCGCTTAACCCTACGCTCCCCTCTCCAGCCAC TGATCTCCCTGTGTGAGGCACCTCCCAGCCCTCTGCAGCTGCCCGGGGGCAACGTCACCATCACTTACAGCTATG $\tt CTGGGGCCAGAGCACCCATGGGCCAGGGCTTCCTGCTCTCCTACAGCCAAGATTGGCTGATGTGCCTGCAGGAAG$ AGTTTCAGTGCCTGAACCACCGCTGTGTATCTGCTGTCCAGCGCTGTGATGGGGTTGATGCCTGTGGCGATGGCT $\tt CCTGCCATTGGCTGGACCCCCATGATGGCCGGCGGCTGGCCGTGCGCTTCACAGCCCTGGACTTGGGCTTTG$ GAGATGCAGTGCATGTGTATGACGGCCCTGGGCCCCCTGAGAGCTCCCGACTACTGCGTAGTCTCACCCACTTCA CTGGCCTGGGAGCTGGCGAAGGCCTAGGTGAGCGCTGCTACAGTGAGGCACAGCGCTGTGACGGCTCATGGGACT GTGCTGACGGCACAGATGAGGAGGACTGCCCAGGCTGCCCACCTGGACACTTCCCCTGTGGGGCTGCTGGCACCT CTGGTGCCACAGCCTGCTACCTGCCTGCTGACCGCTGCAACTACCAGACTTTCTGTGCTGATGGAGCAGATGAGA GACGCTGTCGGCATTGCCAGCCTGGCAATTTCCGATGCCGGGACGAGAAGTGCGTGTATGAGACGTGGGTGTGCG ${\tt ATGGGCAGCCAGACTGTGCGGACGGCAGTGATGAGTGGGACTGCTCCTATGTTCTGCCCCGCAAGGTCATTACAG}$ $\tt CTGCAGTCATTGGCAGCCTAGTGTGCGGCCTGCTCCTGGTCATCGCCCTGGGCTGCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACCTGCAAGCTCTATGCCACACTGCAAGCTCTATGCCACACTGCAAGCTCTATGCCACACTGCAAGCTCTATGCCACACTGCAAGCTCTATGCCACACTGCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCAAGCTCTATGCCACATGCAAGCTCTATGCCAAGCTAAGCTCAAGCTAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTCAAGCTAAGCTAAGCTAAGCTCAAGCTCA$ TTCGCACCCAGGAGTACAGCATCTTTGCCCCCCTCTCCCGGATGGAGGCTGAGATTGTGCAGCAGCAGGCACCCC $\tt CTTCCTACGGGCAGCTCATTGCCCAGGGTGCCATCCCACCTGTAGAAGACTTTCCTACAGAGAATCCTAATGATA$ ACTCAGTGCTGGGCAACCTGCGTTCTCTGCTACAGATCTTACGCCAGGATATGACTCCAGGAGGTGGCCCAGGTG $\tt CCAACACCCCGGCTCGGGCCTCTGAGGCCAGATCCCAGGTCACACCTTCTGCTGCTCCCCTTGAGGCCCTAGATGCCCTAGATGCTCCCCTTGAGGCCCTAGATGCCCTAGATGCCCAGATCCAGATCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATCCAGATC$ AGGCTCCCCTCCCATCTGCTAGCACGTCTCCAGCCCCCACTACTGTCCCTGAAGCCCCAGGGCCACTGCCCTCAC TGCCCCTAGAGCCATCACTATTGTCTGGAGTGGTGCAGGCCCTGCGAGGCCGCCTGTTGCCCAGCCTGGGGCCCC CAGGACCAACCCGGAGCCCCCTGGACCCCACACAGCAGTCCTGGCCCTGGAAGATGAGGACGATGTGCTACTGG $\tt CTCTACTGAGGCCTCTCCCCTGGGGGCTCTACTCATAGTGGCACAACCTTTTAGAGGTGGGTCAGCCTCCCCTCC$ ACCACTTCCTTCCCTGTCCCTGGATTTCAGGGACTTGGTGGGCCTCCCGTTGACCCTATGTAGCTGCTATAAAGT TAAGTGTCCCTCAGGCAGGGAGAGGGCTCACAGAGTCTCCTCTGTACGTGGCCATGGCCAGACACCCCAGTCCCT TCACCACCACCTGCTCCCCACGCCACCACTTTGGGTGGCTGTTTTTAAAAAGTAAAGTTCTTAGAGGATCATA GGTCTGGACACTCCATCCTTGCCAAACCTCTACCCAAAAGTGGCCTTAAGCACCGGAATGCCAATTAACTAGAGA $\tt CCCTCCAGCCCCCAAGGGGAGGTTTGGGCAGAACCTGAGGTTTTGCCATCCACAATCCCTCCTACAGGGCCTGG$ CTCACAAAAAGAGTGCAACAAATGCTTCTATTCCATAGCTACGGCATTGCTCAGTAAGTTGAGGTCAAAAATAAA **GGAATCATACATCTC**

420/615

FIGURE 416

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49631
<subunit 1 of 1, 713 aa, 1 stop
<MW: 76193, pI: 5.42, NX(S/T): 4
MLLATLLLLLLGGALAHPDRIIFPNHACEDPPAVLLEVQGTLQRPLVRDSRTSPANCTWLILG
SKEQTVTIRFQKLHLACGSERLTLRSPLQPLISLCEAPPSPLQLPGGNVTITYSYAGARAPMG
QGFLLSYSQDWLMCLQEEFQCLNHRCVSAVQRCDGVDACGDGSDEAGCSSDPFPGLTPRPVPS
LPCNVTLEDFYGVFSSPGYTHLASVSHPQSCHWLLDPHDGRRLAVRFTALDLGFGDAVHVYDG
PGPPESSRLLRSLTHFSNGKAVTVETLSGQAVVSYHTVAWSNGRGFNATYHVRGYCLPWDRPC
GLGSGLGAGEGLGERCYSEAQRCDGSWDCADGTDEEDCPGCPPGHFPCGAAGTSGATACYLPA
DRCNYQTFCADGADERRCRHCQPGNFRCRDEKCVYETWVCDGQPDCADGSDEWDCSYVLPRKV
ITAAVIGSLVCGLLLVIALGCTCKLYAIRTQEYSIFAPLSRMEAEIVQQQAPPSYGQLIAQGA
IPPVEDFPTENPNDNSVLGNLRSLLQILRQDMTPGGGPGARRRQRGRLMRRLVRRLRRWGLLP
RTNTPARASEARSQVTPSAAPLEALDGGTGPAREGGAVGGQDGEQAPPLPIKAPLPSASTSPA
PTTVPEAPGPLPSLPLEPSLLSGVVQALRGRLLPSLGPPGPTRSPPGPHTAVLALEDEDDVLL
VPLAEPGVWVAEAEDEPLLT</pre>

Important features: Signal peptide:

amino acids 1-16

Transmembrane domain: amino acids 442-462

LDL-receptor class A (LDLRA) domain proteins amino acids 411-431, 152-171, 331-350 and 374-393

FIGURE 417

GTCGTTCCTTTGCTCTCGCGCCCAGTCCTCCTCCTGGTTCTCCTCAGCCGCTGTCGGAGGAGAGCACCCGGA GACGCGGGCTGCAGTCGCGGCGGCTTCTCCCCGCCTGGGCGGCCTCGCCGCTGGGCAGGTGCTGAGCGCCCCTAG AGCCTCCCTTGCCGCCTCCTCTGCCCGGCCGCAGCAGTGCACATGGGGTGTTGGAGGTAGATGGGCTCCCG GCCCGGGAGGCGCGGTGGATGCGGCGCTGGGCAGAAGCAGCCGCCGATTCCAGCTGCCCCGCGCCCCCGGGCG $\tt CCCCTGCGAGTCCCCGGTTCAGCCATGGGGACCTCTCCGAGCAGCAGCACCGCCCTCGCCTCCTGCAGCCGCATC$ GCCCGCCGAGCCACGCCACGATGATCGCGGGCTCCCTTCTCCTGCTTGGATTCCTTAGCACCACCACACGCTCAG CCAGAACAGAAGGCCTCGAATCTCATTGGCACATACCGCCATGTTGACCGTGCCACCGGCCAGGTGCTAACCTGT GACAAGTGTCCAGCAGGAACCTATGTCTCTGAGCATTGTACCAACACAAGCCTGCGCGTCTGCAGCAGTTGCCCT GTGGGGACCTTTACCAGGCATGAGAATGGCATAGAGAAATGCCATGACTGTAGTCAGCCATGCCCATGGCCAATG ATTGAGAAATTACCTTGTGCTGCCTTGACTGACCGAGAATGCACTTGCCCACCTGGCATGTTCCAGTCTAACGCT ACCTGTGCCCCCCATACGGTGTGTCCTGTGGGTTGGGGTGTGCGGAAGAAAGGGACAGAGACTGAGGATGTGCGG TGTAAGCAGTGTGCTCGGGGTACCTTCTCAGATGTGCCTTCTAGTGTGATGAAATGCAAAGCATACACAGACTGT CTGAGTCAGAACCTGGTGGTGATCAAGCCGGGGACCAAGGAGACAGCCACGTCTGTGGCACACTCCCGTCCTTC ${\tt TCCAGCTCCACCTCACCTGGCACAGCCATCTTTCCACGCCCTGAGCACATGGAAACCCATGAAGTCCCT}$ TCCTCCACTTATGTTCCCAAAGGCATGAACTCAACAGAATCCAACTCTTCTGCCTCTGTTAGACCAAAGGTACTG GCCACTGGGGGGGAGAAGTCCAGCACGCCCATCAAGGGCCCCAAGAGGGGACATCCTAGACAGAACCTACACAAG CATTTTGACATCAATGAGCATTTGCCCTGGATGATTGTGCTTTTCCTGCTGCTGGTGCTTGTGGTGATTGTGGTG TGCAGTATCCGGAAAAGCTCGAGGACTCTGAAAAAGGGGCCCCGGCAGGATCCCAGTGCCATTGTGGAAAAGGCA GGGCTGAAGAAATCCATGACTCCAACCCAGAACCGGGAGAAATGGATCTACTACTGCAATGGCCATGGTATCGAT AGGGAGGTTGCTGCTTTCTCCAATGGGTACACAGCCGACCACGAGCGGGCCTACGCAGCTCTGCAGCACTGGACC ATCCGGGGCCCGAGGCCAGCCTCGCCCAGCTAATTAGCGCCCTGCGCCAGCACCGGAGAAACGATGTTGTGGAG AAGATTCGTGGGCTGATGGAAGACACCCCCGCTGGAAACTGACAAACTAGCTCTCCCGATGAGCCCCAGCCCG CTTAGCCCGAGCCCCATCCCCAGCCCCAACGCGAAACTTGAGAATTCCGCTCTCCTGACGGTGGAGCCTTCCCCA CAGGACAAGAACAAGGGCTTCTTCGTGGATGAGTCGGAGCCCCTTCTCCGCTGTGACTCTACATCCAGCGGCTCC CCCTGTGACTTGCAGCCTATCTTTGATGACATGCTCCACTTTCTAAATCCTGAGGAGCTGCGGGTGATTGAAGAG $\tt CTCCTGGACTCTGTTTATAGCCATCTTCCTGACCTGCTG\\ \underline{TAG}\\ \texttt{AACATAGGGATACTGCATTCTGGAAATTACTCA}$ TCTCTCTCTTTTTTTTAAATAACTCTTCTGGGAAGTTGGTTATAAGCCCTTTGCCAGGTGTAACTGTTGTGAA ATACCCACCACTAAAGTTTTTTAAGTTCCATATTTTCTCCATTTTTGCCTTCTTATGTATTTTCAAGATTATTCTG TGCACTTTAAATTTACTTAACTTACCATAAATGCAGTGTGACTTTTCCCACACACTGGATTGTGAGGCTCTTAAC TTCTTAAAAGTATAATGGCATCTTGTGAATCCTATAAGCAGTCTTTATGTCTCTTAACATTCACACCTACTTTTT CCCCATTGAGTTACTGTAATGCAATTCAACTTTGAGTTATCTTTTAAATATGTCTTGTATAGTTCATATTCATGG CTGAAACTTGACCACACTATTGCTGATTGTATGGTTTTCACCTGGACACCGTGTAGAATGCTTGATTACTTGTAC TCTTCTTATGCTAATATGCTCTGGGCTGGAGAAATGAAATCCTCAAGCCATCAGGATTTGCTATTTAAGTGGCTT GACAACTGGGCCACCAAAGAACTTGAACTTCACCTTTTAGGATTTGAGCTGTTCTGGAACACATTGCTGCACTTT GGAAAGTCAAAATCAAGTGCCAGTGGCGCCCTTTCCATAGAGAATTTGCCCAGCTTTGCTTTAAAAGATGTCTTG TTTTTTATATACACATAATCAATAGGTCCAATCTGCTCTCAAGGCCTTGGTCCTGGTGGGATTCCTTCACCAATT ACTTTAATTAAAAATGGCTGCAACTGTAAGAACCCTTGTCTGATATATTTTGCAACTATGCTCCCATTTACAAATG TACCTTCTAATGCTCAGTTGCCAGGTTCCAATGCAAAGGTGGCGTGGACTCCCTTTGTGTGGGGGGTTTGTGG AAAAAAAA

422/615

FIGURE 418

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52594

><subunit 1 of 1, 655 aa, 1 stop

><MW: 71845, pI: 8.22, NX(S/T): 8

MGTSPSSSTALASCSRIARRATATMIAGSLLLLGFLSTTTAQPEQKASNLIGTYRHVDRATGQ VLTCDKCPAGTYVSEHCTNTSLRVCSSCPVGTFTRHENGIEKCHDCSQPCPWPMIEKLPCAAL TDRECTCPPGMFQSNATCAPHTVCPVGWGVRKKGTETEDVRCKQCARGTFSDVPSSVMKCKAY TDCLSQNLVVIKPGTKETDNVCGTLPSFSSSTSPSPGTAIFPRPEHMETHEVPSSTYVPKGMN STESNSSASVRPKVLSSIQEGTVPDNTSSARGKEDVNKTLPNLQVVNHQQGPHHRHILKLLPS MEATGGEKSSTPIKGPKRGHPRQNLHKHFDINEHLPWMIVLFLLLVLVVIVVCSIRKSSRTLK KGPRQDPSAIVEKAGLKKSMTPTQNREKWIYYCNGHGIDILKLVAAQVGSQWKDIYQFLCNAS EREVAAFSNGYTADHERAYAALQHWTIRGPEASLAQLISALRQHRRNDVVEKIRGLMEDTTQL ETDKLALPMSPSPLSPSPIPSPNAKLENSALLTVEPSPQDKNKGFFVDESEPLLRCDSTSSGS SALSRNGSFITKEKKDTVLRQVRLDPCDLQPIFDDMLHFLNPEELRVIEEIPQAEDKLDRLFE IIGVKSOEASOTLLDSVYSHLPDLL

Signal sequence:

amino acids 1-41

Transmembrane domain:

amino acids 350-370

FIGURE 419

ATGGCTGGTGACGGCGGGCCGGGCAGGGGACCGGGGCCGGGCCCGGGAGCCAGCTGCCGGGAGCCCTGA ATCACCGCCTGGCCCGACTCCACCATGAACGTCGCGCTGCAGGAGCTGGGAGCTGGCAGCAACGTGGGATTCCAG ${\tt AAGGGGACAAGACAGCTGTTAGGCTCACGCACGCAGCTGGAGCTGGTCTTAGCAGGTGCCTCTCTACTGCTGGCT}$ GCACTGCTTCTGGGCTGCCTTGTGGCCCTAGGGGTCCAGTACCACAGAGCCCCACCACACCACCTGCCTTACA GAGGCCTGCATTCGAGTGGCTGGAAAAATCCTGGAGTCCCTGGACCGAGGGGTGAGCCCCTGTGAGGACTTTTAC CAGTTCTCCTGTGGGGGCTGGATTCGGAGGAACCCCCTGCCCGATGGGCGTTCTCGCTGGAACACCTTCAACAGC CTCTGGGACCAAAACCAGGCCATACTGAAGCACCTGCTTGAAAACACCACCTTCAACTCCAGCAGTGAAGCTGAG GACCTCATTGAGAAGATTGGTGGTTGGAACATTACGGGGCCCTGGGACCAGGACAACTTTATGGAGGTGTTGAAG GCAGTAGCAGGGACCTACAGGGCCACCCCATTCTTCACCGTCTACATCAGTGCCGACTCTAAGAGTTCCAACAGC AATGTTATCCAGGTGGACCAGTCTGGGCTCTTTCTGCCCTCTCGGGATTACTACTTAAACAGAACTGCCAATGAG GAGCAGATGCAGCAGGTGCTGGAGTTGGAGATACAGCTGGCCAACATCACAGTGCCCCAGGACCAGCGCGCGAC GAGGAGAAGATCTACCACAAGATGAGCATTTCGGAGCTGCAGGCTCTGGCGCCCTCCATGGACTGGCTTGAGTTC CTGTCTTTCTTGCTGTCACCATTGGAGTTGAGTGACTCTGAGCCTGTGGTGGTGTATGGGATGATTATTTGCAG CAGGTGTCAGAGCTCATCAACCGCACGGAACCAAGCATCCTGAACAATTACCTGATCTGGAACCTGGTGCAAAAG ACAACCTCAAGCCTGGACCGACGCTTTGAGTCTGCACAAGAGAAGCTGCTGGAGACCCTCTATGGCACTAAGAAG ${\tt TCCTGTGTGCCGAGGTGGCAGACCTGCATCTCCAACACGGATGACGCCCTTGGCTTTGCTTTGGGGTCACTCTTC}$ GTGAAGGCCACGTTTGACCGGCAAAGCAAAGAAATTGCAGAGGGGATGATCAGCGAAATCCGGACCGCATTTGAG GAGGCCCTGGGACAGCTGGTTTGGATGGATGAGAAGACCCGCCAGGCAGCCAAGGAGAAAGCAGATGCCATCTAT GATATGATTGGTTTCCCAGACTTTATCCTGGAGCCCAAAGAGCTGGATGATGTTTATGACGGGTACGAAATTTCT GAAGATTCTTCCCAAAACATGTTGAATTTGTACAACTTCTCTGCCAAGGTTATGGCTGACCAGCTCCGCAAG GTCTTCCCCGCTGGCATCCTGCAGGCCCCCTTCTATGCCCGCAACCACCCCAAGGCCCTGAACTTCGGTGGCATC ${\tt GGTGTGGTCATGGGCCATGAGTTGACGCATGCCTTTGATGACCAAGGGCGCGAGTATGACAAAGAAGGGAACCTG}$ CGGCCCTGGTGGCAGAATGAGTCCCTGGCAGCCTTCCGGAACCACACGGCCTGCATGGAGGAACAGTACAATCAA TACCAGGTCAATGGGGAGAGGCTCAACGGCCGCCAGACGCTGGGGGAGAACATTACTGACAACGGGGGGCTGAAG GCTGCCTACAATGCTTACAAAGCATGGCTGAGAAAGCATGGGGAGGAGCAGCAACTGCCAGCCGTGGGGCTCACC AACCACCAGCTCTTCTTCGTGGGATTTGCCCAGGTGTGGTGCTCGGTCCGCACACCAGAGAGCTCTCACGAGGGG CTGGTGACCGACCCCCACAGCCCTGCCCGCTTCCGCGTGCTGGGCACTCTCTCCAACTCCCGTGACTTCCTGCGG GAAATGGCCAGCTGTCACCAGACCTGGGGCAGCTCTCCTGACAAAGCTGTTTGCTCTTGGGTTGGGAGGAAGCAA ATGCAAGCTGGGCTGGGTCTAGTCCCTCCCCCCACAGGTGACATGAGTACAGACCCTCCTCAATCACCACATTG TGCCTCTGCTTTGGGGGTGCCCCTGCCTCCAGCAGAGCCCCCACCATTCACTGTGACATCTTTCCGTGTCACCCT

424/615

FIGURE 420

MNVALQELGAGSNVGFQKGTRQLLGSRTQLELVLAGASLLLAALLLGCLVALGVQYHRDPSHS
TCLTEACIRVAGKILESLDRGVSPCEDFYQFSCGGWIRRNPLPDGRSRWNTFNSLWDQNQAIL
KHLLENTTFNSSSEAEQKTQRFYLSCLQVERIEELGAQPLRDLIEKIGGWNITGPWDQDNFME
VLKAVAGTYRATPFFTVYISADSKSSNSNVIQVDQSGLFLPSRDYYLNRTANEKVLTAYLDYM
EELGMLLGGRPTSTREQMQQVLELEIQLANITVPQDQRRDEEKIYHKMSISELQALAPSMDWL
EFLSFLLSPLELSDSEPVVVYGMDYLQQVSELINRTEPSILNNYLIWNLVQKTTSSLDRRFES
AQEKLLETLYGTKKSCVPRWQTCISNTDDALGFALGSLFVKATFDRQSKEIAEGMISEIRTAF
EEALGQLVWMDEKTRQAAKEKADAIYDMIGFPDFILEPKELDDVYDGYEISEDSFFQNMLNLY
NFSAKVMADQLRKPPSRDQWSMTPQTVNAYYLPTKNEIVFPAGILQAPFYARNHPKALNFGGI
GVVMGHELTHAFDDQGREYDKEGNLRPWWQNESLAAFRNHTACMEEQYNQYQVNGERLNGRQT
LGENITDNGGLKAAYNAYKAWLRKHGEEQQLPAVGLTNHQLFFVGFAQVWCSVRTPESSHEGL
VTDPHSPARFRVLGTLSNSRDFLRHFGCPVGSPMNPGQLCEVW

Type II Transmembrane domain:

amino acids 32-57

425/615

FIGURE 421

GGCGCCGCTAGGCCCGGGAGGCCGGCCGGCCGGCTGCGAGCGCCTGCCCCATGCGCCGCC GCCTCTCCGCACG<u>ATC</u>TTCCCCTCGCGGAGGAAAGCGGCGCAGCTGCCCTGGGAGGACGGCAG GTCCGGGTTGCTCTCCGGCGCCTCCCTCGGAAGTGTTCCGTCTTCCACCTGTTCGTGGCCTG CCTCTCGCTGGGCTTCTTCTCCCTACTCTGGCTGCAGCTCAGCTGCTCTGGGGACGTGGCCCG CCCTGAGCACTGGGAAGAAGACGCATCCTGGGGCCCCCACCGCCTGGCAGTGCTGGTGCCCTT CCGCGAACGCTTCGAGGAGCTCCTGGTCTTCGTGCCCCACATGCGCCGCTTCCTGAGCAGGAA GAAGATCCGGCACCACATCTACGTGCTCAACCAGGTGGACCACTTCAGGTTCAACCGGGCAGC GCTCATCAACGTGGGCTTCCTGGAGAGCAGCAACAGCACGGACTACATTGCCATGCACGACGT TGACCTGCTCCCTCTCAACGAGGAGCTGGACTATGGCTTTCCTGAGGCTGGGCCCTTCCACGT GGCCTCCCGGAGCTCCACCCTCTCTACCACTACAAGACCTATGTCGGCGGCATCCTGCTGCT $\tt CTCCAAGCAGCACTACCGGCTGTGCAATGGGATGTCCAACCGCTTCTGGGGCTGGGGCCGCGA$ GGACGACGAGTTCTACCGGCGCATTAAGGGAGCTGGGCTCCAGCTTTTCCGCCCCTCGGGAAT CACAACTGGGTACAAGACATTTCGCCACCTGCATGACCCAGCCTGGCGGAAGAGGGGACCAGAA GAAGTACCATGTGGCTTCCCGCACTGCCCTGTCTGTGGGCGGGGCCCCCTGCACTGTCCTCAA CATCATGTTGGACTGTGACAAGACCGCCACACCCTGGTGCACATTCAGC**TGA**GCTGGATGGAC AGTGAGGAAGCCTGTACCTACAGGCCATATTGCTCAGGCTCAGGACAAGGCCTCAGGTCGTGG GCCCAGCTCTGACAGGATGTGGAGTGGCCAGGACCAAGACAGCAAGCTACGCAATTGCAGCCA $\tt CCCGGCCGCCAAGGCAGGCTTGGGCTGGGCCAGGACACGTGGGGTGCCTGGGACGCTGCTTGC$ CATGCACAGTGATCAGAGAGAGGCTGGGGTGTGTCCTGTCCGGGACCCCCCCTGCCTTCCTGC TCACCCTACTCTGACCTCCTTCACGTGCCCAGGCCTGTGGGTAGTGGGGAGGGCTGAACAGGA CAACCTCTCATCACCCTACTCTGACCTCCTTCACGTGCCCAGGCCTGTGGGTAGTGGGGAGGG AAAAAAAAAA

426/615

FIGURE 422

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56531

><subunit 1 of 1, 327 aa, 1 stop ><MW: 37406, pI: 9.30, NX(S/T): 1

MFPSRRKAAQLPWEDGRSGLLSGGLPRKCSVFHLFVACLSLGFFSLLWLQLSCSGDVARAVRG QGQETSGPPRACPPEPPPEHWEEDASWGPHRLAVLVPFRERFEELLVFVPHMRRFLSRKKIRH HIYVLNQVDHFRFNRAALINVGFLESSNSTDYIAMHDVDLLPLNEELDYGFPEAGPFHVASPE LHPLYHYKTYVGGILLLSKQHYRLCNGMSNRFWGWGREDDEFYRRIKGAGLOLFRPSGITTGY $\verb|KTFRHL| HDPAWRKRDQKRIAAQKQEQFKVDREGGLNTVKYHVASRTALSVGGAPCTVLNIMLD|$ CDKTATPWCTFS

Signal peptide:

amino acids 1-42

Transmembrane domain:

amino acids 29-49 (type II)

N-glycosylation site.

amino acids 154-158

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 27-31

Tyrosine kinase phosphorylation site.

amino acids 226-233

N-myristoylation site.

amino acids 19-25, 65-71, 247-253, 285-291, 303-309, 304-310

FIGURE 423

428/615

FIGURE 424

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56965
<subunit 1 of 1, 175 aa, 1 stop
<MW: 19330, pI: 7.25, NX(S/T): 1
MLPPMALPSVSWMLLSCLILLCQVQGEETQKELPSPRISCPKGSKAYGSPCYALFLSPKSWMD
ADLACQKRPSGKLVSVLSGAEGSFVSSLVRSISNSYSYIWIGLHDPTQGSEPDGDGWEWSSTD
VMNYFAWEKNPSTILNPGHCGSLSRSTGFLKWKDYNCDAKLPYVCKFKD</pre>

Important features:
Signal peptide:
amino acids 1-26

C-type lectin domain signature. amino acids 146-171

FIGURE 425

CGGACGCGTGGGCCGCCACCTCCGGAACAGCC<u>ATG</u>GTGGCGGCGACGGTGGCAGCGGCGTGG CTGCTCCTGTGGGCTGCGCCCTGCGCGCAGCAGGAGCAGGACTTCTACGACTTCAAGGCGGTC AACATCCGGGGCAAACTGGTGTCGCTGGAGAAGTACCGCGGATCGGTGTCCCTGGTGGTGAAT GTGGCCAGCGAGTGCGGCTTCACAGACCAGCACTACCGAGCCCTGCAGCAGCTGCAGCGAGAC CTGGGCCCCCACCACTTTAACGTGCTCGCCTTCCCCTGCAACCAGTTTGGCCAACAGGAGCCT GACAGCAACAAGGAGATTGAGAGCTTTGCCCGCCGCACCTACAGTGTCTCATTCCCCATGTTT AGCAAGATTGCAGTCACCGGTACTGGTGCCCATCCTGCCTTCAAGTACCTGGCCCAGACTTCT GGGAAGGAGCCCACCTGGAACTTCTGGAAGTACCTAGTAGCCCCAGATGGAAAGGTGGTAGGG GCTTGGGACCCAACTGTGTCAGTGGAGGAGGTCAGACCCCAGATCACAGCGCTCGTGAGGAAG CTCATCCTACTGAAGCGAGAAGACTTA<u>TAA</u>CCACCGCGTCTCCTCCTCCACCACCTCATCCCG CCCACCTGTGTGGGGCTGACCAATGCAAACTCAAATGGTGCTTCAAAGGGAGAGACCCACTGA CTCTCCTTCCTTTACTCTTATGCCATTGGTCCCATCATTCTTGTGGGGGAAAAATTCTAGTAT TTTGATTATTTGAATCTTACAGCAACAAATAGGAACTCCTGGCCAATGAGAGCTCTTGACCAG TGAATCACCAGCCGATACGAACGTCTTGCCAACAAAAATGTGTGGCAAATAGAAGTATATCAA GCAATAATCTCCCACCCAAGGCTTCTGTAAACTGGGACCAATGATTACCTCATAGGGCTGTTG AATGAACATTTTTTGCATATAAACCAAAAAATAACTTGTTATCAATAAAAACTTGCATCCAAC ATGAATTTCCAGCCGATGATAATCCAGGCCAAAGGTTTAGTTGTTATTTCCTCTGTATTA TTTTCTTCATTACAAAAGAAATGCAAGTTCATTGTAACAATCCAAACAATACCTCACGATATA AAATAAAATGAAAGTATCCTCCTCAAAAA

430/615

FIGURE 426

MVAATVAAAWLLLWAAACAQQEQDFYDFKAVNIRGKLVSLEKYRGSVSLVVNVASECGFTDQH YRALQQLQRDLGPHHFNVLAFPCNQFGQQEPDSNKEIESFARRTYSVSFPMFSKIAVTGTGAH PAFKYLAQTSGKEPTWNFWKYLVAPDGKVVGAWDPTVSVEEVRPQITALVRKLILLKREDL

431/615

FIGURE 427

CAGTTCTGAAATCAATGGAGTTAATTTAGGGAATACAAACCAGCCATGGGGGTGGAGATTGCC
TTTGCCTCAGTGATTCTCACCTGCCTCTCCCTTCTGGCAGCAGGAGTCTCCCAGGTTGTTCTT
CTCCAGCCAGTTCCAACTCAGGAGACAGGTCCCAAGGCCATGGGAGATCTCTCCTGTGGCTTT
GCCGGCCACTCATGAGAGTGTTTTTGTGTAAAGTATTTTTTAGAATACTGTTGACTTCTTCAT
GATTTAATAACCATCCTTTGCGAAGTTTTATGAGGCTTTAAGGGGAATGTCAACCCTCAAATTT
TTGTTATACTAGATGGCTTCCATTTACCCACCACTATTTTAAGGTCCCTTTATTTTTAGGTTC
AAGGTTCATTTGACTTGAGAAAGTGCCCTTCTGCAGCTTCATTGATTTTGTTTATCTTCACTA
TTAATTGTAACGATTAAAAAAGAATAAGAGCACGCAGACCTCTAGGAGAATATTTTATCCCTG
GGTGCCCCTGACACATTTATGTAGTGATCCCACAAATGTGATTGTTAATTTTAAATGTTATTCT
AATATTAGTACATTCAGTTGTGATGTAATATGAATAACCAGAATCTATTTCTTAAAAGTTTTG
AGTATATTTTTCAACTAGATATTTGTATAGAAAAGACTGAATAGTGATG

FIGURE 428

 ${\tt MGVEIAFASVILTCLSLLAAGVSQVVLLQPVPTQETGPKAMGDLSCGFAGHS}$

FIGURE 429

434/615

FIGURE 430

><ss.DNA57834

><subunit 1 of 1, 176 aa, 1 stop ><MW: 19616, pI: 7.11, NX(S/T): 0

MVLTIFGIQSHGYEVFNIISPSNNGGNVQETVTIDNEKNTAIVNIHAGSCSSTTIFDYKH GYIASRVLSRRACFILKMDHQNIPPLNNLQWYIYEKQALDNMFSNKYTWVKYNPLESLIK DVDWFLLGSPIEKLCKHIPLYKGEVVENTHNVGAGGCAKAGLLGILGISICADIHV

Important features:

Signal peptide:

Amino acids 1-26

N-myristoylation sites:

Amino acids 48-54;153-159;156-162;167-173

435/615

FIGURE 431

436/615

FIGURE 432

 ${\tt MSRSSKVVLGLSVLLTAATVAGVHVKQQWDQQRLRDGVIRDIERQIRKKENIRLLGEQIILTE} \\ {\tt QLEAEREKMLLAKGSQKS}$

FIGURE 433

GAATTCGTGTCTCGGCACTCACTCCCGGCCGCCCGGACAGGGAGCTTTCGCTGGCGCGCTTTGGCCGCGACAGGA $\tt CAGGTTCGGGACGTCCATCTGTCCATCCGTCCGGAGAGAAATTACAGATCCGCAGCCCCGGGA\underline{TC}_{GGGCCGGCCC}$ $\tt CGCTGCCGCTGCTGGGCCTCTTCCTCCCCGCGCTCTGGCGTAGAGCTATCACTGAGGCA\overline{AGG}GAAGAAGCCA$ AGCCTTACCCGCTATTCCCGGGACCTTTTCCAGGGAGCCTGCAAACTGACCACACCGCTGTTATCCCTTCCTC ACGCCAGTGGGTACCAGCCTGCCTTGATGTTTTCACCAACCCAGCCTGGAAGACCACATACAGGAAACGTAGCCATT ${\tt CCCCAGGTGACCTCTGTCGAATCAAAGCCCCTACCGCCTCTTGCCTTCAAACACACAGTTGGACACATAATACTT}$ TCTGAACATAAAGGTGTCAAATTTAATTGCTCAATCAATGTACCTAATATATACCAGGACACCACAATTTCTTGG TGGAAAGATGGGAAGGAATTGCTTGGGGGACATCATCGAATTACACAGTTTTATCCAGATGATGAAGTTACAGCA ATAATCGCTTCCTCAGCATAACCAGTGTGCAGCGTTCAGACAATGGGTCGTATATCTGTAAGATGAAAATAAAC AATGAAGAGATCGTGTCTGATCCCATCTACATCGAAGTACAAGGACTTCCTCACTTTACTAAGCAGCCTGAGAGC ATGAATGTCACCAGAAACACAGCCTTCAACCTCACCTGTCAGGCTGTGGGCCCGCCTGAGCCCGTCAACATTTTC TGGGTTCAAAACAGTAGCCGTGTTAACGAACAGCCTGAAAAATCCCCCGGCGTGCTAACTGTTCCAGGCCTGACG GAGATGGCGGTCTTCAGTTGTGAGGCCCACAATGACAAAGGGCTGACCGTGTCCCAGGGAGTGCAGATCAACATC AAAGCAATTCCCTCCCCACCAACTGAAGTCAGCATCCGTAACAGCACTGCACACAGCATTCTGATCTCCTGGGTT ${\tt CCTGGTTTTGATGGATACTCCCCGTTCAGGAATTGCAGCATTCAGGTCAAGGAAGCTGATCCGCTGGGTAATGGC}$ TCAGTCATGATTTTTAACACCTCTGCCTTACCACATCTGTACCAAATCAAGCAGCTGCAAGCCCTGGCTAATTAC ATGAAGCCTCCGACTAAGCAGCAGGATGGAGAACTGGTGGGCTACCGGATATCCCACGTGTGGCAGAGTGCAGGG ATTTCCAAAGAGCTCTTGGAGGAAGTTGGCCAGAATGGCAGCCGAGCTCGGATCTCTGTTCAAGTCCACAATGCT ACGTGCACAGTGAGGATTGCAGCCGTCACCAGAGGGGGGAGTTGGGCCCTTCAGTGATCCAGTGAAAATATTTATC CCTGCACACGGTTGGGTAGATTATGCCCCCTCTTCAACTCCGGCGCCTGGCAACGCAGATCCTGTGCTCATCATC TTTGGCTGCTTTTGTGGATTTATTTTGATTGGGTTGATTTTATACATCTCCTTGGCCATCAGAAAAAGAGTCCAG GAGACAAAGTTTGGGAATGCATTCACAGAGGAGGATTCTGAATTAGTGGTGAATTATATAGCAAAGAAATCCTTC ·TGTCGGCGAGCCATTGAACTTACCTTACATAGCTTGGGAGTCAGTGAGGAACTACAAAATAAACTAGAAGATGTT CTTAAGCAGGAAGATGGGACCTCTCTGAAAGTGGCAGTGAAGACCATGAAGTTGGACAACTCTTCACATCGGGAG ATCGAGGAGTTTCTCAGTGAGGCAGCGTGCATGAAAGACTTCAGCCACCCAAATGTCATTCGACTTCTAGGTGTG TGTATAGAAATGAGCTCTCAAGGCATCCCAAGCCCATGGTAATTTTACCCTTCATGAAATACGGGGACCTGCAT ACTTACTTACTTATTCCCGATTGGAGACAGGACCAAAGCATATTCCTCTGCAGACACTATTGAAGTTCATGGTG GATATTGCCCTGGGAATGGAGTATCTGAGCAACAGGAATTTTCTTCATCGAGATTTAGCTGCTCGAAACTGCATG TTGCGAGATGACATGACTGTCTGTGTTGCGGACTTCGGCCTCTCTAAGAAGATTTACAGTGGCGATTATTACCGC CAAGGCCGCATTGCTAAGATGCCTGTTAAATGGATCGCCATAGAAAGTCTTGCAGACCGAGTCTACACAAGTAAA AACCATGAGATGTATGACTATCTTCTCCATGGCCACAGGTTGAAGCAGCCCGAAGACTGCCTGGATGAACTGTAT GAAATAATGTACTCTTGCTGGAGAACCGATCCCTTAGACCGCCCCACCTTTTCAGTATTGAGGCTGCAGCTAGAA AAACTCTTAGAAAGTTTGCCTGACGTTCGGAACCAAGCAGACGTTATTTACGTCAATACACAGTTGCTGGAGAGC TCTGAGGGCCTGGCCCAGGGCCCCACCCTTGCTCCACTGGACTTGAACATCGACCCTGACTCTATAATTGCCTCC TGCACTCCCGGGCTGCCATCAGTGTGGTCACAGCAGAAGTTCATGACAGCAAACCTCATGAAGGACGGTACATC CTGAATGGGGGCAGTGAGGAATGGGAAGATCTGACTTCTGCCCCCTCTGCTGCAGTCACAGCTGAAAAGAACAGT GTTTTACCGGGGGAGACTTGTTAGGAATGGGGTCTCCTGGTCCCATTCGAGCATGCTGCCCTTGGGAAGCTCA TTGCCCGATGAACTTTTGTTTGCTGACGACTCCTCAGAAGGCTCAGAAGTCCTGATGTGAGGAGAGGTGCGGGGA GACATTCCAAAAATCAAGCCAATTCTTCTGCTGTAGGAGAATCCAATTGTACCTGATGTTTTTGGTATTTGTCTT CCTTACCAAGTGAACTCCATGGCCCCAAAGCACCAGATGAATGTTGTTAAGGAAGCTGTCATTAAAAATACATAA TATATATTTATTTAAAGAGAAAAAATATGTGTATATCATGAAAAAGACAAGGATATTTTAATAAAACATTACTTA TTTCATTTCACTTATCTTGCATATCTTAAAATTAAGCTTCAGCTGCTCCTTGATATTAACCTTTGTACAGAGTTG AAGTTGTTTTTCAACTTCTTTTTCTTTTTCATTACTATTAAATGTAAAAATATTTGTAAAATGAAATGCCATATT TGACTTGGCTTCTGGTCTTGATGTATTTGATAAGAATGATTAATTTTCTGATATGGCTTCCATAATAAAATTGAA ATAGGA

438/615

FIGURE 434

MGPAPLPLLLGLFLPALWRRAITEAREEAKPYPLFPGPFPGSLQTDHTPLLSLPHASGYQPALMFSPTQPGRPHT GNVAIPQVTSVESKPLPPLAFKHTVGH11LSEHKGVKFNCSINVPNIYQDTTISWWKDGKELLGGHHRITQFYPD DEVTAIIASFSITSVQRSDNGSYICKMKINNEEIVSDPIYIEVQGLPHFTKQPESMNVTRNTAFNLTCQAVGPPE PVNIFWVQNSSRVNEQPEKSPGVLTVPGLTEMAVFSCEAHNDKGLTVSQGVQINIKAIPSPPTEVSIRNSTAHSI LISWVPGFDGYSPFRNCSIQVKEADPLGNGSVMIFNTSALPHLYQIKQLQALANYSIGVSCMNEIGWSAVSPWIL ASTTEGAPSVAPLNVTVFLNESSDNVDIRWMKPPTKQQDGELVGYRISHVWQSAGISKELLEEVGQNGSRARISV QVHNATCTVRIAAVTRGGVGPFSDPVKIFIPAHGWVDYAPSSTPAPGNADPVLIIFGCFCGFILIGLILYISLAI RKRVQETKFGNAFTEEDSELVVNYIAKKSFCRRAIELTLHSLGVSEELQNKLEDVVIDRNLLILGKILGEGEFGS VMEGNLKQEDGTSLKVAVKTMKLDNSSHREIEEFLSEAACMKDFSHPNVIRLLGVCIEMSSQGIPKPMVILPFMK YGDLHTYLLYSRLETGPKHIPLQTLLKFMVDIALGMEYLSNRNFLHRDLAARNCMLRDDMTVCVADFGLSKKIYS GDYYRQGRIAKMPVKWIAIESLADRVYTSKSDVWAFGVTMWEIRTRGMTPYPGVQNHEMYDYLLHGHRLKQPEDC LDELYEIMYSCWRTDPLDRPTFSVLRLQLEKLLESLPDVRNQADVIYVNTQLLESSEGLAQGPTLAPLDLNIDPD SIIASCTPRAAISVVTAEVHDSKPHEGRYILNGGSEEWEDLTSAPSAAVTAEKNSVLPGERLVRNGVSWSHSSML PLGSSLPDELLFADDSSEGSEVLM

Signal sequence:

Amino acids 1-18

Transmembrane domain:

Amino acids 501-520

N-glycosylation sites:

Amino acids 114-118;170-174;207-211; 215-219;234-238;294-298;316-320;329-333; 336-340; 354-358; 389-393; 395-399; 442-446;

454-458;625-629

Tyrosine kinase phosphorylation sites:

Amino acids 675-683;865-873;923-930

N-myristoylation sites:

Amino acids 41-47;110-116;171-177;

269-275; 275-281; 440-446; 507-513; 535-541;

966-972

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 351-362

Tyrosine protein kinases specific active-site signature: Amino acids 719-732

FIGURE 435

AATGTGAGAGGGGCTGATGGAAGCTGATAGGCAGGACTGGAGTGTTAGCACCAGTACTGGATG TGACAGCAGGCAGAGGACCACTTAGCAGCTTATTCAGTGTCCGATTCTGATTCCGGCAAGGAT CCAAGCATGGAATGCTGCCGTCGGGCAACTCCTGGCACACTGCTCCTCTTTCTGGCTTTCCTG CTCCTGAGTTCCAGGACCGCACGCTCCGAGGAGGACCGGGACGGCCTATGGGATGCCTGGGGC CCATGGAGTGAATGCTCACGCACCTGCGGGGGGGGGGCCTCCTACTCTCTGAGGCGCTGCCTG AGCAGCAAGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAGTAATGTGGACTGCCCA CCAGAAGCAGGTGATTTCCGAGCTCAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGC CAGTTTTATGAATGGCTTCCTGTGTCTAATGACCCTGACAACCCATGTTCACTCAAGTGCCAA GCCAAAGGAACAACCCTGGTTGTTGAACTAGCACCTAAGGTCTTAGATGGTACGCGTTGCTAT ACAGAATCTTTGGATATGTGCATCAGTGGTTTATGCCAAATTGTTGGCTGCGATCACCAGCTG GGAAGCACCGTCAAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCACCTGCCGGCTG GTCCGAGGGCAGTATAAATCCCAGCTCTCCGCAACCAAATCGGATGATACTGTGGTTGCACTT CCCTATGGAAGTAGACATATTCGCCTTGTCTTAAAAGGTCCTGATCACTTATATCTGGAAACC AAAACCCTCCAGGGGACTAAAGGTGAAAACAGTCTCAGCTCCACAGGAACTTTCCTTGTGGAC AATTCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGATACTGAGAATGGCTGGACCACTC ACAGCAGATTCATTGTCAAGATTCGTAACTCGGGCTCCGCTGACAGTACAGTCCAGTTCATC GGAGGAGGTTATCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAACCGTGTGGTTGCT GACCAATACTGTCACTATTACCCAGAGAACATCAAACCCAAACCCAAGCTTCAGGAGTGCAAC TTGGATCCTTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCTTATGACCTCTACCATCCC AGCCGGGCAGTTTCCTGTGTGGAGGAGGACATCCAGGGGCATGTCACTTCAGTGGAAGAGTGG AAATGCATGTACACCCCTAAGATGCCCATCGCGCAGCCCTGCAACATTTTTTGACTGCCCTAAA TGGCTGGCACAGGAGTGGTCTCCGTGCACAGTGACATGTGGCCAGGGCCTCAGATACCGTGTG GTCCTCTGCATCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCAAAAACAAAGCCCCAC ATAAAAGAGGAATGCATCGTACCCACTCCCTGCTATAAACCCAAAGAGAAACTTCCAGTCGAG GCCAAGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGGAGCTGCTGTGTCAGAGGAG GTGTCTCACTGGTTGTAGCTTTCATGGGTTCTGAACTAAGTGTAATCATCTCACCAAAGCTTT

440/615

FIGURE 436

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58847
<subunit 1 of 1, 525 aa, 1 stop</pre>

<MW: 58416, pI: 6.62, NX(S/T): 1

MECCRRATPGTLLLFLAFLLLSSRTARSEEDRDGLWDAWGPWSECSRTCGGGASYSLRRCLSS KSCEGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNDPDNPCSLKCQAK GTTLVVELAPKVLDGTRCYTESLDMCISGLCQIVGCDHQLGSTVKEDNCGVCNGDGSTCRLVR GQYKSQLSATKSDDTVVALPYGSRHIRLVLKGPDHLYLETKTLQGTKGENSLSSTGTFLVDNS SVDFQKFPDKEILRMAGPLTADFIVKIRNSGSADSTVQFIFYQPIIHRWRETDFFPCSATCGG GYQLTSAECYDLRSNRVVADQYCHYYPENIKPKPKLQECNLDPCPASDGYKQIMPYDLYHPLP RWEATPWTACSSSCGGGIQSRAVSCVEEDIQGHVTSVEEWKCMYTPKMPIAQPCNIFDCPKWL AQEWSPCTVTCGQGLRYRVVLCIDHRGMHTGGCSPKTKPHIKEECIVPTPCYKPKEKLPVEAK LPWFKQAQELEEGAAVSEEPS

Important features:
Signal peptide:
amino acids 1-25

N-glycosylation site. amino acids 251-254

Thrombospondin 1 amino acids 385-399

von Willebrand factor type C domain proteins
amino acids 385-399, 445-459 and 42-56

441/615

FIGURE 437

AACTGGAAGGAAAGAAAGGTCAGCTTTGGCCCAG**ATG**TGGTTACCCCTTGGTCTCCTGT CTTTATGTCTTTCTCCTCTTCCTATTCTGTCATCTCCCTCACTTAAGTCTCAGGCCTGTCAGC AGCTCCTGTGGACATTGCCATCCCCTCTGGTAGCCTTCAGAGCAAACAGGACAACCTATGTTA TGGATGTTTCCACCAACCAGGGTAGTGGCATGGAGCACCGTAACCATCTGTGCTTCTGTGATC TCTATGACAGAGCCACTTCTCCACCTCTGAAATGTTCCCTGCTCTGAAATCTGGCATGAGATG TCTCTTATTGTCAACCTCAGCACAACAGGCTGGCGCCAATGGCATTACAGAGAAAGCAATCTG TGTGGCTAGTGGGCAGATTACCATGCAAGCCCCAGGAGAAATGGAGGAGCTTTGTAGCCACCT CCCTGTCAGCCAGTATTAACATGTCCCCTTCCCCCTGCCCGCCGTAGATTCAGGACATTCGC CCCTGTGTGCCACCAAACCAGGACTTTCCCCTTGGCTTGGCATCCCTGGCTCTCTCCTGGTAC CCAGCAAGACGTCTGTTCCAGGGCAGTGTAGCATCTTTCAAGCTCCGTTACTATGGCGATGGC CATGATGTTACAATCCCACTTGCCTGAATAATCAAGTGGGAAGGGGAAGCAGAGGGAAATGGG GCCATGTGAATGCAGCTGCTCTGTTCTCCCTACCCTGAGGAAAAACCAAAGGGAAGCAACAGG AAGAAATGTAGCTGGAGAAGATTGATGAAAGTGCAGGTGTGTAAGGAAATAGAACAGTCTGCT GGGAGTCAGACCTGGAATTCTGATTCCAAACTCTTTATTACTTTGGGAAGTCACTCAGCCTCC CCGTAGCCATCTCCAGGGTGACGGAACCCAGTGTATTACCTGCTGGAACCAAGGAAACTAACA ATGTAGGTTACTAGTGAATACCCCAATGGTTTCTCCAATTATGCCCATGCCACCAAAACAATA AAACAAAATTCTCTAACACTGAAA

442/615

FIGURE 438

 ${\tt MWLPLGLLSLCLSPLPILSSPSLKSQACQQLLWTLPSPLVAFRANRTTYVMDVSTNQGSGMEH} \\ {\tt RNHLCFCDLYDRATSPPLKCSLL}$

FIGURE 439

GTTTCTCATAGTTGGCGTCTTCTAAAGGAAAAACACTAAAATGAGGAACTCAGCGGACCGGGAGCGACCGCAGCTT GAGGGAAGCATCCCTAGCTGTTGGCGCAGAGGGGCGAGGCTGAAGCCGAGTGGCCCGAGGTGTCTGAGGGGCCTGGGCCAAAGGTGAAAGAGTTTCAGAACAAGCTTCCTGGAACCCATGAACCCATGAAGTCTTGTCGACATTTATACCGT CTGAGGGTAGCAGCTCGAAACTAGAAGAAGTGGAGTGTTGCCAGGGACGGCAGTATCTCTTTGTGTGACCCTGGC GTCACCGTCCAGCCTGCGTCCACCGTCCAGAAGCCCGGAGGCACTGTGATCTTGGGCTGCGTGGAACCTCCA AGGATGAATGTAACCTGGCGCCTGAATGGAAAGGAGCTGAATGGCTCGGATGATGCTCTGGGTGTCCTCATCACCCCACGGGACCCTCGTCATCACTAACAACCACACTGTGGGACGGTACCAGTGTGTGGCCCGGATGCCTGCG GGGGCTGTGGCCAGCGTGCCAGCCACTGTGACACTAGCCAATCTCCAGGACTTCAAGTTAGATGTGCAGCACGTG TACAGCGTCAAACAAGAGTGGCTGGAGGCCTCCAGAGGTAACTACCTGATCATGCCCTCAGGGAACCTCCAGATT GTGAATGCCAGCCAGGAGGACGAGGGCATGTACAAGTGTGCAGCCTACAACCCAGTGACCCAGGAAGTGAAAACC TCCGGCTCCAGCGACAGGCTACGTGTGCGCCGCTCCACCGCTGAGGCTGCCCGCATCATCTACCCCCCAGAGGCC CAAACCATCATCGTCACCAAAGGCCAGAGTCTCATTCTGGAGTGTGTGGCCAGTGGAATCCCACCCCCACGGGTC ACCTGGGCCAAGGATGGGTCCAGTGTCACCGGCTACAACAAGACGCGCTTCCTGATGAGCAACCTCCTCATCGAC ACCACCAGCGAGGAGGACTCAGGCACCTACCGCTGCATGGCCGACAATGGGGTTGGGCAGCCCGGGGCAGCGGTC ATCCTCTACAATGTCCAGGTGTTTGAACCCCCTGAGGTCACCATGGAGCTATCCCAGCTGGTCATCCCCTGGGGC CAGAGTGCCAAGCTTACCTGTGAGGTGCGTGGGAACCCCCCGCCCTCCGTGCTGTGGCTGAGGAATGCTGTGCCC CTCATCTCCAGCCAGCGCCTCCGGCTCTCCCGCAGGGCCCTGCGCGTGCTCAGCATGGGGCCTGAGGACGAAGGC GTCTACCAGTGCATGGCCGAGAACGAGGTTGGGAGCGCCCATGCCGTAGTCCAGCTGCGGACCTCCAGGCCAAGC ATAACCCCAAGGCTATGGCAGGATGCTGAGCTGGCTACTGGCACCCTCCTGTATCACCCTCCAAACTCGGCAAC CCTGAGCAGATGCTGAGGGGGCAACCGGCGCTCCCCAGACCCCCAACGTCAGTGGGGCCTGCTTCCCCGAAGTGT TCATATGAACTGGTGTGGCGGCCTCGGCATGAGGGCAGTGGCCGGCGCCCAATCCTCTACTATGTGGTGAAACAC CGCAAGCAGGTCACAAATTCCTCTGACGATTGGACCATCTCTGGCATTCCAGCCAACCAGCACCGCCTGACCCTC ACCAGACTTGACCCCGGGAGCTTGTATGAAGTGGAGATGGCAGCTTACAACTGTGCGGGAGAGGGCCAGACAGCC ATGGTCACCTTCCGAACTGGACGGCGCCCAAACCCGAGATCATGGCCAGCAAAGAGCAGCAGATCCAGAGAGAC GACCCTGGAGCCAGTCCCCAGAGCAGCCAGCCAGACCACGGCCGCCTCTCCCCCCAGAAGCTCCCGACAGG CAGTCCTTCCGTGTGGAGTACAAGAAGCTAAAGAAAGTGGGAGACTGGATTCTGGCCACCAGCGCCATCCCCCCA TCGCGGCTGTCCGTGGAGATCACGGGCCTAGAGAAAGGCACCTCCTACAAGTTTCGAGTCCGGGCTCTGAACATG CTGGGGGAGAGCCAGCCCCCTCTCGGCCCTACGTGGTGTCGGGCTACAGCGGTCGCGTGTACGAGAGGCCCGTGGCAGGTCCTTATATCACCTTCACGGATGCGGTCAATGAGACCACCATCATGCTCAAGTGGATGTACATC GACTACAAGAAGGATATGGTGGAAGGGGACAAGTACTGGCACTCCATCAGCCACCTGCAGCCAGAGACCTCCTACGACATTAAGATGCAGTGCTTCAATGAAGGAGGGGAGAGCGAGTTCAGCAACGTGATGATCTGTGAGACCAAAGCT CGGAAGTCTTCTGGCCAGCCTGGTCGACTGCCACCCCAACTCTGGCCCCACCACAGCCGCCCCTTCCTGAAACC CTGGGCTCCATCGTTCTCATCATCGTCACCTTCATCCCCTTCTGCTTGTGGAGGGCCTGGTCTAAGCAAAAACATACAACAGACCTGGGTTTTCCTCGAAGTGCCCTTCCACCCTCCTGCCCGTATACTATGGTGCCATTGGGAGGACTC CCAGGCCACCAGGCCAGTGGACAGCCCTACCTCAGTGGCATCAGTGGACGGGCCTGTGCTAATGGGATCCACATG AATAGGGGCTGCCCTCGGCTGCAGTGGGCTACCCGGGCATGAAGCCCCAGCAGCACTGCCCAGGCGAGCTTCAG CTGCAGCCCCATCACGACTGCTGCCAACGCCAGGAGCAGCCTGCTGCTGTGGGCCAGTCAGGGGTGAGGAGAGCC GCCTACGTAGGACAGGAACCTGGAATGCAGCTCTCCCCGGGGCCACTGGTGCGTGTCTTTTGAAACACCACCT TATGTTTTATAATTCTGGAGAGACATAAGGAGTCCTACCCGTTGAGGTTGGAGAGGGGAAAATAAAGAAGCTGCCA TGAGGGAACAGCAAGGGGCACGGTATCACAGCCTGGAGACACCCACACAGATGGCTGGATCCGGTGCTACGGGAA ACATTTTCCTAAGATGCCCATGAGAACAGACCAAGATGTGTACAGCACTATGAGCATTAAAAAACCTTCCAGAAT

FIGURE 440

PCT/US01/06520

MLRGTMTAWRGMRPEVTLACLLLATAGCFADLNEVPQVTVQPASTVQKPGGTVILGCVVEPPR MNVTWRLNGKELNGSDDALGVLITHGTLVITALNNHTVGRYQCVARMPAGAVASVPATVTLAN LQDFKLDVQHVIEVDEGNTAVIACHLPESHPKAQVRYSVKQEWLEASRGNYLIMPSGNLQIVN ASQEDEGMYKCAAYNPVTQEVKTSGSSDRLRVRRSTAEAARIIYPPEAQTIIVTKGQSLILEC VASGIPPPRVTWAKDGSSVTGYNKTRFLLSNLLIDTTSEEDSGTYRCMADNGVGQPGAAVILY NVQVFEPPEVTMELSQLVIPWGOSAKLTCEVRGNPPPSVLWLRNAVPLISSQRLRLSRRALRV LSMGPEDEGVYQCMAENEVGSAHAVVQLRTSRPSITPRLWQDAELATGTPPVSPSKLGNPEQM LRGQPALPRPPTSVGPASPKCPGEKGQGAPAEAPIILSSPRTSKTDSYELVWRPRHEGSGRAP ILYYVVKHRKQVTNSSDDWTISGIPANQHRLTLTRLDPGSLYEVEMAAYNCAGEGQTAMVTFR TGRRPKPEIMASKEQQIQRDDPGASPQSSSQPDHGRLSPPEAPDRPTISTASETSVYVTWIPR GNGGFPIQSFRVEYKKLKKVGDWILATSAIPPSRLSVEITGLEKGTSYKFRVRALNMLGESEP SAPSRPYVVSGYSGRVYERPVAGPYITFTDAVNETTIMLKWMYIPASNNNTPIHGFYIYYRPT DSDNDSDYKKDMVEGDKYWHSISHLOPETSYDIKMOCFNEGGESEFSNVMICETKARKSSGQP GRLPPPTLAPPQPPLPETIERPVGTGAMVARSSDLPYLIVGVVLGSIVLIIVTFIPFCLWRAW SKOKHTTDLGFPRSALPPSCPYTMVPLGGLPGHOASGOPYLSGISGRACANGIHMNRGCPSAA VGYPGMKPQQHCPGELQQQSDTSSLLRQTHLGNGYDPQSHQITRGPKSSPDEGSFLYTLPDDS THQLLQPHHDCCQRQEQPAAVGQSGVRRAPDSPVLEAVWDPPFHSGPPCCLGLVPVEEVDSPD SCQVSGGDWCPQHPVGAYVGQEPGMQLSPGPLVRVSFETPPLTI

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 16-30 (type II), 854-879

445/615

FIGURE 441

GAGAGAATAGCTACAGATTCTCCATCCTCAGTCTTTGCAAGGCGACAGCTGTGCCAGCCGGGC ${\tt TCTGGCAGGCTCCTGGCAGCATGGCAGTGAAGCTTGGGACCCTCCTGCTGGCCCTTGCCCTGG}$ GCCTGGCCCAGCCAGCCTCTGCCCGCCGGAAGCTGCTGGTGTTTCTGCTGGATGGTTTTCGCT CAGACTACATCAGTGATGAGGCGCTGGAGTCATTGCCTGGTTTCAAAGAGATTGTGAGCAGGG GAGTAAAAGTGGATTACTTGACTCCAGACTTCCCTAGTCTCTCGTATCCCAATTATTATACCC TAATGACTGGCCGCCATTGTGAAGTCCATCAGATGATCGGGAACTACATGTGGGACCCCACCA CCAACAAGTCCTTTGACATTGGCGTCAACAAAGACAGCCTAATGCCTCTCTGGTGGAATGGAT GCTGTGAGGTTGAGATTCTGGGTGTCAGACCCACCTACTGCCTAGAATATAAAAATGTCCCAA CGGATATCAATTTTGCCAATGCAGTCAGCGATGCTCTTGACTCCTTCAAGAGTGGCCGGGCCG ACCTGGCAGCCATATACCATGAGCGCATTGACGTGGAAGGCCACCACTACGGGCCTGCATCTC CGCAGAGGAAAGATGCCCTCAAGGCTGTAGACACTGTCCTGAAGTACATGACCAAGTGGATCC AGGAGCGGGCCTGCAGGACCGCCTGAACGTCATTATTTTCTCGGATCACGGAATGACCGACA TTTTCTGGATGGACAAAGTGATTGAGCTGAATAAGTACATCAGCCTGAATGACCTGCAGCAAG TGAAGGACCGCGGCCTGTTGTGAGCCTTTGGCCGGCCCCTGGGAAACACTCTGAGATATATA ATTACAAGAAAGGAAAGTTTGTCTCTCTTTGACTTTAGTGGCTGATGAAGGCTGGTTCATAA CTGAGAATCGAGAGATGCTTCCGTTTTGGATGAACAGCACCGGCAGGCGGGAAGGTTGGCAGC GTGGATGGCACGGCTACGACAACGAGCTCATGGACATGCGGGGCATCTTCCTGGCCTTCGGAC CTGATTTCAAATCCAACTTCAGAGCTGCTCCTATCAGGTCGGTGGACGTCTACAATGTCATGT GCAATGTGGTGGGCATCACCCCGCTGCCCAACAACGGATCCTGGTCCAGGGTGATGTGCATGC ${\tt TTCTCTTCCTGCTTGCA} {\tt TAA} {\tt CTGATCATATTGCTTGTCTCAGAAAAAAACACCATCAGCAAAG}$ TGGGCCTCCAAAGCCAGATGATTTTCATTTTATGTGTGAATAATAGCTTCATTAACACAATCA AGACCATGCACATTGTAAATACATTATTCTTGGATAATTCTATACATAAAAGTTCCTACTTGT TAAA

446/615

FIGURE 442

MAVKLGTLLLALALGLAQPASARRKLLVFLLDGFRSDYISDEALESLPGFKEIVSRGVKVDYL TPDFPSLSYPNYYTLMTGRHCEVHQMIGNYMWDPTTNKSFDIGVNKDSLMPLWWNGSEPLWVT LTKAKRKVYMYYWPGCEVEILGVRPTYCLEYKNVPTDINFANAVSDALDSFKSGRADLAAIYH ERIDVEGHHYGPASPQRKDALKAVDTVLKYMTKWIQERGLQDRLNVIIFSDHGMTDIFWMDKV IELNKYISLNDLQQVKDRGPVVSLWPAPGKHSEIYNKLSTVEHMTVYEKEAIPSRFYYKKGKF VSPLTLVADEGWFITENREMLPFWMNSTGRREGWQRGWHGYDNELMDMRGIFLAFGPDFKSNF RAAPIRSVDVYNVMCNVVGITPLPNNGSWSRVMCMLKGRAGTAPPVWPSHCALALILLFLLA

Important features of the protein: Signal pèptide:

amino acids 1-22

N-glycosylation sites. amino acids 100-104, 118-122, 341-345, 404-408

N-myristoylation sites. amino acids 148-154, 365-371

Amidation site.
amino acids 343-347

447/615

FIGURE 443

AGTGACTGCAGCCTTCCTAGATCCCCTCCACTCGGTTTCTCTCTTTTGCAGGAGCACCGGCAGC ACCAGTGTGTGAGGGGAGCAGCGGTCCTAGCCAGTTCCTTGATCCTGCCAGACCACCCA ${\tt GCCCCGGCACAGAGCTGCTCCACAGGCACC}$ GGCCTTCAGCCTAGCTCAGAGCTTTGGGGCTGTCTGTAAGGAGCCACAGGAGGAGGTGGTTCC TGGCGGGGCCGCAGCAAGAGGGATCCAGATCTCTACCAGCTGCTCCAGAGACTCTTCAAAAG CCACTCATCTCTGGAGGGATTGCTCAAAGCCCTGAGCCAGGCTAGCACAGATCCTAAGGAATC AACATCTCCCGAGAAACGTGACATGCATGACTTCTTTGTGGGACTTATGGGCAAGAGGAGCGT CCAGCCAGAGGGAAAGACAGGACCTTTCTTACCTTCAGTGAGGGTTCCTCGGCCCCTTCATCC CAATCAGCTTGGATCCACAGGAAAGTCTTCCCTGGGAACAGAGGAGCAGAGACCTTTA**TAA**GA CTCTCCTACGGATGTGAATCAAGAGAACGTCCCCAGCTTTGGCATCCTCAAGTATCCCCCGAG AGCAGAATAGGTACTCCACTTCCGGACTCCTGGACTGCATTAGGAAGACCTCTTTCCCTGTCC CAATCCCCAGGTGCGCACGCTCCTGTTACCCTTTCTCTTCCCTGTTCTTGTAACATTCTTGTG CTTTGACTCCTTCTCCATCTTTTCTACCTGACCCTGGTGTGGAAACTGCATAGTGAATATCCC CAACCCCAATGGGCATTGACTGTAGAATACCCTAGAGTTCCTGTAGTGTCCTACATTAAAAAT AAAAAAAAAAAAAAAAAAAAAAA

448/615

FIGURE 444

MRIMLLFTAILAFSLAQSFGAVCKEPQEEVVPGGGRSKRDPDLYQLLQRLFKSHSSLEGLLKA LSQASTDPKESTSPEKRDMHDFFVGLMGKRSVQPEGKTGPFLPSVRVPRPLHPNQLGSTGKSS LGTEEQRPL

Important features: Signal peptide: amino acids 1-18

Tyrosine kinase phosphorylation site. amino acids 36-45

N-myristoylation site. amino acids 33-39, 59-65

Amidation site. amino acids 90-94

Leucine zipper pattern. amino acids 43-65

Tachykinin family signature. amino acids 86-92

449/615

FIGURE 445

450/615

FIGURE 446

 $\verb|MIHLGHILFLLLPVAAAQTTPGERSSLPAFYPGTSGSCSGCGSLSLPLLAGLVAADAVASLLIVGAVFLCARPR|$ RSPAQDGKVYINMPGRG

Signal peptide: Amino acids 1-18

transmembrane domain: Amino acids 51-70

Glycosaminoglycan attachment site: Amino acids 40-44

N-myristoylation sites: Amino acids 34-40;37-43;52-58

FIGURE 447

GCCAGGTGTGCAGGCCGCTCCAAGCCCAGCCTGCCGCTGCCGCCACC**ATG**ACGCTCCTCCC GCACCCCACAGTCACGGTACCCCACACTGCTACTCGGCTGAGGAACTGCCCCTCGGCCAGGC CCCCCACACCTGCTGGCTCGAGGTGCCAAGTGGGGGCAGGCTTTGCCTGTAGCCCTGGTGTC CAGCCTGGAGGCAGCCACAGGGGGAGGCCCGAGAGGCCCTCAGCTACGACCCAGTGCCC ATACCGTGTGGACACGGATGAGGACCGCTATCCACAGAAGCTGGCCTTCGCCGAGTGCCTGTG CAGAGGCTGTATCGATGCACGGACGGCCGCGAGACAGCTGCGCTCAACTCCGTGCGGCTGCT CCAGAGCCTGCTGGTGCTGCGCCGCCGGCCTGCTCCCGCGACGGCTCGGGGCTCCCCACACC TGGGGCCTTTGCCTTCCACACCGAGTTCATCCACGTCCCCGTCGGCTGCACCTGCGTGCTGCC CCGTTCAGTG<u>TGA</u>CCGCCGAGGCCGTGGGGCCCCTAGACTGGACACGTGTGCTCCCCAGAGGG CACCCCTATTTATGTGTATTTATTGTTATTTATATGCCTCCCCAACACTACCCTTGGGGTC TGGGCATTCCCCGTGTCTGGAGGACAGCCCCCCACTGTTCTCCTCATCTCCAGCCTCAGTAGT TGGGGGTAGAAGGAGCTCAGCACCTCTTCCAGCCCTTAAAGCTGCAGAAAAGGTGTCACACGG CTGCCTGTACCTTGGCTCCTGTCCTGCTCCCGGCTTCCCTTACCCTATCACTGGCCTCAGGC CCCGCAGGCTGCCTCTTCCCAACCTCCTTGGAAGTACCCCTGTTTCTTAAACAATTATTTAAG TGTACGTGTATTATTAAACTGATGAACACATCCCCAAAA

452/615

FIGURE 448

MTLLPGLLFLTWLHTCLAHHDPSLRGHPHSHGTPHCYSAEELPLGQAPPHLLARGAKWGQALP VALVSSLEAASHRGRHERPSATTQCPVLRPEEVLEADTHQRSISPWRYRVDTDEDRYPQKLAF AECLCRGCIDARTGRETAALNSVRLLQSLLVLRRRPCSRDGSGLPTPGAFAFHTEFIHVPVGC TCVLPRSV

Important features:
Signal peptide:
amino acids 1-18

Tyrosine kinase phosphorylation site. amino acids 112-121

N-myristoylation sites. amino acids 32-38, 55-61, 133-139

Leucine zipper pattern. amino acids 3-25

Homologous region to IL-17. amino acids 99-195

453/615

FIGURE 449

TGCAGAGCTTGTGGAGGCCATGGGGGCGTCGTCGCGGAGCTCGTCTCCTCGCTGCTGGGGTT GTGGCTGTTGCTGTGCAGCTGCGGATGCCCCGAGGGCCCGAGCTGCGTGCTCCGCCAGATAA AATCGCGATTATTGGAGCCGGAATTGGTGGCACTTCAGCAGCCTATTACCTGCGGCAGAAATT TGGGAAAGATGTGAAGATAGACCTGTTTGAAAGAGAAGAGGTCGGGGGCCGCCTGGCTACCAT GAAACGTTTTGTCAAAGACCTGGGTCTCTCTGCTGTTCAGGCCTCTGGTGGCCTACTGGGGGAT ATATAATGGAGAGACTCTGGTATTTGAGGAGAGCAACTGGTTCATAATTAACGTGATTAAATT AGTTTGGCGCTATGGATTTCAATCCCTCCGTATGCACATGTGGGTAGAGGACGTGTTAGACAA GTTCATGAGGATCTACCGCTACCAGTCTCATGACTATGCCTTCAGTAGTGTCGAAAAATTACT TCATGCTCTAGGAGGAGATGACTTCCTTGGAATGCTTAATCGAACACTTCTTGAAACCTTGCA AAAGGCCGGCTTTTCTGAGAAGTTCCTCAATGAAATGATTGCTCCTGTTATGAGGGTCAATTA TGGCCAAAGCACGGACATCAATGCCTTTGTGGGGGGCGGTGTCACTGTCCTGTTCTGATTCTGG CCTTTGGGCAGTAGAAGGTGGCAATAAACTTGTTTGCTCAGGGCTTCTGCAGGCATCCAAAAG CAATCTTATATCTGGCTCAGTAATGTACATCGAGGAGAAAACAAAGACCAAGTACACAGGAAA TCCAACAAAGATGTATGAAGTGGTCTACCAAATTGGAACTGAGACTCGTTCAGACTTCTATGA CATCGTCTTGGTGGCCACTCCGTTGAATCGAAAAATGTCGAATATTACTTTTCTCAACTTTGA TCCTCCAATTGAGGAATTCCATCAATATTATCAACATATAGTGACAACTTTAGTTAAGGGGGGA ATTGAATACATCTATCTTTAGCTCTAGACCCATAGATAAATTTTGGCCTTAATACAGTTTTAAC CACTGATAATTCAGATTTGTTCATTAACAGTATTGGGATTGTGCCCTCTGTGAGAGAAAAGGA AGATCCTGAGCCATCAACAGATGGAACATATGTTTGGAAGATCTTTTCCCAAGAAACTCTTAC TAAAGCACAAATTTTAAAGCTCTTTCTGTCCTATGATTATGCTGTGAAGAAGCCATGGCTTGC ATATCCTCACTATAAGCCCCCGGAGAAATGCCCCTCTATCATTCTCCATGATCGACTTTATTA CCTCAATGGCATAGAGTGTGCAGCAAGTGCCATGGAGATGAGTGCCATTGCAGCCCACAACGC TGAGAAACTTAAAACTGAACTA**TGA**AGTGACACACTCCTTTTTCCCCTCCTAGTTCCAAATGA CTATCAGTGGCAAAAAAGAACAAAATCTGAGCAGAGATGATTTTGAACCAGATATTTTGCCAT

454/615

FIGURE 450

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62880
<subunit 1 of 1, 505 aa, 1 stop
<MW: 56640, pI: 6.10, NX(S/T): 4
MGRVVAELVSSLLGLWLLLCSCGCPEGAELRAPPDKIAIIGAGIGGTSAAYYLRQKFGKDVKI
DLFEREEVGGRLATMMVQGQEYEAGGSVIHPLNLHMKRFVKDLGLSAVQASGGLLGIYNGETL
VFEESNWFIINVIKLVWRYGFQSLRMHMWVEDVLDKFMRIYRYQSHDYAFSSVEKLLHALGGD
DFLGMLNRTLLETLQKAGFSEKFLNEMIAPVMRVNYGQSTDINAFVGAVSLSCSDSGLWAVEG
GNKLVCSGLLQASKSNLISGSVMYIEEKTKTKYTGNPTKMYEVVYQIGTETRSDFYDIVLVAT
PLNRKMSNITFLNFDPPIEEFHQYYQHIVTTLVKGELNTSIFSSRPIDKFGLNTVLTTDNSDL
FINSIGIVPSVREKEDPEPSTDGTYVWKIFSQETLTKAQILKLFLSYDYAVKKPWLAYPHYKP
PEKCPSIILHDRLYYLNGIECAASAMEMSAIAAHNAALLAYHRWNGHTDMIDQDGLYEKLKTEL</pre>

Important features:

Signal peptide:

amino acids 1-23

N-glycosylation sites.

amino acids 196-200, 323-327, 353-357

Tyrosine kinase phosphorylation site.

amino acids 291-298

N-myristoylation sites.

amino acids 23-29, 41-47, 43-49, 45-51, 46-52, 72-78, 115-121, 119-125, 260-266, 384-390, 459-465

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 12-23, 232-243

455/615

FIGURE 451

CAACCATGCAAGGACAGGGCAGGAGAAGAGGAACCTGCAAAGACATATTTTGTTCCAAA**ATG**G CATCTTACCTTTATGGAGTACTCTTTGCTGTTGGCCTCTGTGCTCCAATCTACTGTGTGTCCC CGGCCAATGCCCCAGTGCATACCCCCGCCCTTCCTCCACAAAGAGCACCCCTGCCTCACAGG TGTATTCCCTCAACACCGACTTTGCCTTCCGCCTATACCGCAGGCTGGTTTTGGAGACCCCGA GTCAGAACATCTTCTCCCCTGTGAGTGTCTCCACTTCCCTGGCCATGCTCTCCCTTGGGG TGACCTTGAAGATGGGAAGTGCCCTCTTCGTCAAGAAGGAGCTGCAGCTGCAGGCAAATTTCT TGGGCAATGTCAAGAGGCTGTATGAAGCAGAAGTCTTTTCTACAGATTTCTCCAACCCCTCCA TTGCCCAGGCGAGGATCAACAGCCATGTGAAAAAGAAGACCCAAGGGAAGGTTGTAGACATAA TCCAAGGCCTTGACCTTCTGACGGCCATGGTTCTGGTGAATCACATTTTCTTTAAAGCCAAGT GGGAGAAGCCCTTTCACCTTGAATATACAAGAAAGAACTTCCCATTCCTGGTGGGCGAGCAGG TCACTGTGCAAGTCCCCATGATGCACCAGAAAGAGCAGTTCGCTTTTGGGGTGGATACAGAGC TGAACTGCTTTGTGCTGCAGATGGATTACAAGGGAGATGCCGTGGCCTTCTTTGTCCTCCCTA GCAAGGGCAAGATGAGGCAACTGGAACAGGCCTTGTCAGCCAGAACACTGATAAAGTGGAGCC ACTCACTCCAGAAAAGGTGGATAGAGGTGTTCATCCCCAGATTTTCCATTTCTGCCTCCTACA ATCTGGAAACCATCCTCCCGAAGATGGGCATCCAAAATGCCTTTGACAAAAATGCTGATTTTT CTGGAATTGCAAAGAGACTCCCTGCAGGTTTCTAAAGCAACCCACAAGGCTGTGCTGGATG TCAGTGAAGAGGCCACTGAGGCCACAGCAGCTACCACCACCAAGTTCATAGTCCGATCGAAGG ATGGTCCCTCTTACTTCACTGTCTCCTTCAATAGGACCTTCCTGATGATGATTACAAATAAAG CCACAGACGGTATTCTCTTTCTAGGGAAAGTGGAAAATCCCACTAAATCC**TAG**GTGGGAAATG GCCTGTTAACTGATGGCACATTGCTAATGCACAAGAAATAACAAACCACATCCCTCTTTCTGT TCTGAGGGTGCATTTGACCCCAGTGGAGCTGGATTCGCTGGCAGGGATGCCACTTCCAAGGCT CCCTTTTCCACAAATTCTCCCAGGTAACTAGCTTCATGGGATGTTGCTGGGTTACCATATTTC CATTCCTTGGGGCTCCCAGGAATGGAAATACGCCAACCCAGGTTAGGCACCTCTATTGCAGAA

456/615

FIGURE 452

MASYLYGVLFAVGLCAPIYCVSPANAPSAYPRPSSTKSTPASQVYSLNTDFAFRLYRRLVLET PSQNIFFSPVSVSTSLAMLSLGAHSVTKTQILQGLGFNLTHTPESAIHQGFQHLVHSLTVPSK DLTLKMGSALFVKKELQLQANFLGNVKRLYEAEVFSTDFSNPSIAQARINSHVKKKTQGKVVD IIQGLDLLTAMVLVNHIFFKAKWEKPFHLEYTRKNFPFLVGEQVTVQVPMMHQKEQFAFGVDT ELNCFVLQMDYKGDAVAFFVLPSKGKMRQLEQALSARTLIKWSHSLQKRWIEVFIPRFSISAS YNLETILPKMGIQNAFDKNADFSGIAKRDSLQVSKATHKAVLDVSEEGTEATAATTTKFIVRS KDGPSYFTVSFNRTFLMMITNKATDGILFLGKVENPTKS

Signal peptide:
amino acids 1-20

FIGURE 453

CCCGCGGGGGGCGATGACCGTGCGCTGACCCTGACTCAGGTCCGGAGGCGGGGGCCCCCGGGGCGACTCG GGGGCGGACCGCGGGGCGGAGCTGCCCCCGTGAGTCCGGCCGAGCCACCTGAGCCCGAGCCGCGGGACACCGTC GCTCCTGCTCTCCGA<u>ATG</u>CTGCGCACCGCGATGGGCCTGAGGAGCTGGCTCGCCGCCCCATGGGGCGCGCTGCCG CCCCGGATCAGCCTGCCTCTGGGCTCTGAAGAGCGGCCATTCCTCAGATTCGAAGCTGAACACCTCCCAACTAC ACAGCCCTTCTGCTGAGCAGGATGGCAGGACCCTGTACGTGGGTGCTCGAGAGGCCCTCTTTGCACTCAGTAGC AACCTCAGCTTCCTGCCAGGCGGGGAGTACCAGGAGCTGCTTTGGGGTGCAGACGCAGAGAAAACAGCAGTGC AGCTTCAAGGGCAAGGACCCACAGCGCGACTGTCAAAACTACATCAAGATCCTCCTGCCGCTCAGCGGCAGTCAC CTGTTCACCTGTGGCACAGCAGCCTTCAGCCCCATGTGTACCTACATCAACATGGAGAACTTCACCCTGGCAAGG GACGAGAAGGGGGAATGTCCTCCTGGAAGATGGCAAGGGCCGTTGTCCCTTCGACCCGAATTTCAAGTCCACTGCC CTGGTGGTTGATGGCGAGCTCTACACTGGAACAGTCAGCAGCTTCCAAGGGAATGACCCGGCCATCTCGCGGAGC CAAAGCCTTCGCCCCACCAAGACCGAGAGCTCCCTCAACTGGCTGCAAGACCCAGCTTTTGTGGCCTCAGCCTAC ATTCCTGAGAGCCTGGGCAGCTTGCAAGGCGATGATGACAAGATCTACTTTTTCTTCAGCGAGACTGGCCAGGAA TTTGAGTTCTTTGAGAACACCATTGTCTCCCGCATTGCCCGCATCTCCAAGGGCGATGAGGGTGGAGAGCGGGTG CTACAGCAGCGCTGGACCTCCTTCCTCAAGGCCCAGCTGCTGTGCTCACGGCCCGACGATGGCTTCCCCTTCAAC GTGCTGCAGGATGTCTTCACGCTGAGCCCCAGCCCCCAGGACTGGCGTGACACCCTTTTCTATGGGGTCTTCACT TCCCAGTGGCACAGGGGAACTACAGAAGGCTCTGCCGTCTGTGTCTTCACAATGAAGGATGTGCAGAGAGTCTTC CCTGGAGCGTGCATCACCAACAGTGCCCGGGAAAGGAAGATCAACTCATCCCTGCAGCTCCCAGACCGCGTGCTG AACTTCCTCAAGGACCACTTCCTGATGGACGGCCAGGTCCGAAGCCGCATGCTGCTGCTGCAGCCCCAGGCTCGC TACCAGCGCGTGGCTGTACACCGCGTCCCTGGCCTGCACCACACCTACGATGTCCTCTTCCTGGGCACTGGTGAC GGCCGGCTCCACAAGGCAGTGAGCGTGGGCCCCCGGGTGCACATCATTGAGGAGCTGCAGATCTTCTCATCGGGA CAGCCCGTGCAGAATCTGCTCCTGGACACCCACAGGGGGCTGCTGTATGCGGCCTCACACTCGGGCGTAGTCCAG GTGCCCATGGCCAACTGCAGCCTGTACCGGAGCTGTGGGGACTGCCTCCTCGCCCGGGACCCCTACTGTGCTTGG AGCGGCTCCAGCTGCAAGCACGTCAGCCTCTACCAGCCTCAGCTGGCCACCAGGCCGTGGATCCAGGACATCGAG GGAGCCAGCGCAAGGACCTTTGCAGCGCGTCTTCGGTTGTGTCCCCGTCTTTTGTACCAACAGGGGAGAAGCCA TGTGAGCAAGTCCAGTTCCAGCCCAACACAGTGAACACTTTGGCCTGCCCGCTCCTCTCCAACCTGGCGACCCGA GTGGGCACCCAACAGCTGGGGGAGTTCCAGTGCTGGTCACTAGAGGAGGGCTTCCAGCAGCTGGTAGCCAGCTAC TGCCCAGAGGTGGTGGACGGGTGGCAGACCAAACAGATGAGGGTGGCAGTGTACCCGTCATTATCAGCACA TCGCGTGTGAGTGCACCAGCTGGTGGCAAGGCCAGCTGGGGTGCAGACAGGTCCTACTGGAAGGAGTTCCTGGTG ATGTGCACGCTCTTTGTGCTGCCGTGCTGCTCCCAGTTTTATTCTTGCTCTACCGGCACCGGAACAGCATGAAA GTCTTCCTGAAGCAGGGGGAATGTGCCAGCGTGCACCCCAAGACCTGCCCTGTGGTGCTGCCCCTGAGACCCGC GGGGCCCGAGTCTTCACTGAGTCAGAGAGAGGCCACTCAGCATCCAAGACAGCTTCGTGGAGGTATCCCCAGTG $\tt TGCCCCCGGCCCCGGGTCCGCCTTGGCTCGGAGATCCGTGACTCTGTGGTG\underline{\textbf{TGA}}\textbf{G}\textbf{A}\textbf{G}\textbf{G}\textbf{C}\textbf{TGCCTGAGAGGACGC}$ TGCCCTGGGTTCAGGGGCTGTGAATGCTCGGAGAGGGTCAACTGGACCTCCCCTCCGCTCTGCTCTTCGTGGAAC ACGACCGTGGTGCCCGGCCCTTGGGAGCCTTGGAGCCAGCTGGCCTGCTCCCAGTCAAGTAGCGAAGCTCC CAGTGCTCCTTATGTAAACTGAGCCCTTTGTTTAAAAAACAATTCCAAATGTGAAACTAGAATGAGAGGGAAGAG ATAGCATGCATGCAGCACACACGCTGCTCCAGTTCATGGCCTCCCAGGGGTGCTGGGGATGCATCCAAAGTGG TTGTCTGAGACAGAGTTGGAAACCCTCACCAACTGGCCTCTTCACCTTCCACATTATCCCGCTGCCACCGGCTGC TTGCTGCCGTCGTCCCACCTCAGGGACCAGAGGGCTAGGTTGGCACTGCGGCCCTCACCAGGTCCTGGGCTC GGACCCAACTCCTGGACCTTTCCAGCCTGTATCAGGCTGTGGCCACACGAGAGACAGCGCGAGCTCAGGAGAGA CTGGTCCTCTCCCCAGTCCCCAGTTCACCTCCATCCTCCACTCTAAGGGATATCAACACTGCCC AGCACAGGGGCCCTGAATTTATGTGGTTTTTATACATTTTTTAATAAGATGCACTTTATGTCATTTTTTAATAAA GTCTGAAGAATTACTGTTTAAAAAAAAAAAA

FIGURE 454

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA67962

><subunit 1 of 1, 837 aa, 1 stop ><MW: 92750, pI: 7.04, NX(S/T): 6

MLRTAMGLRSWLAAPWGALPPRPPLLLLLLLLLLLQPPPPTWALSPRISLPLGSEERPFLRFE AEHISNYTALLLSRDGRTLYVGAREALFALSSNLSFLPGGEYQELLWGADAEKKQQCSFKGKD PQRDCQNYIKILLPLSGSHLFTCGTAAFSPMCTYINMENFTLARDEKGNVLLEDGKGRCPFDP NFKSTALVVDGELYTGTVSSFQGNDPAISRSQSLRPTKTESSLNWLQDPAFVASAYIPESLGS LQGDDDKIYFFFSETGQEFEFFENTIVSRIARICKGDEGGERVLQQRWTSFLKAQLLCSRPDD GFPFNVLQDVFTLSPSPQDWRDTLFYGVFTSQWHRGTTEGSAVCVFTMKDVQRVFSGLYKEVN RETQQWYTVTHPVPTPRPGACITNSARERKINSSLQLPDRVLNFLKDHFLMDGQVRSRMLLLQ PQARYQRVAVHRVPGLHHTYDVLFLGTGDGRLHKAVSVGPRVHIIEELQIFSSGQPVQNLLLD THRGLLYAASHSGVVQVPMANCSLYRSCGDCLLARDPYCAWSGSSCKHVSLYQPQLATRPWIQ DIEGASAKDLCSASSVVSPSFVPTGEKPCEQVQFQPNTVNTLACPLLSNLATRLWLRNGAPVN ASASCHVLPTGDLLLVGTQQLGEFQCWSLEEGFQQLVASYCPEVVEDGVADQTDEGGSVPVII STSRVSAPAGGKASWGADRSYWKEFLVMCTLFVLAVLLPVLFLLYRHRNSMKVFLKQGECASV HPKTCPVVLPPETRPLNGLGPPSTPLDHRGYQSLSDSPPGARVFTESEKRPLSIQDSFVEVSP VCPRPRVRLGSEIRDSVV

Transmembrane domains:

amino acids 23-46 (type II), 718-738

FIGURE 455

TAAGATGAGGGCATCCCTCACGTTCACACCCCTGGTGGCATCTGCCAGCCCTGTTCTGGGGAC AAGGCGGGCTTTCGTGGGAGCCATGCTCAGCCTGCCAGGAAGCCCAAGCCCTACAGTGCAGAGG AAACAGAATTTCAACGGGAAGCTGGTTTGCTTCATACCATTGGGATCTGCTGGTAAAGCTGTT ATTTGGGTTTAGGGACTGATCCCTTGCAGTTTACTTCTGGATCACCATGAATGGCCAAGATGG TGGCAGAACACGCTGTGGACCCTGAGTTAGAGACAATGCAAATGTTGGATTGGGTGTAATTCT TTTTGAATCCCAGATCCAGTCTGTACTTGAATATGAGCAGAAGATCTACAAGAATGCTGACAG GGAACCGTGTTAAGACCCAGCACCCCTATTCCCAGGAGCTTCTGGCCTGACCATCTGCAGCCA AAGCACTAACAGGGACAGATATGGGAATGTCCACCTTTGATCCGCATCCTGCACAATAGTGGT CCCACCATGGCTGCCACTTTTTTATACTATTTGGAGAAAAGACCTTGTATAAATTCGAGGCCC GAGTGACTAACGTCTCTGTCACACGGAA**ATG**GGTACTTGGTGGCATAGAGAAACACAATTAGC TCTGCTGTCCTTTCCCCAACGTACTGGGTCCCGAGCGTGGTGGGTATTTGCCACACTGGGTGC CAGCTCAGCAGCCCCCCACCTCTTTATTCTCTCCAAAGCTGGTCTTTCTGACTATCATTGT GGTAGGGGGAGACAGATGCTAAAGGTGGAAGCTGACCTGGAGAAAGAGACACACGGGGTGAC TGTGGCAAAGGACAGCTGGAAAAGAAACTCTATCACTTCTTCATTGGCAACCACAAGGCACCC GAGGCCATGCCACACCCCAGAGGCTGTGCGCAGAGCCAAGCCTCTCAACCTCTTCTGGCCCTGC ${\tt GTCCTGCAGCGAAGTCTCTGCTGTAAGACAG} {\tt TAG} {\tt ACTCCTTCGATGAGGTGCTCAAAAATGCT}$ ACCCGGGGTGGTGTCTGGCTTGCAGTCTGGCCCAGTTCAGAGAAAGTTGCAGAGATCAGGG GCCAAGGATGTCATAGCCCCAGGTTGTCCTCAGGGTCCCAATCCTAGGGCAGGGTGTGCATGG AAGCAAGAACTATGGAAACCTAGCTCCAGTCTGCAGGCTCTGAGCCCCTAGTTCCTCACTCCA GCGGGGCTCCCTCACTGCACAGAACCCACCCCTTCTGTGTGGGCACTGCTGACCACACAGATG ACCCAGACCCAAAGAGCCTGGCAGAAGCTCTGTGGTTGGAGCTGGGCTCCGTCTCCAGGTCTG GTTCAGGGGGATCAGGAAGGCTCTTTTCCACCTGTGGCTTCACTGGCCCTTTGAGATTTCCTA TCTCACCGTTACTTCAGTTACCCTTGCAGGGGGCCAGGGAGTCAAGAATATACCGTGTTCCTC CAGGGTTTAAGCCGGCCATGCCTTCCCGAGAGCATAACCAACTTGACAGGGGTGCCCAGTTAC CCCACAAACTGAAGGAAGGAGATCCTTCCCCCGTCCCCAGGAGTGCTCTCAACCAGCCTCAGA AAGCTTGAGAAGATGGACCCTTTGCCCACCAGGGTTAATTCCTGGTGGGGCAGCTCGGCTGTG ATCAGGGCAACCAAACCTATAGGAAGCCTTCCAGTGTGAGCTGGAATTAGACTGAACATGTGC TTGGGCCTGCCTCTCCCTAGACGCAGTTGCGGGGCACTCCAGGGAATGAACCAGCTCAAGTGT GTCCCTAACAGCAGCCTGGAGCTACCCCCAATCCCTCACAGCCTGACCCTCCTCATTCCATCA GATCTCGTGCCG

460/615

FIGURE 456

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA69555

><subunit 1 of 1, 148 aa, 1 stop

><MW: 16214, pI: 10.22, NX(S/T): 0

MGTWWHRETQLATFSATLLTQLHPTLLTQVHPLLLSFPQRTGSRAWWVFATLGASSAAPH LSLFSPKLVFLTIIVVGGGQMLKVEADLEKETHGVTVAKDSWKRNSITSSLATTRHPRPW HSQRLCAEPSLSTSSGPASCSEVSAVRQ

Important features of the protein:

Signal peptide:

Amino acids 1-28

Transmembrane domain:

Amino acids 64-78

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 103-107

N-myristoylation sites:

Amino acids 53-59;94-100

FIGURE 457

 $\tt CCCGCGCCCCTGGCACTCAATCCCCGCC{\color{blue} \underline{\textbf{ATG}}} \tt TGGGGGGCTCCTGCCCTGGCCGCCTTC$ GCGCCGGCCGTCGGCCCGGCTCTGGGGGCGCCCAGGAACTCGGTGCTGGGCCTCGCGCAGCCC GGGACCACCAAGGTCCCAGGCTCGACCCCGGCCCTGCATAGCAGCCCGGCACAGCCGCCGGCG GAGACAGCTAACGGGACCTCAGAACAGCATGTCCGGATTCGAGTCATCAAGAAGAAAAAGGTC ATTATGAAGAAGCGGAAGAAGCTAACTCTAACTCGCCCCACCCCACTGGTGACTGCCGGGCCC CTTGTGACCCCCACTCCAGCAGGGACCCTCGACCCCGCTGAGAAACAAGAAACAGGCTGTCCT CCTTTGGGTCTGGAGTCCCTGCGAGTTTCAGATAGCCGGCTTGAGGCATCCAGCAGCCAGTCC TATGATGGAGCCTGGTGTGCTGAGGAGCAGGACGCCGATCCATGGTTTCAGGTGGACGCTGGG GTCACATCATACAAGGTCCAGTTCAGCAATGACAGTCGGACCTGGTGGGGAAGTAGGAACCAC AGCAGTGGGATGGACGCAGTATTTCCTGCCAATTCAGACCCAGAAACTCCAGTGCTGAACCTC CTGCCGGAGCCCCAGGTGGCCCGCTTCATTCGCCTGCTGCCCCAGACCTGGCTCCAGGGAGGC GCGCCTTGCCTCCGGGCAGAGATCCTGGCCTGCCCAGTCTCAGACCCCAATGACCTATTCCTT GAGGCCCCTGCGTCGGGATCCTCTGACCCTCTAGACTTTCAGCATCACAATTACAAGGCCATG AGGAAGCTGATGAAGCAGGTACAAGAGCAATGCCCCAACATCACCCGCATCTACAGCATTGGG AAGAGCTACCAGGGCCTGAAGCTGTATGTGATGGAAATGTCGGACAAGCCTGGGGAGCATGAG CTGGGGGAGCCTGAGGTGCGTACGTGGCTGGCATGCATGGGAACGAGGCCCTGGGGCCGGAG TTGCTTCTGCTCCTGATGCAGTTCCTGTGCCATGAGTTCCTGCGAGGGAACCCACGGGTGACC CGGCTGCTCTGAGATGCGCATTCACCTGCTGCCCTCCATGAACCCTGATGGCTATGAGATC GCCTACCACCGGGGTTCAGAGCTGGTGGGCCTGGGCCGGGGCCGCTGGAACAACCAGAGCATC GATCTTAACCATAATTTTGCTGACCTCAACACACCACTGTGGGAAGCACAGGACGATGGGAAG GTGCCCCACATCGTCCCCAACCATCACCTGCCATTGCCCACTTACTACACCCTGCCCAATGCC ACCGTGGCTCCTGAAACGCGGGCAGTAATCAAGTGGATGAAGCGGATCCCCTTTGTGCTAAGT GCCAACCTCCACGGGGGTGAGCTCGTGGTGTCCTACCCATTCGACATGACTCGCACCCCGTGG GCTGCCCGCGAGCTCACGCCCACACCAGATGATGCTGTGTTTTCGCTGGCTCAGCACTGTCTAT GCTGGCAGTAATCTGGCCATGCAGGACACCAGCCGACCCTGCCACAGCCAGGACTTCTCC AGCTACCTACACCAACTGCTTTGAGGTCACTGTGGAGCTGTCCTGTGACAAGTTCCCTCAC GTGCGCATGGGCATTGCAGGAGTGGTGAGGGACAAGGACACGGAGCTTGGGATTGCTGACGCT GTCATTGCCGTGGATGGGATTAACCATGACGTGACCACGGCGTGGGGCGGGGATTATTGGCGT CTGCTGACCCCAGGGGACTACATGGTGACTGCCAGTGCCGAGGGCTACCATTCAGTGACACGG AACTGTCGGGTCACCTTTGAAGAGGGCCCCTTCCCCTGCAATTTCGTGCTCACCAAGACTCCC AAACAGAGGCTGCGCGAGCTGGCAGCTGGGGCCCAAGGTGCCCCCGGACCTTCGCAGGCGC $\tt CTGGAGCGGCTAAGGGGACAGAAGGAT{\color{red}{\textbf{TGA}}} TACCTGCGGTTTAAGAGCCCTAGGGCAGGCTGG$

FIGURE 458

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71162

><subunit 1 of 1, 734 aa, 1 stop

><MW: 81677, pI: 6.60, NX(S/T): 6

MWGLLLALAAFAPAVGPALGAPRNSVLGLAQPGTTKVPGSTPALHSSPAQPPAETANGTS EQHVRIRVIKKKKVIMKKRKKLTLTRPTPLVTAGPLVTPTPAGTLDPAEKQETGCPPLGL ESLRVSDSRLEASSSQSFGLGPHRGRLNIHSGLEDGDLYDGAWCAEEQDADPWFQVDAGH PTRFSGVITQGRNSVWRYDWVTSYKVQFSNDSRTWWGSRNHSSGMDAVFPANSDPETPVL NLLPEPQVARFIRLLPQTWLQGGAPCLRAEILACPVSDPNDLFLEAPASGSSDPLDFQHH NYKAMRKLMKQVQEQCPNITRIYSIGKSYQGLKLYVMEMSDKPGEHELGEPEVRYVAGMH GNEALGRELLLLLMQFLCHEFLRGNPRVTRLLSEMRIHLLPSMNPDGYEIAYHRGSELVG WAEGRWNNQSIDLNHNFADLNTPLWEAQDDGKVPHIVPNHHLPLPTYYTLPNATVAPETR AVIKWMKRIPFVLSANLHGGELVVSYPFDMTRTPWAARELTPTPDDAVFRWLSTVYAGSN LAMQDTSRRPCHSQDFSVHGNIINGADWHTVPGSMNDFSYLHTNCFEVTVELSCDKFPHE NELPQEWENNKDALLTYLEQVRMGIAGVVRDKDTELGIADAVIAVDGINHDVTTAWGGDY WRLLTPGDYMVTASAEGYHSVTRNCRVTFEEGPFPCNFVLTKTPKQRLRELLAAGAKVPPDLRRRLERLRGQKD

FIGURE 459

464/615

FIGURE 460

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71290 ><subunit 1 of 1, 85 aa, 1 stop ><MW: 9700, pI: 9.55, NX(S/T): 0 MKKVLLLITAILAVAVGFPVSQDQEREKRSISDSDELASGFFVFPYPYPFRPLPPIPFPRFPW FRRNFPIPIPESAPTTPLPSEK

Important features of the protein:

Signal peptide:
amino acids 1-17

Homologous region to B3-hordein:

amino acids 47-85

Important features of the protein:

Signal peptide:

Amino acids 1-20

N-glycosylation sites:

Amino acids 57-61;210-214;220-224;318-322;428-432;472-476

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 80-84

N-myristoylation sites:

Amino acids 3-9;20-29;39-48;152-161;161-170;262-271;358-364; 538-544;560-566;637-643

Zinc carboxypeptidases, zinc-binding region 2 signature:

Amino acids 498-509

Zinc carboxypeptidases:

Amino acids 391-411

FIGURE 461

AGCAGGAGCAGGAGAGGGACA**ATG**GAAGCTGCCCCGTCCAGGTTCATGTTCCTCTTATTTCTC CTCACGTGTGAGCTGGCTGCAGAAGTTGCTGCAGAAGTTGAGAAATCCTCAGATGGTCCTGGT GCTGCCCAGGAACCCACGTGGCTCACAGATGTCCCAGCTGCCATGGAATTCATTGCTGCCACT GAGGTGGCTGTCATAGGCTTCTTCCAGGATTTAGAAATACCAGCAGTGCCCATACTCCATAGC ATGGTGCAAAAATTCCCAGGCGTGTCATTTGGGATCAGCACTGATTCTGAGGTTCTGACACAC TACAACATCACTGGGAACACCATCTGCCTCTTTCGCCTGGTAGACAATGAACAACTGAATTTA GAGGACGAAGACATTGAAAGCATTGATGCCACCAAATTGAGCCGTTTCATTGAGATCAACAGC CTCCACATGGTGACAGAGTACAACCCTGTGACTGTGATTGGGTTATTCAACAGCGTAATTCAG ATTCATCTCCTCCTGATAATGAACAAGGCCTCCCCAGAGTATGAAGAGAACATGCACAGATAC CAGAAGGCAGCCAAGCTCTTCCAGGGGAAGATTCTCTTTATTCTGGTGGACAGTGGTATGAAA GAAAATGGGAAGGTGATATCATTTTTCAAACTAAAGGAGTCTCAACTGCCAGCTTTGGCAATT TACCAGACTCTAGATGACGAGTGGGATACACTGCCCACAGCAGAAGTTTCCGTAGAGCATGTG AAGACTCCAAAGGTGGAACTC**TGA**CTTCTCCTTGGAACTACATATGGCCAAGTATCTACTTTA TGCAAAGTAAAAAGGCACAACTCAAATCTCAGAGACACTAAACAACAGGATCACTAGGCCTGC CAACCACACACACGCGCGCGCACGCACGCGCGCGCGCACACACACACCCGCGCACACAC ACACACACAGAGCTTCATTTCCTGTCTTAAAATCTCGTTTTTCTCTTCTTCTTCTTTTAAA TTTCATATCCTCACTCCCTATCCAATTTCCTTCTTATCGTGCATTCATACTCTGTAAGCCCAT CTGTAACACCTAGATCAAGGCTTTAAGAGACTCACTGTGATGCCTCTATGAAAGAGAGGCA TTCCTAGAGAAAGATTGTTCCAATTTGTCATTTAATATCAAGTTTGTATACTGCACATGACTT ACACACACATAGTTCCTGCTCTTTTAAGGTTACCTAAGGGTTGAAACTCTACCTTCTTCAT AAGCACATGTCCGTCTCTGACTCAGGATCAAAAACCAAAGGATGGTTTTAAACACCTTTGTGA AATTGTCTTTTTGCCAGAAGTTAAAGGCTGTCTCCAAGTCCCTGAACTCAGCAGAAATAGACC ATGTGÄAAACTCCATGCTTGGTTAGCATCTCCAACTCCCTATGTAAATCAACAACCTGCATAA TAAATAAAAGGCAATCATGTTATA

466/615

FIGURE 462

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76401

><subunit 1 of 1, 273 aa, 1 stop

><MW: 30480, pI: 4.60, NX(S/T): 1

MEAAPSRFMFLLFLLTCELAAEVAAEVEKSSDGPGAAQEPTWLTDVPAAMEFIAATEVAVIGF FQDLEIPAVPILHSMVQKFPGVSFGISTDSEVLTHYNITGNTICLFRLVDNEQLNLEDEDIES IDATKLSRFIEINSLHMVTEYNPVTVIGLFNSVIQIHLLLIMNKASPEYEENMHRYQKAAKLF QGKILFILVDSGMKENGKVISFFKLKESQLPALAIYQTLDDEWDTLPTAEVSVEHVQNFCDGF LSGKLLKENRESEGKTPKVEL

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 143-162

467/615

FIGURE 463

468/615

FIGURE 464

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76541
><subunit 1 of 1, 178 aa, 1 stop</pre>

><MW: 19600, pI: 5.89, NX(S/T): 1

MHRPEAMLLLTLALLGGPTWAGKMYGPGGGKYFSTTEDYDHEITGLRVSVGLLLVKSVQVKL GDSWDVKLGALGGNTQEVTLQPGEYITKVFVAFQAFLRGMVMYTSKDRYFYFGKLDGQISSAY PSQEGQVLVGIYGQYQLLGIKSIGFEWNYPLEEPTTEPPVNLTYSANSPVGR

Signal peptide:

amino acids 1-22

FIGURE 465

CGGACGCGTGGGTCCGGCCGGAGCCTGAGGCTGCACCGGGCACCGCAATCCAGCCTGGGCGGAGCCGGAG TGCTGCTGCTACTACTGCTGCTGCTCTGGCCAGTGCCAGGCGCGGGGTGCTTCAAGGACATATCCCTGGGC AGCCAGTCACCCGCACTGGGTCCTGGATGGACAACCCTGGCGCACCGTCAGCCTGGAGGAGCCGGTCTCGAAGC CAGACATGGGGCTGGTGGCCCTGGAGGCTGAAGGCCAGGAGCTCCTGCTTGAGCTGGAGAAGAACCACAGGCTGC TGGCCCCAGGATACATAGAAACCCACTACGGCCCAGATGGGCAGCCAGTGGTGCTGGCCCCCAACCACACGGATC ATTGCCACTACCAAGGGCGAGTAAGGGGCTTCCCCGACTCCTGGGTAGTCCTCTGCACCTGCTCTGGGATGAGTG GCCTGATCACCCTCAGCAGGAATGCCAGCTATTATCTGCGTCCCTGGCCACCCCGGGGCTCCAAGGACTTCTCAA CCCACGAGATCTTTCGGATGGAGCAGCTGCTCACCTGGAAAGGAACCTGTGGCCACAGGGATCCTGGGAACAAAG CGGGCATGACCAGCCTTCCTGGTGGTCCCCAGAGCAGGGCCAGGCCGCAGGACCCGGAAGTACCTGG TGGAAGTCGCCAACTACGTGGACCAGCTTCTCAGGACTCTGGACATTCAGGTGGCGCTGACCGGCCTGGAGGTGT GGACCGAGCGGGACCGCGCGCGCCACGCAGGACGCCAACGCCCTCTGGGCCTTCCTGCAGTGGCCCCGGG GGCTGTGGGCGCAGCGGCCCCACGACTCCGCGCAGCTGCTCACGGGCCGCCCTTCCAGGGCGCCACAGTGGGCC TGGCGCCCGTCGAGGGCATGTGCCGCGCGAGAGCTCGGGAGGCGTGAGCACGGACCACTCGGAGCTCCCCATCG GCGCCGCAGCCACCATGGCCCATGAGATCGGCCACAGCCTCGGCCTCAGCCACGACCCCGACGGCTGCTGCGTGG AGGCTGCGGCCGAGTCCGGAGGCTGCGTCATGGCTGCGGCCACCGGGCACCCGTTTCCGCGCGTGTTCAGCGCCT AGTGCCGCGACCTCTGCTGCTTTGCTCACAACTGCTCGCTGCGCCCGGGGGCCCAGTGCGCCCACGGGGACTGCT GCGTGCGCTGCTGAAGCCGGCTGGAGCGCTGTGCCGCCAGGCCATGGGTGACTGTGACCTCCCTGAGTTTT GCACGGGCACCTCCCCACTGTCCCCAGACGTTTACCTACTGGACGGCTCACCCTGTGCCAGGGGCAGTGGCT $\tt CCGAGGCCTGTTTCCAGGTGGTGAACTCTGCGGGAGATGCTCATGGAAACTGCGGCCAGGACAGCGAGGGCCACT$ TCCTGCCCTGTGCAGGGAGGGATGCCCTGTGTGGGAAGCTGCAGTGCCAGGGTGGAAAGCCCAGCCTGCTCGCAC CGCACATGGTGCCAGTGGACTCTACCGTTCACCTAGATGGCCAGGAAGTGACTTGTCGGGGAGCCTTGGCACTCC GCAATAGCAACCATAACTGCCACTGTGCTCCAGGCTGGGCTCCACCCTTCTGTGACAAGCCAGGCTTTGGTGGCA GCATGGACAGTGGCCCTGTGCAGGCTGAAAACCATGACACCTTCCTGCTGGCCATGCTCCTCAGCGTCCTGCTGC CTCTGCTCCCAGGGGCCGGCCTGGCCTGGTGTTGCTACCGACTCCCAGGAGCCCATCTGCAGCGATGCAGCTGGG GCTGCAGAAGGGACCCTGCGTGCAGTGGCCCCAAAGATGGCCCACACAGGGACCACCCCCTGGGCGGCGTTCACC ACCCTGAGAAGCCTCTGCCAGCAGTCTCGCCTGACCCCCAAGCAGATCAAGTCCAGATGCCAAGATCCTGCCTCT GG<u>TGA</u>GAGGTAGCTCCTAAAATGAACAGATTTAAAGACAGGTGGCCACTGACAGCCACTCCAGGAACTTGAACTG GTAGTGCTGGCCATCCCAAAAGGGCTCTGTCCTGGGAGTCTGGTGTGTCTCCTACATGCAATTTCCACGGACCCA GCTCTGTGGAGGGCATGACTGCCGGCCAGAAGCTAGTGGTCCTGGGGCCCTATGGTTCGACTGAGTCCACACTCC CTCCCCTAGGTGGTTCCTGAGCCCCCACCCCCAATCCCAGTGCTACACCTGAGGTTCTGGAGCTCAGAATCTGAC AGCCTCTCCCCCATTCTGTGTGTCCGGGGGACAGAGGGAACCATTTAAGAAAAGATACCAAAGTAGAAGTCAA AAGAAAGACATGTTGGCTATAGGCGTGGTGGCTCATGCCTATAATCCCAGCACTTTGGGAAGCCGGGGTAGGAGG ATCACCAGAGGCCAGCAGGTCCACACCAGCCTGGGCAACACAGCAAGACACCGCATCTACAGAAAAATTTTAAAA TTAGCTGGGCGTGGTGTGTACCTGTAGGCCTAGCTGCTCAGGAGGCTGAAGCAGGAGGATCACTTGAGCCTG AGTTCAACACTGCAGTGAGCTATGGTGGCACCACTGCACTCCAGCCTGGGTGACAGAGCAAGACCCTGTCTCTAA

FIGURE 466

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76788
><subunit 1 of 1, 813 aa, 1 stop
><MW: 87739, pI: 6.94, NX(S/T): 5</pre>

MGWRPRRARGTPLLLLLLLLLLWPVPGAGVLQGHIPGQPVTPHWVLDGQPWRTVSLEEPVSKPDMGLVALEAEGQ ELLLELEKNHRLLAPGYIETHYGPDGQPVVLAPNHTDHCHYQGRVRGFPDSWVVLCTCSGMSGLITLSRNASYYL RPWPPRGSKDFSTHEIFRMEQLLTWKGTCGHRDPGNKAGMTSLPGGPQSRGRREARRTRKYLELYIVADHTLFLT RHRNLNHTKQRLLEVANYVDQLLRTLDIQVALTGLEVWTERDRSRVTQDANATLWAFLQWRRGLWAQRPHDSAQL LTGRAFQGATVGLAPVEGMCRAESSGGVSTDHSELPIGAAATMAHEIGHSLGLSHDPDGCCVEAAAESGGCVMAA ATGHPFPRVFSACSRRQLRAFFRKGGGACLSNAPDPGLPVPPALCGNGFVEAGEECDCGPGQECRDLCCFAHNCS LRPGAQCAHGDCCVRCLLKPAGALCRQAMGDCDLPEFCTGTSSHCPPDVYLLDGSPCARGSGYCWDGACPTLEQQ CQQLWGPGSHPAPEACFQVVNSAGDAHGNCGQDSEGHFLPCAGRDALCGKLQCQGGKPSLLAPHMVPVDSTVHLD GQEVTCRGALALPSAQLDLLGLGLVEPGTQCGPRMVCQSRRCRKNAFQELQRCLTACHSHGVCNSNHNCHCAPGW APPFCDKPGFGGSMDSGPVQAENHDTFLLAMLLSVLLPLLPGAGLAWCCYRLPGAHLQRCSWGCRRDPACSGPKD GPHRDHPLGGVHPMELGPTATGQPWPLDPENSHEPSSHPEKPLPAVSPDPQADQVQMPRSCLW

Important features of the protein: Signal peptide:

Amino acids 1-27

Transmembrane domain:

Amino acids 702-720

N-glycosylation sites:

Amino acids 109-113;145-149;231-235;276-280;448-452

Tyrosine kinase phosphorylation site:

Amino acids 236-244

N-myristoylation sites:

Amino acids 29-35;185-191;195-201;308-314;318-324;326-332;338-344;370-376; 400-406;402-408;454-460;504-510;510-516;517-523;580-586; 601-607;661-667;687-693;717-723;719-725

Amidation site:

Amino acids 200-204

Neutral zinc metallopeptidases, zinc-binding region signature:

Amino acids 342-352

471/615

FIGURE 467

472/615

FIGURE 468

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77623
><subunit 1 of 1, 97 aa, 1 stop
><MW: 10160, pI: 6.56, NX(S/T): 0
MQLGTGLLLAAVLSLQLAAAEAIWCHQCTGFGGCSHGSRCLRDSTHCVTTATRVLSNTEDLPL
VTKMCHIGCPDIPSLGLGPYVSIACCQTSLCNHD

Important features of the protein: Signal peptide: amino acids 1-20

N-myristoylation sites. amino acids 6-11 and 33-38

Prokaryotic membrane lipoprotein lipid attachment sites. amino acids 24-34 and 78-88

FIGURE 469

CATGGAGCCTCTTGCAGCTTACCCGCTAAAATGTTCCGGGCCCAGAGCAAAGGTATTTGCAGT TTTGCTGTCTATAGTTCTATGCACAGTAACGCTATTTCTTCTACAACTAAAATTCCTCAAACC TAAAATCAACAGCTTTTATGCCTTTGAAGTGAAGGATGCAAAAGGAAGAACTGTTTCTCTGGA AAATTACTTAGGGCTGAAGGAACTGCACAAAGAGTTTGGACCATCCCACTTCAGCGTGTTGGC AAGAAAAACTACGGAGTAACTTTCCCCATCTTCCACAAGATTAAGATTCTAGGATCTGAAGG AGAACCTGCATTTAGATTTCTTGTTGATTCTTCAAAGAAGGAACCAAGGTGGAATTTTTTGGAA GTATCTTGTCAACCCTGAGGGTCAAGTTGTGAAGTTCTGGAGGCCAGAGGAGCCCATTGAAGT **A**GAATGCCATTGCGTTTCTAATAGAACAGAGAAATGTCTCCATGAGGGTTTGGTCTCATTTTA AACATTTTTTTTTGGAGACAGTGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTAGTGCGTT CTCAGCTCATTGCAACCTCTGCCTTTTTAAACATGCTATTAAATGTGGCAATGAAGGATTTTT TTTTAATGTTATCTTGCTATTAAGTGGTAATGAATGTTCCCAGGATGAGGATGTTACCCAAAG CAAAAATCAAGAGTAGCCAAAGAATCAACATGAAATATATTAACTACTTCCTCTGACCATACT AAAGAATTCAGAATACACAGTGACCAATGTGCCTCAATATCTTATTGTTCAACTTGACATTTT CTAGGACTGTACTTGATGAAAATGCCAACACACTAGACCACTCTTTGGATTCAAGAGCACTGT GTATGACTGAAATTTCTGGAATAACTGTAAATGGTTATGTTAATGGAATAAAACACAAATGTT AGGATTTTGTTTTTTTTTTAAGTACAGGTTCCTAGTGTTTTACTATAACTGTCACTATGTA TGTAACTGACATATAAATAGTCATTTATAAATGACCGTATTATAACATTTGAAAAAGTCTT CATCAAAAAAAAAAAAAA

FIGURE 470

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA80136

><subunit 1 of 1, 209 aa, 1 stop ><MW: 23909, pI: 9.68, NX(S/T): 0

MEPLAAYPLKCSGPRAKVFAVLLSIVLCTVTLFLLQLKFLKPKINSFYAFEVKDAKGRTVSLE KYKGKVSLVVNVASDCQLTDRNYLGLKELHKEFGPSHFSVLAFPCNQFGESEPRPSKEVESFA RKNYGVTFPIFHKIKILGSEGEPAFRFLVDSSKKEPRWNFWKYLVNPEGQVVKFWRPEEPIEV IRPDIAALVRQVIIKKKEDL

Important features of the protein:

Signal peptide:

amino acids 1-31

Glutathione peroxidases signature 2.

amino acids 104-112

Glutathione peroxidases.

amino acids 57-82

FIGURE 471

GCCCTAACCTTCCCAGGGCTCAGCTCTTTGGAGCTGCCCATTCCTCCGGCTGCGAGAAAGGACGCGCGCCCTGCG TCGGGCGAAGAAAAGAACTTGTCGGGAGGGTTTCGTCATCAACCTCCTTCCCGCAAACCTAAACCTCCT GCTGGCTGTGGAATTAGATCTGTTTTGAACCCAGTGGAGCGCATCGCTGGGGCTCGGAAGTCACCGTCCGCGGC ACCGGGTTGGCGCTGCCCGAGTGGAACCGACAGTTTGCGAGCCTCGGCTGCAAGTGGCCTCTCCTCCCCGCGGTT GTTGTTCAGTGTCGGGTGAGGGCTGCGAGTGTGGCAAGTTGCAAAGAGAGCCTCAGAGGTCCGAAGAGCGCTGCG CTCCTACTCGCGTTCGCTTCTCTCTCTCTCTCGGTTCCCTACTGTGAAATCGCAGCGACATTTACAAAGGCCTCCG GGTCCTACCGAGACCGATCCGCAGCGTTTGGCCCGGTCGTGCCTATTGCATCGGGAGCCCCCGAGCACCGGCGAA GGACTGGCGGGTGGGGTAGGGAGGTGGCGGCGGCGGCGGCGAGGTTCCCGAAGGCCGACCTGGCCGCTGCAGG AGTTATGTTACTTTGCCACTTCTTCACGGACCAGTTTCAGTTCGCCGATGGGAAACCCGGAGACCAAATCCTTGA TTGGCAGTATGGAGTTACTCAGGCCTTCCCTCACACAGAGGAGGAGGTGGAAGTTGATTCACACGCGTACAGCCA CAGGTGGAAAAGAAACTTGGACTTTCTCAAGGCGGTAGACACGAACCGAGCCAAGCGTCGGCCAAGACTCTCCTGA GCCCAGAAGCTTCACAGACCTGCTGCTGGATGATGGGCAGGACAATAACACTCAGATCGAGGAGGATACAGACCA CAATTACTATATATCTCGAATATATGGTCCATCTGATTCTGCCAGCCGGGATTTATGGGTGAACATAGACCAAAT GGAAAAAGATAAAGTGAAGATTCATGGAATATTGTCCAATACTCATCGGCAAGCTGCAAGAGTGAATCTGTCCTT CGATTTTCCATTTTATGGCCACTTCCTACGTGAAATCACTGTGGCAACCGGGGGTTTCATATACACTGGAGAAGT CGTACATCGAATGCTAACAGCCACACAGTACATAGCACCTTTAATGGCAAATTTCGATCCCAGTGTATCCAGAAA TTCAACTGTCAGATATTTTGATAATGGCACAGCACTTGTGGTCCAGTGGGACCATGTACATCTCCAGGATAATTA TGTCTTGGTCACACAGATAAGTTCAACCAATCATCCAGTGAAAGTCGGACTGTCCGATGCATTTGTCGTTGTCCA CAGGATCCAACAAATTCCCAATGTTCGAAGAAGAACAATTTATGAATACCACCGAGTAGAGCTACAAATGTCAAA AATTACCAACATTTCGGCTGTGGAGATGACCCCATTACCCACATGCCTCCAGTTTAACAGATGTGGCCCCTGTGT ATCTTCTCAGATTGGCTTCAACTGCAGTTGGTGTAGTAAACTTCAAAGATGTTCCAGTGGATTTGATCGTCATCG GCAGGACTGGGTGGACAGTGGATGCCCTGAAGAGTCAAAAGAGAAGATGTGTGAGAATACAGAACCAGTGGAAAC TTCTTCTCGAACCACCACACCGTAGGAGCGACAACCACCCAGTTCAGGGTCCTAACTACCACCAGAAGAGCAGT GACTTCTCAGTTTCCCACCAGCCTCCCTACAGAAGATGATACCAAGATAGCACTACATCTAAAAGATAATGGAGC TTCTACAGATGACAGTGCAGCTGAGAAGAAAGGGGGGAACCCTCCACGCTGGCCTCATCATTGGAATCCTCATCCT CTTTATTGAGAGACGCCCAAGCAGATGGCCTGCGATGAAGTTTAGAAGAGGCTCTGGACATCCTGCCTATGCTGA AGTTGAACCAGTTGGAGAGAAAGAAGGCTTTATTGTATCAGAGCAGTGC<u>TAA</u>AATTTCTAGGACAGAACAACACC AAGCTCTAAGCTGCTGTAGCCTGAAGAAGACAAGATTTCTGGACAAGCTCAGCCCAGGAAACAAAGGGTAAACAA AAAACTAAAACTTATACAAGATACCATTTACACTGAACATAGAATTCCCTAGTGGAATGTCATCTATAGTTCACT GGATCAGAAAAAAAAATCATAATAAAGCTTTAGTTCATGAGGG

476/615

FIGURE 472

MARFPKADLAAAGVMLLCHFFTDQFQFADGKPGDQILDWQYGVTQAFPHTEEEVEVDSHAYSH RWKRNLDFLKAVDTNRASVGQDSPEPRSFTDLLLDDGQDNNTQIEEDTDHNYYISRIYGPSDS ASRDLWVNIDQMEKDKVKIHGILSNTHRQAARVNLSFDFPFYGHFLREITVATGGFIYTGEVV HRMLTATQYIAPLMANFDPSVSRNSTVRYFDNGTALVVQWDHVHLQDNYNLGSFTFQATLLMD GRIIFGYKEIPVLVTQISSTNHPVKVGLSDAFVVVHRIQQIPNVRRRTIYEYHRVELQMSKIT NISAVEMTPLPTCLQFNRCGPCVSSQIGFNCSWCSKLQRCSSGFDRHRQDWVDSGCPEESKEK MCENTEPVETSSRTTTTVGATTTQFRVLTTTRRAVTSQFPTSLPTEDDTKIALHLKDNGASTD DSAAEKKGGTLHAGLIIGILILVLIVATAILVTVYMYHHPTSAASIFFIERRPSRWPAMKFRR GSGHPAYAEVEPVGEKEGFIVSEQC

Important features of the protein:

Transmembrane domain:

amino acids 454-478

N-glycosylation sites.

amino acids 103-107, 160-164, 213-217, 221-225, 316-320, 345-349

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 297-301, 492-496, 503-507

N-myristoylation sites.

amino acids 42-48, 100-106, 147-153, 279-285, 397-403, 450-456, 455-461

FIGURE 473

CGCGGAGCCCTGCGCTGGGAGGTGCACGGTGTGCACGCTGGACTGGACCCCCATGCAACCCCG CGCCCTGCGCCTTAACCAGGACTGCTCCGCGCGCCCCTGAGCCTCGGGCTCCGGCCCGGACCT TTTAAAAGTGCTACTAGAACAAGAGAAAACGTTTTTCACTCTTTTAGTATTACTAGGCTATTT GTCATGTAAAGTGACTTGTGAATCAGGAGACTGTAGACAGCAAGAATTCAGGGATCGGTCTGG AAACTGTGTTCCCTGCAACCAGTGTGGGCCAGGCATGGAGTTGTCTAAGGAATGTGGCTTCGGC TATGGGGAGGATGCACAGTGTGACGTGCCGGCTGCACAGGTTCAAGGAGGACTGGGGCTTC CAGAAATGCAAGCCCTGTCTGGACTGCGCAGTGGTGAACCGCTTTCAGAAGGCAAATTGTTCA GCCACCAGTGATGCCATCTGCGGGGACTGCTTGCCAGGATTTTATAGGAAGACGAAACTTGTC GGCTTTCAAGACATGGAGTGTGTGCCTTGTGGAGACCCTCCTCCTCCTTACGAACCGCACTGT GCCAGCAAGGTCAACCTCGTGAAGATCGCGTCCACGGCCTCCAGCCCACGGGACACGGCGCTG GCTGCCGTTATCTGCAGCGCTCTGGCCACCGTCCTGCTGGCCCTGCTCATCCTCTGTGTCATC TATTGTAAGAGACAGTTTATGGAGAAGAAACCCAGCTGGTCTCTGCGGTCGCAGGACATTCAG TACAACGGCTCTGAGCTGTCGTGTTTTGACAGACCTCAGCTCCACGAATATGCCCACAGAGCC TGCTGTGAGGAGGCCTGCAGCCCCAACCCGGCGACTCTTGGTTGTGGGGTGCATTCTGCAGCC AGTCTTCAGGCAAGAAACGCAGGCCCAGCCGGGGAGATGGTGCCGACTTTCTTCGGATCCCTC ACGCAGTCCATCTGTGGCGAGTTTTCAGATGCCTGGCCTCTGATGCAGAATCCCATGGGTGGT GTTCCAGTCCAGTCTCATTCTGAAAACTTTACAGCAGCTACTGATTTATCTAGATATAACAAC AGTGGCGCTGTCATCCACCCAGCCACTCAGACGTCCCTCCAGGAAGCT**TAA**AGAACCTGCTTC TTTCTGCAGTAGAAGCGTGTGCTGGAACCCAAAGAGTACTCCTTTGTTAGGCTTATGGACTGA AAGCCTTTCAGCCAGTTGCTTCTGAGCCAGACCAGCTGTAAGCTGAAACCTCAATGAATAACA AGAAAAGACTCCAGGCCGACTCATGATACTCTGCATCTTTCCTACATGAGAAGCTTCTCTGCCAC AAAAGTGACTTCAAAGACTGATGGGTTGAGCTGGCAGCCTATGAGATTGTGGACATATAACAA GAAACAGAATGCCCTCATGCTTATTTTCATGGTGATTGTGGTTTTTACAAGACTGAAGACCCA GAGTATACTTTTCCTTTCCAGAAATAATTTCATACCGCCTATGAAATATCAGATAAATTACCT TAGCTTTTATGTAGAATGGGTTCAAAAGTGAGTGTTTCTATTTGAGAAGGACACTTTTTCATC TATTAGATGAAGTTTACTGAATCAGAGGAATCAGACAGAGGAGGATAGCTCTTTCCAGAATCC ACACTTCTGACCTCAGCCTCGGTCTCATGAACACCCGCTGATCTCAGGAGAACACCTGGGCTA GGGAATGTGGTCGAGAAAGGGCAGCCCATTGCCCAGAATTAACACATATTGTAGAGACTTGTA TGCAAAGGTTGGCATATTTATATGAAAATTAGTTGCTATAGAAACATTTGTTGCATCTGTCCC TCTGCCTGAGCTTAGAAGGTTATAGAAAAAGGGTATTTATAAACATAAATGACCTTTTACTTG CATTGTATCTTATACTAAAGGCTTTAGAAATTACAACATATCAGGTTCCCCTACTACTGAAGT AGCCTTCCGTGAGAACACACCACATGTTAGGACTAGAAGAAAATGCACAATTTGTAGGGGTTT GGATGAAGCAGCTGTAACTGCCCTAGTGTAGTTTTGACCAGGACATTGTCGTGCTCCTTCCAAT TGTGTAAGATTAGTTAGCACATCATCTCCTACTTTAGCCATCCGGTGTTGGATTTAAGAGGAC GGTGCTTCTTTCTATTAAAGTGCTCCATCCCCTACCATCTACACATTAGCATTGTCTCTAGAG CTAAGACAGAAATTAACCCCGTTCAGTCACAAAGCAGGGAATGGTTCATTTACTCTTAATCTT TATGCCCTGGAGAAGACCTACTTGAACAGGGCATATTTTTTAGACTTCTGAACATCAGTATGT TCGAGGGTACTATGATATTTTGGTTTGGAATTGCCCTGCCCAAGTCACTGTCTTTTAACTTTT AAACTGAATATTAAAATGTATCTGTCTTTCCT

478/615

FIGURE 474

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA84210

><subunit 1 of 1, 417 aa, 1 stop

><MW: 45305, pI: 5.12, NX(S/T): 6

MALKVLLEQEKTFFTLLVLLGYLSCKVTCESGDCRQQEFRDRSGNCVPCNQCGPGMELSK ECGFGYGEDAQCVTCRLHRFKEDWGFQKCKPCLDCAVVNRFQKANCSATSDAICGDCLPG FYRKTKLVGFQDMECVPCGDPPPPYEPHCASKVNLVKIASTASSPRDTALAAVICSALAT VLLALLILCVIYCKRQFMEKKPSWSLRSQDIQYNGSELSCFDRPQLHEYAHRACCQCRRD SVQTCGPVRLLPSMCCEEACSPNPATLGCGVHSAASLQARNAGPAGEMVPTFFGSLTQSI CGEFSDAWPLMQNPMGGDNISFCDSYPELTGEDIHSLNPELESSTSLDSNSSQDLVGGAV PVQSHSENFTAATDLSRYNNTLVESASTQDALTMRSQLDQESGAVIHPATQTSLQEA

Important features of the protein:

Signal peptide:

Amino acids 1-25

Transmembrane domain:

Amino acids 169-192

N-glycosylation sites:

Amino acids

105-109;214-218;319-323;350-354;368-372;379-383

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 200-204;238-242

Tyrosine kinase phosphorylation site:

Amino acids 207-214

N-myristoylation sites:

Amino acids

55-61;215-221;270-276

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 259-270

TNFR/NGFR family cysteine-rich region proteins:

Amino acids 89-96

479/615

FIGURE 475

480/615

FIGURE 476

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA86576</pre>

><subunit 1 of 1, 251 aa, 1 stop ><MW: 26935, pI: 7.42, NX(S/T): 2

 ${\tt MAMGVPRVILLCLFGAALCLTGSQALQCYSFEHTYFGPFDLRAMKLPSISCPHECFEAILSLD}$ TGYRAPVTLVRKGCWTGPPAGQTQSNPDALPPDYSVVRGCTTDKCNAHLMTHDALPNLSQAPD PPTLSGAECYACIGVHQDDCAIGRSRRVQCHQDQTACFQGSGRMTVGNFSVPVYIRTCHRPSC TTEGTTSPWTAIDLQGSCCEGYLCNRKSMTQPFTSASATTPPRALQVLALLLPVLLLVGLSA

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 233-251

N-glycosylation sites.

amino acids 120-124, 174-178

N-myristoylation sites.

amino acids 15-21, 84-90

FIGURE 477

CCCACGCGTCCGGGACAGATGAACTTAAAAGAGAAGCTTTAGCTGCCAAAGATTGGGAAAGGGAAAGGACAAAAA AGACCCCTGGGCTACACGGCGTAGGTGCAGGGTTTCCTACTGCTGTTCTTTTATGCTGGGAGCTGTGGCTGTAAC ${\tt CAACTAGGAAATAACGTATGCAGCAGCT} \underline{\textbf{ATG}} \texttt{GCTGTCAGAGAGTTGTGCTTCCCAAGACAAAGGCAAGTCCTGTT}$ TCTTTTTCTTTTTTGGGGAGTGTCCTTGGCAGGTTCTGGGTTTTGGACGTTATTCGGTGACTGAGGAAACAGAGAA GGTTTCCGATGATAACAAACAATACCTGCTCCTGGATTCACATACCGGGAATTTGCTCACAAATGAGAAACTGGA ${\tt CCGAGAGAGCTGTGTGGCCCTAAAGAGCCCTGTATGCTGTATTTCCAAATTTTAATGGATGATCCCTTTCAGAT}$ TTACCGGGCTGAGCTGAGAGTCAGGGATATAAATGATCACGCGCCAGTATTTCAGGACAAAGAAACAGTCTTAAA AATATCAGAAAATACAGCTGAAGGGACAGCATTTAGACTAGAAAGAGCACAGGATCCAGATGGAGGACTTAACGG TATCCAAAACTACACGATCAGCCCCAACTCTTTTTTCCATATTAACATTAGTGGCGGTGATGAAGGCATGATATA TGGTGGGTCTCCATCCAGGTCTGGGACCTCTACTGTACGCATCGTTGTCTTGGACGTCAATGACAATGCCCCACA GTTTGCCCAGGCTCTGTATGAGACCCAGGCTCCAGAAAACAGCCCCATTGGGTTCCTTATTGTTAAGGTATGGGC AGAAGATGTAGACTCTGGAGTCAACGCGGAAGTATCCTATTCATTTTTTTGATGCCTCAGAAAATATTCGAACGAC CTTTCAAATCAATCCTTTTTCTGGGGAAATCTTTCTCAGAGAATTGCTTGATTATGAGTTAGTAAATTCTTACAA AATAAATATACAGGCAATGGACGGTGGAGGCCTTTCTGCAAGATGTAGGGTTTTAGTGGAAGTATTGGACACCAA TGACAATCCCCCTGAACTGATCGTATCATCATTTTCCAACTCTGTTGCTGAGAATTCTCCTGAGACGCCGCTGGC TGTTTTTAAGATTAATGACAGAGACTCTGGAGAAAATGGAAAGATGGTTTGCTACATTCAAGAGAATCTGCCATT CCTACTAAAACCTTCTGTGGAGAATTTTTACATCCTAATTACAGAAGGCGCGCTGGACAGAGAGATCAGAGCCGA GTACAACATCACTATCACCGTCACTGACTTGGGGACACCCAGGCTGAAAACCGAGCACAACATAACGGTCCTGGT GCCGCCCCAAGACCCGCACCTGCCCCTCGCCTCCCTGGTCTCCATCAACGCGGACAACGGCCACCTGTTCGCCCT CAGGTCGCTGGACTACGAGGCCTGCAGGCTTTCGAGTTCCGCGTGGGCGCCACAGACCGCGGCTCCCCCGCGCT GAGCAGAGAGGCGCTGGTGCGGTGCTGGTGCTGGACGCCAACGACAACTCGCCCTTCGTGCTGTACCCGCTGCA GAACGCTCCGCGCCCTGCACCGAGCTGGTGCCCCGGGCGGCCGAGCCGGGCTACCTGGTGACCAAGGTGGTGGC GGTGGACGGCGACTCGGGCCAGAACGCCTGGCTGTCGTACCAGCTGCTCAAGGCCACGGAGCCCGGGCTGTTCGG GGTGCTTGTCAAGGACAATGGCGAGCCTCCTCGCTCGGCCACCGCCACGCTGCACTTGCTCCTGGTGGACGGCTT CTCCCAGCCCTACCTGCCTCTCCCGGAGGCGGCCCCGGCCCAGGCCGAGGCCGACTTGCTCACCGTCTA CAGGAGGAGCAGGCCTCGGTGGGTCGCTGCTCGGTGCCCGAGGGTCCTTTTCCAGGGCATCTGGTGGACGT GAGGGGCGCTGAGACCCTGTCCCAGAGCTACCAGTATGAGGTGTGTCTGACGGGAGGCCCCGGGACCAGTGAGTT CAAGTTCTTGAAACCAGTTATTTCGGATATTCAGGCACAGGGCCCTGGGAGGAAGGGTGAAGAAAATTCCACCTT CCGAAATAGCTTTGGATTTAATATTCAG<u>TAA</u>AGTCTGTTTTTAGTTTCATATACTTTTGGTGTGTTACATAGCCA TGTTTCTATTAGTTTACTTTTAAATCTCAAATTTAAGTTATTATGCAACTTCAAGCATTATTTTCAAGTAGTATA CCCCTGTGGTTTTACAATGTTTCATCATTTTTTTGCATTAATAACAACTGGGTTTAATTTAATGAGTATTTTTTT ATCTGAGGTTTTGATTCAGAGCTTGCATCTCATGATTCTAATCACTTCTGTCTATAGTGTACTTGCTCTA TTTAAGAAGGCATATCTACATTTCCAAACTCATTCTAACATTCTATATATTCGTGTTTTGAAAACCATGTCATTTA TTTCTACATCATGTATTTAAAAAGAAATATTTCTCTACTACTATGCTCATGACAAAATGAAAACAAAGCATATTGT GGCCAATATTTTCTTATGTTAACTTTTGCTGATGTATAAAACAGACTATGCCTTATAATTGAAATAAAATTATAA

482/615

FIGURE 478

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA87976</pre>

><subunit 1 of 1, 800 aa, 1 stop

><MW: 87621, pI: 4.77, NX(S/T): 7

MAVRELCFPRQRQVLFLFLFWGVSLAGSGFGRYSVTEETEKGSFVVNLAKDLGLAEGELAARG TRVVSDDNKQYLLLDSHTGNLLTNEKLDREKLCGPKEPCMLYFOILMDDPF0IYRAELRVRDI NDHAPVFQDKETVLKISENTAEGTAFRLERAQDPDGGLNGIQNYTISPNSFFHINISGGDEGM IYPELVLDKALDREEQGELSLTLTALDGGSPSRSGTSTVRIVVLDVNDNAPQFAQALYETQAP ENSPIGFLIVKVWAEDVDSGVNAEVSYSFFDASENIRTTFOINPFSGEIFLRELLDYELVNSY KINIQAMDGGGLSARCRVLVEVLDTNDNPPELIVSSFSNSVAENSPETPLAVFKINDRDSGEN GKMVCYIQENLPFLLKPSVENFYILITEGALDREIRAEYNITITVTDLGTPRLKTEHNITVLV SDVNDNAPAFTQTSYTLFVRENNSPALHIGSVSATDRDSGTNAQVTYSLLPPQDPHLPLASLV SINADNGHLFALRSLDYEALQAFEFRVGATDRGSPALSREALVRVLVLDANDNSPFVLYPLQN GSAPCTELVPRAAEPGYLVTKVVAVDGDSGQNAWLSYQLLKATEPGLFGVWAHNGEVRTARLL SERDAAKHRLVVLVKDNGEPPRSATATLHLLLVDGFSQPYLPLPEAAPAQAQAEADLLTVYLV VALASVSSLFLLSVLLFVAVRLCRRSRAASVGRCSVPEGPFPGHLVDVRGAETLSOSYOYEVC LTGGPGTSEFKFLKPVISDIQAQGPGRKGEENSTFRNSFGFNIQ

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 687-711

N-glycosylation sites.

amino acids 169-173, 181-185, 418-422, 436-440, 567-571, 788-792 Glycosaminoglycan attachment site.

amino acids 28-32

Tyrosine kinase phosphorylation sites.

amino acids 394-402, 578-585

N-myristoylation sites.

amino acids 22-28, 27-33, 53-59, 82-88, 162-168, 217-223, 324-330, 325-331, 471-477, 568-574, 759-765

Amidation site.

amino acids 781-785

Aminoacyl-transfer RNA synthetases class-II signature 1.

amino acids 117-138

Cadherins extracellular repeated domain signature.

amino acids 121-132, 230-241, 335-346, 439-450, 549-560

FIGURE 479

CTCGGCTGGATTTAAGGTTGCCGCTAGCCGCCTGGGAATTTAAGGGACCCACACTACCTTCCC ${\tt GAAGTTGAAGGCAAGCGGTGATTGTTTGTAGACGGCGCTTTGTC} {\bf \underline{ATG}} {\tt GGACCTGTGCGGTTGG}$ GAATATTGCTTTTTCCTTTTTTGGCCGTGCACGAGGCTTGGGCTGGGATGTTGAAGGAGGAGG ACGATGACACAGAACGCTTGCCCAGCAAATGCGAAGTGTGTAAGCTGCTGAGCACAGAGCTAC AGGCGGAACTGAGTCGCACCGGTCGATCTCGAGAGGTGCTGGAGCTGGGGCAGGTGCTGGATA CAGGCAAGAGGAAGAGACACGTGCCTTACAGCGTTTCAGAGACAAGGCTGGAAGAGGCCTTAG AGAATTTATGTGAGCGGATCCTGGACTATAGTGTTCACGCTGAGCGCAAGGGCTCACTGAGAT ATGCCAAGGGTCAGAGTCAGACCATGGCAACACTGAAAGGCCTAGTGCAGAAGGGGGTGAAGG TGGATCTGGGGATCCCTCTGGAGCTTTGGGATGAGCCCAGCGTGGAGGTCACATACCTCAAGA AGCAGTGTGAGACCATGTTGGAGGAGTTTGAAGACATTGTGGGAGACTGGTACTTCCACCATC AGGAGCAGCCCCTACAAAATTTTCTCTGTGAAGGTCATGTGCTCCCAGCTGCTGAAACTGCAT GTCTACAGGAAACTTGGACTGGAAAGGAGATCACAGATGGGGAAGAAAACAGAAGGGGAGG AAGAGCAGGAGGAGGAGGAAGAGGAGGAAGAGGGAGAGACAAGATGACCAAGACAG GAAGCCACCCAAACTTGACCGAGAAGATCTT**TGA**CCCTTGCCTTTGAGCCCCCAGGAGGGGA AGGGATCATGGAGAGCCCTCTAAAGCCTGCACTCTCCCTGCTCCACAGCTTTCAGGGTGTGTT TATGAGTGACTCCACCCAAGCTTGTAGCTGTTCTCTCCCATCTAACCTCAGGCAAGATCCTGG TGAAACAGCATGACATGGCTTCTGGGGTGGAGGTTGGAGGTCCTGCTCCTAGAGATG AACTCTATCCAGCCCCTTAATTGGCAGGTGTATGTGCTGACAGTACTGAAAGCTTTCCTCTTT AACTGATCCCACCCCAAAAGTCAGCAGTGGCACTGGAGCTGTGGGCTTTGGGGAAGTC ACTTAGCTCCTTAAGGTCTGTTTTTAGACCCTTCCAAGGAAGAGGCCAGAACGGACATTCTCT GCGATCTATATACATTGCCTGTATCCAGGAGGCTACACACCAGCAAACCGTGAAGGAGAATGG GCTCAATGTAACCCAGAGCCCACCATATAGTTTTATAGGTGCTCAACTTTCTATATCGCTATT AAACTTTTTTTTTTTTTTTTT

484/615

FIGURE 480

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92256

><subunit 1 of 1, 248 aa, 1 stop

><MW: 28310, pI: 4.63, NX(S/T): 0

MGPVRLGILLFLFLAVHEAWAGMLKEEDDDTERLPSKCEVCKLLSTELQAELSRTGRSREVLE LGQVLDTGKRKRHVPYSVSETRLEEALENLCERILDYSVHAERKGSLRYAKGQSQTMATLKGL VQKGVKVDLGIPLELWDEPSVEVTYLKKQCETMLEEFEDIVGDWYFHHQEQPLQNFLCEGHVL PAAETACLQETWTGKEITDGEEKTEGEEEQEEEEEEEEEGGDKMTKTGSHPKLDREDL

Important features of the protein:

Signal peptide:

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 106-110

N-myristoylation site.

amino acids 115-121

Amidation site.

amino acids 70-74



FIGURE 481

GGCGTGTGCAAGGCGGGGTCCGGCCCGCGCAGGTCGGGTAAGCGCGTCTAGGGCGCTGCGCGG $\tt CGCAGCGAAA\underline{\textbf{ATG}} GCGGCTTCCAGGTGGGCGCGCAAGGCCGTGGTCCTGCTTTGTGCCTCTGA$ CCTGCTGCTGCTGCTACTGCTACCACCGCCTGGGTCCTGCGCGGCCGAAGGCTCGCCCGG GACGCCCGACGAGTCTACCCCACCTCCCCGGAAGAAGAAGAAGATATTCGCGATTACAATGA TGCAGACATGGCGCGTCTTCTGGAGCAATGGGAGAAAGATGATGACATTGAAGAAGGAGATCT AAGCATATTGAAAATGACGAAAAAAGGGAAGACTCTCATGATGTTTGTCACTGTATCAGGAAG CCCTACTGAGAAGGAGACAGGGAAATTACGAGCCTCTGGCAGGGCAGCCTTTTCAATGCCAA CTATGACGTCCAGAGGTTCATTGTGGGATCAGACCGTGCTATCTTCATGCTTCGCGATGGGAG CTACGCCTGGGAGATCAAGGACTTTTTGGTCGGTCAAGACAGGTGTGCTGATGTAACTCTGGA GGGCAAAAAAAGAAGGAAGGAGATCTGAAATCTCGGTCTTCCAAGGAAGAAAATCGAGCTGG GAGAGCTCTTTGCCCAGCTCCTGGGGTGGGAGTGGTCTCAGGCAACTGCACACCGGATGACAT TCTAGTGTCTTCTAGAAAGGGTCTGCCACATGACCAGTTTGTGGTCAAAGAATTACTGCTTAA TAGGCTTCAAGTAAGAAGACAGATGTTTTCTAATTAATACTGGACACTGACAAATTCATGTTT ACTATAAAATCTCCTTACATGGAAATGTGACTGTGTTTCCCTTTTTCCCATTTACACTTGGTGAG TCATCAACTCTACTGAGATTCCACTCCCCTCCAAGCACCTGCTGTGATTGGGTGGCCTGCTCT GATCAGATAGCAAATTCTGATCAGAGAAGACTTTAAAACTCTTGACTTAATTGAGTAAACTCT TCATGCCATATACATCATTTTCATTATGTTAAAGGTAAAATATGCTTTGTGAACTCAGATGTC TGTAGCCAGGAAGCCAGGGTGTGTAAATCCAAAATCTATGCAGGAAATGCGGAGAATAGAAAA TATGTCACTTGAAATCCTAAGTAGTTTTGAATTTCTTTGACTTGAATCTTACTCATCAGTAAG AGAACTCTTGGTGTCTGTCAGGTTTTATGTGGTCTGTAAAGTTAGGGGGTTCTGTTTTGTTTCC TTATTTAGGAAAGAGTACTGCTGGTGTCGAGGGGTTATATGTTCCATTTAATGTGACAGTTTT AAAGGATTTAAGTAGGGAATCAGAGTCCTTTGCAGAGTGTGACAGACGACTCAATAACCTCAT TTGTTTCTAAACATTTTTCTTTGATAAAGTGCCTAAATCTGTGCTTTCGTATAGAGTAACATG ATGTGCTACTGTTGATGTCTGATTTTGCCGTTCATGTTAGAGCCTACTGTGAATAAGAGTTAG AACATTTATATACAGATGTCATTTCTAAGAACTAAAATTCTTTGGGAAAAAACCCTCAAAAAAA AAAAAAAAAAAAAAAAAA

486/615

FIGURE 482

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92289

><subunit 1 of 1, 234 aa, 1 stop

><MW: 26077, pI: 8.13, NX(S/T): 1

MAASRWARKAVVLLCASDLLLLLLLPPPGSCAAEGSPGTPDESTPPPRKKKKDIRDYND ADMARLLEQWEKDDDIEEGDLPEHKRPSAPVDFSKIDPSKPESILKMTKKGKTLMMFVTV SGSPTEKETEEITSLWQGSLFNANYDVQRFIVGSDRAIFMLRDGSYAWEIKDFLVGQDRC ADVTLEGQVYPGKGGGSKEKNKTKQDKGKKKKKEGDLKSRSSKEENRAGNKREDL

Important features of the protein:

Signal peptide:

Amino acids 1-32

N-glycosylation site:

Amino acids 201-205

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 85-89

Tyrosine kinase phosphorylation site:

Amino acids 50-59

N-myristoylation sites:

Amino acids 30-36;138-144;153-159;176-182

Amidation site:

Amino acids 207-211

FIGURE 483

GTTGCTCCGGCGGCGCTCGGGGAGGGAGCCAGCAGCCTAGGCCCTAGGCCCGGGCCACC**ATG**G CGCTGCCTCCAGGCCCAGCCGCCCTCCGGCACACTGCTGCTGCCAGCCCTTCTGAGCT CAGGTTGGGGGGAGTTGGAGCCACAAATAGATGGTCAGACCTGGGCTGAGCGGGCACTTCGGG AGAATGAACGCCACGCCTTCACCTGCCGGGTGGCAGGGGGGCCTGGCACCCCCAGATTGGCCT GGTATCTGGATGGACAGCTGCAGGAGGCCAGCACCTCAAGACTGCTGAGCGTGGGAGGGGAGG CCTTCTCTGGAGGCACCAGCACCTTCACTGTCACTGCCCATCGGGCCCAGCATGAGCTCAACT GCTCTCTGCAGGACCCCAGAAGTGGCCGATCAGCCAACGCCTCTGTCATCCTTAATGTGCAAT TCAAGCCAGAGATTGCCCAAGTCGGCGCCAAGTACCAGGAAGCTCAGGGCCCAGGCCTCCTGG TTGTCCTGTTTGCCCTGGTGCGTGCCAACCCGCCGGCCAATGTCACCTGGATCGACCAGGATG GGCCAGTGACTGTCAACACCTCTGACTTCCTGGTGCTGGATGCGCAGAACTACCCCTGGCTCA CCAACCACAGGTGCAGCTGCAGCTCCGCAGCCTGGCACAACCTCTCGGTGGTGGCCACCA ATGACGTGGGTGTCACCAGTGCGTCGCTTCCAGCCCCAGGCCCCTCCCGGCACCCATCTCTGA TATCAAGTGACTCCAACAACCTAAAACTCAACAACGTGCGCCTGCCACGGGAGAACATGTCCC TCCCGTCCAACCTTCAGCTCAATGACCTCACTCCAGATTCCAGAGCAGTGAAACCAGCAGACC GGCAGATGGCTCAGAACAACAGCCGGCCAGAGCTTCTGGACCCGGAGCCCGGCGCCTCCTCA GTGATGAGATCTGGCTCTGAGCCGAGGGCGAGACAGGAGTATTCTCTTGGCCTCTGGACACCC TCCCATTCCTCCAAGGCATCCTCTACCTAGCTAGGTCACCAACGTGAAGAAGTTATGCCACTG CCACTTTTGCTTGCCCTCCTGGCTGGGGTGCCCTCCATGTCATGCACGTGATGCATTTCACTG GGCTGTAACCCGCAGGGGCACAGGTATCTTTGGCAAGGCTACCAGTTGGACGTAAGCCCCTCA TGCTGACTCAGGGTGGGCCCTGCATGTGATGACTGGGCCCTTCCAGAGGGAGCTCTTTGGCCA GGGGTGTTCAGATGTCATCCAGCATCCAAGTGTGGCATGGCCTGCTGTATACCCCACCCCAGT GCATGGATTTTCCTCCTATGCTATGTAGCCTTGTTCCCTCAGGTAAAATTTAGGACCCT CCAAGCACAAACGTCCTTTTTGCTGCACACGTCTCTGCCCTTCACTTCTTCTCTTCTGTCCCC ACCTCCTCTTGGGAATTCTAGGTTACACGTTGGACCTTCTCTACTACTTCACTGGGCACTAGA TGAGTCTAGTAGCACCCAGGACGGCTTGTAGCTATGCATCATTTTCCTACGGCGTTAGCACTT TAAGCACATCCCCTAGGGGAGGGGGTGAGTGAGGGGCCCAGAGCCCTCTTTGTGGCTTĆCCCA CGTTTGGCCTTCTGGGATTCACTGTGAGTGTCCTGAGCTCTCGGGGTTGATGGTTTTTCTCTC AGCATGTCTCCTCCACCACGGGACCCCAGCCCTGACCAACCCATGGTTGCCTCATCAGCAGGA AGGTGCCCTTCCTGGAGGATGGTCGCCACAGGCACATAATTCAACAGTGTGGAAGCTTTAGGG GAACATGGAGAAAGAAGGAGACCACATACCCCAAAGTGACCTAAGAACACTTTAAAAAGCAAC ATGTAAATGATTGGAAATTAATATAGTACAGAATATATTTTTCCCTTGTTGAGATCTTCTTTT GTAATGTTTTCATGTTACTGCCTAGGGCGGTGCTGAGCACACAGCAAGTTTAATAAACTTGA

FIGURE 484

MALPPGPAALRHTLLLLPALLSSGWGELEPQIDGQTWAERALRENERHAFTCRVAGGPGTPRL AWYLDGQLQEASTSRLLSVGGEAFSGGTSTFTVTAHRAQHELNCSLQDPRSGRSANASVILNV QFKPEIAQVGAKYQEAQGPGLLVVLFALVRANPPANVTWIDQDGPVTVNTSDFLVLDAQNYPW LTNHTVQLQLRSLAHNLSVVATNDVGVTSASLPAPGPSRHPSLISSDSNNLKLNNVRLPRENM SLPSNLQLNDLTPDSRAVKPADRQMAQNNSRPELLDPEPGGLLTSQGFIRLPVLGYIYRVSSV SSDEIWL

N-glycosylation sites:

amino acids 106-110, 119-123, 162-166, 175-179, 192-196, 205-209, 251-255, 280-284

Glycosaminoglycan attachment site:

amino acids 23-27

Casein kinase II phosphorylation sites:

amino acids 36-40, 108-112, 164-168, 282-286, 316-320

N-myristoylation sites:

amino acids 34-40, 89-95, 215-221, 292-298, 293-299

489/615

FIGURE 485

490/615

FIGURE 486

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96855 ><subunit 1 of 1, 84 aa, 1 stop ><MW: 9274, pI: 9.70, NX(S/T): 1 MALLWWISTVAILLFTSTILGTYVEAGAAKSNEEEIVNKSEFGRFPRGSRKDASGCHKPG YPVPPHSRCPPPPHVQRPRPILHA

Signal peptide:

Amino acids 1-21

N-glycosylation site:

Amino acids 38-42

N-myristoylation site:

Amino acids 27-33

491/615

FIGURE 487

492/615

FIGURE 488

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96857</pre>

><subunit 1 of 1, 221 aa, 1 stop

><MW: 23598, pI: 6.96, NX(S/T): 0

MWSAGRGGAAWPVLLGLLLALLVPGGGAAKTGAELVTCGSVLKLLNTHHRVRLHSHDIKYGSG SGQQSVTGVEASDDANSYWRIRGGSEGGCPRGSPVRCGQAVRLTHVLTGKNLHTHHFPSPLSN NQEVSAFGEDGEGDDLDLWTVRCSGQHWEREAAVRFQHVGTSVFLSVTGEQYGSPIRGQHEVH GMPSANTHNTWKAMEGIFIKPSVEPSAGHDEL

Important features of the protein: Signal peptide:

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 62-66

N-myristoylation sites.

amino acids 16-22, 25-31, 27-33, 61-67, 71-77, 86-92, 87-93, 91-97, 190-196

Endoplasmic reticulum targeting sequence.

amino acids 218-223

FIGURE 489

CAGCAGCCGAGACAGCAGCTGAGACGGCAGCGCCAGCTTCTCAGGGCCCGAGCCAGTTCTTGGAGGAGACTCTGC ATGGGAAGACTCCTGAGCTACATGGAGAATATGCAGGTGTCCAGGGGCCCGGAGCTCAGTTTTTTCCTCTCGTCA $\tt CCAGTCTCTGGCCTTCAAGCTGAGCTGTGACTTCTCTGGCCTCTCGCTGACCAGTGCCACTCTGAAGCGGGTGCC$ CCAGGCAGGAGGTCAGCATGCCCGGGGTCAGCACGCCATGCAGTTCCCCGCCGAGCTGACCCGGGACGCCTGCAA GACCCGCCCCAGGGAGCTGCGGCTCATCTGTATCTACTTCTCCAACACCCCACTTTTTCAAGGATGAAAACAACTC ATCTCTGCTGAATAACTACGTCCTGGGGGCCCAGCTGAGTCATGGGCACGTGAACAACCTCAGGGATCCTGTGAA ACAGCCCTGGGGGGGCTGGAGCCCTGAGGGCTGTCGTACAGAGCAGCCCTCCCACTCTCAGGTGCTCTGCCGCTG TACGTACATCTCCCTCGTGGGCTGCAGCATCTCCATCGTGGCCTCGCTGATCACAGTCCTGCTGCACTTCCATTT CAGGAAGCAGAGTGACTCCTTAACACGTATCCACATGAACCTGCATGCCTCCGTGCTGCTCCTGAACATCGCCTT $\tt CCTGCTGAGCCCCGCATTCGCAATGTCTCCTGTGCCCGGGTCAGCATGCACGGCTCTGGCCGTGCCCTGCACTA$ CGCGCTGCTCAGCTGCCTCACCTGGATGGCCATCGAGGGCTTCAACCTCTACCTCCTCCTCGGGCGTGTCTACAA CATCTACATCCGCAGATATGTGTTCAAGCTTGGTGTGCTAGGCTGGGGGGCCCCAGCCCTCCTGGTGCTGCTTTC AAGTGTCAGGGCCTGCCATGACACTGTCACTGTGCTGGGCCTCACCGTGCTGCTGGGAACCACCTGGGCCTTGGC $\tt CTTCTTTTCTTTTGGCGTCTTCCTGCTGCCCCAGCTGTTCCTCTCACCATCTTAAACTCGCTGTACGGTTTCTT$ ${\tt CCTTTTCCTGTGGTTCTGCTCCCAGCGGTGCCGCTCAGAAGCAGAGGCCCAAGGCACAGATAGAGGCCTTCAGCTC}$ CACTTCCACGGCCTCTCCAGGCACTGAGGGGAAGGCATTGCTCTACCTCTCCCTGACATTTTGCTCCGGGGCAGA GCCTGGGCATCAGGAAGCCAAGTTTCAAGGACTGTCTTTGAGTCTGTATGACCTTGGGCCTGCCACTTCTC ACAGACCCTAGGTATCCACAGCTGTGACATGGGGGCCAAGCAGCTTTGTTTCAGCCTAACCCAGGAGCTTAGTAAA AGGATCTCATTCAGGCTGCCCTGGAAGCACCTGCTTGGCCCTGCCACCTTCCTCCAGGGGAGGGCCAGATGGCAT ACTCCCTAAATTATGATGACTCCAAGTCCAAGCCCACCTTCCCAAAGATTGGGAGGTTCCGCCGTTCCCAGAGG CTCCTCCTGCGGTGCTCCCAAGACTTCCATAGACCATCTGGACCAGTAGCCCATCCCGCAGTTTTCTTGGGGGCCA GAGGAAAACGCTTCTTTCTCCTCCAGCTGAATCAGCTGGATCCCAGTGTCCTGGCTGTTTTGGTGATTGGGCAAGA ${\tt TTGAATTTGCCCAGGTAGGCGTGAGAGTGTGGGTTTTAAATTCGAAGCTCAGGCCATAGTTTCAGAGAATCACCC}$ GTCCACACTCAGAGGCCCTTGGCGCCAAGACTGCATCTAGAATCGCTCAAACACCTGTTTGCAGACCCCATGCAC CAGCTGGAGGGCCGTAACTGCAGGACTGCGCCTACTGAGTGACCCATTTCCTCCAGGAGGAAAGGCAAGACACG CTTACACGGCCATTTGTCTCTTTTCCCAATGCGGCGGTGCACTTTCGCTCTTGGGGGCTGCACCCCAGACATAGC ${\tt TGGCACCAGAGCAGGGTGCTCAGGTGGTGGTGCTCAGGGCCCTGCCCCAGGCCACTGGGCCGTTTTGATGACCT}$ CAAAGGTCACAGGCAGAAAATAGGAGCAGGATTTCCCCTGGGGAAAAGTTATCCTGGGACATCTTCTGCTCTTCT ${\tt CCAATGCCAGCTCTGCCACTTGCTAGCTGTGAGACTGTGGACAAACCACTCAGCCTCTGTGTGCCTCAGTTTTCC}$ TATTTGTAAAATAGAGACCATAGTGGTACCTATTTTGAAGACTAAGTAAAAGAATTCAAATAAAGAGACTTGGCA CAGAGTAAGTGCTCAGTAAAAA

494/615

FIGURE 490

></usr/seqdb2/sst/DNA/Dnasegs.min/ss.DNA96860

><subunit 1 of 1, 528 aa, 1 stop

><MW: 59000, pI: 8.73, NX(S/T): 9

MDHCGALFLCLCLLTLQNATTETWEELLSYMENMQVSRGRSSVFSSRQLHQLEQMLLNTS FPGYNLTLQTPTIQSLAFKLSCDFSGLSLTSATLKRVPQAGGQHARGQHAMQFPAELTRD ACKTRPRELRLICIYFSNTHFFKDENNSSLLNNYVLGAQLSHGHVNNLRDPVNISFWHNQ SLEGYTLTCVFWKEGARKQPWGGWSPEGCRTEQPSHSQVLCRCNHLTYFAVLMQLSPALV PAELLAPLTYISLVGCSISIVASLITVLLHFHFRKQSDSLTRIHMNLHASVLLLNIAFLL SPAFAMSPVPGSACTALAAALHYALLSCLTWMAIEGFNLYLLLGRVYNIYIRRYVFKLGV LGWGAPALLVLLSLSVKSSVYGPCTIPVFDSWENGTGFQNMSICWVRSPVVHSVLVMGYG GLTSLFNLVVLAWALWTLRRLRERADAPSVRACHDTVTVLGLTVLLGTTWALAFFSFGVF LLPQLFLFTILNSLYGFFLFLWFCSQRCRSEAEAKAQIEAFSSSQTTQ

Important features of the protein:

Signal peptide:

Amino acids 1-2

Transmembrane domains:

Amino acids 244-264;290-309;316-344;358-376;411-431;468-491

N-glycosylation sites:

Amino acids

18-22;58-62;65-69;146-150;147-151;173-177;

179-183;394-398;400-404

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 274-278

N-myristoylation sites:

86 GLSLTS

101 GGQHAR

157 GAOLSH

255 GCSISI

311 GSACTA

420 GGLTSL

467 GTTWAL

Prokaryotic membrane lipoprotein lipid attachment sites:

Amino acids 246-257;318-329

Eukaryotic thiol (cysteine) proteases histidine active site:

Amino acids 410-421

G-protein coupled receptors family 2 proteins:

Amino acids 273-302;314-343

495/615

FIGURE 491

CTTGGCTGCCCGACAACAAGCTCGCCACCTGCGCTGGGCGCATCCACCATCCAAGGCCCAGCT GAGGGGCACCAGACAGAGGAGAGAGAGAGTCGCACACGGGCTGCCCTGAGAGACATTTC CATGGACATCCTCATGCTTCTGCTTTTGTGTGTAATATATGGGAGATTTTCCCAAGATGA ATACTCCCTCAATCAAGCTATCCGGAAAGAATTTACAAGAAATGCCAGAAACTGCTTGGGTGG CCTGAGAAACATCGCTGACTGGGGGCTGGAGTCTGACCACACTTCTGGATGGCCTGTACCC GGGAGCACCCCGTCAGCCCGTGTGCCGGGGGCTCAGCCTGGAGCTCTTGGAGGAAAATGCTA CCTAATAGGCAGTTCCGTAATTAGGCAGCTAAAAGTTTTTCCTAGGCATTTATGCAAGCCTCC CAGGCCATTTTCAGCACTCATCGAAGACTCTATTCCTACATGTAGTCCCGAAGTTGGAGGCCC TGAGAACCCCTACCTGATAGACCCAGAGAACCAAAACGTGACCCTGAATGGTCCTGGGGGGCTG TGGGACAAGGGAGGACTGTGTGCTCAGCCTGGGCAGAACAAGGACTGAAGCCCACACAGCCCT GTCCCGACTCAGGGCCAGCATGTGGATTGACCGCAGCACCAGGGCTGTGTCTGTGCACTTCAC TCTCTATAACCCTCCAACCCAACTCTTCACCAGCGTGTCCCTGAGAGTGGAGATCCTCCCTAC GGGGAGTCTCGTCCCCTCATCCCTGGTGGAGTCATTCAGCATCTTCCGCAGCGACTCAGCCCT GCAGTACCACCTCATGCTTCCCCAGCTGGTCTTCCTGGCACTCAGCCTGATCCACCTCTGTGT TCAACTCTACCGTATGATGGACAAGGGCGTCCTCAGCTACTGGCGAAAGCCAAGGAACTGGCT GGAGGTAGCCTCTTGTGTCATTTTCTTTTGAAAAA**TAA**CAATAAACTGTTTATATCTTGAA AAAATAATTTAAATAAGAAATTGATTATGCACTAGCTACTGCCAACATTATTGCAGTTTTCTC CCTCTGTAGTGTTAATCTCAAAACAGCATTTGAGATCAGGTATCATTTAGTGTTGTTACAGTT ACCGTCATGTACCACACGAATTTCAGCCAAGGTGGTGCTCCCATAAGATCATATGGTGCTAAG CTGTTTGTATCTTAGCTTTTAATAAAGAAGTTTAAAAATAAAAA

496/615

FIGURE 492

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96861</pre>

><subunit 1 of 1, 300 aa, 1 stop ><MW: 33649, pI: 9.26, NX(S/T): 1

MRRESRTRAALRDISMDILMLLLLLCVIYGRFSQDEYSLNQAIRKEFTRNARNCLGGLRN IADWWDWSLTTLLDGLYPGGTPSARVPGAQPGALGGKCYLIGSSVIRQLKVFPRHLCKPP RPFSALIEDSIPTCSPEVGGPENPYLIDPENQNVTLNGPGGCGTREDCVLSLGRTRTEAH TALSRLRASMWIDRSTRAVSVHFTLYNPPTQLFTSVSLRVEILPTGSLVPSSLVESFSIF RSDSALQYHLMLPQLVFLALSLIHLCVQLYRMMDKGVLSYWRKPRNWLEVASLVSFSFEK

Important features of the protein:

Signal peptide:

Amino acids 1-30

Transmembrane domain:

Amino acids 250-267

N-glycosylation site:

Amino acids 153-157

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 2-6

N-myristoylation sites:

Amino acids 56-62;75-81;79-85;80-86;88-94;92-98;160-166

497/615

FIGURE 493

TCTCAGGGCTTCATACAGGAAATCTATTGCTGTGTCAAGTTCCAGAGAAAAGCTTCTGTTCGT CCCACTGTTGATGGGGTAAGAGGATCCTGTACTGAGAAGTTGACCAGAGAGGGTCTCACCATG CGCACAGTTCCTTCTGTACCTGTGTGGAGGAAAAGTACTGAGTGAAGGGCAGAAAAAGAGAAA ACAGAA**ATG**CTCTGCCCTTGGAGAACTGCTAACCTAGGGCTACTGTTGATTTTGACTATCTTC TTAGTGGCCGAAGCGGAGGGTGCTCCTCAACCAAACAACTCATTAATGCTGCAAACTAGCAAG GAGAATCATGCTTTAGCTTCAAGCAGTTTATGTATGGATGAAAAACAGATTACACAGAACTAC TCGAAAGTACTCGCAGAAGTTAACACTTCATGGCCTGTAAAGATGGCTACAAATGCTGTGCTT TGTTGCCCTCCTATCGCATTAAGAAATTTGATCATAATAACATGGGAAATAATCCTGAGAGGC CAGCCTTCCTGCACAAAAGCCTACAGGAAAGAAACAAATGAGACCAAGGAAACCAACTGTACT GATGAGAGAATAACCTGGGTCTCCAGACCTGATCAGAATTCGGACCTTCAGATTCGTCCAGTG GCCATCACTCATGACGGGTATTACAGATGCATAATGGTAACACCTGATGGGAATTTCCATCGT GGATATCACCTCCAAGTGTTAGTTACACCTGAACTGACCCTGTTTCAAAACAGGAATAGAACT GCAGTATGCAAGGCAGTTGCAGGGAAGCCAGCTGCGCAGATCTCCTGGATCCCAGAGGGCGAT TGTGCCACTAAGCAAGAATACTGGAGCAATGGCACAGTGACTGTTAAGAGTACATGCCACTGG GAGGTCCACAATGTGTCTACCGTGACCTGCCACGTCTCCCATTTGACTGGCAACAAGAGTCTG TACATAGAGCTACTTCCTGTTCCAGGTGCCAAAAATCAGCAAAATTATATATTCCATATATC ATCCTTACTATTATTTTTGACCATCGTGGGATTCATTTGGTTGTTGAAAGTCAATGGCTGC AGAAAATATAAATTGAATAAAACAGAATCTACTCCAGTTGTTGAGGAGGATGAAATGCAGCCC CAGGCATTACAAAGTGAAGTTGACACAGACCTCCATACTTTA**TAA**GTTGTTGGACTCTAGTAC CAAGAAACAACAACGAGATACATTATAATTACTGTCTGATTTTCTTACAGTTCTAGAAT GAAGACTTATATTGAAATTAGGTTTTCCAAGGTTCTTAGAAGACATTTTAATGGATTCTCATT CATACCCTTGTATAATTGGAATTTTTTGATTCTTAGCTGCTACCAGCTAGTTCTCTGAAGAACT GATGTTATTACAAAGAAAATACATGCCCATGACCAAATATTCAAATTGTGCAGGACAGTAAAT AATGAAAACCAAATTTCCTCAAGAAATAACTGAAGAAGGAGCAAGTGTGAACAGTTTCTTGTG TATCCTTTCAGAATATTTTAATGTACATATGACATGTGTATATGCCTATGGTATATGTGTCAA TTTATGTGTCCCCTTACATATACATGCACATATCTTTGTCAAGGCACCAGTGGGAACAATACA CTGCATTACTGTTCTATACATATGAAAACCTAATAATATAAGTCTTAGAGATCATTTTATATC ATGACAAGTAGAGCTACCTCATTCTTTTTAATGGTTATATAAAATTCCATTGTATAGTTATAT CATTATTTAATTAAAAACAACCCTAATGATGGATATTTAGATTCTTTTAAGTTTTTGTTTATTT CTTTTAAGTTTTGTTGTGGTATAAACAATACCACATAGAATGTTTCTTGTTCATATATCTCT TTGTTTTTGAGTATATCTGTAGGATAACTTTCTTGAGTGGAATTGTCAGGTCAAAGGGTTTGT GCATTTTACTATTGATATATGTTAAATTGTGTCAAATATATGTCAAATTCCCTCCAACA TTGTTTAAATGTGCCTTTCCCTAAATTTCTATTTTAATAACTGTACTATTCCTGCTTCTACAG TTGCCACTTTCTCTTTTTAATCAACCAGATTAAATATGATGTGAGATTATAATAAGAATTATA CTATTTAATAAAAATGGATTTATA

498/615

FIGURE 494

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96866

><subunit 1 of 1, 348 aa, 1 stop

><MW: 39069, pI: 8.13, NX(S/T): 10

MLCPWRTANLGLLLILTIFLVAEAEGAAQPNNSLMLQTSKENHALASSSLCMDEKQITQN YSKVLAEVNTSWPVKMATNAVLCCPPIALRNLIIITWEIILRGQPSCTKAYRKETNETKE TNCTDERITWVSRPDQNSDLQIRPVAITHDGYYRCIMVTPDGNFHRGYHLQVLVTPELTL FQNRNRTAVCKAVAGKPAAQISWIPEGDCATKQEYWSNGTVTVKSTCHWEVHNVSTVTCH VSHLTGNKSLYIELLPVPGAKKSAKLYIPYIILTIIILTIVGFIWLLKVNGCRKYKLNKT ESTPVVEEDEMQPYASYTEKNNPLYDTTNKVKASQALQSEVDTDLHTL

Important features of the protein:

Signal peptide:

Amino acids 1-24

Transmembrane domains:

Amino acids 78-98;267-286

N-glycosylation sites:

Amino acids 31-35;60-64;69-73;116-120;122-126;185-189;

218-222;233-237;247-251;298-302

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 112-116

N-myristoylation sites:

Amino acids 103-109;259-265

FIGURE 495

CCAGGTGCACAGCGCATCGCCCGAGGCTGTCACCGCCCTGCCCCGCCCACCCCAGCTGTCCTG GACCCAGGGCCAGGAGAGGCTGGACGCCAGGTGCGCGGACACAGAAGCGTCTAAGCACAGCT TCCTCCTTGCCGCTCCGGGAAGTGGGCAGCCAGCCCAGGAACCAGTACCACCTGCACCATGGG GCTGTCCCGGAAGGAGCAGGTCTTCTTGGCCCTGCTGGGGGCCTCGGGGGTCTCAGGCCTCAC GGCACTCATTCTCCTCCTGGTGGAGGCCACCAGCGTGCTCCTGCCCACAGACATCAAGTTTGG GATCGTGTTTGATGCGGGCTCCTCCCACACGTCCCTCTTCCTGTATCAGTGGCCGGCGAACAA GGAGAATGGCACGGGTGTGGTCAGCCAGGCCCTGCCCAGGTGGAAGGGCCTGGAATCTC CTCCTACACTTCTAATGCTGCACAGGCTGGTGAGAGCCTGCAGGGCTGCTTGGAGGAGGCGCT GGTGCTGATCCCAGAGGCCCAGCATCGGAAAACACCCACGTTCCTGGGGGCCACGGCTGGCAT GAGGTTGCTCAGCCGGAAGAACAGCTCTCAGGCCAGGGACATCTTTGCAGCAGTCACCCAGGT ${\tt CCTGGGCCGGTCTCCCGTGGACTTTTGGGGTGCCGAGCTCCTGGCCGGGCAGGCCGAAGGTGC}$ CTTTGGTTGGATCACTGTCAACTACGGCTTGGGGACGCTGGTCAAGTACTCCTTCACTGGAGA ATGGATCCAGCCTCCGGAGGAGATGCTGGTGGGTGCCCTGGACATGGGAGGGGCCTCCACCCA GATCACGTTCGTGCCTGGGGGCCCCATCTTGGACAAGAGCACCCAGGCCGATTTTCGCCTCTA CGGCTCCGACTACAGCGTCTACACTCACAGCTACCTGTGCTTTGGACGGGACCAGATGCTGAG CAGGCTCCTCGTGGGGCTGCTGCAGAGCCGCCCGGCTGCCCTGCTCCGTCACCCGTGCTACCT CAGCGGCTACCAGACCACTGGCCCTGGGCCCGCTGTATGAGTCACCCTGTGTCCACGCCAC GCCCCGCTGAGCCTCCCCAGAACCTCACAGTTGAAGGGACAGGCAACCCTGGAGCCTGCGT CTCAGCCATCCGGGAACTTTTCAACTTCTCCAGCTGCCAGGGCCAGGAGGACTGCGCCTTTGA CGGGGTCTACCAGCCCCGCTGCGGGGCCAGTTCTATGTGGAGGCCAGCTACCCTGGGCAGGA CCGCTGGCTGCGGACTACTGTGCCTCAGGCCTGTACATCCTCACCCTCCTGCACGAGGGCTAC GGCTGGACACTGGGCTACATGCTGAACCTGACCGGGATGATCCCGGCCGATGCGCCGGCTCAG TGGCGGCAGAGAGCTACGGCGTCTGGGTGGCCAAAGTGGTGTTCATGGTGCTGGCCCTGGTG GCGGTGGTGGGGCTGCCTTGGTCCAGCTCTTCTGGTTGCAGGAC**TAG**TGGGAAGGCGGAGGT GGGCCCCCACAGAGCCCACAGGCAGCTGCGTCCCGGATGCTGGAGGCTTCCTGAGCCCTGAGC GCCGTGGGGCCTTGCTCTGTGGCTCTGCCCACGGTCAGGTGACAGCCACCTCCAGGGCACCGT TTCCGCAACTGGGCTTCCAGGGCCGTAGGTGCCTTTCTGCACACAGGCCGCCAGGACTCGTGG GGGCTTCTGCTGGGCCAGCCCGGCCTCCCACACCCACTTGGAGGGTGAGACTGCAGTGGGGGGT

500/615

FIGURE 496

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96870</pre>

><subunit 1 of 1, 458 aa, 1 stop ><MW: 49377, pI: 4.98, NX(S/T): 5

MGLSRKEQVFLALLGASGVSGLTALILLLVEATSVLLPTDIKFGIVFDAGSSHTSLFLYQ WPANKENGTGVVSQALACQVEGPGISSYTSNAAQAGESLQGCLEEALVLIPEAQHRKTPT FLGATAGMRLLSRKNSSQARDIFAAVTQVLGRSPVDFWGAELLAGQAEGAFGWITVNYGL GTLVKYSFTGEWIQPPEEMLVGALDMGGASTQITFVPGGPILDKSTQADFRLYGSDYSVY THSYLCFGRDQMLSRLLVGLVQSRPAALLRHPCYLSGYQTTLALGPLYESPCVHATPPLS LPQNLTVEGTGNPGACVSAIRELFNFSSCQGQEDCAFDGVYQPPLRGQFYVEASYPGQDR WLRDYCASGLYILTLLHEGYGFSEETWPSLEFRKQAGGVDIGWTLGYMLNLTGMIPADAP AQWRAESYGVWVAKVVFMVLALVAVVGAALVQLFWLQD

Important features of the protein:

Signal peptide:

Amino acids 1-21

Transmembrane domain:

Amino acids 428-449

N-glycosylation sites:

Amino acids 67-71;135-139;304-308;325-329;410-414

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 133-137

N-myristoylation sites:

Amino acids 50-50

50-56;123-127;165-171;207-213;234-240; 259-265;311-317;314-320;331-337;398-404; 413-419;429-435

413-419,429-433

GDA1/CD39 family of nucleoside phosphatases proteins:

Amino acids 43-59;202-215

FIGURE 497

GCCTTATAAAGTAGCCTCTGCATCTGCCTCGCGCAGAGGAGGGGCTACCCTGGGGCTGAG AGTTCACCTGTCTCAGGAACCACCTGAGCCCACAGATCCTGTGGGCAGCGGCCAGGGCAGCCA ${f TG}$ GCTTGGGCAAGTAGGCTGGGCCTGCTGCTGCACTGCTGCCCGTGGTCGGTGCCTCCA CGCCAGGCACCGTGGTCCGACTCAACAAGGCAGCATTGAGCTACGTGTCTGAAATTGGGAAAG CCCCTCTCCAGCGGGCCCTGCAGGTCACTGTCCCTCATTTCCTGGACTGGAGTGGAGAGGCGC TTCAGCCCACCAGGATCCGGATTCTGAATGTCCATGTGCCCCGCCTCCACCTGAAATTCATTG CTGGTTTCGGAGTGCGCCTGCTGGCAGCAGCTAATTTTACTTTCAAGGTCTTTCGCGCCCCAG AGCCCTGGAGCTGACGCTGTGGAACTGCTGGCTGACACCCGCGTGACCCAGAGCTCCA TCAGGACCCCTGTGGTCAGCATCTCTGCCTGCTCTTTATTCTCGGGCCACGCCAACGAGTTTG ATGGCAGTAACAGCACCTCCCACGCGCTGCTGGTCCTGGTGCAGAAGCACATTAAAGCTGTCT TGAGTAACAAGCTGTGCCTGAGCATCTCCAACCTGGTGCAGGGTGTCAATGTCCACCTGGGCA CCTTAATTGGCCTCAACCCCGTGGGTCCTGAGTCCCAGATCCGCTATTCCATGGTCAGTGTGC CCACTGTCACCAGTGACTACATTTCCCTGGAAGTCAATGCTGTTCTTCTTCCTGCTGGGCAACC CCATCATCCTGCCCACGGATGCCACCCCTTTTGTGTTGCCAAGGCATGTGGGTACCGAGGGCT CCATGGCCACCGTGGGCCTCTCCCAGCAGCTGTTTGACTCTGCGCTCCTGCTGCTGCAGAAGG CCGGTGCCCTCAACCTGGACATCACAGGGCAGCTGAGGTCGGATGACAACCTGCTGAACACCT CTGCTCTGGGCCGGCTCATCCCGGAGGTGGCCCGCCAGTTTCCCGAGCCCATGCCTGTGGTGC TGCAGCCCTTCGTGGAGGTCCTGGCCACAGCCTCCAACTCGGCTTTCCAGTCCCTCTTCTCCC TGGATGTGGTAGTGAACTTGAGACTCCAGCTCTCTGTGTCCAAGGTGAAGCTTCAGGGGACCA CGTCTGTGCTGGGGGATGTCCAGCTCACGGTGGCCTCCTCCAACGTGGGCTTCATTGATACAGAT CAGGTGCGCACACTGATGGGCACCGTTTTTGAGAAGCCCCTGCTGGACCATCTCAATGCTCTC TTGGCCATGGGAATTGCCCTCCTGGTGTGGTCAACCTCCACTATGTTGCCCCTGAGATCTTT GTCTATGAGGGCTACGTGGTGATATCCAGTGGACTCTTCTACCAGAGCTGAGGCAAGACCACT GGGAGGCCTGAGAGTGGGCCAGCTCGCTGCTCAGGCGAATTTCTCATTTCAAGCCACTGGGGA AACTGAGGCAAAACCATACTTAGTCATCACCAACAAGCTGGACTGCTTAGCTGGGCTGTTTTA TCTTCCCTGAGTGCCTGGGTCTCCCTCCCTCACTTCTGCCCTTTCCCCTCCTCCTCCTCTTCT CCTCCTCTTCCCTCATCTCCCCCCTCCTTCCTCTGCCCCACCCCAGGGGGGAGCAGACTGCT CCTCCAGGCTGTATAGACCTGCCCTCTTGCATTAAACAACTTCTCTTGAGCTGC

502/615

FIGURE 498

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96872

><subunit 1 of 1, 458 aa, 1 stop

><MW: 49158, pI: 8.72, NX(S/T): 4

MAWASRLGLLLALLLPVVGASTPGTVVRLNKAALSYVSEIGKAPLQRALQVTVPHFLDWS
GEALQPTRIRILNVHVPRLHLKFIAGFGVRLLAAANFTFKVFRAPEPLELTLPVELLADT
RVTQSSIRTPVVSISACSLFSGHANEFDGSNSTSHALLVLVQKHIKAVLSNKLCLSISNL
VQGVNVHLGTLIGLNPVGPESQIRYSMVSVPTVTSDYISLEVNAVLFLLGNPIILPTDAT
PFVLPRHVGTEGSMATVGLSQQLFDSALLLLQKAGALNLDITGQLRSDDNLLNTSALGRL
IPEVARQFPEPMPVVLKVRLGATPVAMLHTNNATLRLQPFVEVLATASNSAFQSLFSLDV
VVNLRLQLSVSKVKLQGTTSVLGDVQLTVASSNVGFIDTDQVRTLMGTVFEKPLLDHLNA
LLAMGIALPGVVNLHYVAPEIFVYEGYVVISSGLFYOS

Important features of the protein:

Signal peptide:

Amino acids 1-20

Transmembrane domain:

Amino acids 217-236

N-glycosylation sites:

Amino acids 96-100;151-155;293-297;332-336

N-myristoylation sites:

Amino acids 8-14;149-155;189-195;249-255;252-258;283-289

LBP / BPI / CETP family proteins:

Amino acids 22-50; 251-287

503/615

FIGURE 499

504/615

FIGURE 500

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96878
><subunit 1 of 1, 125 aa, 1 stop
><MW: 13821, pI: 8.60, NX(S/T): 2
MKALMLLTLSVLLCWVSADIRCHSCYKVPVLGCVDRQSCRLEPGQQCLTTHAYLGKMWVFSNL
RCGTPEEPCQEAFNQTNRKLGLTYNTTCCNKDNCNSAGPRPTPALGLVFLTSLAGLGLWLLH

Important features of the protein: Signal peptide: amino acids 1-18

N-glycosylation sites. amino acids 77-81, 88-92

N-myristoylation site. amino acids 84-90

Ly-6 / u-PAR domain protein signature. amino acids 85-98

505/615

FIGURE 501

506/615

FIGURE 502

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96879
><subunit 1 of 1, 198 aa, 1 stop
><MW: 22584, pI: 9.40, NX(S/T): 1
MCAFPWLLLLLLLQEGSQRRLWRWCGSEEVVAVLQESISLPLEIPPDEEVENIIWSSHKS
LATVVPGKEGHPATIMVTNPHYQGQVSFLDPSYSLHISNLSWEDSGLYQAQVNLRTSQIS
TMQQYNLCVYHPNYASEKPSTAFCLLAKGLLIFLLLVILAMGLWVIRVQKRHKMPRMKKL
MRNRMKLRKEAKPGSSPA

Important features of the protein:

Signal peptide:

Amino acids 1-18

Transmembrane domain:

Amino acids 144-165

N-glycosylation site:

Amino acids 99-103

N-myristoylation site:

Amino acids 106-112

FIGURE 503

ACGGGCCGCAGCGGCAGTGACGTAGGGTTGGCGCACGGATCCGTTGCGGCTGCAGCTCTGCAG ${\tt CGCACCCAGGTTCGGCCGTAGGCGTCTGGCAGCCCGGCGCCATCTTCATCGAGCGCCATGGC}$ CGCAGCCTGCGGGCCGGGAGCGGCCGGGTACTGCTTGCTCCTCGGCTTGCATTTGTTTCTGCT GACCGCGGGCCCTGCCCTGGGCTGGAACGACCCTGACAGAATGTTGCTGCGGGATGTAAAAGC TCTTACCCTCCACTATGACCGCTATACCACCTCCCGCAGGCTGGATCCCATCCCACAGTTGAA ATGTGTTGGAGGCACAGCTGGTTGTGATTCTTATACCCCAAAAGTCATACAGTGTCAGAACAA AGGCTGGGATGGGTATGATGTACAGTGGGAATGTAAGACGGACTTAGATATTGCATACAAATT TGGAAAAACTGTGGTGAGCTGTGAAGGCTATGAGTCCTCTGAAGACCAGTATGTACTAAGAGG TTCTTGTGGCTTGGAGTATAATTTAGATTATACAGAACTTGGCCTGCAGAAACTGAAGGAGTC TGGAAAGCAGCACTTTGCCTCTTTCTCTGATTATTATAAGTGGTCCTCGGCGGATTC CTGTAACATGAGTGGATTGATTACCATCGTGGTACTCCTTGGGATCGCCTTTGTAGTCTATAA GCTGTTCCTGAGTGACGGGCAGTATTCTCCTCCACCGTACTCTGAGTATCCTCCATTTTCCCA CCGTTACCAGAGATTCACCAACTCAGCAGGACCTCCCCCCAGGCTTTAAGTCTGAGTTCAC AGGACCACAGAATACTGGCCATGGTGCAACTTCTGGTTTTTGGCAGTGCTTTTTACAGGACAACA AGGATATGAAAATTCAGGACCAGGGTTCTGGACAGGCTTGGGAACTGGTGGAATACTAGGATA TTTGTTTGGCAGCAATAGAGCGGCAACACCCTTCTCAGACTCGTGGTACTACCCGTCCTATCC TCCCTCCTACCCTGGCACGTGGAATAGGGCTTACTCACCCCTTCATGGAGGCTCGGGCAGCTA 'TTCGGTATGTTCAAACTCAGACACGAAAACCAGAACTGCATCAGGATATGGTGGTACCAGGAG ACGA<u>TAA</u>AGTAGAAAGTTGGAGTCAAACACTGGATGCAGAAATTTTTGGATTTTTCATCACTTT CTCTTTAGAAAAAAGTACTACCTGTTAACAATTGGGAAAAGGGGATATTCAAAAGTTCTGTG GTGTTATGTCCAGTGTAGCTTTTTGTATTCTATTATTTGAGGCTAAAAGTTGATGTGTGACAA AATACTTATGTGTTGTATGTCAGTGTAACATGCAGATGTATATTGCAGTTTTTGAAAGTGATC ATTACTGTGGAATGCTAAAAATACATTAATTTCTAAAACCTGTGATGCCCTAAGAAGCATTAA GAATGAAGGTGTTGTACTAATAGAAACTAAGTACAGAAAATTTCAGTTTTTAGGTGGTTGTAGC TGATGAGTTATTACCTCATAGAGACTATAATATTCTATTTGGTATTATATTATTTGATGTTTG CTGTTCTTCAAACATTTAAATCAAGCTTTGGACTAATTATGCTAATTTGTGAGTTCTGATCAC TTTTGAGCTCTGAAGCTTTGAATCATTCAGTGGTGGAGATGGCCTTCTGGTAACTGAATATTA CCTTCTGTAGGAAAAGGTGGAAAATAAGCATCTAGAAGGTTGTTGTGAATGACTCTGTGCTGG CAAAAATGCTTGAAACCTCTATATTTCTTTCGTTCATAAGAGGTAAAGGTCAAATTTTTCAAC AAAAGTCTTTTAATAACAAAAGCATGCAGTTCTCTGTGAAATCTCAAATATTGTTGTAATAGT CTGTTTCAATCTTAAAAAGAATCA

508/615

FIGURE 504

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96889

><subunit 1 of 1, 339 aa, 1 stop ><MW: 36975, pI: 7.85, NX(S/T): 1

MAAACGPGAAGYCLLLGLHLFLLTAGPALGWNDPDRMLLRDVKALTLHYDRYTTSRRLDPIPQ LKCVGGTAGCDSYTPKVIQCQNKGWDGYDVQWECKTDLDIAYKFGKTVVSCEGYESSEDQYVL RGSCGLEYNLDYTELGLQKLKESGKQHGFASFSDYYYKWSSADSCNMSGLITIVVLLGIAFVV YKLFLSDGQYSPPPYSEYPPFSHRYQRFTNSAGPPPPGFKSEFTGPQNTGHGATSGFGSAFTG QQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDSWYYPSYPPSYPGTWNRAYSPLHGGSG SYSVCSNSDTKTRTASGYGGTRRR

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 171-190

N-glycosylation site.

amino acids 172-176

Glycosaminoglycan attachment sites.

amino acids 244-248, 259-263, 331-335

Tyrosine kinase phosphorylation site.

amino acids 98-106

N-myristoylation sites.

amino acids 68-74, 69-75, 131-137, 241-247, 247-253, 266-272, 270-276, 278-284, 312-318

FIGURE 505

GCAAAAGGAAGGGAGGGAAGCACTCCATCATCTCACTGGGAAGAACGGCACGGGCATACCTGC AGCTACTGGGGTTCCACTGGGCTTGAGGGTCGATTTTTCACCTTTTGAAGGACAAGATGCATT GGAAGATGTTGCTGCTTGTTGTATTACAATGCTGAGGCTTCTATGTGCCACAGGTGGA GCAGGGCTGTGCTCTTCCCTGCCGCCCACCGGCCAAAGAGGTCCTCATCACTGCCATTGAACC CAGTCCTGCAGACCTCCCTGGAGGAGGTGGAGCTGCTCTACGAGTTCCTGCTGGCCGAACTTG AGATCAGCCCTGACCTGCAGATCTCCATCAAGGACGAGGAGCTGGCCTCCTTGCGGAAGGCCT CAGACTTCCGCACCGTCTGCAACAACGTCATCCCCAAGAGCATCCCAGACATCCGCCGGCTCA CCCTGGCCTACACAGCCTACCGCACAGCCCTGTCCCACGGCCATCAGAAGGACATCTGGGCGC AGTCCCTCGTTAGCCTCTTCCAGGCCCTGAGGCACGACTTGATGCGCTCCTCACAGCCGGGAG TACCTCCC<u>TGA</u>GAGACTGGCCCACACCAGGACCTCAGAGCAGGACCAGCACAGTAATCCAGA AAGTCTTCATTCTCTACTCCATTTACAGAGACCAGCAACAAAACACTTACCGCTGACACAGAG CAGCAGAGATCAAACAGTAACCCCGATGCTCTTTTCTCCTTGTAGTTTCCTGGAAGACACATC TGATTCATGCCATCATGTGACCTGGGCTGGAAGAAAGGGCTGGAATGGTCATTCAAGACGCCT CCATGGGCAGAATGGTTTGCCTATGGCAGGCAGAATTCTGATATGCTTCAACCCAGAGCAGTG GCCACACTCAAGAGTGAGAACAGGCGTGAGCCACCGTGCCTGGCCCAGGATCTAAAAACTT TCTAAGTTTCCTCCATCGTTGGCATCCTCACAGCTATCTCCAATGTCACTCAAGAGACATCAA CAGACATTTAACTGCTGCAGACTTCATTGCTCTGTCACCTCACCTTGAATCTAACAAATCAAA GTATTTCTGCAGGTCCAATGGTCTAAAATCAAATGCTTGTTAAATGACTTTTTACAACACCCCTT AGACCCCCGGAACTTTCTCATCTTGTAATTCTGAAGTTCTATACCCACCGAACAACTCCTCTT TTCCCCTTCCCCTGCCTGCCCCAGCTCTTGGCACCATTATTCTGCTTTTCTGTTTTTGAGAGT CTGACTACTTAAGATACCTCATACAAGCGGGATCTGGCTTACATTTCTTGAGCATTGTATTCT GGAAAAGTGTTTCCTTCCTGAAAAATGGGTAGAGTTCTGAAGGAGAACTACTGGTCTTATT GTACACTTGCTGTACCTATTTTTATTTAACAAATATTCATCTATGGTATAATAAAGATGTCAT GGTTGGAAAAAAAAAAAAAAAAAAAAAA

510/615

FIGURE 506

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96893
><subunit 1 of 1, 173 aa, 1 stop
><MW: 19733, pI: 8.78, NX(S/T): 0
MHWKMLLLLLYYNAEASMCHRWSRAVLFPAAHRPKRSSSLPLNPVLQTSLEEVELLYEF
LLAELEISPDLQISIKDEELASLRKASDFRTVCNNVIPKSIPDIRRLSASLSSHPGILKK
EDFERTVLTLAYTAYRTALSHGHQKDIWAQSLVSLFQALRHDLMRSSQPGVPP

Important features of the protein: Signal peptide:

Amino acids 1-17

cAMP- and cGMP-dependent protein kinase phosphorylation sites:
Amino acids 36-40;84-88;105-109

FIGURE 507

GGCGGCGGCTGCGCGGAGCGGCGTCCCCTGCAGCCGCGGACCGAGGCAGCGGCGCACCTGC CGGCCGAGCAATGCCAAGTGAGTACACCTATGTGAAACTGAGAAGTGATTGCTCGAGGCCTTC CCTGCAATGGTACACCCGAGCTCAAAGCAAG<mark>ATG</mark>AGAAGGCCCAGCTTGTTATTAAAAGACAT CCTCAAATGTACATTGCTTGTGTTTTGGAGTGTGGATCCTTTATATCCTCAAGTTAAATTATAC TACTGAAGAATGTGACATGAAAAAAATGCATTATGTGGACCCTGACCATGTAAAGAGAGCTCA GAAATATGCTCAGCAAGTCTTGCAGAAGGAATGTCGTCCCAAGTTTGCCAAGACATCAATGGC GCTGTTATTTGAGCACAGGTATAGCGTGGACTTACTCCCTTTTGTGCAGAAGGCCCCCAAAGA CAGTGAAGCTGAGTCCAAGTACGATCCTCCTTTTGGGTTCCGGAAGTTCTCCAGTAAAGTCCA GACCCTCTTGGAACTCTTGCCAGAGCACGACCTCCCTGAACACTTGAAAGCCAAGACCTGTCG GCGCTGTGTGTTATTGGAAGCGGAGGAATACTGCACGGATTAGAACTGGGCCACACCCTGAA CCAGTTCGATGTTGTGATAAGGTTAAACAGTGCACCAGTTGAGGGATATTCAGAACATGTTGG AAATAAAACTACTATAAGGATGACTTATCCAGAGGGCGCACCACTGTCTGACCTTGAATATTAT TCCAATGACTTATTTGTTGCTGTTTTATTTAAGAGTGTTGATTTCAACTGGCTTCAAGCAATG GTAAAAAGGAAACCCTGCCATTCTGGGTACGACTCTTCTTTTGGAAGCAGGTGGCAGAAAAA ATCCCACTGCAGCCAAAACATTTCAGGATTTTGAATCCAGTTATCATCAAAGAGACTGCCTTT GACATCCTTCAGTACTCAGAGCCTCAGTCAAGGTTCTGGGGCCGAGATAAGAACGTCCCCACA ATCGGTGTCATTGCCGTTGTCTTAGCCACACATCTGTGCGATGAAGTCAGTTTGGCGGGTTTT GGATATGACCTCAATCAACCCAGAACACCTTTGCACTACTTCGACAGTCAATGCATGGCTGCT ATGAACTTTCAGACCATGCATAATGTGACAACGGAAACCAAGTTCCTCTTAAAGCTGGTCAAA GAGGGAGTGGTGAAAGATCTCAGTGGAGGCATTGATCGTGAATTT**TGA**ACACAGAAAACCTCA GTTGAAAATGCAACTCTAACTCTGAGAGCTGTTTTTGACAGCCTTCTTGATGTATTTCTCCAT GTTGTATTGATTTTAAGAAAGTAATTTAATTTGTAAAACTTCTGCTCGTTTACACTGCACAT TGAATACAGGTAACTAATTGGAAGGAGAGGGGAGGTCACTCTTTTGATGGTGGCCCTGAACCT CATTCTGGTTCCCTGCTGCTGCTTGGTGTGACCCACGGAGGATCCACTCCCAGGATGACGT GCTCCGTAGCTCTGCTGATACTGGGTCTGCGATGCAGCGGCGTGAGGCCTGGGCTGGTTG GAAGCTGTCCTGGAGGTCCCTGGTCGGAGAGGGACATAGAATCTGTGACCTCTGACAACTGTG AAGCCACCCTGGGCTACAGAAACCACAGTCTTCCCAGCAATTATTACAATTCTTGAATTCCTT GGGGATTTTTTACTGCCCTTTCAAAGCACTTAAGTGTTAGATCTAACGTGTTCCAGTGTCTGT CTGAGGTGACTTAAAAAATCAGAACAAAACTTCTATTATCCAGAGTCATGGGAGAGTACACCC TTTAA

512/615

FIGURE 508

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96897

><subunit 1 of 1, 362 aa, 1 stop

><MW: 41736, pI: 8.80, NX(S/T): 3

MRRPSLLLKDILKCTLLVFGVWILYILKLNYTTEECDMKKMHYVDPDHVKRAQKYAQQVL QKECRPKFAKTSMALLFEHRYSVDLLPFVQKAPKDSEAESKYDPPFGFRKFSSKVQTLLE LLPEHDLPEHLKAKTCRRCVVIGSGGILHGLELGHTLNQFDVVIRLNSAPVEGYSEHVGN KTTIRMTYPEGAPLSDLEYYSNDLFVAVLFKSVDFNWLQAMVKKETLPFWVRLFFWKQVA EKIPLQPKHFRILNPVIIKETAFDILQYSEPQSRFWGRDKNVPTIGVIAVVLATHLCDEV SLAGFGYDLNQPRTPLHYFDSQCMAAMNFQTMHNVTTETKFLLKLVKEGVVKDLSGGIDR EF

Important features of the protein:

Transmembrane domains:

Amino acids 11-27;281-297

N-glycosylation sites:

Amino acids 30-34;180-184;334-338

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 2-6;109-113;223-227

N-myristoylation sites:

Amino acids 146-152;150-156;179-185;191-197

513/615

FIGURE 509

GGGCGGACGCAGTGCAGTAAGAGCAGATGGGCGGACCCAAATTTCTTCGGCTTCACGATTTTG CCGAGGTCTAGCCCTGCATCCAGCCTTGAAACAGGGTGGGGAGGAGGCAGAAAGGGGAGGAC TGCACTCCCTCTGAGCGTGCTAGCTCCGACTGCCTGACGGATCACCCTTCCGCTCCAACATGG CCCACAGGTGGCGAAGGCTCCGCGAGAGGGTTCCCGCCAGGCTAGACAGTGGAGTGCCGCACA GCGCGCCTTCCAGCCTCGCAGCCGCCACCCTAGCGGTTCCGACCCGGCGCCAGCAGGCCTGCT TGGTCGATCTTCGAGCCAAAG<u>ATG</u>CGGCGAGGCTGGAAGATGGCTCTGTCTGGGGGGGCTGCGG TGCTGCCGCCGGTACTGTCCTGGGTGCCAGTGCTCGTTATTGTCCTCGTCGTGCTCTGGTCC TACTATGCCTACGTCTTTGAACTCTGCCTGGTTATTTACCTCATACTCTACCATGCCATCTTT GTGTTCTTTACCTGGACCTACTGGAAGTCTATCTTTACACTCCCACAGCAGCCAAACCAGAAG CAGATGCTTGTTGATATGGCCAAAAAGCTACCGGTTTACACAAGAACTGGAAGTGGAGGTCAG TTCATCCAAAGGCAGCTAGAGAGGCAGCTCAGCAAGTATCTCAGAAAGGCTAAGTCATATATG TTCTCAAACTAGCCCTTTTTTTTCCTCCCATCTTCTGAAAACCACTATGGAGATTTTTCTCCA CACATATGCATACCTCTATTTATCTTTCGTCAAGCCATCTTATGTTTCTGATGCATTTCAAAG TAAATAGCTGACATCAGTAAGACATCTACCTAAATATTTTATTCTGTTTTGTTAAAATTTTACA TACAAAAACATGCATAATCTTAAGGGTACCATTCCATGTATTTTGAAAAGTGTACACATCTGT GTAACTAAACCCCCAATAAAATTGCCATCACCTCAG

514/615

FIGURE 510

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA98564
><subunit 1 of 1, 143 aa, 1 stop
><MW: 17255, pI: 9.99, NX(S/T): 0
MRRGWKMALSGGLRCCRRVLSWVPVLVIVLVVLWSYYAYVFELCLVIYLILYHAIFVFFT
WTYWKSIFTLPQQPNQKFHLSYTDKERYENEERPEVQKQMLVDMAKKLPVYTRTGSGGQF
IQRQLERQLSKYLRKAKSYMFSN

Important features of the protein:

Transmembrane domain:
Amino acids 24-45

N-myristoylation sites:

Amino acids 11-17;12-18

FIGURE 511

GCTACGCGCGGAAATGGCAGCAGATGCGGCCCATCCCCACGGTGGCCCGCGCCTACCCACTGGTG GGCCACGCGCTGCTGATGAAGCCGGACGGCGAGGTAAGGGCCGGCGCTCCTCCTGGAGCGCA ACGGGGTCCGCACCCGTTCCCACCTCCGATCAGCCAGGAACCCGCTGCTTGTGGCGCTGG $\tt CCGCAGGAGAGGAGCCTGTCACCCTGTGGAGAATGCACTCCCAGTTCTAGTCGTTGCCCCT$ TGGCACCCGCCGACACTGCTAGTGCCCCATCCCAAAGTGAGCATTTTCTTTGTGTGTAGCACA GGATGCGGTATTTCCAAACCCCTGCCCTCGGTCTTTTCCCACCTCACCGCTGCTCAGCTCTCA AAGCCCTGCCGTTTCCTCCTGCCTTGGCAAGCCCT**TAG**GAACAGAAGCTCCCTGGGAGC ACAGAGCGGTTTTAAACTGGCCAACACCTTAACGCCCAGAGCCGCCCTCCTCTCGCTGCCACT TTGGAAAATAAGAGACTAGAGATTCACTGGACGCTTCCTCCCGGCATCACAAGACTTGACTGC TGCTTCAGTTCCCGCTTGACCTTCATACTTTAGCCCTTTAAAGGATGTTACATAATAACAATT AAGAGACGGCAGGCCTTCAGGCAGACTTCTTTGGAGGGTGTCAAACGCCTTGTTTATTAAAG AGTGAATTTTTTAATTAAAATCATGTTTTAAAACAGAGATGGACATTTTATTGATGGAAAAAA GAACTCGATCTCAGAGTTTTATTTTCATCAGGGATTACGTTGAGGTACCCAGAAATGAGAAGA TTTGCCCAAAATGGCATATTTTAAAATTGGCCCAGACCAGAACCCAGTTTCCTCTGGGATTAT TTGTTAGTAATCGTTTTACAGGCTGAGCATTAACTAACTCCAAAGCTTGAAGGACTTTTTCTC ATTTTCACTTGTTTTCTCTAATAAAAATAATGCTGTAATTTCAACTTCACAAGATGAGGCCTC ATGGAAGAGTGTTTACCAAAATATTAAAAATACTTTGACAGAAAAAAATCAAGCGAACTCTTT GCCAACCAAATATCATCATGACTGATGTAACAAGTAATCCAACACAGATATGAAAATCACTGG TAAAAATCATCTCAGTTAATTCTAAAAGCAGAGCTAACCACCCCTTTTGTCCTAAGGCTTTAT GGTATTAAAAAATAAACTGTACAAAAATATAGATTTTCCCCTATCCCCTACCCCTGGAAAGTA ATATACTGAAGTCTCATCATACTGTTTTTGGGGATTCCAGTAATTAAAATCTCTAGTGAACAAA GACCTGTTTCAAAACAACCTGTGAGCTGACTGGACTATTTAAAGTAATTCTCCTTGTAGTCAC TTTCAGAGTGAAGACAATGACGAATACTGTCTTTTACAAAGGGACTTTTTATTCCACCAACAA ATTCTGGATTTTGGCATCAGGAAAACCACTGTTCAATTTCCAACACTATATCCAAGTTGTTTG AGAAATTATTTAAAACTCTTTAACTTAGAGGGTTTTCTTCTCCCTTTACTTGTTAAAGTGACT AAGTCAGTTAGAGTAAGTTCTTTAGTTGTCAATCAAGCATTTAGTAAGGCCCTGCTTTGTGCC CAGTGTTGACCTCAACAAAGTTGGGGATATCAGAATATTCTAAGATACAGTCGTTGTTCCCAA GAATCTTGTCTTTCACATACAAGAGGTGTTGCGTTTCATTTTGCGGCTAATGTCCAAACGCTG GCCTCAGCCATTTCACCTTGAAGATTGCAGTTGGCTTCCAACTGGCCTCTAAACTCTAATCTA GCATTTTCCAGTCCATTGTGACAAAGTCTGCCTTCCCCAGCTACTCCCAGCTGTTGGACCTGC TGCCTTAGAACCACAGATTGGTACCTCGTGCC

FIGURE 512

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA107443
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19353, pI: 10.97, NX(S/T): 0
MAGLWLGLVWQKLLLWGAASALSLAGASLVLSLLQRVASYARKWQQMRPIPTVARAYPLV
GHALLMKPDGRGKGRRSSWSATGSAAPFPPSDQPGTRCLWRWPQERGACHPVENALPVLV
VAPWHPPTLLVPHPKVSIFFVCSTGCGISKPLPSVFSHLTAAQLSKPCRFLLPWLGKP

Important features of the protein:

Signal peptide:

Amino acids 1-25

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 75-79

N-myristoylation sites:

Amino acids 3-9;17-23;145-151

Amidation site:

Amino acids 73-77

Leucine zipper pattern:

Amino acids 8-30

FIGURE 513

GGCGGCTGGACGACGCTCAGAGCCCAGCTCTCGAGAGTTCAAGCAACCGACGGTTCC GGCCGAGGACCTGCCAGTAGGGCTCAGTTGCCTGGAGCCCGTTCAGCCCATCCCCCAGTT CACTTTGCTTGTGGGATCTCCCCGTTGCTCCTGCCCGTGGACTGAGTGGCAGGCCATCCT ACAAGCACCCGGACACTTGACATCAGTGGTGTCAAGACACTCTAAGAAGGTTTTCCGTG ATCCTGCAAGCCCTGCCTTCCTTCCTGGGATCCTGCCTTCAATTTGATTGCACAGGTACC ACAGCAAGCCAGTGCTGTGCTCCGAGTTCCAGGGCGTCCTCCAGCTCAGCCACTGCAC TGAGAAC<u>ATG</u>GACTCTCTGTGGGGCCCAGGAGCCGGGAGTCACCCCTTTGGGGTCCACAA CACCCGGCTGTCCCCAGACTTGTGTCCAGGGAAGATAGTGTTGAGGGCCCTCAAGGAGAG CGGGGCAGGATGCCTGAGCAGGACAAGGACCCTAGAGTCCAAGAGAATCCTGGTGATCA GAGAAGGGTCCCCGAGGTCACCGGGGATGCACGGTCTGCATTTCGGCCCCTGCGGGACAA GAGGTCAGAAATCAGATATAACCAGACATCCCAGACCTCCTGGACGAGCTCCTGCACCAA CCGAAATGCCATCTCCAGCTCCTACAGCTCCACGGGAGGCTTGCTGGGGCTAAAGCGGAG GGACAGGCCTCAGGCTGTCTCTTCAGGTCACACCCAGTGTGAAAAGGCAGCAGATATAGC ACCAGGGCAGACACTCACCCTCAGGAATGACTCCTCCACATCCGAGGCCTCTAGGCCCAG TACACACAAGTTTCCCCTGCTGCCACGCAGGCGAGGGGAGCCTTTGATGCTGCCACCTCC CTTAGAGCTGGGGTACCGGGTCACTGTTGAAGACCTGGACCGGGAGAAGGAGGCGGCCTT CCAGCGCATCAACAGTGCACTGCAGGTTGAGGACAAGGCCATCTCGGACTGCAGACCCTC TAAAGCACCCAGTATGGATGCACAGCAGGAGACACACAAGTCCCAAGACTGCCTGGGCCT ACTGGACCCCTTAGCATCTGCTGCAGGGGTCCCCTCTACAGCTCCCATGTCTGGGAAGAA GCACAGACCACCAGGCCCCTGTTCTCCTCCTCAGATCCCCTTCCTGCCACCTCTTCTGA TTCCCAGGACTCAGCCCAGGTCACCTCGCTGATTCCTGCCCCCTTCCCAGCTGCAAGCAT GGATGCGGCATGAGAAGAACAAGGCATGCCACTTCTGCTCCTGCAGCTGCCGCAGCAGC TCACATTTCTGGGCCTCAGCCACAGCTGCAGCAGGTGCCCAGAGGTCAGAACCAGAGATC CCAGACCTCCTGGACCAGCTCGTGCCCCAAA**TGA**AATGCCATCTCGAGCCCCTACAGCTC TACGGGAGGCCTCCCGGAACAAAAGCGGAAGAGGGGCCAGCCTCATCCCACTGCCAGCTG ACCCTCAGTTCCTCAAACACAGTGAGTGAGGGCGGACCTCAGGCTGTCTCTTCGGGTCAC ACCCAGTGTGAAAAGACGGCAGATACAGCACCAGGGCAGACACTCGCCTCCAGGGGTGGC TCCCCCAGATCCCAGGCCTCTAGGCCCCGTATATGCAAGTTTCCCCTGCTGCCACGCAGG CGAGGGGAGCCTTTGATGCTGCCACCTCCCTTAGAGATGGGGTACCGGGTCACTGCTGAA GACCTGGACCGGGAGAAGGAGGAGGCATTCCAGCGCATCAACAGTGCACTGCAGGTTGAG GACCAGGCCATCTAGGACTGCAGACCCTCACGGCCTTCCCACACTTTGTCCTCACTTGCA ACAGGGGCTTCTGGTCTGCCTGCCGTTTCTAAAGCACCCAGTATGGATGCACAGCAGGAG ACACACAGTCCCAAGACTGCCTGGGCCTAGTGGCCCCCTGCATCTGCTGCACAGGCCT GTAGTCCCAGCTACTTGGGAGGCTGAGGCAGGAGAACGGCATAAACCCGGGAGGCAGAGC TTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGGTGACAGAGCGAGACTCCGT CTC

518/615

FIGURE 514

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA107786

><subunit 1 of 1, 428 aa, 1 stop

><MW: 45450, pI: 9.28, NX(S/T): 3

MDSLWGPGAGSHPFGVHNTRLSPDLCPGKIVLRALKESGAGMPEQDKDPRVQENPGDQRR VPEVTGDARSAFRPLRDNGGLSPFVPGPGPLQTDLHAQRSEIRYNQTSQTSWTSSCTNRN AISSSYSSTGGLLGLKRRRGPASSHCQLTLSSSKTVSEDRPQAVSSGHTQCEKAADIAPG QTLTLRNDSSTSEASRPSTHKFPLLPRRRGEPLMLPPPLELGYRVTVEDLDREKEAAFQR INSALQVEDKAISDCRPSRPSHTLSSLATGASGLPAVSKAPSMDAQQETHKSQDCLGLLD PLASAAGVPSTAPMSGKKHRPPGPLFSSSDPLPATSSDSQDSAQVTSLIPAPFPAASMDA GMRRTRHGTSAPAAAAAAPPRSTLNPTLGSLLEWMEALHISGPQPQLQQVPRGQNQRSQT SWTSSCPK

Important features of the protein:

N-glycosylation sites:

Amino acids

105-109;187-191

Glycosaminoglycan attachment site:

Amino acids 38-42

N-myristoylation sites:

Amino acids

15-21;130-136;180-186;307-313;361-367

Amidation site:

Amino acids

315-319

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids

106-117

FIGURE 515

CAGCCACCTCACGGCTGCCAGGAGTGCGCGGGAGTTTGCCCCGGAGCGCGGGGAAGTTTCCTC CGAAGCTGCGCTCCTGGAACAGCAGCACCTGCAAGCGCCCGGCAGCGCCCGCGAGGTTACTT TATGGAATTGGGCTCTTAGAGAACAAGAAAAGACTGAAGTTTTACGGGAAAACAAATCATGTG GTCTTCAGATTCTGAAATAAGGAGAA**ATG**CAGCCATCTGAAATGGTCATGAACCCCAAACAAG TCTTCCTCTGTGCTGATATTTGGAGTAGCTGGGCTACTCCTCTTCATGTATTTGCAAGTCTGG GGACCAGTGAAGTACTTGCGGCCTGTACCCAGAATCATGAGTACAGAAAAAATCCAGGAACAT CTACTCAATTCTGAGAGATCTACTAGGCTCTTAACAAAGACCAGTCATTCACAAGGAGGGGAT AAGACTGTTTTTAACAAGTTCAGCAACATGAATTGGCCAGTGGACATTCACCCTTTAAACAAA AGTTTAGTCAAAGATAATAAATGGAAGAAAACTGAGGAGACCCAAGAGAAACGAAGGTCTTTC CTTCAGGAGTTTTGCAAGAAATACGGTGGGGTGAGTCATCATCAGTCACATCTTTTTCATACA GTATCCAGAATCTATGTAGAAGATAAACACAAAATCTTATATTGTGAGGTACCTAAGGCTGGC TGTTCCAATTGGAAAAGAATTCTGATGGTACTAAATGGATTGGCTTCCTCTGCATACAACATC TCCCACATGCTGTCCACTACGGGAAGCATTTGAAGAAGCTAGATAGCTTTGACCTAAAAGGG GTATCAGCCTTTAGGGACAATTTGAACACCCCAATAGTTATTACCATCCAGTATTCGGAAAG AAGTTCAAAGAGTTTATCCACTACTTGCTGGATTCCCACCGTCCAGTAGGAATGGACATTCAC TGGGAAAAGGTCAGCAAACTCTGCTATCCGTGTTTGATCAACTATGATTTTGTAGGGAAATTT GAGACTTTGGAAGAAGATGCCAATTACTTTTTACAGATGATCGGTGCTCCAAAGGAGCTGAAA TTTCCCAACTTTAAGGATAGGCACTCTTCCGATGAAAGAACCAATGCTCAAGTCGTGAGACAG TATTTAAAGGATCTGACTAGAACTGAGAGACAATTAATCTATGACTTTTATTACTTGGACTAT TTAATGTTTAATTATACAACTCCACTTTTG<u>TAG</u>TTTGCATTCATTTTCTAAAACCCTGTATAT ACTTAATGATGATAAGTTCAAATCAGCTGTAATTTTTCTATAATTCTCTGTATGACAGAAATT TAACCAAGTGCAGTTGTCTTGATTTAATGTAGATTTTTACCAAATAGTATGACACCAATTGGC ACAAAGTTATAGGAAAATCACCTACAGGAGATGTAAACAACTTGAGTTGCTCTAAAATGTTTG GAAAAGAGCTGCTTTTGCATTATGAATTATTGTTGAAGCAATAACCTAGCCAGCTGTTGCA TTAGCTAAAGCAGCCTCTTGCAATGGTAGGAAAAAAGGATCTCAAATAGCATGAGTGTATGTC TATATCCTGAAATTTATTGTCTAAAATGCATGAATATATTTTTAGCAGTCTGTGGCATATTAA TCAAACTGTTGAATTGTTTTCTTACACCCTGGAAATCTTTCTATCAACTATAATGATAAATCC ATTTTGAAGTGATATTTTGGACTTAGGCATTTTACTTTAGATTGGAAGGCATTATGTGATTTACA ATATGAGAATATAGCAGAAAAACCA

520/615

FIGURE 516

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108682

><subunit 1 of 1, 443 aa, 1 stop ><MW: 52021, pI: 9.63, NX(S/T): 4

MQPSEMVMNPKQVFLSVLIFGVAGLLLFMYLQVWIEEQHTGRVEKRREQKVTSGWGPVKY LRPVPRIMSTEKIQEHITNQNPKFHMPEDVREKKENLLLNSERSTRLLTKTSHSQGGDQA LSKSTGSPTEKLIEKRQGAKTVFNKFSNMNWPVDIHPLNKSLVKDNKWKKTEETQEKRRS FLQEFCKKYGGVSHHQSHLFHTVSRIYVEDKHKILYCEVPKAGCSNWKRILMVLNGLASS AYNISHNAVHYGKHLKKLDSFDLKGIYTRLNTYTKAVFVRDPMERLVSAFRDKFEHPNSY YHPVFGKAIIKKYRPNACEEALINGSGVKFKEFIHYLLDSHRPVGMDIHWEKVSKLCYPC LINYDFVGKFETLEEDANYFLQMIGAPKELKFPNFKDRHSSDERTNAQVVRQYLKDLTRT ERQLIYDFYYLDYLMFNYTTPLL

Important features of the protein:

Signal peptide:

Amino acids 1-24

N-glycosylation sites:

Amino acids 159-163;243-247;324-328;437-441

Glycosaminoglycan attachment site:

Amino acids 53-57

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 177-181

Tyrosine kinase phosphorylation site:

Amino acids 329-337

N-myristoylation sites:

Amino acids 116-122;236-242

FIGURE 517

GGAACTTCCCAGGCACCTGTGTGGCCGCACTGCTCCCTCTGGCCCAACC<u>ATG</u>CCTCTGTCCAGCCACCTGCTGC CCGCCTTGGTCCTGTTCCTGGCAGGGTCCTCAGGCTGGGCCTGGGTCCCCAACCACTGCAGGAGCCCTGGCCAGG $\verb|CCGTGTGCAACTTCGTGTGTGACTGCAGGGGACTGCTCAGATGAGGCCCAGTGTGGTTACCACGGGGCCTCGCCCA|\\$ CCCTGGGCGCCCCTTCGCCTGTGACTTCGAGCAGGACCCCTGCGGCTGCGGGGACATTAGTACCTCAGGCTACA GCTGGCTCCGAGACAGGGCAGGGGCCGCAĊTGGAGGGTCCTGGGCCTCACTCAGACCACACACTGGGCACCGACT TGGGCTGGTACATGGCCGTTGGAACCCACCGAGGGAAAGAGGCATCCACCGCAGCCCTGCGCTCGCCAACCCTGC GAGAGCAGCCTCCTCTTGCAAGCTGAGGCTCTGGTACCACGCGGCCTCTGGAGATGTGGCTGAACTGCGGGTGG CTGTGGCTCTAGATGACCTAGAGTTCTGGGACTGTGGTCTGCCCACCCCCAGGCCAACTGTCCCCCGGGACACC ACCACTGCCAGAACAAGGTCTGCGTGGAGCCCCAGCAGCTGTGCGACGGGGAAGACAACTGCGGGGACCTGTCTG ATGAGAACCCACTCACCTGTGGCCGCCACATAGCCACCGACTTTGAGACAGGCCTGGGCCCATGGAACCGCTCGG ${\tt AAGGCTGGTCCCGGAACCACCGTGCTGGTGGTCCTGAGCGCCCCTCCTGGCCACGCCGTGACCACAGCCGGAACA}$ GTGCACAGGGCTCCTTCCTGGTCTCCGTGGCCGAGCCTGGCACCCCTGCTATACTCTCCAGCCCCGAATTCCAAG CCTGGGTCCGAGACCGTGTTGACATCCAGAGCGCCTACCCCTTCCAGATCCTCCTGGCCGGCAGACAGGCCCGG GGGGCGTCGTGGGTCTGGACGACCTCATCCTGTCTGACCACTGCAGACCAGTCTCGGAGGTGTCCACCCTGCAGC AGGGGCATCTTGCCTGCGGGGACCTGTGTGTGCCCCCGGAACAACTGTGTGACTTCGAGGAGCAGTGCGCAGGGG GCGAGGACGAGCAGGCCTGTGGCACCACAGACTTTGAGTCCCCCGAGGCTGGGGGCTGGGAGGACGCCAGCGTGG GGCGGCTGCAGTGGCGGCGTGTCTCAGCCCAGGAGAGCCAGGGGTCCAGTGCAGCTGCTGCTGGCCACTTCCTGT CCACAGGCCAAGGCCACTTTGTGCTCCTGGACCCCACAGACCCCCTGGCCTGGGCCACAGTGCCCACCTGCTCT $\tt CCAGGCCCAGGTGCCAGCACCCACGGAGTGTCTCAGCTTCTGGTACCACCTCCATGGGCCCCAGATTGGGA$ CTCTGCGCCTAGCCATGAGACGGGAAGGGGAGGAGACACCTGTGGTCGCGGTCAGGCACCCAGGGCAACCGCT GGCACGAGGCCTGGGCCACCCTTTCCCACCAGCCTGGCTCCCATGCCCAGTACCAGCTGCTGTTCGAGGGCCTCC GGGACGGATACCACGGCACCATGGCGCTGGACGATGTGGCCGTGCGGCCCGGGCCCCTGCTGGGCCCCTAATTACT GCTCCTTTGAGGACTCAGACTGCGGCTTCTCCCCTGGAGGCCAAGGTCTCTGGAGGCGGCAGGCCAATGCCTCGG GCCATGCTGCGTGGGCCCCCAACAGACCATACCACTGAGACAGCCCAAGGGCACTACATGGTGGTGGACACAA GCCCAGACGCACTACCCCGGGGCCAGACGGCCTCCCTGACCTCCAAGGAGCACAGGCCCCTGGCCCAGCCTGCTT GTCTGACCTTCTGGTACCACGGGAGCCTCCGCAGCCCAGGCACCCTGCGGGTCTACCTGGAGGAGCGCGGGAGGC AGGACGGCCCTCCCCTCAGCCAGGTTCCTGTGATTTTGAGTCTGGCCTGTGTGGCCTGGAGCCACCTGGCCGGGC GGCTGCGCAGCCTCTGCCGGCCACCCCAGCCTCCTGCCTCCGCTTCTGGTACCACATGGGTTTTCCTGAGC ATCGGCGGCACCAGTGGCTGGAGGCCCAGGTGGAGGTAGCCAGTGCCAAGGAGTTCCAGATCGTGTTTGAAGCCA ${\tt AGCCTGCCCCAGCCCGGGGAACACAGCCGCACCCGGGTCTGTGCCAGCTGTGGTTGGCAGTGCCCTCCTATTGC}$ ACACAGAGGCCACAGCCCTGGCTTTGACAACATCCTTTTCAATGCGGATGTGTCACCCTCCCGGCATCTGTCA $\verb|CCAGTGATCCG| \textbf{TAG} \\ \\ | CCAGTGATCCG| \textbf{TAG} \\ \\ | CCAGTGATCCAGCACTTGGTCAGACCCTAGCC| \\ \\ | CCAGTGATCCAGCACTTGGTCAGACCCTAGCC| \\ \\ | CCAGTGATCCAGCACTTGGTCAGACCCTAGCC| \\ | CCAGTGATCAGACCCTAGCC| \\ | CCAGTGATCCAGCACTTGGTCAGACCCTAGCC| \\ | CCAGTGATCAGACCCTAGCC| \\ | CCAGTGATCAGACCCTAGCCCTAGCC| \\ | CCAGTGATCAGACCCTAGCC| \\ | CCAGTGATCAGACCCTAGCCCTAGCC| \\ | CCAGTGATCAGACCCTAGCCCTAGCCCTAGCC| \\ | CCAGTGATCAGACCCTAGCCCTAGCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCCTAGCCCTAGCCCTAGCCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCCTAGCCTAGCCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCCTAGCCTAGCCCTAGCCTAGCCTAGCCTAGCCTAGCCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCTAGCCCTAGCCTAGCCTAGCCCTAGCCTAGCCTAGCCTAGCCTAGCCCTAGCCTAGCCCTAGCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCTAGCCTAGCCCTAGCCCTAGCCTAGCCCCTAGCCTAGCCCTAGCCTAGCCCTAGCCTAGCCCTAGCCCTAGCCTAGCCCTAGCCTAGCCCTAGCCTAGCCCTAGCCTAGCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCCTAGCCTAGCC$ ${\tt AGGGACCGGACACCTGCCCGGCCCAGGCTGGGACAGGCTGCAGGTCTCAGGATATGCTGAGGCCTGGGCGTTCCC}$ AAAAAAAAAAAA

FIGURE 518

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108684 ><subunit 1 of 1, 1137 aa, 1 stop ><MW: 122776, pI: 6.00, NX(S/T): 4 MPLSSHLLPALVLFLAGSSGWAWVPNHCRSPGQAVCNFVCDCRDCSDEAQCGYHGASPTL GAPFACDFEQDPCGWRDISTSGYSWLRDRAGAALEGPGPHSDHTLGTDLGWYMAVGTHRG KEASTAALRSPTLREAASSCKLRLWYHAASGDVAELRVELTHGAETLTLWQSTGPWGPGW QELAVTTGRIRGDFRVTFSATRNATHRGAVALDDLEFWDCGLPTPQANCPPGHHHCQNKV CVEPQQLCDGEDNCGDLSDENPLTCGRHIATDFETGLGPWNRSEGWSRNHRAGGPERPSW PRRDHSRNSAQGSFLVSVAEPGTPAILSSPEFQASGTSNCSLVFYQYLSGSEAGCLQLFL QTLGPGAPRAPVLLRRRRGELGTAWVRDRVDIQSAYPFQILLAGQTGPGGVVGLDDLILS DHCRPVSEVSTLQPLPPGPRAPAPQPLPPSSRLQDSCKQGHLACGDLCVPPEQLCDFEEQ CAGGEDEQACGTTDFESPEAGGWEDASVGRLQWRRVSAQESQGSSAAAAGHFLSLQRAWG QLGAEARVLTPLLGPSGPSCELHLAYYLQSQPREVSCNFERDTCSWYPGHLSDTHWRWVE SRGPDHDHTTGQGHFVLLDPTDPLAWGHSAHLLSRPQVPAAPTECLSFWYHLHGPQIGTL RLAMRREGEETHLWSRSGTQGNRWHEAWATLSHQPGSHAQYQLLFEGLRDGYHGTMALDD VAVRPGPCWAPNYCSFEDSDCGFSPGGQGLWRRQANASGHAAWGPPTDHTTETAQGHYMV VDTSPDALPRGQTASLTSKEHRPLAQPACLTFWYHGSLRSPGTLRVYLEERGRHQVLSLS AHGGLAWRLGSMDVQAERAWRVVFEAVAAGVAHSYVALDDLLLQDGPCPQPGSCDFESGL CGWSHLAGPGLGGYSWDWGGGATPSRYPQPPVDHTLGTEAGHFAFFETGVLGPGGRAAWL ${\tt RSEPLPATPASCLRFWYHMGFPEHFYKGELKVLLHSAQGQLAVWGAGGHRRHQWLEAQVE}$ VASAKEFQIVFEATLGGQPALGPIALDDVEYLAGQHCQQPAPSPGNTAAPGSVPAVVGSA LLLLMLLVLLGLGGRRWLQKKGSCPFQSNTEATAPGFDNILFNADGVTLPASVTSDP

Important features of the protein: Signal peptide:

Amino acids 1-20

Transmembrane domain:

Amino acids 1075-1092

N-glycosylation sites:

Amino acids 203-207;281-285;339-343;756-760

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 514-518;1100-1104

N-myristoylation sites:

Amino acids 32-38;55-61;61-67;106-112;116-122;336-342;350-356;409-415; 523-529;540-546;678-684;707-713;791-797;870-876;921-927; 937-943;954-960;1036-1042;1071-1077

Amidation site:

Amino acids 1093-1097

Cell attachment sequence:

Amino acids 191-194

FIGURE 519

GCAGGGGAGCTCCGAGTGTCCACAGGAAGGGAACTATCAGCTCCTGGCATCTGTAAGG**ATG**CT GTCCATGCTGAGGACAATGACCAGACTCTGCTTCCTGTTATTCTTCTCTGTGGCCACCAGTGG GTGCAGTGCAGCAGCCTCTTCTCTTGAGATGCTCTCGAGGGAATTCGAAACCTGTGCCTT CTCCTTTTCTTCCCTGCCTAGAAGCTGCAAAGAATCAAGGAACGCTGCCATAGTGCAGGTGA TGGCCTGTATTTCTCCGCACCAAGAATGGTGTTGTCTACCAGACCTTCTGTGACATGACTTC TGGGGGTGGCGGTGGACCCTGGTGGCCAGCGTGCACGAGAATGACATGCGTGGGAAGTGCAC GGTGGGTGATCGCTGGTCCAGTCAGCAGGGCAACAAAGCAGACTACCCAGAGGGGGATGGCAA CTGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCC TGGCTACTACGACATCCAGGCCAAGGACCTGGGCATCTGGCCATGTGCCCAACAAGTCCCCCAT GCAGCATTGGAGAAACAGCGCCCTGCTGAGGTACCGCACCAACACTGGCTTCCTCCAGAGACT GGGACATAATCTGTTTGGCATCTACCAGAAATACCCAGTGAAATACAGATCAGGGAAATGTTG GAATGACAATGGCCCAGCCATACCTGTGGTCTATGACTTTGGTGATGCTAAGAAGACTGCATC TTATTACTCACCGTATGGTCAACGGGAATTTGTTGCAGGATTCGTTCAGTTCCGGGTGTTTAA TAACGAGAGAGCAGCCAACGCCCTTTGTGCTGGGATAAAAGTTACTGGCTGTAACACTGAGCA TCACTGCATCGGTGGAGGAGGGTTCTTCCCACAGGGCAAACCCCGTCAGTGTGGGGACTTCTC CGCCTTTGACTGGGATGGATATGGAACTCACGTTAAGAGCAGCTGCAGTCGGGAGATAACGGA GGCGGCTGTACTCTTGTTCTATAGA**TGA**GACAGAGCTCTGCGGTGTCAGGGCGAGAACCCATC TTCCAACCCCGGCTATTTGGAGACGGAAAAACTGGAATTCTAACAAGGAGGAGAGGAGACTAA ATCACATCAATTTGCA

524/615

FIGURE 520

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108701</pre>

><subunit 1 of 1, 325 aa, 1 stop ><MW: 36212, pI: 8.68, NX(S/T): 1

MLSMLRTMTRLCFLLFFSVATSGCSAAAASSLEMLSREFETCAFSFSSLPRSCKEIKERC HSAGDGLYFLRTKNGVVYQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGNKA DYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSALLR YRTNTGFLQRLGHNLFGIYQKYPVKYRSGKCWNDNGPAIPVVYDFGDAKKTASYYSPYGQ REFVAGFVQFRVFNNERAANALCAGIKVTGCNTEHHCIGGGGFFPQGKPRQCGDFSAFDW DGYGTHVKSSCSREITEAAVLLFYR

Important features of the protein:

Signal peptide:

Amino acids 1-26

Glycosaminoglycan attachment site:

Amino acids 86-90

N-myristoylation sites:

Amino acids 23-29;88-94;127-133;136-142;265-271



FIGURE 521

 ${\tt GATCAGTGTGAGGGAACTGCCATC} \underline{{\tt ATG}} {\tt AGGTCTGACAAGTCAGCTTTGGTATTTCTGCTCCTGCAGCTCTTCT}$ GTGTTGGCTGTGGATTCTGTGGGAAAGTCCTGGTGTGGCCCTGTGACATGAGCCATTGGCTTAATGTCAAGGTCA GGAAGCCTTCTGCATTGAAATTTGAGGTGGTCCATATGCCACAGGACAGAACAGAAGAAAATGAAATATTTGTTG TAAGAGGAACTTTAAAAATGATGTGTGAGAGCTTTATCTACAATCAGACGCTTATGAAGAAGCTACAGGAAACCA TGCTCACACTTAGAATTTCTGTAGGAGGCAATATGGAGCGAAGCTGTGGGAAACTTCCAGCTCCACTTTCCTATG TACCTGTGCCTATGACAGGACTAACAGACAGAATGACCTTTCTGGAAAGAGTAAAAAATTCAATGCTTTCAGTTT TGTTCCACTTCTGGATTCAGGATTACGACTATCATTTTTGGGAAGAGTTTTATAGTAAGGCATTAGGAAGGCCCA $\tt CTACATTATGTGAGACTGTGGGAAAAGCTGAGATATGGCTAATACGAACATATTGGGATTTTGAATTTCCTCAAC$ CATACCAACCTTAGGTTTGTTGGAGGATTGCACTGTAAACCTGCCAAAGCTTTGCCTAAGGAAATGGAAA ATTTTGTCCAGAGTTCAGGGGAAGATGGTATTGTGGTGTTTTCTCTGGGGTCACTGTTTCAAAATGTTACAGAAG AAAAGGCTAATATCATTGCTTCAGCCCTTGCCCAGATCCCACAGAAGGTGTTATGGAGGTACAAAGGAAAAAAAC ${\tt CATCCACATTAGGAGCCAATACTCGGCTGTATGATTGGATACCCCAGAATGATCTTCTTGGTCATCCCAAAACCA}$ ${\tt AAGCTTTTATCACTCATGGTGGAATGAATGGGATCTATGAAGCTATTTACCATGGGGGTCCCTATGGTGGGAGTTC}$ CCATATTTGGTGATCAGCTTGATAACATAGCTCACATGAAGGCCAAAGGAGCAGCTGTAGAAATAAACTTCAAAA $\tt CTATGACAAGCGAAGATTTACTGAGGGCTTTGAGAACAGTCATTACCGATTCCTCTTATAAAGAGAATGCTATGA$ GATTATCAAGAATTCACCATGATCAACCTGTAAAGCCCCTAGATCGAGCAGTCTTCTGGATCGAGTTTGTCATGC GCCACAAAGGAGCCAAGCACCTGCGATCAGCTGCCCATGACCTCACCTGGTTCCAGCACTACTCTATAGATGTGA TTGGGTTCCTGCTGACCTGTGTGGCAACTGCTATATTCTTGTTCACAAAATGTTTTTTATTTTCCTGTCAAAAAT TTAATAAAACTAGAAAGATAGAAAAGAGGGAA<u>TAG</u>ATCTTTCCAAATTCAAGAAAGACCTGATGGGGTAATCCTG TTAATTCCAGCCACATAGAATTTGGTGAAAACCTTGCTATTTTCATATTATCTATTCTGTTATTTTATCTTAGCT ATATAGCCTAGAATTCCATGATCATGAGGTTGTGAGTATATCTCATTCTTTCGTTGTATTTTCCTAGGTGTCTTT $\textbf{ACTCTCTTCTCTCACTTTGTGACACAAGGACATGAATACATCTAAATTTTCCTATTTCTGATATGACTGTTTTGA$ TGATGTCATTACTTCTATAACCTTAAGTGATAGGGTGACATGCAATATGATTATTCCTGGTGTGCGCCCAAACAC ATGGATATAAAGAGGTAAAAAACTTAAAATTCACAAAATTCAGTAAACCACAAATCAGGTAAGTGTTCTATGA GATTAGCTGGCTATGAGAAACATAATGATGTTTCTTTTTCAATTTAAATAAGCCTTTCTACATAGCCAGCATCAG TGATCTCAGAAAATTAATTGCTAATAATGATGACATGGCATTATGCTTAGAAAAGTTTGCTGTATTTCCATAGAC ATTCAAGGTGAACAGATATTTTTGGGATTAGTAACTATTTGAAATATGTGGTGATAATTACTGAGTTTATAAAAT TTATTTGATAGTACACTTAAAGAAGATTTATATGTTTATTCTTTAAAAATGATGAATACTCATAATTCTTATCTC TATAATCAAAAGTATAATTTACTGTAGAAAAATAAAGAGATGCTTGTTCTGAAAAGTAAGATCAGTGAACTGCTTT TCAGTCTCAATCTTTGAGAATTGTAAATTCATCAAATAATTGCTTACATAGTAAAAATTTAAGGTATTAGAAAAC CTGCATAACAAATAGTATTATATATTAAATATTTTGATATGTAAAGCTCTACACAAAGCTAAATATAGTGTAATA AATAGTTTTAAATAAATAGCTTATCTGGCTTTTTGAAAATTTTGAAATTCTTACAGATGTTGATTAGGTA ATAAATATAAATAAAATTGTTTACTGTTTTGAAAGTTTCTTAAGTTTTA

526/615

FIGURE 522

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108720

><subunit 1 of 1, 527 aa, 1 stop

><MW: 60284, pI: 8.31, NX(S/T): 3

MRSDKSALVFLLLQLFCVGCGFCGKVLVWPCDMSHWLNVKVILEELIVRGHEVTVLTHSK PSLIDYRKPSALKFEVVHMPQDRTEENEIFVDLALNVLPGLSTWQSVIKLNDFFVEIRGT LKMMCESFIYNQTLMKKLQETNYDVMLIDPVIPCGDLMAELLAVPFVLTLRISVGGNMER SCGKLPAPLSYVPVPMTGLTDRMTFLERVKNSMLSVLFHFWIQDYDYHFWEEFYSKALGR PTTLCETVGKAEIWLIRTYWDFEFPQPYQPNFEFVGGLHCKPAKALPKEMENFVQSSGED GIVVFSLGSLFQNVTEEKANIIASALAQIPQKVLWRYKGKKPSTLGANTRLYDWIPQNDL LGHPKTKAFITHGGMNGIYEAIYHGVPMVGVPIFGDQLDNIAHMKAKGAAVEINFKTMTS EDLLRALRTVITDSSYKENAMRLSRIHHDQPVKPLDRAVFWIEFVMRHKGAKHLRSAAHD LTWFQHYSIDVIGFLLTCVATAIFLFTKCFLFSCQKFNKTRKIEKRE

Important features of the protein:

Signal peptide:

Amino acids 1-21

Transmembrane domain:

Amino acids 489-510

N-glycosylation sites:

Amino acids 131-135;313-317;518-522

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 67-71;340-344

Tyrosine kinase phosphorylation sites:

Amino acids 122-131;136-144

N-myristoylation sites:

Amino acids 19-25;276-282;373-379;377-383

Amidation site:

Amino acids 338-342

FIGURE 523

GGCTGCGGGGTCGGCACGGAAG<u>ATG</u>CACGCGAGGCTCCTGGGGCTCTCGGCCCTGCTGCAGGC GGCCGAACAGAGCGCGCCTTTACACCGTGGCTTACTACTTCACCACAGGACGGCTTCTGTG GGGGTGGCTGGCCTTGCTCCTCCTGCCCGGGTTCTTGGTCCAGGCCCTGAGCTACCTGTG GTTCCGAGCAGACGGGCATCCAGGGCATTGCTCCTTGGTGATGCTGCACCTCCTACAGCTTGG TGTTTGGAAGCGCACTGGGACGCTGCACTGACCAGTCTGCAGAAGGAACTGGAGGCTCCCCA ${\tt CCGAGGCTGCAGCTGCAGGAGGCCGACCTGTCGGCCCTTCGACTCTTGGAGGCCCTGCT}$ GCAGACTGGGCCCCACCTGCTGCTTCAGACATATGTTTTTCTAGCCTCAGACTTCACAGATATT GTGCCAGGGGTGAGCACCCTGTTTTCCTGGTCCTCACTCTCCTGGGCACTGGTGTCCTACACT CGCTTCATGGGCTTCATGAAGCCAGGCCACCTGGCCATGCCATGGGCCGCCCTCTTCTGCCAG CAGCTCTGGAGGATGGGCATGTTGGGAACCCGCGTGCTGAGTCTGGTTCTGTTCTACAAAGCC GCCCAGCAGAGTGACATCATCGACAGCACCTGCCACTGGAGGCTGTTCAACCTGCTCGTGGGG GCCGTGTACATCCTCTGCTACCTCAGCTTCTGGGACAGCCCTTCTAGAAATAGGATGGTCACG TTCTACATGGTCATGCTGTTGGAGAACATCATCCTGTTGCTGTTGGCCACCGACTTTCTCCAG GGGGCATCGTGGACCAGCCTGCAGACCATAGCTGGGGTCCTGTCTGGATTTCTGATTGGCAGT GTCTCACTGGTAATTTATTACAGCCTGCTGCATCCAAAATCCACAGACATCTGGCAGGGCTGC ACAGATCTAGCTGGGAAGAGAACCGAGAGCTCAGGCTCATGCCAAGGGGCAAGTTATGAACCA ACCATTTTAGGGAAGCCCCCTACCCCTGAGCAGGTCCCCCAGAGGCTGGGCTGGGGACCCAG GTTGCTGTGGAGGACTCTTTCCTCAGTCATCACCACTGGCTGTGGGTGAAACTTGCCCTAAAA ACAGGAAATGTGTCTAAGATCAATGCCGCCTTTGGAGATAACAGTCCTGCCTATTGTCCACCT GCATGGGGGTTGAGTCAACAGGACTACCTGCAGAGAAAGGCCTTGTCTGCCCAGCAAGAGCTC CCATCCTCATCCCGTGACCCCTCAACCTTAGAGAACAGCTCTGCGTTTGAAGGTGTCCCTAAA GCAGAGGCCGACCCATTGGAAACCTCAAGTTACGTATCTTTTGCCAGCGATCAGCAGGATGAA GCACCTACCCAGAACCCAGCAGCCACGCAGGGGGGGGCACCCCAAAGGAAGGAGCTGACGCT GTTTCTGGGACACAGGGGAAGGGGACAGGTGGGCAGCAGAGAGGACGGGGAAGGACAGCAGAGT TCCACGTTGTACTTCAGCGCCACTGCAGAAGTGGCCACATCCTCACAACAAGAAGGCAGCCCA GCTACTCTGCAAACGGCCCACTCTGGAAGGAGGCTGGGAAAGAGCAGCCCTGCCCAGCCTGCA TCGCCCCACCCAGTGGGCTTGGCGCCCTTCCCCGACACCATGGCCGACATTAGCCCCATCCTA GGCACAGGCCCATGTAGAGGCTTCTGCCCCAGTGCAGGCTTCCCTGGAAGAACCCTCAGTATC TCAGAGCTAGAGGAGCCGCTGGAGCCCAAAAGGGAGCTAAGTCACCATGCAGCTGTTGGTGTG TGGGTGTCATTGCCACAGCTGAGGACTGCCCATGAGCCCTGCCTCACGTCCACCCCTAAGTCT GAGTCTATCCAAACGGACTGCAGCTGCAGGGAACAGATGAAGCAAGAGCCGAGTTTTTTCATC **TGA**CCACAGTCATGGTGGGATAAGACAACAGGCTGACAAACCAAGCTGGCCATTTGGTACCGT GAGAAAGGAAATCCCACTTCTGACACCTGTGTCCTTGGGCACATCACTGTCACCTCTGAATCT CCATCTGCATCCCTGAAAAATGAAGAAACAGGGCTGGATGATTTTGCAGGTCCAATGCAAACA TCACAGACCCCACCCATGCATAGGAGAGACTCTAACATACTTTAGAGGAGGAGAAAGAGATTC CAGTCAAAATTGTCTGCTACCTTTTATGAGCTGTAGGTTCCCTTATTTTATCTTTTTGCTGTG GCTTCTAGGAAACACAAAGGTAAAACCCAGATTCCTATTTTATTTGAGGTTCTTGTTACAATT AGCTTTGCCTCACATTTAGCGGTTATGAATCTCATTTTAATATATTCTAACTGTATTATGTTA TGAAATCTCTTGGTAAGATAATTTGCATGCTTTCTGGGAGTAGGTAAGGCCTGTGTGCTTGTA ATAACTAACATAACTGAAAGTGCAAATGTCA

528/615

FIGURE 524

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108726

><subunit 1 of 1, 686 aa, 1 stop ><MW: 74981, pI: 6.60, NX(S/T): 2

MHARLLGLSALLQAAEQSARLYTVAYYFTTGRLLWGWLALAVLLPGFLVQALSYLWFRAD GHPGHCSLVMLHLLQLGVWKRHWDAALTSLQKELEAPHRGWLQLQEADLSALRLLEALLQ TGPHLLLQTYVFLASDFTDIVPGVSTLFSWSSLSWALVSYTRFMGFMKPGHLAMPWAALF CQQLWRMGMLGTRVLSLVLFYKAYHFWVFVVAGAHWLVMTFWLVAQQSDIIDSTCHWRLF NLLVGAVYILCYLSFWDSPSRNRMVTFYMVMLLENIILLLLATDFLQGASWTSLQTIAGV LSGFLIGSVSLVIYYSLLHPKSTDIWQGCLRKSCGIAGGDKTERRDSPRATDLAGKRTES SGSCQGASYEPTILGKPPTPEQVPPEAGLGTQVAVEDSFLSHHHWLWVKLALKTGNVSKI NAAFGDNSPAYCPPAWGLSQQDYLQRKALSAQQELPSSSRDPSTLENSSAFEGVPKAEAD PLETSSYVSFASDQQDEAPTQNPAATQGEGTPKEGADAVSGTQGKGTGGQQRGGEGQQSS TLYFSATAEVATSSQQEGSPATLQTAHSGRRLGKSSPAQPASPHPVGLAPFPDTMADISP ILGTGPCRGFCPSAGFPGRTLSISELEEPLEPKRELSHHAAVGVWVSLPQLRTAHEPCLT STPKSESIQTDCSCREQMKQEPSFFI

Important features of the protein:

Signal peptide:

Amino acids 1-17

Transmembrane domains:

Amino acids 35-50;269-287;293-313

N-glycosylation sites:

Amino acids 416-420;467-471

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 344-348

N-myristoylation sites:

Amino acids 188-194;288-294;299-305;335-341;338-344;362-368;

390-396;473-479;529-535;536-542;558-564;603-609;

643-649

Amidation sites:

Amino acids 354-358;568-572

Leucine zipper pattern:

Amino acids 112-134

FIGURE 525A

AGTGCCCTCTGTCATTTAATCTCCACGGAGTCCTGAAGGTGCTTCCCAGGTTTGTCCCCATCACACAGATGAGGC ${\tt AATCGTTCTGTTAAGACTGTCCTTGGGTCATT} \underline{{\tt ATG}} {\tt TCAGCAATGAAATCGGTGCTGCCATTACTAAACCCTTACT}$ TTGTGTGCCTGTGTGCACATGTAGAAAGAAAGTGATGTGTGGGAATGGAGAATTCCAACCCAGGAGGAGACTG ${\tt TGCCTGGGGCTGCCACGAGAAGTGGTGACACTTCGAGAAACGGGTTCCAAATGCACGTTGCCTTCCAGTTCTCTG}$ ${\tt TGTGACCTTGGGCAAGTCACTTCAGCTCCC} \underline{{\tt TGA}}{\tt GCTTTGTTTTTAAAAATATTTTTTAAATGTATAAAACCATGG}$ ${\tt ACCATTACATATGAAGAGAAATGTGTGTGCAAACATTCAGTTAATAATCACAAGGTGGAGGAGTGCCTGCTCAGA}$ AGCCCGTGCTTATCTGTTCAGTGGAAATGCCATGTGCCACGTTCCTCAGAAGTAAAGCCACTAGGTAAGTGTGAC GTACTGTCACTTCCCCCACTTTGAAGATGAGGAGAGCACAAATTCTAGATGGAAATGGAGGTCACGCAGTGGAAA TTCCTGGTTGATTCTCCCCACTTCCCCACCCCCAGATATATCCCCATCGCTGCTTGGTGGACAGTAGCCATGACTG GGTTTTGGTAAAGGTTGCTGAATAATCAGGCTGCTGGTTAGTTTTTACATTTCACCTTTCCCAGTGAAATGGGGC AGGATTTGGGGTAGACACTGGGAATTTACTAATTATGAATTCCAGTGCTTTCCTTGCTGAAAGAGAGGCGTGGAA TCAACGCTGAGTGAAGGCATCAAGTTTAAGCTGCTAATTACTTCCTGATCATGCAGAATAAAAGCTACGTCCCTT GAAATACACCAGGCAGCTAAACATAATCTTTGCGTTTCCGTAGTGTTAGGGAATCCAGATGTTACTGCAAT AACCACTCCATAAACAAAAGGAACACCCAGCTGTGAGAACTGGCTTCTCAGCATTCGTCCCAGCAGAGGCTCTTC ACGGCTACGGGCACAGCCTGAAGGTGAGGTCCAGCACACTTTCTGACAGTGAACAGGAGTAAACATG GGACCCACCCGAAACCTTTGTCTGTTGACTTCTTAGCAAATGGAGGCAGCTCTAGGCTCTGGAGAGTTCGGGTAT AGGAGACCATGACTTGAGCAGACTGATATAAGTGGAATGCAAACATATTTAGATGGCACAACTTAATTTAGATTT ATCAGTGCTAATATAGAAAAAGCTAGTATTTATTGGGGCTTATTAGATTTTTAGTCTGAATCCTCACAACTTACG AGGGGGTTCGTTTTACAGACTATGATCTTGCATGATTTCCCCCAAAGATGCTCATTAAGTATATGGTGAAAGTAGA ATTTGAATACAGAAGACCTGGTTCTGCTACTTTCTGTGTTTCTATTTGGTTCAAACCAGCCTTTCTTCTTTCAAA ACAACTTCAGTGCAATTCATGGTTTTTGGAAAATAAACTTGATTTTTGAGATTCAGACAATAAGTGCATTTTTAATG CACAGACAGTACAATTGCAGATTCGGGCTCTAATCTCGGCCCCCAATTTAATGCATTGCTGAATATTCTT CTGAACATAGTCCATCCCACACTGTCCCATGACACAAGACGCTCCAAGGGGCTGAAGATAGAGGGACTTCTGCAG TCAAGAGAGCTGGGAAACTCTTGGACAGTCACAATGTGCATTTGGGTATTAAAGGCTCTGCAAAGTTCTGCACCA AATAAACCCTTGGATTGGCTTGATCCAATGCCATGTTTCCAAAACCTACTTGCCCGTGGGACACCTTAGTCCATA ACACAGGTTGGCATTTCTTCTAGAGAGTGTGCTGTGAAAAACACTGGTCTCACAGCACCGTGCATTCATCCAGCA TGGTGTCTCTCTCATGGGAGAGGCTGCACAGCAGTCATTGAGAAAACGAAGAAACACACAGGTACTTTCAGATG CTGATAATGACTACCATGTGCTAAAAGAGCTCCAGGTGTTGTCTGTTTTGAGACAATCTTCTCGACAATGAGATA GAATGAACCATGCAAACTTTGGGGGCTACGATGGTTTTAGGAAAGAGCTAGAGTGAAAAATCCTTTGACATATAT ACATACAAATAAAGATACATGTGTATAATTTTATGTAATTGACATCACATTATATGCTGGCACCTGCCTTTTTTG TCCCACTTCTGAAATGATCTCCTTAGAATAAATTCCCCAAATTGTATTGCTGGGTTCAAAGGCATGAACATTTTA CATTTTTATACAATAATGTCAAACTACCTTCCGGAAATGATGCTCACTTTACTTTCCCTCCAAGACTGTGTGAAA ATGCCCATTTTCCTAAATGCTTACTATGACTGGTTTCCAACTACATTTTAATTCTTGTTCAATCTGATAGGCAAA AAATGATATTTAATTTTATTTGATTGATAATGACCTTGAACGTGCCCATTAGCCTTTTGCATGTATTCTTTTAT GAAACATCTGTTCCTATCCTTCGTCAATGTTCCTCTTCATATGTTAACTTTTCTTATTGATTTGTTAGAGCACTT AAAGCCATTCAGAGATGTTGTAAATGTGTATGTTGTTAAATTTATGTCTTATTTTGTGTTTTCTGATGCTCATAT CCAAATGGTGATTCAGCTGTTCCATTTCCATATTCTCCCTTATTAGAAATGACCACTATATTATGTTCTAAAATA TCTGCGTACTTGTGTCCCTTCCTATAATCTCAGTTCATCTCTTTTGAGCTATCTTTTGATTCCTTTTTCAAACCAC ACTGCTTTACTGAACTGTCATCATCTTATACATTTTTAATACTCAGCAAGACAAGTTTCTCAATGCCACTCTTTT TCAGAGTTTTTCTGGTGGTTGTAAGATGTTTATTCTTCTGGATAAACTTTAGAATCACTCTTTTTGTCCAAGGTA GTCTTCTTATCCAATAAAAAAGATATGAATTTCCATGTATTGAAATCTTCACTGAGACTTATTTTTTGGCTTTTCA

530/615

FIGURE 525B

CATGTCCTGCAAATGTATTGTTAAATTTATTTTTAGGTATTTTAGGGGAAATGATTTTCTAAAGTTTGTATTTTC TAGCTTGTATATATAAATTTACATATGAGATAGTCATTGTTATATTATTATAACTGATCATATTACTGTATTTTGTA TTGTTTTAATAGTTTTTCTATTATTATTTTTGGGTTTTCCTGGAATACAACCTTATTATCTACAAATTATGATTGTTTT GCCTTTTCCAATGTTCATAACTGTTTTTATATTCTTGTCTGATTGCTTTTGTTCAGCACTTCTAGAATAAAGTCAT GCAATACTAATGA

531/615

FIGURE 526

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108728
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10922, pI: 8.81, NX(S/T): 0
MSAMKSVLPLLNPYCVLAFVYACMCVRAHVCVCVYMCMCVLCACVCTCRKKVMCGNGEFQ
PRRRLCLGLPREVVTLRETGSKCTLPSSSLCDLGQVTSAP</pre>

Important features of the protein: Signal peptide:

Amino acids 1-28

N-myristoylation sites:

Amino acids 80-86;94-100

Prokaryotic membrane lipoprotein lipid attachment sites:

Amino acids 13-24;34-45

FIGURE 527

GTGAGACTTCTTTCTTCATTGTGGCTAGCTTTGAAAAGACCCTCTGAACTTCCTAAAGATATC TGTGGAGCACTAGCCATACTTCTTTTCTTTATCTTTATGTGTTTTAAGGTTGTTCATCTGCAA GCCAGCTTAACAACTTTTAAGAATAGCCAGCCTGTGAATCCCAAACACTCTAGAAGAAGTGAA AAGAAATCCAATCATAAAGACTCCTCAATACACCATCTTCGTTTATCTGCCAACGATGCT GAAGATAGCCTTCGCATGCACAGTACTGTGATTAACTTACTAACATGGATTGTATTACTCAGC ATGCCTTCTCTAATTTATTGGCTAAAGAATCTTAGGTATTATTTTAAACTTAATCCTGATCCA TGTAAACCTTTGGCATTTATCCTTATTCCGACTATGGCAATTCTTGGAAATACTTACACTGTT TCAATAAAATCAAGTAAATTGTTGAAGACTACTTCACAATTTCCACTTCCTCTGGCTGTTGGT GTGATTGCTTTTGGGTCAGCACATTTATATAGGCTTCCATGCTTTGTCTTCATTCCTCTTTTA CTCCATGCATTATGCAACTTTATGTAAGATTGGACTTAAGGAATGATGAAGATAATTTATGTG TTTAGGGCCAGTGATAAGAGGGAACACACAGATCCATCAGTATGGACAGCAAGATCCTTTGGA .GAAGACAAGTCTATTTTTACAATATTGAAAATAGGAAATTAGTTTTGTAATGTTTGAGGGAAG TAGTTGAAGCATGGTTTTGTTTTGTGGTGGGAATCCATGTACTAATCATTTTTGAAAAATTC ATGAAGGGATATATGGTGATCACTATCATTGAGGACTCCTGTGCATATAAAATAGTCTGTTTT ATCAACTGTAAA

FIGURE 528

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108738

><subunit 1 of 1, 196 aa, 1 stop

><MW: 22225, pI: 9.90, NX(S/T): 0

MISPDLPFLTIVLIIVSWTTCGALAILLSYLYYVFKVVHLQASLTTFKNSQPVNPKHSRR SEKKSNHHKDSSIHHLRLSANDAEDSLRMHSTVINLLTWIVLLSMPSLIYWLKNLRYYFK LNPDPCKPLAFILIPTMAILGNTYTVSIKSSKLLKTTSQFPLPLAVGVIAFGSAHLYRLP CFVFIPLLLHALCNFM

Important features of the protein:

Signal peptide:

Amino acids 1-

Transmembrane domains:

Amino acids

91-108;128-143;167-186

N-myristoylation site:

Amino acids

141-147



FIGURE 529

GCGAGCCGGGTCCCACC<u>ATG</u>GCCGCGAATTATTCCAGTACCAGTACCCGGAGAGAACATGTCA AAGTTAAAACCAGCTCCCAGCCAGGCTTCCTGGAACGGCTGAGCGAGACCTCGGGTGGGATGT TTGTGGGGCTCATGGCCTTCCTCCTTCTACCTAATTTTCACCAATGAGGGCCGCGCAT TGAAGACGCCAACCTCATTGGCTGAGGGGCTCTCGCTTGTGGTGTCTCCCCGACAGCATCCACA GTGTGGCTCCGGAGAATGAAGGAAGGCTGGTGCACATCATTGGCGCCTTACGGACATCCAAGCTT TTGTCTGATCCAAACTATGGGGTCCATCTTCCGGCTGTGAAACTGCGGAGGCACGTGGAGATG TACCAATGGGTAGAAACTGAGGAGTCCAGGGAGTACACCGAGGATGGGCAGGTGAAGAAGGAG ACGAGGTATTCCTACAACACTGAATGGAGGTCAGAAATCATCAACAGCAAAAACTTCGACCGA GTCCAAATTGGCAGGTTTTTCCTCTCGTCAGGCCTCATCGACAAAGTCGACAACTTCAAGTCC CTGAGCCTATCCAAGCTGGAGGACCCTCATGTGGACATCATTCGCCGTGGAGACTTTTTCTAC CACAGCGAAAATCCCAAGTATCCAGAGGTGGGAGACTTGCGTGTCTCCTTTTCCTATGCTGGA CTGAGCGGCGATGACCTGGCCCCAGCTCACGTGGTCACTGTGATTGCCCGGCAGCGG GGTGACCAGCTAGTCCCATTCTCCACCAAGTCTGGGGATACCTTACTGCTCCTGCACCACGGG GACTTCTCAGCAGAGGAGGTGTTTCATAGAGAACTAAGGAGCAACTCCATGAAGACCTGGGGC CTGCGGGCAGCTGGCTGGATGGCCATGTTCATGGGCCTCAACCTTATGACACGGATCCTCTAC ACCTTGGTGGACTGGTTTCCTGTTTTCCGAGACCTGGTCAACATTGGCCTGAAAGCCTTTGCC CTGTGGGCCCTCCTCATTGCCGGCCTGGCCCTTGTGCCCATCCTTGTTGCTCGGACACGGGTG CCAGCCAAAAAGTTGGAG**TGA**AAAGACCCTGGCACCCGCCCGACACCTGCGTGAGCCCTGAGG CTGGTTGTACAATGCCCACGCCTGCCTGGCTGCTTTCACCTGGGAGTGCTTTCGATGTGGGCA CCTGGGCTTCCTAGGGCTGCTTCTGAGTGGTTCTTTCACGTGTTGTGTCCATAGCTTTAGTCT TCCTAAATAAGATCCACCCACACCTAAGTCACAGAATTTCTAAGTTCCCCAACTACTCTCACA CCCTTTTAAAGATAAAGTATGTTGTAACCAGGACGTCTTAAATGATTCTTTGTGTACCTTTTC TGTCATATTCAGAAACCGTTCTGTGCCTGCTGGGAGTAATTCCTTTAGCAATTAAGTATTTGG TAGCTGAATAAGGGGTCAGAACTTCTGAAACCAGAGATCTGTAATCATCTCTATTGGCCTGGG GGGTTTAGGATTCAATAGTATTCACTAACTGCTTATTACATGAGCAATTTCATCAAATCTCCA AACTCTTAAAGGATGCTTTCGGAAAACACGCTGTATACCTAGATGATGACTAAATGCAAAATC CTTGGGCTTTGGTTTTTTCTAGTAAGGATTTTAAATAACTGCCGACTTCAAAAGTGTTCTTA AAACGAAAGATAATGTTAAGAAAAATTTGAAAGCTTTGGAAAACCAAATTTGTAATATCATTG TATTTTTTTATTAAAAGTTTTTGTAATAAATTTCTAAATTATCA

535/615

FIGURE 530

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108743

><subunit 1 of 1, 400 aa, 1 stop ><MW: 44876, pI: 8.32, NX(S/T): 2

MAANYSSTSTRREHVKVKTSSQPGFLERLSETSGGMFVGLMAFLLSFYLIFTNEGRALKT ATSLAEGLSLVVSPDSIHSVAPENEGRLVHIIGALRTSKLLSDPNYGVHLPAVKLRRHVE MYQWVETEESREYTEDGQVKKETRYSYNTEWRSEIINSKNFDREIGHKNPSAMAVESFMA TAPFVQIGRFFLSSGLIDKVDNFKSLSLSKLEDPHVDIIRRGDFFYHSENPKYPEVGDLR VSFSYAGLSGDDPDLGPAHVVTVIARQRGDQLVPFSTKSGDTLLLLHHGDFSAEEVFHRE LRSNSMKTWGLRAAGWMAMFMGLNLMTRILYTLVDWFPVFRDLVNIGLKAFAFCVATSLT LLTVAAGWLFYRPLWALLIAGLALVPILVARTRVPAKKLE

Important features of the protein:

Transmembrane domains:

Amino acids 34-53;365-388

N-glycosylation site:

Amino acids 4 - 8

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 140-144

Tyrosine kinase phosphorylation sites:

Amino acids 99-107;220-227

N-myristoylation sites:

Amino acids 35-41;93-99;310-316

Cell attachment sequences:

Amino acids 221-224;268-271

536/615

FIGURE 531

537/615

FIGURE 532

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108758
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10316, pI: 8.52, NX(S/T): 0
MGNNCYFKSLGAVILPSASATFVVLCVASVPPLILLSFLSLFPPSFPSVFLRSKGYNGGA
NCLAISDKTSLSDCSAHDLPCSLTGSGIRSHQLSAGHLGL</pre>

Important features of the protein:

Signal peptide:

Amino acids 1-47

N-myristoylation site:

Amino acids 58-64

FIGURE 533

CGGGGTGTACGAAAGAGAAACCCGGAGGGCCCGGGGACTGGGCCGGGGTCTGCAGGGCTCAG $\tt CTGAGCCCATGAGCTCCCAGAGCTAACCCCTGAACACCCAGGCGGGCAAAGGGCTGATGTCGG$ $\texttt{TAGTCCCCATCCTGGAGGGGCAGGCTCTGCGCATCTGCTCCTGGC} \underline{\textbf{ATG}} \texttt{GCGCTGCGGCACCTC}$ GCCCTCCTGGCTGGCCTTCTCGTGGGAGTCGCCAGCAGTCCATGGAGAACACGGCCCAGCTG CCCGAGTGCTGTGGGTGGGCGTCAACGCCAGCTGCCCAGGCGCAAGTCTGTGTGGT CCAGGCTGTTACAGGCGCTGGAACGCGGACGGGAGCGCCAGCTGCGCTCCGCTGTGGGAACGGA ACCCTCCCAGCCTACAACGGCTCCGAGTGTAGAAGCTTTGCTGGCCCGGGTGCGCCATTCCCC ATGAACAGAAGCTCAGGGACCCCCGGGCGGCCACATCCTGGGGCTCCGCGCGTGGCCGCCTCC $\tt CTCTTCCTGGGCACGTTCTTCATTAGCTCCGGCCTCATCCTCTCCGTAGCTGGGTTCTTCTAC$ CTCAAGCGCTCCAGTAAACTCCCCAGGGCCTGCTACAGAAGAAACAAAGCTCCGGCCCTGCAG CCTGGCGAAGCCGCTGCAATGATCCCCCCGCCACAGTCCTCAGACGTGGGGTCTGCAGGAAAG GAGGACCCACCACGACAGGCCAGACCCCCAATACCTGCTCCTCCTTGAAGTCCAGCTCCACCC GAGGACAGACGCAGCCTCCGCCAGGCCCTCCTGAGCAGCCATCGCTTCAGTGGTGCTGG GTCAGGCGGACCCAAGAGTCAGCCCGTACGGAAGCCGCGCTACGTCAGGCGGGAGCGGCCCCT GGACAGGGCCACGGATCCCGCTGCCTTCCCGGGGGGAGGCCCGTATCAGCAATGTCTGACCTGG AGGCCGAGACCACGCACTTGGCGGCAGGGACCCGGAGGCCGACCCCTTGGCGGGAACC AGCACAAAGTGTTGGCATCGCCCGGCGCCCGGGACAGTCCTGGGCACAGCCTCGGCTCTGGGT CCCTCCGCCTCCCAGCGACGGACGCCAAAGGGTCCCGGGCCGCCTGAGGCTCCTCCCCACCAC AGCCATCTCGTTTATCGGACCAGGAGCAGCATCCATGAGACCTCAGAGCTTCAGATCGAGGC CTTGGGGGGTCCGGGCCCCCCAGGAAACACGGTGAGGCCCCAGCGCCTGCAGCCAAAGCTGG CACGATCTATGGGGCAGGTGCCGCTCTGCCTAGAAAAGCCAGGGGCTCTGCTGCCGTGCCCTC CAGAGCCCACAGCGGGCAGGACTCCTCCAGCACCACCCAGTGGCCCGAGACCCCTCTG AGAACAGTGAGGCTGGTCCTCGTGCCGTTCCAGCCGGTGCCCGGCCAGTGGGGAGGACACAGC AAGCACGCAGCCACTTTCCGGAGCTGCAGGATAGAGCTTCCTCTTGATCTCTGTTTTTAAG CAGAAATTCATTGTGCAGAAAAGTCCTCCAGAGCTCTGTGGCCCCGCTCGGATCCGCTGGACC CCCATGCCTGGCTGATCCCTGCCCACGTGGGGCAGGCCCACATCTAACCCCCACAAGTCACTG GAGAAAGGCGCCGTCGTGGCCGCCTCCCGCACGCCAGGCCCGGGCTCCACCGTGGGTCTCAGA CGCCCTGCGCACCGCCCTCTGCTTTAGCATGGGACCCCCATCTGAGGGGTGGCCTGGCC TTCGGGGTCCCCACGCTCCTTTGCGAAGTCCACTGTGGGTGCCATCATGGTCTCCGGGACCTG

FIGURE 534

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108765</pre>

><subunit 1 of 1, 189 aa, 1 stop ><MW: 19464, pI: 9.60, NX(S/T): 4

MALRHLALLAGLLVGVASKSMENTAQLPECCVDVVGVNASCPGASLCGPGCYRRWNADGS ASCVRCGNGTLPAYNGSECRSFAGPGAPFPMNRSSGTPGRPHPGAPRVAASLFLGTFFIS SGLILSVAGFFYLKRSSKLPRACYRRNKAPALQPGEAAAMIPPPQSSDVGSAGKEDPPRQ GRPPIPAPP

Important features of the protein:

Signal peptide:

Amino acids 1-18

Transmembrane domain:

Amino acids 111-129

N-glycosylation sites:

Amino acids 38-42;68-72;75-79;92-96

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 134-138

N-myristoylation sites:

Amino acids 11-17; 36-42; 43-49; 59-65; 69-75; 122-128

FIGURE 535

TGGATCTGCGGGAATGTGGGCTGGAGAGGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCA GGACTGCCCTGACCCAGGCGCCCCCCTCCTCGGTGGCAGGGGGCCGGCGGAGCGCCA**TG**G CCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGC TGGTTGTGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACCTG GTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGGATACA TAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACT TGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTG TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATA CTACTATTTATGTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTT ACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGA AGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGTACAGAG<u>TGA</u>C AAACAAATACCCATGTCAGTGGTTCAAAGATTAAGATTGTGGCTTTGTGTAAAGTTCTTTCCC TTGTGGTATGTGGTATGTAAATATTTTTAAATGTTGTCTCTCTGTTTTGATCAGTTTTTGTTT TATTCAATTTGTCTTTATTAAATCTTATCAAAGCA

FIGURE 536

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108783

><subunit 1 of 1, 210 aa, 1 stop ><MW: 24022, pI: 9.51, NX(S/T): 1

MACILKRKSVIAVSFIAAFLFLLVVRLVNEVNFPLLLNCFGQPGTKWIPFSYTYRRPLRT HYGYINVKTQEPLQLDCDLCAIVSNSGQMVGQKVGNEIDRSSCIWRMNNAPTKGYEEDVG RMTMIRVVSHTSVPLLLKNPDYFFKEANTTIYVIWGPFRNMRKDGNGIVYNMLKKTVGIY PNAQIYVTTEKRMSYCDGVFKKETGKDSTE

Important features of the protein:

Signal peptide:

Amino acids 1-27

N-glycosylation sites:

Amino acids 148-152

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 6-10;191-195;201-205

N-myristoylation sites:

Amino acids 41-47;87-93;91-97;167-173;178-184

FIGURE 537

GTTTTATTGACAATACATGCATCATATCTTTTGACTTTGAAGGATATCTCATGTCAAAGGAAT ${\tt CAAGTTATGATTTATAGAGGATTCAGCTGGAATACCTTGTGGGTGCTGAGGGTGGCAAA}$ ACGCCTACCGAGACATGAAGGTTTTAGCCACTAGTTTTGTCCTTGGGAGCCTGGGGTTGGCCT TCTACCTGCCTTTGGTGGTGACTACACCTAAAACACTGGCCATCCCTGAGAAGCTGCAAGAAG CTGTGGGGAAAGTTATCATCAATGCCACAACCTGTACTGTCACCTGTGGCCTTGGCTATAAGG AGGAGACCGTCTGTGAGGTGGGCCCTGATGGAGTGAGAAGGAAATGTCAGACTCAGCGCTTAGAA TGTCTGACCAACTGGATCTGTGGGATGCTCCATTTCACCATTCTCATTGGCAAGGAATTTGAG $\tt CTTAGCTGTCTGAGTTCAGACATCTTGGAGTTTGGACAGGAAGCTTTCCGGTTCACCTGGAGA$ CTTGCTCGAGGTGTCATCTCCACTGACGATGAGGTCTTCAAACCCTTTCAAGCCAACTCCCAC TTTGTGAAGTTTAAATATGCTCAGGAGTATGACTCTGGGACATATCGCTGTGATGTGCAGCTG GTGAATCTGAATTTCCATCAGTCACTTACTGAGGATCAGAAGTTAATAGATGAGGGATTGGAA GTTAATCTGGACAGCTACTCCAAGCCTCACCACCCAAAGTGGAAAAAGAAGGTGGCGTCAGCC ${\tt TTGGGAATAGGAATTGCCATTGGAGTGGTTGGTGGCGTGTTGGTGAGGATTGTCCTCTGTGCG}$ CTAAGGGGGGCCTGCAGCAG**TGA**CAGCTTCAAGAACTTAACAGCCTTGCTCCTGAAGAACTG GCTGCCCAGGAAGCCAAGCTTTTTTAGGGGAGTGTTCCAGCTGCTGGTAGTGGATCAGCT TAGAGGGAACACTCCCACAGCCAAAAGAATGAGTGGGAGAAATGGAGGGGACAATCTCCTGGG AGCTATGCGCAGTAACCTAACTTCCTTATGTCCCATGGATCTCTTCCTGATCTTCCCTGCCCA TTGGGTACCCAGGAAACTGCAAGCATTGCCTGTGTTCCTGGGAAGAGTTCTAAGAAGCTTGCA TTCATTTCTACCCTTTATGACTTGGATGCCTCCCCACCTCCATTTCCCCTCTTCTGAGCTGT CACAGTAA

543/615

FIGURE 538

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108789

><subunit 1 of 1, 255 aa, 1 stop ><MW: 28440, pI: 8.92, NX(S/T): 1

MKVLATSFVLGSLGLAFYLPLVVTTPKTLAIPEKLQEAVGKVIINATTCTVTCGLGYKEE TVCEVGPDGVRRKCQTQRLECLTNWICGMLHFTILIGKEFELSCLSSDILEFGQEAFRFT WRLARGVISTDDEVFKPFQANSHFVKFKYAQEYDSGTYRCDVQLVKNLRLVKRLYFGLRV LPPNLVNLNFHQSLTEDQKLIDEGLEVNLDSYSKPHHPKWKKKVASALGIGIAIGVVGGV LVRIVLCALRGGLQQ

Important features of the protein:

Signal peptide:

Amino acids 1-30

Transmembrane domain:

Amino acids 225-244

N-glycosylation site:

Amino acids 45-49

N-myristoylation sites:

Amino acids 126-132;156-162;204-210;229-235;231-237;235-241

544/615

FIGURE 539

545/615

FIGURE 540

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108806
><subunit 1 of 1, 159 aa, 1 stop
><MW: 18865, pI: 9.76, NX(S/T): 0
MKFSPAHYLLPLLPALVLSTRQDYEELEKQLKEVFKERSTILRQLTKTSRELDGIKVNLQ
SLKNDEQSAKTDVQKLLELGQKQREEMKSLQEALQNQLKETSEKAEKHQATINFLKTEVE
RKSKMIRDLQNEDSRKRPRDLQWKIVSMRTMSIYLLMYL

Important features of the protein:

Signal peptide:

Amino acids 1-22

N-myristoylation site:

Amino acids 54-60

FIGURE 541

547/615

FIGURE 542

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108936

><subunit 1 of 1, 178 aa, 1 stop ><MW: 19472, pI: 5.71, NX(S/T): 0

 ${\tt MSPSGRLCLLTIVGLILPTRGQTLKDTTSSSSADSTIMDIQVPTRAPDAVYTELQPTSPT}$ PTWPADETPQPQTQTQQLEGTDGPLVTDPETHKSTKAAHPTDDTTTLSERPSPSTDVQTD PQTLKPSGFHEDDPFFYDEHTLRKRGLLVAAVLFITGIIILTSGKCRQLSRLCRNRCR

Important features of the protein:

Signal peptide:

Amino acids

Transmembrane domain:

Amino acids 147-162

Tyrosine kinase phosphorylation site:

Amino acids 45-52

N-myristoylation site:

Amino acids 146-152

FIGURE 543

CGGCTCGAGGTGAGAAGGAAACTGCAAGAGTGGGGCAGAGAACCAGAGTGTCAGAGCAAAACC GCTCCGCCTTTGAAGGGTAAAACCCAAGGCGGGCCTTGGTTCTGGCAGAAGGGACGCT<u>ATG</u>A CCGCAGAATTCCTCTCCCTGCTTTGCCTCGGGCTGTGTCTGGGCTACGAAGATGAGAAAAAGA ATGAGAAACCGCCCAAGCCCTCCCTCCACGCCTGGCCCAGCTCGGTGGTTGAAGCCGAGAGCA ATGTGACCCTGAAGTGTCAGGCTCATTCCCAGAATGTGACATTTGTGCTGCGCAAGGTGAACG ACTCTGGGTACAAGCAGGAACAGAGCTCGGCAGAAAACGAAGCTGAATTCCCCTTCACGGACC TGAAGCCTAAGGATGCTGGGAGGTACTTTTGTGCCTACAAGACAACAGCCTCCCATGAGTGGT CAGAAAGCAGTGAACACTTGCAGCTGGTGGTCACAGATAAACACGATGAACTTGAAGCTCCCT CAATGAAAACAGACACCAGAACCATCTTTGTCGCCATCTTCAGCTGCATCTCCATCCTTCTCC TCTTCCTCTCAGTCTTCATCATCTACAGATGCAGCCAGCACGGTTCATCATCTGAGGAATCCA CCAAGAGAACCAGCCATTCCAAACTTCCGGAGCAGAGGCTGCCGAGGCAGATTTATCCAATA TGGAAAGGGTATCTCTCTCGACGCCAGACCCCCAAGGAGTGACCTATGCTGAGCTAAGCACCA GCGCCCTGTCTGAGGCAGCTTCAGACACCACCCAGGAGCCCCCAGGATCTCATGAATATGCGG CACTGAAAGTG**TAG**CAAGAAGACAGCCCTGGCCACTAAAGGAGGGGGGATCGTGCTGGCCAAG GTTATCGGAAATCTGGAGATGCAGATACTGTGTTTCCTTGCTCTTCGTCCATATCAATAAAAT TAAGTTTCTCGTCTTA

549/615

FIGURE 544

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119510

><subunit 1 of 1, 236 aa, 1 stop

><MW: 26079, pI: 5.05, NX(S/T): 3

MTAEFLSLLCLGYEDEKKNEKPPKPSLHAWPSSVVEAESNVTLKCQAHSQNVTFVL RKVNDSGYKQEQSSAENEAEFPFTDLKPKDAGRYFCAYKTTASHEWSESSEHLQLVVTDK HDELEAPSMKTDTRTIFVAIFSCISILLLFLSVFIIYRCSQHGSSSEESTKRTSHSKLPE QEAAEADLSNMERVSLSTADPQGVTYAELSTSALSEAASDTTQEPPGSHEYAALKV

Important features of the protein:

Signal peptide:

Amino acids 1-16

Transmembrane domain:

Amino acids 135-153

N-glycosylation sites:

Amino acids 44-48;55-59;64-68

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 171-175

Tyrosine kinase phosphorylation sites:

Amino acids 61-69;87-95

N-myristoylation sites:

Amino acids 12-18;203-209

FIGURE 545

GGCGGCCCGGAGCTGGGAGCGCGGGAAGGCGGTTGGGGTTCTGACAGCTGCGCGCGATCCTG CTCTCTCTCAGCCGCCTGTGGACATGCGCAAAGGGCCCTCTCCTGAGTCCAGATGCTCAT ACCAATGGCTTCAGTGATGGCGGTGACTGAACCGAAATGGGTCTCGGTCTGGAGCCGCTTCCT TGTGGAGGAGCAGTGCTTGGCTGTGCTCAAAGGCCTCTACCTGCTCAGGAGCAAACCGGACAG GGCGCAGCATGCCGCCACCAAGTGCACCAGCCCGTCCACGGAGCTCAGCATCACCTCCAGGGG CGCGACGCTGCTGGTGGCCAAGACCAAGGCCTCTCCAGCGGGTAAGTTGGAAGCCAGAGCTGC CCTGAACCAGGCCCTGGAGATGAAGCGCCAGGGCAAGCGGGAAAAAGCCCCAAAAGCTCTTCAT GCACGCCTCAAGATGGACCCGGACTTCGTGGACGCGCTCACCGAGTTTGGCATCTTCTCGGA AGAAGACAAGGACATCATCCAGGCGGACTACTTGTACACCAGAGCATTGACCATCTCACCCTA CCATGAGAAAGCACTGGTCAACCGCGATCGGACACTGCCTCTTGTGGAAGAGATCGACCAGAG GTATTTCAGCATCATCGACAGCAAAGTGAAGAAGGTCATGTCCATCCCCAAGGGGAACTCAGC TCTGCGCAGGGTCATGGAGGAGACCTACTACCATCACATCTACCACAGTGGCCATCGAGGG CAACACCCTCACCCTCTCGGAAATCAGGCACATCCTGGAGACCCGCTACGCCGTGCCCGGGAA TCTGGTTTCGCGCATCGGCTCCGTCACCATCAGCGACGTGCTGGAGATCCACAGGCGGGTGCT GGGCTACGTGGACCCCGTGGAAGCCGGCAGGTTTCGGACACACAGGTCCTGGTCGGACACCA CATCCCTCCCATCCGCAGGATGTGGAAAAGCAGATGCAGGAGTTTGTACAGTGGCTCAACTCC GAGGAAGCCATGAACCTGCACCCAGTGGAGTTTGCAGCCTTAGCCCATTATAAACTCGTTTAC ATCCACCCTTTCATTGATGGCAACGGGAGGACCTCCCGTCTGCTCATGAACCTCATCCTCATG CAGGCGGCTACCCGCCCATCACCATCCGCAAGGAGCAGCGGTCCGACTACTACCACGTGTTG GAAGCTGCCAACGAGGCCGACGTGAGGCCTTTCATTCGCTTCATCGCCAAGTGTACTGAGACC ACCCTGGACACCCTGCTTTTTGCCACAACTGAGTACTCGGTGGCACTGCCAGAAGCCCAACCC AACCACTCTGGGTTCAAGGAGACGCTTCCTGTGAAGCCC<u>TAA</u>CCCTAGAAATCCTCAGTGACA AAGGCTGTCCTGAGGTAGGAAA

551/615

FIGURE 546

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119517

><subunit 1 of 1, 458 aa, 1 stop ><MW: 51778, pI: 7.81, NX(S/T): 2

MMLIPMASVMAVTEPKWVSVWSRFLWVTLLSMVLGSLLALLLPLGAVEEQCLAVLKGLYL LRSKPDRAQHAATKCTSPSTELSITSRGATLLVAKTKASPAGKLEARAALNQALEMKRQG KREKAQKLFMHALKMDPDFVDALTEFGIFSEEDKDIIQADYLYTRALTISPYHEKALVNR DRTLPLVEEIDQRYFSIIDSKVKKVMSIPKGNSALRRVMEETYYHHIYHTVAIEGNTLTL SEIRHILETRYAVPGKSLEEQNEVIGMHAAMKYINTTLVSRIGSVTISDVLEIHRRVLGY VDPVEAGRFRTTQVLVGHHIPPHPQDVEKQMQEFVQWLNSEEAMNLHPVEFAALAHYKLV YIHPFIDGNGRTSRLLMNLILMQAGYPPITIRKEQRSDYYHVLEAANEGDVRPFIRFIAK CTETTLDTLLFATTEYSVALPEAQPNHSGFKETLPVKP

Important features of the protein:

Signal peptide:

Amino acids 1 - 46

N-glycosylation sites:

Amino acids 275-279;446-450

Tyrosine kinase phosphorylation sites:

Amino acids 216-225;217-225;244-232

N-myristoylation sites:

Amino acids 35-41;235-241;266-272;368-374

Amidation site:

Amino acids 119-123



FIGURE 547

CCTCTGTCTGTGCTCCCATCCCAGGGAGTATAGGTGGAGCCTCCAGAGCCCATGGACAGGGCA TGCTGGGGCTGGGCCAGCCCAGCGGTGTCTCTAAGGCACCCCTGGGATCCCCACTGAGCTGG CCTACTTCAGACAGCCAGGGCCCACCCCTCTGGCCCCCTTAGTGTCCAGCTCGTGGCCCCTTG GCATTTCCACAAGACGCCAAG**ATG**GAGATTCCCATGGGGACCCAGGGCTGCTTCTCAAAGAGC CTCCTGCTCTCAGCCTCAATCCTGGTCCTCTGGATGCTCCAAGGCTCCCAGGCAGCTCTCTAC ATCCAGAAGATTCCAGAGCAGCCTCAAAAGAACCAGGACCTTCTCCTGTCAGTCCAGGGTGTC TTTACCTACATCCCTGGGATACAACGGCCTCAGAGGGATGGCAGTGCCATGGGACAGCGAGAC TACCAAGTAGCCATTACCATCAACTCTGAATGGACTATGAAGGCCAAGACTGAGGTCCAGGTA GCTGAAAAGAATAAGGAGCTGCCCAGTACACCTGCCCACCAACGCTGGGATCCTGGCGGCC ACCATCATTGGATCTCTTGCTGCCGGGGCCCTTCTCATCAGCTGCATTGCCTATCTCCTGGTG ACAAGGAACTGGAGGGCCCAGAGCCACAGACTGCCTGCTCCGAGGGGCCCAGGGATCTCTGTCC GAGAAGCCAGAATTGGGCCCTGCTCATGATGCTGGTGACAACAACATCTATGAAGTGATGCCC TCTCCAGTCCTCCTGGTGTCCCCCATCAGTGACACAAGGTCCATAAACCCAGCCCGGCCCCTG CCCACACCCCACACCTGCAGGCGGAGCCAGAGAACCACCAGTACCAGCAGGACCTGCTAAAC ${\tt CCCGACCCTGCCCCTACTGCCAGCTGGTGCCAACTTCC}{\color{blue}{\bf TGA}}{\tt TGGGTCCTGGGCCAGGCCAGC}$ CAGGGAGAAGACAAGGCCCCAGCCCTCTTGGGAGCCTCACACCTGAGACCAGCAGGACAAG GCCATTGGGGGCTGTGGGGCCGATGAGGTGGACTCAGCCAAAGACTCAGCAGCACATGGGGCA GGTGTCCTGGCAGGGGGACAGGACTGTAACAGGCCCAGGTCCTTGTGCAGCCCCTGAATGC ACGCCCGCCTTCGGTCTGTTCCTTCAAGCAAGCTGGCCTGGGCCATGTGCCTGTGAAAGGCAG GCTCTGGCCCCTTTCCATGCCAAAGTCCCCCAAGATCTGGATATCTGGGGACAAGATGGTGGC AACTCCACTAGTGACCCTCAGAGTCTTCTCCCCTTAGGACAAGGCAGACACCCCACCATGCGG GCCTCAGGTGGCAGAGAGGCCCAGCCTCACAGGCCTGTGGCCCCACACACCAGTCCCAGCAAG ${\tt CCAGCTGCTGGTCTTGGCCCCCACCCTGAATCTTACTGAGTCCCTCTGGGCAGCAGCTCCCTT}$ CTCCACCCCACCCCAGCACCCGTCCCAAATGTGGCCTCAGCTTGTCCTCCCCTTCCCCAAACT ATGCATTCATTCAGCAATAAATGAGCCTTTGCTGCA

553/615

FIGURE 548

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119535

><subunit 1 of 1, 300 aa, 1 stop

><MW: 32638, pI: 6.02, NX(S/T): 1

MEIPMGTQGCFSKSLLLSASILVLWMLQGSQAALYIQKIPEQPQKNQDLLLSVQGVPDTF QDFNWYLGEETYGGTRLFTYIPGIQRPQRDGSAMGQRDIVGFPNGSMLLRRAQPTDSGTY QVAITINSEWTMKAKTEVQVAEKNKELPSTHLPTNAGILAATIIGSLAAGALLISCIAYL LVTRNWRGQSHRLPAPRGQGSLSILCSAVSPVPSVTPSTWMATTEKPELGPAHDAGDNNI YEVMPSPVLLVSPISDTRSINPARPLPTPPHLQAEPENHQYQQDLLNPDPAPYCQLVPTS

Important features of the protein:

Signal peptide:

Amino acids 1-32

Transmembrane domain:

Amino acids 159-178

N-glycosylation site:

Amino acids 104-108

N-myristoylation sites:

Amino acids 6-12;29-35;55-61;91-97;157-163;165-171

FIGURE 549

GCCACTCACACCATCTGCTAATGGGACAGCTCACTCTTCCCTCCAAACCATGGCCTTGGCTCA AGAGCTTCCTTGTTTCTGGAATGTTCTTTCCTCCAGCTCCAGGTGTTGAAATTCTGCCTGGTC ${\tt TGGGTCTCCTGTTGAAGGACGCCCTCCACTGGGAAGGATCCTCTTGCCTTCACCACTTGTCTT}$ GTGTTTGACACACATCTTCTCTCACCCTCTAACACAGTTCTCAACCACAGCACTTTTGTCCC CCAGATGGTAGGGAGATGCCAGGGGTGCTGCTCCACACCCTATGGGACACTGCACAGTACACC TGGCCTGTGTCCCCCACAGCGAGAGCTGGCCCTGGGCAGGCGTGTCCCTGCGGTGTGTTG GTTGGGATCCTCCACAGTGACAGACGGTGCGCTCTGCCCACGTTTCCACACAGCTCTTTTGCT TGTGGAGCTCACCCCTTTGCAGAGAGCTCATTTCCCTGCGGTCTTTGGCCTGCAGAAGTAAAA **TGA**GGGGTGGTGAATTACACCCCTGCTGGTTACACATGGAAAACTCAGGAGTGAGAATTTTGT GGAGAGCAAGAGAGGTGAGACTGGGGTGCTGCCTGCCAGCCGGTCCCTCAGCCCCTGGA CTCCCAGTCACCTTTCTCTCCAGTGCCACTACTGCGCTTTCGATGCAGAATAATTCAGTATTT GGCGACTTGAAGTCGGACGAGATGGAGCTGCTCTACTCAGCCTACGGAGATGAGACAGGCGTG CAGTGTGCGCTGAGCCTGCAGGAGTTTGTGAAGGATGCTGGGAGCTACAGCAAGAAAGTGGTG GACGACCTCCTGGACCAGATCACAGGCGGAGACCACTCTAGGACGCTCTTCCAGCTGAAGCAG AGAAGAAATGTTCCCATGAAGCCTCCAGATGAAGCCAAGGTTGGGGACACCCTAGGAGACAGC AGCAGCTCTGTTCTGGAGTTCATGTCGATGAAGTCCTATCCCGACGTTTCTGTGGATATCTCC ATGCTCAGCTCTCTGGGGAAGGTGAAGAAGGAGCTGGACCCTGACGACAGCCATTTGAACTTG GATGAGACGACGAAGCTCCTGCAGGACCTGCACGAAGCACAGGCGGAGCGCGGCGGCTCTCGG CCGTCGTCCAACCTCAGCTCCCTGTCCAACGCCTCCGAGAGGGACCAGCACCACCTGGGAAGC CCTTCTCGCCTGAGTGTCGGGGAGCAGCCAGACGTCACCCACGACCCCTATGAGTTTCTTCAG TCTCCAGAGCCTGCGGCCTCTGCCAAGACCTAACTCTAGACCACCTTCAGCTCTTTTATTTTA TTTTTTTAGTTTTATTTTGCACGTGTAGAGTTTTTGTCATCAGACAAGGACTTTGATCCTGTC CCCTTTGGCATGCGGGAAGCAGCCGCGGGGAGGTAATGAATTGTCTGTGGTATCATGTCAGCA GAGTCTCCAAGCCCCACGAACCCTGAGGAGTGGAGTCATACGCGAAGGCCATATGGCCATCGT GTCAGCAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGGAGTCATACACGAAG GGCGTGTGGCCATCGTGTCAGCAGAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGG AGTCATACGCGAAGGGTGTGTGGCCAGGCTGCAGAGCTGCGTGCCGTTTGTGTCCGAGCATCA TCGCTCTTGGGAGGCACAGGCATGGGTGTCTCTGCCTCATTCTGTATCAGTCCAGTGTGTTC CTGTCATAGTTTGTGTCTCCCAGGCAGGCCATGGTAGGGGCCCTCGCAGGGGCCCATTGGGGAGC ACAGGGCCAGGCTGGGGTGAGGAGACTCCCCTGTTTTCTGTTTAATTGATGAGCCTGGGAAA GGAGTGTTCTGCCTGCCCGTTACAGTGGAGCGTTCCGTGTCCATAAAACGTTTTCTAACTG

555/615

FIGURE 550

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119537
><subunit 1 of 1, 104 aa, 1 stop
><MW: 11136, pI: 8.20, NX(S/T): 0
MLAVSRGVLMVPLGLGVLLAPDGREMPGVLLHTLWDTAQYTWPVSPTARAGPGQAWSLRC
VLVGILHSDRRCALPTFPHSSFACGAHPFAESSFPCGLWPAEVK

Important features of the protein:

Signal peptide:

Amino acids 1-20

N-myristoylation sites:

Amino acids 53-59;64-70;97-103

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 74-85

FIGURE 551

GACCCTGGCCCTGGGTACCTTGCCTGCCTTCCTACCCTGTGAGCTCCACGCCCCACGGCCTGGTGAACTGCAACTG ${\tt GCTGTTCCTGAAGTCTGTGCCCCACTTCTCCATGGCAGCACCCCGTGGCAATGTCACCAGCCTTTCCTTGTCCTC}$ ${\tt CAACCGCATCCACCTCCATGATTCTGACTTTGCCCACCTGCCCAGCCTGCGGCATCTCAACCTCAAGTGGAA}$ CTGCCCGCCGGTTGGCCTCAGCCCCATGCACTTCCCCTGCCACATGACCATCGAGCCCAGCACCTTCTTGGCTGT GCCCACCCTGGAAGAGCTAAACCTGAGCTACAACAACATCATGACTGTGCCTGCGCTGCCCAAATCCCTCATATC CCTGTCCCTCAGCCATACCAACATCCTGATGCTAGACTCTGCCAGCCTCGCCGGCCTGCATGCCCTGCGCTTCCT CCTGGGCAGCCTCACCCACCTGTCACTCAAGTACAACCACCTGCTGTGGTGCCCCGCAACCTGCCTTCCAGCCT GGAGTATCTGCTGTTGTCCTACAACCGCATCGTCAAACTGGCGCCTGAGGACCTGGCCAATCTGACCGCCCTGCG TGTGCTCGATGTGGGCGGAAATTGCCGCCGCTGCGACCACGCTCCCAACCCCTGCATGGAGTGCCCTCGTCACTT ATGCATCACTAAAACCAAGGCCCTCCAGGGCCTAACACAGCTGCGCAAGCTTAACCTGTCCTTCAATTACCAAAA CGGCATCTTCTTCCGCTCACTCGATGAGACCACGCTCCGGCCACTGGCCCGCCTGCCCATGCTCCAGACTCTGCG ${\tt TCTGCAGATGAACTTCATCAACCAGGCCCAGCTCGGCATCTTCAGGGCCTTCCCTGGCCTACGTGGACCT}$ GTCGGACAACCGCATCAGCGGAGCTTCGGAGCTGACAGCCACCATGGGGGGAGGCAGATGGAGGGGAGAAGGTCTG GCTGCAGCCTGGGGACCTTGCTCCGGCCCCAGTGGACACTCCCAGCTCTGAAGACTTCAGGCCCAACTGCAGCAC CCTCAACTTCACCTTGGATCTGTCACGGAACAACCTGGTGACCGTGCAGCCGGAGATGTTTGCCCAGCTCTCGCA ${\tt TCTGCAGGTGCTAGACCTGTCCCACAATAAGCTGGACCTCTACCACGAGCACTCATTCACGGAGCTACCACGACT}$ GGAGGCCCTGGACCTCAGCTACAACAGCCCAGCCCTTTGGCATGCAGGGCCTGGGCCACAACTTCAGCTTCGTGGC TCACCTGCGCACCCTGCGCCACCTCAGCCTGGCCCACAACAACACCACCACAGCCAAGTGTCCCAGCAGCTCTGCAG ${\tt TACGTCGCTGCGGCCCTGGACTTCAGCGGCAATGCACTGGGCCATATGTGGGCCGAGGGAGACCTCTATCTGCA}$ CCTGCGCAACCTCCCCAAGAGCCTACAGGTGCTGCGTCTCCGTGACAATTACCTGGCCTTCTTTAAGTGGTGGAG CCTCCACTTCCTGCCCAAACTGGAAGTCCTCGACCTGGCAGGAAACCAGCTGAAGGCCCTGACCAATGGCAGCCT ${\tt GCCTGCTGGCACCCGGCTCCGGAGGCTGGATGTCAGCTGCAACAGCATCAGCTTCGTGGCCCCCGGCTTCTTTTC}$ CAAGGCCAAGGAGCTGCGAGAGCTCAACCTTAGCGCCAACGCCCTCAAGACAGTGGACCACTCCTGGTTTGGGCC ${\tt CCTGGCGAGTGCCCTGCAAATACTAGATGTAAGCGCCAACCCTCTGCACTGCGCCTGTGGGGGCGGCCTTTATGGA}$ $\tt CTTCCTGCTGGAGGTGCAGGCTGCCGGTCTGCCCAGCCGGGTGAAGTGTGGCAGTCCGGGCCAGCTCCA$ GGGCCTCAGCATCTTTGCACAGGACCTGCGCCTCTGCCTGGATGAGGCCCTCTCCTGGGACTGTTTCGCCCTCTC GCTGCTGGCTGTGGCCTGGGCCTGGGTGTGCCCATGCTGCATCACCTCTGTGGCTGGGACCTCTGGTACTGCTT $\tt CTTCGTGGTCTTCGACAAAACGCAGAGCGCAGTGGCAGACTGGGTGTACAACGAGCTTCGGGGGCAGCTGGAGGA$ GTGCCGTGGGCGCTGGGCACTCCGCCTGTGCCTGGAGGAACGCGACTGGCTGCCTGGCAAAACCCTCTTTGAGAA CCTGTGGGCCTCGGTCTATGGCAGCCGCAAGACGCTGTTTGTGCTGGCCCACACGGACCGGGTCAGTGGTCTCTT GCGCGCCAGCTTCCTGCTGGCCCAGCAGCGCCTGCTGGAGGACCGCAAGGACGTCGTGGTGCTGGTGATCCTGAG CCAGCCCAGTGGTCAGCGCAGCTTCTGGGCCCAGCTGGCCATGGCCCTGACCAGGGACAACCACCACTTCTATAA CCGGAACTTCTGCCAGGGACCCACGGCCGAA<u>TAG</u>CCGTGAGCCGGAATCCTGCACGGTGCCACCTC

557/615

FIGURE 552

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119714

><subunit 1 of 1, 1032 aa, 1 stop

><MW: 115799, pI: 8.61, NX(S/T): 12

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAA PRGNVTSLSLSSNRIHHLHDSDFAHLPSLRHLNLKWNCPPVGLSPMHFPCHMTIEPSTFL AVPTLEELNLSYNNIMTVPALPKSLISLSLSHTNILMLDSASLAGLHALRFLFMDGNCYY KNPCRQALEVAPGALLGLGSLTHLSLKYNNLTVVPRNLPSSLEYLLLSYNRIVKLAPEDL ANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTFSHLSRLEGLVLKDSSLSWLN ASWFRGLGNLRVLDLSENFLYKCITKTKALQGLTQLRKLNLSFNYQKRVSFAHLSLAPSF GSLVALKELDMHGIFFRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYV DLSDNRISGASELTATMGEADGGEKVWLQPGDLAPAPVDTPSSEDFRPNCSTLNFTLDLS RNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQVLDLSHNKLDLYHEHS FTELPRLEALDLSYNSQPFGMQGVGHNFSFVAHLRTLRHLSLAHNNIHSQVSQQLCSTSL RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDLSQNRLHTLLPQTLRNLPKSLQVLRL RDNYLAFFKWWSLHFLPKLEVLDLAGNQLKALTNGSLPAGTRLRRLDVSCNSISFVAPGF FSKAKELRELNLSANALKTVDHSWFGPLASALQILDVSANPLHCACGAAFMDFLLEVQAA VPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLAVALGLGVPMLHHLCG WDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDKTQSAVADWVYNELRGQLEECRG RWALRLCLEERDWLPGKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLE DRKDVVVLVILSPDGRRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHHF YNRNFCQGPTAE

Important features of the protein:

Signal peptide:

Amino acids 1-30

Transmembrane domain:

Amino acids 818-835

N-glycosylation sites:

Amino acids 64-68;129-133;210-214;242-246;300-304;340-344; 469-473;474-477;513-517;567-571;694-698;731-735

cAMP- and cGMP-dependent protein kinase phosphorylation site: Amino acids 347-351

Tyrosine kinase phosphorylation site:

Amino acids 863-871

N-myristoylation sites:

Amino acids 27-33;41-47;63-69;193-199;361-367;409-415; 563-569;607-613;695-701;794-800;929-935;945-951; 1010-1016

Amidation site:

Amino Acids 974-978

Leucine zipper patterns:

Amino acids 204-226;644-666;814-836

FIGURE 553

GGCGTGGGACGTGCTGCGGCTCCTAGCTGGCTTACAGGGCGGCGGGGGGTGTGTCCTCT GTTAAGAGTGCTACTCGCCCGGGGTTGATCTGTGCATGCCACTCCTGGGTCAGACGGTGAGGT CGGCGTCTGCGAGGACGCGGCGCGGTGGAGTAGAAGGGCAGCCGGAGACAGGCCCGGCGCCCCTT CCGAGGCTAGACGGCCCCAGCTTCGCGGGGATC<u>ATG</u>GCATTGCTGGTGGACCGAGTGCGGGGC CACTGGCGAATCGCCGCCGGGCTCCTGTTCAACCTGCTGGTGTCCATCTGCATTGTGTTCCTC AACAAATGGATTTATGTGTACCACGGCTTCCCCAACATGAGCCTGACCCTGGTGCACTTCGTG GTCACCTGGCTGGGCTTGTATATCTGCCAGAAGCTGGACATCTTTGCCCCCAAAAGTCTGCCG $\tt CCCTCCAGGCTCCTCCTGGCCCTCAGCTTCTGTGGCTTTGTGGTCTTCACTAACCTTTCT$ CTGCAGAACAACACCATAGGCACCTATCAGCTGGCCAAGGCCATGACCACGCCGGTGATCATA GCCATCCAGACCTTCTGCTACCAGAAAACCTTCTCCACCAGAATCCAGCTCACGCTGATTCCT ATAACTTTAGGTGTAATCCTAAATTCTTATTACGATGTGAAGTTTAATTTCCTTGGAATGGTG TTTGCTGCTCTTGGTGTTTTAGTTACATCCCTTTATCAAGTGTGGGGTAGGAGCCAAACAGCAT GAATTACAAGTGAACTCAATGCAGCTGCTGTACTACCAGGCTCCGATGTCATCTGCCATGTTG CTGGTTGCTGTGCCCTTCTTTGAGCCAGTGTTTTGGAGAAGGAGGAATATTTTGGTCCCTGGTCA GTTTCTGCTTTGCTTATGGTGCTGCTATCTGGAGTAATAGCTTTCATGGTGAACTTATCAATT TATTGGATCATTGGGAACACTTCACCTGTCACCTATAACATGTTCGGACACTTCAAGTTCTGC ATTACTTTATTCGGAGGATATGTTTTATTTAAGGATCCACTGTCCATTAATCAGGCCCTTGGC AGTAGGAGTAAACTGGCACAACGTCCT**TAA**TTGGGTTTTTTGTGGAGAAAAGAATGTTGTCCCA AGAAGATAAAAATATTGTTAAGTGTGCAAGTTATTA

559/615

FIGURE 554

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA125170

><subunit 1 of 1, 313 aa, 1 stop ><MW: 35066, pI: 9.39, NX(S/T): 5

MALLVDRVRGHWRIAAGLLFNLLVSICIVFLNKWIYVYHGFPNMSLTLVHFVVTWLGLYI CQKLDIFAPKSLPPSRLLLLALSFCGFVVFTNLSLQNNTIGTYQLAKAMTTPVIIAIQTF CYQKTFSTRIQLTLIPITLGVILNSYYDVKFNFLGMVFAALGVLVTSLYQVWVGAKQHEL QVNŞMQLLYYQAPMSSAMLLVAVPFFEPVFGEGGIFGPWSVSALLMVLLSGVIAFMVNLS IYWIIGNTSPVTYNMFGHFKFCITLFGGYVLFKDPLSINQALGILCTLFGILAYTHFKLS EQEGSRSKLAQRP

Important features of the protein: Signal peptide:

Amino acids 1-27

Transmembrane domains:

Amino acids 46-60;75-90;153-167;192-208;221-237

N-glycosylation sites:

Amino acids 43-47;92-96;97-101;238-242

N-myristoylation sites:

Amino acids 17-23;57-63;140-146;155-161;162-168;283-289

FIGURE 555

GTTAGGCAGAGCCAAGGTGGTTGCAGACCTGGAATCAGAACAGCTTTTAGACCAACCTGAAAG CAGGAATGTAAGCACTGTTCACAGAGATTTTCGTCTTTTGGCTTATTGTGCCTGCAGAGTCTAG GCTGGGCCATGTTTTGATTGACAGTGTGGAGCTAGCCCAGCAAGTACTCTACATGCAACCCCC CACCCAGGCACTACCTCTGCTCCTCCTCCATGGCCTCCTGCTACACCGGCAGCTCTATGGAAC AAGGCTGCAGGCACACAGGGGGCGCTGGAGTCAAGTGACTCTAACCCAGGTTCTTCAGACCCA TTTCTACGGGGGTCCTCTGGGGGACACTGAGGACAGGGCGCCCTGATTAGCCTCACAAGC CTGCCTGAGCCCCAGTAGTGGGAGCTGGGTCCAGCCACACACCCTCAGTCTTTGCTGGCCAC GCTCATGCCCCTCCCAGCTAAGGGAGCTGGATGCAATGGCAGAGTGCAAGGCCCAGATGCACC TGCGACGCCAGAGTCGCGCTCTCTTGAGTGCGCTGCAGCGGAGTTCACCCGTGTGGGTTCCTG AGTCTCGAAGAGGCGCCCAGCTTGCGGAAAGGCGACTGCGGCAACGCCTAGTGCAAGTCAACCG GAGGCTGGAGTCACTGCAGGATCTGCTGACCCACGTGATTCGCCAAGACGAGTCCGACGCCCC GTGGTCAGTGCTGGGGCCAAATGCACGGCGGCCTCTGGAGGGCGTCTTAGAGACCGAGGCTCT AGAACTGAGCCAGTTGGTGGGCACGCTACAACGCGACCTTGATTGCCTGTTGCAGCAGCTGAA GGGCGCACCCCGTGCCCTCCCGCCGCTGTGCTGCGGTGGCCCACGCTCTCTGGACTGGCCG CCTACCCTTGCCTTGGCGACCTCATGCGCCGGCCGGTCCGCAGCCGCCCTGGCACTGGCTGCG ACAGTTGTCGCGCCGTGGGCAACTGTTGGTTCGTTACTTGGGCGTGGGCGCGGACGCGAGCAG TGATGTACCAGAGCGCGTCTTCCACCTGTCAGCCTTTCGCCACCCGCGCCGCCTGCTGCTGGC ATTGCGTGGGGAAGCTGCCCTGGACCAGAATGTGCCCAGCTCGAATTTCCCTGGTAGCCGAGG CTCGGTCTCCAGTCAGCTCCAGTATAAACGTCTGGAGATGAACAGCAACCCTCTGCACTTCAG GGTGGAGAATGGTCCAAATCCCACGGTTCCAGAGAGAGGGCTGCTGCTGATCGGGCTACAGGT CCTACATGCGGAGTGGGACCCAATAGCTGGAGCCTTGCAGGACAGTCCTTCCAGCCAACCCAG CCCTCTGCCTCCGTCAGCATCAGCACACAGGCCCCGGGCACCAGTGACCTGCCAGCCCCAGC CGACCTGACTGTGTACTCGTGTCCTGTGTACATGGGAGGGCCCCTTGGCACCGCTAAGCTGCA GAGCAGGAACATCGTGATGCATCTGCCTTTACCCACCAAGCTCACCCCCAACACCTGTGTCCA AAGGAGGGTCCATGTGTGCAGCCCACCCCTGTCTTGAGCCCGTCTACCAAAATAAAGTTGTAG **TGATTCCA**

561/615

FIGURE 556

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129594
><subunit 1 of 1, 162 aa, 1 stop
><MW: 17598, pI: 6.58, NX(S/T): 1
MPVFWNQSLELGHVLIDSVELAQQVLYMQPPTQALPLLLHGLLLHRQLYGTRLQAHRGR
WSQVTLTQVLQTQDQLWASLSNPRAAMQELAASVFYGGPLGDTEDREALISLTQACLSPS
SGSWVQPHTPQSLLATLMPLPAKGAGCNGRVQGPDAPTALTT

Important features of the protein:

Signal peptide:

Amino acids 1-45

N-glycosylation site:

Amino acids 6-10

N-myristoylation sites:

Amino acids 97-103;144-150

FIGURE 557

GACCTTGAGCCCTCGAAAGCGAC<u>ATG</u>GCGGTTCTCTTAAAGCTGGGCGTTCTCTGCAGTGGCC AAGGAGCTCGAGCTCTCCTACTCCGAAGCCGGGTGGTCAGACCCGCTTATGTGTCAGCATTTC TCCAGGACCAGCCTACCCAAGGACGTGTGGTACCCAGCACATTCACCTGTCACCAAGCCACC ACTCTGGTTCCAAGGCTGCATCTCTCCACTGGACCAGTGAGAGGGTTGTCAGTGTTCTGCTCT TGGGGCTGATCCCTGCTGGGTACTTGAATCCCTGCTCTGTGGTGGACTACTCTCTGGCTGCAG CCCTCACCCTGCACAGTCACTGGGGCCTTGGACAAGTGGTTACCGACTACGTTCATGGGGACA ${\tt CCCTGCCGAAGGCTGCCAGGGCAGGCCTCTTGGCACTCTCAGCTTTGACCTTTGCTGGGCTTTGC}$ TACTTCAATTACCACGATGTCGGCATCTGCAGAGCGGTTGCCATGCTGTGGAAGCTCTGACCT GGGTGCAGCACTTTGATTGTGTGCCTCCTTGCCTCTGCTTTACCAATGCCGTTCACCTCGCAG TGAGGGGGGATGAAGGATAAGCCCATTGGTGGGCAGAATGTCTTCTAATTACATGGTTATTTT CAGAATTTATTTGTTGAGGAAGAGGTTTGAGGAGTTAGGTTCGACCATTCGTGAGTCTGTGTT CCATACTCCACTGAGTGTGGGCACTAGCTCACAGCCTCGCGGTGAGACTGAACATTTCATGAG CTCATGTTGCCTTTGACCACCATTTCTTAAGGAGAGCCAGCTGATTGCTGTCAGGATAAGAGC ATCTCTTCAGCCAGGAGGGGGCCTGTTCCCTCCTGAGTTAGACTTTGCATGAAGCTCGAAAG \cdot TATTCCCTTTGGAACCTCCCATTCTTGTTCAGGTGACACCAGCTCTGTTGATGGCTCTGCTTC TGACAGATTGCAAACAGACTACTCTTCAAATGTATCTCAATTGTGCAGAAGTGAGCTGTCCAA TACTCTGAAAAAACAAGGGGG

FIGURE 558

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129793
><subunit 1 of 1, 159 aa, 1 stop
><MW: 17014, pI: 9.38, NX(S/T): 0
MAVLLKLGVLCSGQGARALLLRSRVVRPAYVSAFLQDQPTQGRCGTQHIHLSPSHHSGSK
AASLHWTSERVVSVLLLGLIPAGYLNPCSVVDYSLAAALTLHSHWGLGQVVTDYVHGDTL
PKAARAGLLALSALTFAGLCYFNYHDVGICRAVAMLWKL

Important features of the protein: Signal peptide:

Amino acids 1-15

Transmembrane domains:

Amino acids 71-88;126-140

Glycosaminoglycan attachment site:

Amino acids 12-16

N-myristoylation sites

Amino acids 8-14;58-64;78-84;108-114;148-154

FIGURE 559

CCCAGCCCGCGTTCGGCTGCTCTCGAGGAGGCCGGAGTCCCCGGAGACGATGCGCCCCGCGC AGCCGCCTGCGCGGGAGCCGGCTGCCCTTGAGATGGAGTTGCTGCCTCTTTGGCTCTGC CTGGGTTTTCACTTCCTGACCGTGGGCTGGAGGAACAGAAGCGGAACAGCCACAGCAGCCTCC CAAGGAGTCTGCAAGTTGGTGGGTGGAGCCGCTGACTGCCGAGGGCAGAGCCTCGCTTCGGTG CCCAGCAGCCTCCCGCCCCACGCCCGGATGCTCACCCTGGATGCCAACCCTCTCAAGACCCTG TGGAATCACTCCCTCCAGCCTTACCCTCTCCTGGAGAGCCTCAGCCTGCACAGCTGCCACCTG GAGCGCATCAGCCGCGCGCCTTCCAGGAGCAAGGTCACCTGCGCAGCCTGGTCCTGGGGGGAC AACTGCCTCTCAGAGAACTACGAAGAGACGCCGCCCTCCACGCCCTGCCGGGCCTGCGG AGGCTGGACTTGTCAGGAAACGCCCTGACGGAGGACATGGCAGCGCTCATGCTCCAGAACCTC TCCTCGCTGCGGTCCGTGTCCCTGGCGGGGAACACCATCATGCGGCTGGACGACTCCGTCTTC GAGGGCCTGGAGCGTCTCCGGGAGCTGGATCTGCAGAGGAACTACATCTTCGAGATCGAGGGC GGCGCTTTCGACGGCCTGGCTGAGCTGAGCCCTCAACCTGGCCTTCAACAACCTCCCCTGC ATCGTGGACTTCGGGCTCACGCGGCTGCGGGTCCTCAACGTCAGCTACAACGTCCTGGAGTGG TTCCTCGCGACCGGGGGAGAGGCTGCCTTCGAGCTGGAGACGCTGGACCTGTCTCACAACCAG CTGCTGTTCTTCCCGCTGCTGCCCCAGTACAGCAAGTTGCGGACCCTCCTGCTGCGCGACAAC AACATGGGCTTCTACCGGGACCTGTACAACACCTCGTCGCCGAGGGAGATGGTGGCCCAGTTC CTCCTCGTGGACGCAACGTGACCAACATCACCACCGTCAGCCTCTGGGAAGAATTCTCCTCC AGCGACCTCGCAGATCTCCGCTTCCTGGACATGAGCCAGAACCAGTTCCAGTACCTGCCAGAC GGCTTCCTGAGGAAAATGCCTTCCCTCTCCCACCTGAACCTCCACCAGAATTGCCTGATGACG CTTCACATTCGGGAGCACGAGCCCCCGGAGCGCTCACCGAGCTGGACCTGAGCCACAACCAG CTGAGCTCCAACCAGCTCCTGGGCGTCCCCCTGGCCTCTTCGCCAATGCTAGGAACATCACTAC ACTTGACATGAGCCACAATCAGATCTCACTTTGTCCCCTGCCAGCTGCCTCGGACCGGGTGGG CCCCCTAGCTGTGTGGATTTCAGGAATATGGCATCTTTAAGGAGCCTGTCTCTGGAGGGCTG TGGCCTGGGGGCATTGCCAGACTGCCCATTCCAAGGGACCTCCCTGACCTACTTAGACCTCTC AAGCAACTGGGGGGTTCTGAATGGGAGCCTCGCCCCACTCCAGGATGTTGCCCCCATGTTACA GGTCCTGTCTCAGGAACATGGGCCTCCACTCCAGCTTTATGGCGTTGGACTTCTCTGGGTT TGGGAATCTCAGGGACTTAGATCTGTCGGGGAATTGCTTGACCACCTTCCCAAGGTTTGGGGG CAGCCTGGCCCTGGAGCCCTGGATCTCCGTAGAAACTCGCTCACAGCCCTTCCCCAGAAGGC $\mathtt{CTGTGGGGTGGATGGCTGGGGGGCCCTGCAGCATGGGCAGACGGTGGCCGACTGGGCCATGGT$ CACCTGCAACCTCTCCTCCAAGATCATCCGCGTGACGGAGCTGCCCGGAGGTGTGCCTCGGGA ${\tt CAAGAGCCGCTGCCACTGGTCCTCCGTTTAC} \textbf{TGA} {\tt CCTGGCTGTGTGCCAAGACTCGAAATTCG}$ GTCCGCACACAGGGCCCTTTCTCTCCCAGCTTTCAAGATGTGATGCAGAGGCCAAGTCTG ACGAATTGAAGTTTCAATTAAAATTTAATATGTTTCCATTCCTCATCGCCCACCCCACCCCCG CCCCCACCACCCCCAAGTTCTTTTTCCATCATTATAATTCATCCTTATTATCTTGGTAAAAT ATTTATTAAGTGACTTTTTCAGAAATAAAAGGCAACGTGTCTCATAAATATTTTTTTAAAAAAA AAAAAAAAAAA

565/615

FIGURE 560

><subunit 1 of 1, 692 aa, 1 stop ><MW: 76366, pI: 6.07, NX(S/T): 11

MELLPLWLCLGFHFLTVGWRNRSGTATAASQGVCKLVGGAADCRGQSLASVPSSLPPHAR MLTLDANPLKTLWNHSLQPYPLLESLSLHSCHLERISRGAFQEQGHLRSLVLGDNCLSEN YEETAAALHALPGLRRLDLSGNALTEDMAALMLQNLSSLRSVSLAGNTIMRLDDSVFEGL ERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRLRVLNVSYNVLEW ${\tt FLATGGEAAFELETLDLSHNQLLFFPLLPQYSKLRTLLLRDNNMGFYRDLYNTSSPREMV}$ AQFLLVDGNVTNITTVSLWEEFSSSDLADLRFLDMSQNQFQYLPDGFLRKMPSLSHLNLH QNCLMTLHIREHEPPGALTELDLSHNQLSELHLAPGLASCLGSLRLFNLSSNQLLGVPPG LFANARNITTLDMSHNQISLCPLPAASDRVGPPSCVDFRNMASLRSLSLEGCGLGALPDC ${\tt PFQGTSLTYLDLSSNWGVLNGSLAPLQDVAPMLQVLSLRNMGLHSSFMALDFSGFGNLRD}$ $\verb|LDLSGNCLTTFPRFGGSLALETLDLRRNSLTALPQKAVSEQLSRGLRTIYLSQNPYDCCG|$ VDGWGALQHGQTVADWAMVTCNLSSKIIRVTELPGGVPRDCKWERLDLGLLYLVLILPSC LTLLVACTVIVLTFKKPLLQVIKSRCHWSSVY

Important features of the protein:

Signal peptide:

Amino acids 1-18

Transmembrane domain:

Amino acids 651-672

N-glycosylation sites:

Amino acids 21-25;74-78;155-159;232-236;292-296;309-313;

312-316;408-414;427-431;500-504;622-626

Glycosaminoglycan attachment site:

Amino acids 533-537

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 566-570

N-myristoylation sites:

Amino acids 24-30;39-45;45-51;141-147;199-205;245-251;

308-314;396-402;416-422;420-426;471-477;

484-490; 497-503; 522-528; 545-551; 555-561; 610-616

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 657-668

Leucine zipper patterns:

Amino acids 48-70;492-514

FIGURE 561

TGGCCTACTGGAAAAAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCGCGGTGGCCACAAC**AT** CCAGTCGGATCTCAGCCACGGACGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTG CAGCATGTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGT GAATTTTAAAAAAGGTGACGATGTATATGTCTACTACAAACTGGCAGGGGGATCCCTTGAACT TTGGGCTGGAAGTGTTGAACACAGTTTTGGATATTTTCCAAAAGATTTGATCAAGGTACTTCA AGGAAGAGATGATTTTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAACTGGAGGA CTCTGTACCTGAAGAGTCGAAGAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGA GGAGTCTCGGGGGCGTGAACTTGACCCTGTGCCTGAGCCCGAGGCATTCAGAGCTGATTCAGA GGATGGAGAGGTGCTTTCTCAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGA GAGCCACCCTCACACCAGCGGTCCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACAC TTTTGAAGAAATTCTGCACGATAAATTGAAAGTGCCGGGAAGCGAAAGCAGAACTGGCAATAG TTCTCCTGCCTCGGTGGAGCGGGAGAAGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAG TCAGAGAGGAAGTGGACAGTGCGTTATTCATTACAGCAAAGGATTTCGTTGGCATCAAAATCT AAGTTTGTTTTACAAAGATTGTTTT<u>TAG</u>TACTAAGCTGCCTTGGCAGTTTGCATTTTTGAGCC

FIGURE 562

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131639

><subunit 1 of 1, 303 aa, 1 stop

><MW: 33900, pI: 4.81, NX(S/T): 2

MAAAPGLLFWLFVLGALWWVPGQSDLSHGRRFSDLKVCGDEECSMLMYRGKALEDFTGPD CRFVNFKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEEELHIPADET DFVCFEGGRDDFNSYNVEELLGSLELEDSVPEESKKAEEVSQHREKSPEESRGRELDPVP EPEAFRADSEDGEGAFSESTEGLQGQPSAQESHPHTSGPAANAQGVQSSLDTFEEILHDK LKVPGSESRTGNSSPASVEREKTDAYKVLKTEMSQRGSGQCVIHYSKGFRWHQNLSLFYK DCF

Important features of the protein:

Signal peptide:

Amino acids 1-22

N-glycosylation site:

Amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 67-76

N-myristoylation sites:

Amino acids 205-211;225-231;277-283

Amidation site:

Amino acids 28-32

FIGURE 563

PCT/US01/06520 WO 01/68848

569/615

FIGURE 564

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131649 ><subunit 1 of 1, 153 aa, 1 stop ><MW: 17603, pI: 7.42, NX(S/T): 0 MGLGQPQAWLLGLPTAVVYGSLALFTTILHNVFLLYYVDTFVSVYKINKMAFWVGETVFL LWNSLNDPLFGWLSDRQFLSSQPRLCGEELLVGSEEADSITLGRYLRQLARHRNFLWFVS MDLVQVQWLTPVIPALRDAKVERPLEPRSSRLQ

Important features of the protein:

Signal peptide:

Amino acids

1-20

N-myristoylation sites:

Amino acids 4-10;12-18;93-99

Leucine zipper pattern:

Amino acids

102-124

570/615

FIGURE 565

FIGURE 566

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131652 ><subunit 1 of 1, 89 aa, 1 stop ><MW: 9688, pI: 11.49, NX(S/T): 0 MHSALATALLLLIPLLLRRFFDGSALREGGSREKPGPSRRRWAGHSPEPWRSPTLRSGP GFPSYPLGVPAFVFISPGPSPSQWALPCL

Important features of the protein: Signal peptide:

Amino acids 1-18

Glycosaminoglycan attachment site:

Amino acids 58-62

572/615

FIGURE 567

573/615

FIGURE 568

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131658
><subunit 1 of 1, 164 aa, 1 stop
><MW: 18903, pI: 11.08, NX(S/T): 1
MAAVGSLLGLAASSWLGGQNASDHSLWLLRKPRGSSCPGTGHQLCRLRQSTVKATGPALR
RLHTSSWRADSSRASLTRVHRQAYARLYPVLLVKQDGSTIHIRYREPRRMLAMPIDLDTL
SPEERRARLRKREAQLQSRKEYEQELSDDLHVERYRQFWTRTKK

Important features of the protein:

Signal peptide:

Amino acids 1-18

N-glycosylation site:

Amino acids 20-24

N-myristoylation sites:

Amino acids 5-11;9-15;17-23;18-24

FIGURE 569

GGTGCCAAGGGTTCGGGGGGGGGCACTGAGGCTTTAGCAGCTCTCCTGTATCCTCATTTGCAT GGAGCCCTCCCACACCTTGCTCTGTGTGCCTCTCATTCTGATTTGAATTCTTATTTTGCTATA TGATGAAGCTGTAATCCTAAGTTTAAAAAGGGGAGTAGGTATTGACATCATGGTAGAAATAGG CTGTCTTATGGAACTGTAGTTAGGGATCACAGCCTATTGGACCAGCCCCAGCCTTAGCAGCAG TTCTGTACACTGATTCTTCCAGATTAGTCTACGTTCCCTCGAACAGACCTATGCCATGGGTTA CAACTACAATTTGTTGTCGATTAGAGTTAACTTACAGACTCTCAAAACCCCATTCTTTGGGTT TAGGCAACTTCCAGAAGTAGTCATTTATTTGAATTTTAGTCTAAGATCAACTGAATTAGGGAG GTTTGAAAGTGTAAAAGCAAATCGTACATTCCCAAACACTTTGTAAAGAAGGAATGGGTAGTG **ATC**CCCACGAGCTCAGCTGTCCTGCTCCGTGTCCTCCATACCCTTGTTGACTGTGCTCATA TTAGCCAGAGACCTAAGTGCTCTTGGAGGATGTCCCTGGGGCCCCCTCCCCCTCCGCTGTĆAC TGTCTACTTCCTGATCCTCTCTTCTGTGCAGGAGAGGTCCAGGCCTTCTATGAGGACCTGAGT GGCCGCAGTACGTGAATGAAGTCTTCAACTTCAGCGTGGACAAGCTCTATGACCTCCTCTTC ACCAACTCGCCCTTCCAGCGGGATTTCATGGAGCAGCGGCGCTTCTCTGATATCATCTTCCAT CCATGGAAAAAGGAGGAGAATGGAAACCAGAGCCGAGTGATTCTTTACACCATCACCCTTACC AACCCTCTGGCTCCCAAAACTGCCACTGTCAGGGAGACACAGACCATGTACAAGGCGAGCCAG GAGAGTGAATGTTACGTGATAGATGCCGAAGTCCTCACCCACGACGTGCCCTACCACGACTAC TTCTACACAATCAATCGCTACACGCTCACCCGTGTGGCTCGGAACAAGAGCCGACTCAGGGTC TCCACAGAGCTGCGCTATCGAAAACAGCCCTGGGGGTTAGTGAAAACGTTCATCGAGAAGAAC ACTTATTTGGCTGAGATGCACAGACAATCTCCCAAAGAGAAGGCCAGCAAGACTACAACGGTG CGGAGGAGGAAGCGTCCCCATGCCCACCTGCGAGTCCCTCACCTGGAAGAGGTGATGAGCCCG GTCACCACGCCCACAGATGAGGATGTGGGCCACAGGATCAAACATGTGGCAGGTTCCACACAG ACGCGGCATATCCCGGAGGACACCCCCAACGGTTTCCACCTGCAGAGCGTGTCCAAGCTGCTG CTGGTTATCAGCTGTGTTCTGGTGCTGGTCATCCTTAACATGATGCTCTTCTACAAACTC TGGATGTTGGAATACACCACGCAGACCCTCACTGCCTGGCAGGGTCTAAGGCTCCAAGAAAGG TTACCCCAGTCTCAGACAGAATGGGCCCAGCTCTTAGAGTCCCAACAAAAGTACCACGATACT GAGCTCCAAAAATGGAGGGAAATCATCAAATCCTCAGTGATGCTCCTTGACCAGATGAAGGAC TCGCTCATCAACCTTCAGAACGGCATCAGGTCCCGCGACTACACGTCGGAAAGTGAAGAAAAG AGGAATCGCTATCAT**TGA**CAAGGCAGGAACAGGGTGGCTGCAAGAGGCCTGTGCAATACATGT ATATACAGATTTTAAAAAAAGAGATAATGCCTATGTACCAGGGAGAGGAGCGGGCCCTCCCGC GCCCTGTGCTGGCCGGAGCAGCGTTTTCTTATGGTGGAGCAGCTGAGGAGGGCAGGAACCGCC TCTCAGCACCGACCTCCCTGATCTCCCTCCCCACCCTCTGTTCCCCACCCCTTCCCTTGC TGGCCATTCTTGGCTTTTAGAAGGGAAATGTTGAGCCAAAGTTATGCCTGCGAAGACCCTAAG GTCTCAAAAAGAAGTCTTAAGACGGCATTGCTTAAGGTGCTTCATTCCCTAATCCCCTTTTGA

575/615

FIGURE 570

><subunit 1 of 1, 425 aa, 1 stop ><MW: 49786, pI: 8.84, NX(S/T): 3

MPTSSAVLLRVLSIPLLTVLILARDLSALGGCPWGPLPLRCHCLLPDPLFCAGEVQAFYE DLSGRQYVNEVFNFSVDKLYDLLFTNSPFQRDFMEQRRFSDIIFHPWKKEENGNQSRVIL YTITLTNPLAPKTATVRETQTMYKASQESECYVIDAEVLTHDVPYHDYFYTINRYTLTRV ARNKSRLRVSTELRYRKQPWGLVKTFIEKNFWSGLEDYFRHLESELAKTESTYLAEMHRQ SPKEKASKTTTVRRRKRPHAHLRVPHLEEVMSPVTTPTDEDVGHRIKHVAGSTQTRHIPE DTPNGFHLQSVSKLLLVISCVLVLLVILNMMLFYKLWMLEYTTQTLTAWQGLRLQERLPQ SQTEWAQLLESQQKYHDTELQKWREIIKSSVMLLDQMKDSLINLQNGIRSRDYTSESEEK RNRYH

Important features of the protein:

Signal peptide:

Amino acids 1-28

Transmembrane domain:

Amino acids 312-334

N-glycosylation sites:

Amino acids 73-77;114-118;183-187

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 97-101

Tyrosine kinase phosphorylation sites:

Amino acids 144-153;188-196

N-myristoylation sites:

Amino acids 201-207;291-297

Leucine zipper pattern:

325-347

FIGURE 571

GTAGAGAGTGAAGCAGCAAGACTGCAGAGCCTCATCAAGAAGTGTGGAGTGAAGGGAAGGCTTCAGATGGACAAT TTGTGTGCTGGGGAAAAAATGGAATGTGCTGCAAATTCCCCTGTGGATAAGGGTGGACGGCTGCTCTGTCAACTT TGACCATTTTCAGATTCTGCGGGCCATTGGTAAAGGGAGTTTTGGAAAGGTATGCATCGTGCAGAAGCGAGACAC TAAGAAAATGTATGCA**ATG**AAGTACATGAACAAGCAGAAGTGCATCGAGAGGGATGAGGTTCGGAATGTTTTCCG GGAGCTGCAGATCATGCAAGGGCTGGAGCACCCCTTCCTGGTCAATCTGTGGTACTCCTTCCAGGATGAGGAGGA CATGTTCATGGTGGTGGACCTGCTCCTGGGAGGCGACCTGCGCTACCATCTGCAGCAGAATGTGCATTTCACAGA GGGGACTGTGAAACTCTACATCTGTGAGCTGGCACTGGCCCTGGAGTATCTTCAGAGGTACCACATCATCCACAG AGACATCAAGCCAGACAATATCCTGCTGGATGAACACGGACATGTTCACATTACAGACTTCAACATAGCGACGGT AGTGAAAGGACAGAAAGGGCTTCCTCCATGGCTGGCACCAAGCCCTACATGGCTCCAGAAGTATTCCAGGTGTA CATGGACAGAGGCCCCGGATACTCGTACCCTGTCGACTGGTGGTCCCTGGGCATCACAGCCTATGAGCTGCTGCG GGGCTGGAGGCCGTACGAAATCCACTCGGTCACGCCCATCGATGAAATCCTTAACATGTTCAAGGTGGAGCGTGT $\tt CCACTACTCCTCCACGTGGTGCAAGGGGATGGTGGCCCTGCTGAGGAAGCTCCTGACCAAGGATCCTGAGAGCCG$ CGTGTCCAGCCTTCATGACATACAGAGCGTGCCCTACTTGGCCGACATGAACTGGGACGCGGTGTTCAAGAAGGC ACTGATGCCCGGCTTTGTGCCCAATAAAGGGAGGTTGAACTGCGATCCCACATTTGAGCTTGAAGAGATGATTCT AGAATCCAAGCCACTTCACAAAAAGAAGAAGCGATTGGCAAAGAACAGATCCAGGGATGGCACAAAGGACAGCTG $\tt CCCGCTGAATGGACACCTGCAGCACTGTTTGGAGACTGTCCGGGAGGAATTCATCATATTCAACAGAGAGAAGCT$ CAGGAGGCAGGGACAGGCAGCCAGCTCTTGGACACCGACAGCCGAGGGGGAGGCCAGGCCCAAAGCAAGCT $\tt CCAGGACGGGTGCAACAACAACCTCCTCACCCACACCTGCACCCGTGGCTGCAGCAGC\underline{TGA}GCCCACACTTGTTG$ ACCCCTGAAAACATCAGATGCAGAAAAAGCCCTGGACTTGGAGCTGGGAAGCCTGGGTTCTGGTCCCATCTCCAT GACTGATTCACGTGTGACCTCAGACAAGTCACGCCCTCTCTGTGCCTCCGTTTTCTGCATCTGCCAAAGGGGTTA TATTTATAAAATCATTTTTACGTGCAAAATATAACCTTAATATTTGAAGTGACCCCCATTCCCCAAAGCAATCAA ${\tt AATAAAGGTCTGATATGTTGGCCCCTTCTATGGAAACAACGCTGCCAAATCCTGGAGCAAAACCTGAAGTGTCTT}$ CATGTGCATTCTCTGGCAGGCCACAGTCCTTCTGAGCTTGTAAGATGGTGCAGCATGCAGACCAGACTTGTCCCC AAGGTCTCAGCGCTGCGGTCTCACTCCTCCCCTCATTTAAGAAGACTATCCTTACCTTTTAGTTTCAGCAGTCCT CACCACCACATATCCCCAGTGCTGGGATGGCACACAGGTGTCCATTCAGATGAGAGTTGGGTCGCTGAGCATTG GTTACTCCTGCAGAGTGTAATCAGCACCCCATCCAACTGGCCCGAAAGCCCAGACCTGCAGCAGAACTCTCCAAC TCTCTATCAGCTTTCAGGGTTTTCTCTCCTGGGAAGGGTGTAAAATCAGCTTGTCAGATTCTTCTTACAGAGAGT ATCCAATCGGTATTGGTGGAGCGGCTCCCTATTTATACAATAGGAAGCATGGGTGCTTAGAAAGTTTATTTCAGG ${\tt AGGAAAATGGGTTCACACAAAAAGCAAACTACATTCTGATCTGCTCAGGGAGAAGCTTGCCTTTGAACTGGAAGA}$ TGTTGGGATGAGCAGGGAAAGCTTAGACTTTGGAGTCAGGTTTGTTCAGAATCCAGCCCTGCTGGCTACTAAC TAACTGGGAGACCTTAGGCAAAGCATGCAATCGCTCTGAATGGCAGTTTCCTCATTTTTAAACAGGGATAATAAA ACTAATATTGCAGGGGAGTTACAGGGTTAAATAAGATCCTGTGTGTAACCCCAAGCATTGGATGACTCATAGAAT TGTGCAAACAACCTGTTTAGGATTCTTCCAAATGTTCTTCCTGGGGTCTTTGATATTTGTTACATCCTGC TGAAGTTCGACTGTGTTTTTATTTTTTCATCCAACTTCCATTTTTCACCTTTTTACATGATTACTCAATCCTTGGG AAAAGAAATAGTCAGTGTTTTCCTCCTTTCAACCGAGACTATTTCTGGATTGTGTGCTCCTCGTCAGTTGACTTGT TTTGCACACTTTTCTTTACTTCATGTCCCCATCAACAACCGTCCTGCTCCCCCACCTCCCCCAGGAAATAAGGGGC TTAGGGGCAGGAGCTGGAAGTCGCCCTAGGAACACCAGATTTCCTGGTTCTGTTCAAGTTGGCATTTCTTGTTTG GAATAAACTATTTCTTGG

FIGURE 572

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA136110
<subunit 1 of 1, 364 aa, 1 stop
<MW: 42195, pI: 7.40, NX(S/T): 1</pre>

MKYMNKQKCIERDEVRNVFRELQIMQGLEHPFLVNLWYSFQDEEDMFMVVDLLLGGDLRY HLQQNVHFTEGTVKLYICELALALEYLQRYHIIHRDIKPDNILLDEHGHVHITDFNIATV VKGAERASSMAGTKPYMAPEVFQVYMDRGPGYSYPVDWWSLGITAYELLRGWRPYEIHSV TPIDEILNMFKVERVHYSSTWCKGMVALLRKLLTKDPESRVSSLHDIQSVPYLADMNWDA VFKKALMPGFVPNKGRLNCDPTFELEEMILESKPLHKKKKRLAKNRSRDGTKDSCPLNGH LQHCLETVREEFIIFNREKLRRQQGQGSQLLDTDSRGGGQAQSKLQDGCNNNLLTHTCTR GCSS

Important features of the protein:

N-glycosylation site:

Amino acids 285-289

N-myristoylation sites:

Amino acids 123-129;290-296;337-343;339-345;348-354

Serine/Threonine protein kinases active-site signature:

Amino acids 92-105

FIGURE 573

AGACCTCAGCATCATCTAGAGCCCAGCGCTGGCCCTGCCTCCGCCTGCGCCGCCGCCGCCGCCGTTTCTGTT $\verb|CCTGCTACTGTCCCACCTAAACAACTCCCGTTACACGGACAAGTGAACATCTGTGGCTGTCCTCTTTTCTTC| \\$ CAACTGCAAACGGTGTCATCCGCACAACTTTATCTCGCTCCTCGGGCTCCCCTAAGGCATTGGACCCATCGCCGC TACAGCCCCGCAAACTCCTCCTGGAGCTGCGCCCTAGTGCCCCTGCTGGGCAGTGGCGTTCCCCCCCATCCTCCC GCGCCCAGCCCTGCTGCTCTGGGCAGACGATGCTGAAGATGCTCTCCTTTAAGCTGCTGCTGCTGGCCGTGGCT AATGGGAACCCCCGAAGCGCCTGAAAAGGAGACAGGAGGATGATGTCCCAGCTGGAGCTGCTGAGTGGGGGA GAGAATAAGATATTTTCTGTTACCAACAACACAGAATGTGGGAAGTTACTGGAGGAAATCAAATGTGCACTTTGC TGCAAAGACTATTGCAAAGAATTCTTTTACACTTGCCGAGGCCATATTCCAGGTTTCCTTCAAACAACTGCGGAT GAGTTTTGCTTTTACTATGCAAGAAAAGATGGTGGGTTGTGCTTTCCAGATTTTCCAAGAAAACAAGTCAGAGGA CCAGCATCTAACTACTTGGACCAGATGGAAGAATATGACAAAGTGGAAGAGATCAGCAGAAAGCACAAACACAAC TGCTTCTGTATTCAGGAGGTTGTGAGTGGGCTGCGGCAGCCCGTTGGTGCCCTGCATAGTGGGGATGGCTCGCAA CGTCTCTTCATTCTGGAAAAAGAAGGTTATGTGAAGATACTTACCCCTGAAGGAGAAATTTTCAAGGAGCCTTAT TTGGACATTCACAAACTTGTTCAAAGTGGAATAAAGGGAGGAGTGAAAGAGGACTGCTAAGCCTCGCATTCCAT GACCACATTCTTAGGGTTGTGGAATACACAGTATCCAGAAAAAATCCACACCAAGTTGATTTGAGAACAGCCAGA GTCTTTCTTGAAGTTGCAGAACTCCACAGAAAGCATCTGGGAGGACAACTGCTCTTTGGCCCTGACGGCTTTTTTG ${\tt TCAGTGCTACGGCTGGATGTGGACACAGACATGTGCAACGTGCCTTATTCCATACCAAGGAGCAACCCACACTTC}$ AACAGCACCAACCCCCCCGAAGTGTTTGCTCATGGGCTCCACGATCCAGGCAGATGTGCTGTGGATAGACAT CCCACTGATATAAACATCAATTTAACGATACTGTGTTCAGACTCCAATGGAAAAAACAGATCATCAGCCAGAATT CTACAGATAATAAAGGGGAAAGATTATGAAAGTGAGCCATCACTTTTAGAATTCAAGCCATTCAGTAATGGTCCT TTGGTTGGTGGATTTGTATACCGGGGCTGCCAGTCAGAAAGATTGTATGGAAGCTACGTGTTTGGAGATCGTAAT GGGAATTTCCTAACTCTCCAGCAAAGTCCTGTGACAAAGCAGTGGCAAGAAAAACCACTCTGTCTCGGCACTAGT GGGTCCTGTAGAGGCTACTTTTCCGGTCACATCTTGGGATTTGGAGAGATGAACTAGGTGAAGTTTACATTTTA TCAAGCAGTAAAAGTATGACCCAGACTCACAATGGAAAACTCTACAAAATTGTAGATCCCAAAAGACCTTTAATG CCTGAGGAATGCAGAGCCACGGTACAACCTGCACAGACACTGACTTCAGAGTGCTCCAGGCTCTGTCGAAACGGC TACTGCACCCCACGGGAAAGTGCTGCTGCAGTCCAGGCTGGGAGGGGGGACTTCTGCAGAACTGCAAAATGTGAG CCAGCATGTCGTCATGGAGGTGTCTGTTAGACCGAACAAGTGCCTCTGTAAAAAAGGATATCTTGGTCCTCAA TGTGAACAAGTGGACAGAAACATCCGCAGAGTGACCAGGGCAGGTATTCTTGATCAGATCATTGACATGACATCT TACTTGCTGGATCTAACAAGTTACATTGTA<u>TAG</u>TTTCTGGGACTGTTTGAATATTCTATTCCAATGGGCATTTAT TTTTTATCCTGTCATTAAAAAAAAAAAAGACTGTTATCCTGCTACACACTCCTGTGATTTCATTCTTTTTATTAA ATACTCATAACCCCTATATGCGTTGTTGCATAACAGATGATTTTTTAAAATATATACTTCCTTATGCAAAGTAAT TTACACAGAAATTCCATTGTAAATTGATAATGGATTTTTTATGTTACTAGAAGAGATTATTTGACTTCCCAGGAA TTTTCTGTCTGTAATCACTAAAGTCAACTTTAATAGAGTTTTGAAACAGTACTGTGCAATCCGATGGATCTAATT AAAAAAAGGCAATATTTTTATATTAAAGTACTATACTAGGAGAGAATGTTTCAGAACTCCCTGATGAATTTCTA AGTGAGCAACTTGATATAAAATTGTAATCTTCATTTTTGTCAGTGTATCCAGTTACAGAATGCTACACACTTACC TTTTTATTGGCTGAGAAATCTGGTTATTTCATCTTAATCTCAAGATTGTTTTCAAGTGTTTTATAATTAAATCAT AATAGCATATTTTAAAATCAAAA

579/615

FIGURE 574

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139592</pre>

><subunit 1 of 1, 882 aa, 1 stop

><MW: 98428, pI: 8.89, NX(S/T): 5

MKHVTVGRNMRGCVRSCSRRQRRPQHHLEPSAGPASACAAAAVAVSVPATVPPKQLPLHG QVNICGCPLLFFLLFQLLLLLPLPSRSRKPPTQLTLAQLQTVSSAQLYLAPRAPLRHWTH RRVFYFCKVASLYIFLSPPPPSVSGVPYSPANSSWSCALVPLLGSGVPPHPPAPSPCCSG QTMLKMLSFKLLLLAVALGFFEGDAKFGERNEGSGARRRRCLNGNPPKRLKRRDRRMMSQ LELLSGGEMLCGGFYPRLSCCLRSDSPGLGRLENKIFSVTNNTECGKLLEEIKCALCSPH SQSLFHSPEREVLERDLVLPLLCKDYCKEFFYTCRGHIPGFLQTTADEFCFYYARKDGGL CFPDFPRKQVRGPASNYLDQMEEYDKVEEISRKHKHNCFCIQEVVSGLRQPVGALHSGDG SQRLFILEKEGYVKILTPEGEIFKEPYLDIHKLVQSGIKGGDERGLLSLAFHPNYKKNGK LYVSYTTNQERWAIGPHDHILRVVEYTVSRKNPHQVDLRTARVFLEVAELHRKHLGGQLL FGPDGFLYIILGDGMITLDDMEEMDGLSDFTGSVLRLDVDTDMCNVPYSIPRSNPHFNST NQPPEVFAHGLHDPGRCAVDRHPTDININLTILCSDSNGKNRSSARILQIIKGKDYESEP SLLEFKPFSNGPLVGGFVYRGCQSERLYGSYVFGDRNGNFLTLQQSPVTKQWQEKPLCLG TSGSCRGYFSGHILGFGEDELGEVYILSSSKSMTQTHNGKLYKIVDPKRPLMPEECRATV QPAQTLTSECSRLCRNGYCTPTGKCCCSPGWEGDFCRTAKCEPACRHGGVCVRPNKCLCK KGYLGPQCEQVDRNIRRVTRAGILDQIIDMTSYLLDLTSYIV

Important features of the protein:

Transmembrane domains:

Amino acids

63-80;186-201

N-glycosylation sites:

Amino acids

152-156;281-285;598-602;629-633;641-645

Glycosaminoglycan attachment site:

Amino acids

417-421

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids

856-860

N-myristoylation sites:

Amino acids

12-18;413-419;457-463;698-695;720-726;723-729

EGF-like domain cysteine pattern signatures:

Amino acids

805-817;837-849

FIGURE 575

CTGGCTTCCTGCTCTGTTTGTTCTGGTTGCCCTGGAAAGCCTGCTGCTCAGCCCATGCCCCGG GACTTCCTCCACCCTCACCAGGACATTCTTTCCATCTCTTGTCTCCTGTGTGCAAGTCCCTTT CTCCTGGATTCCATGTCTTGAATGTTTCTTAATTTACTTCCTCATTTTGGCAGAGGATGTCCT CCAGTTGTTTTCTGGGAATGCTAATATGCAAGTGAACCAG<u>TGA</u>CCTGCAGTTCTGCCCACACA GGGTTAATAACCAATCAGATTCTCTCTTTTCAAGATGGTTAACATAACAGACACCAAGAAAGG GAAGAGGAGCCGACAGCAGAGGGGGGAAGCTGAAAAGACGCACAAAGAATGGCCATAAAAGATA TGAGCAACCCCAGCTTTCCAGACAGTCACTTTTCCCAGTGGTCATACCTGGTCTGGAAGATTC CCCATCATCTCGAATAAAGCTGTTGTTGCTTTTAACTCCATGGAGAGACCGAATGGAGTGAGC CCAGCAGGGCATGCTGGGCAAGAGAGGTCCCCCGAGTCCCAAATAAGAATTTCAACTAGTATA AAACGAGGCAGCGAACCCACACGTGGAAGTCTGATACCGCTTGCAGAAGGGAATTGAATAGAT TGATCATCCGCGGGATGCTGCCACAAGGAATAATTGAGCACTCATTCAGACACAGGGGAAACC ACCTCCCTGAGAAGACGTTGCAGCTCACTCACCCCAGTGGGCACTGGGAGCCTCTGCTCAGGT GGGAGACAGATGCCCCCCACATGCACATCTGGTGTTTTATGAAGCAGATACTGGGGCTTCATAA ACACAGAAGGGGCAGGAAGTAGCCCCAGGGCATAGTGTGGGGCCTCCTGACTAAAAGTAGCTT GCAAACCCCTGCCTATAACAGCCACTTCCTGGCAGTCATTGTGCCACTTAGGAGCCCTCCTCA CCGCTCTTCCTTTAGTTCCTTCACTCTGTATAGACCCTGCCAGAGCAGCTCAGGGTGGAGCAG CTGCAGCCATGGGACCTGCTCCAGGCAAGGCCCTATGCTACACAGTCCCTGGGGGTGAGGATT CCAGAGGAGTCAATTCCCTACCCGCCTTCCAGGGGATGGCCGAGATGAGCGTTCCCACAGGG AAAGTGAAAGTTGCAAGGCTGTTGCGGAAACACCAGGGGTTCCATTTAGGTCTTGCTGCTCAT CTCACAGAAAGCCAGTCACTGAGACAAGTATTGTCAGGGAAGAAGGCTTTATCCAGGTGCTAC AGACAGGGTGAACAAGAGATCAGTCTCAAATCCATCATCATCAACTGACTAAAATTAGGGGTT TATATAGCAGGGAAGAATGTAACTACATGTGGGAAAACAGGGATTAACGAGGGCCAAGGAAG AGGAGTTGGCCAACAGGCAGCAGGTGGTCACCTGGGGAATCATGATGGGTGAGGGGTCTGGCT TCTCACTTTCCAGATGTGGGGATCTGGTAAATTTCAGTTTCTTGATACCGTCTGGGAGGATTG CTGGCTGGTTTCCTGAGAAAGGAATTCAGATGACATAAATGTAAATTTCTCCTTGGGTTTCAA GACTGAGAGGGTCAATTTCTAGGTTTATTCAAGAAAAACCATAAACATCAGTTCTATGGGACA ATTGGGCCCATTTCAAGGCTCTGAGGATAAGGGTTAATGAGGGGACAGAGTCGCCTGGAGAAG TTCACTGGGGCCTACAAGAAACTAGAGAGGCTTCCTGGCAAAGCTCTATGCTGTCTATCCTCT CTTCTCTCCTTGCAGGAAGATTCCAGTATAATAGACCCGAGGTGAAAAGGCTTTTGTTCAATA AGTAGAAAACTGAAGGGGGGTGGGAGGCACATGGATTTGAACCAGAGACCGCTTGGCCTGCAG GCAAATGCTGTACCTTCAGTTGCACCCCTCACTTGTTACAGCTGTTTCTGATAAGCACTTGTG CAGCCCCATCAGCACCTCGATTTCTTCTTGGTGAGTCCATGGGAACAGCCCCACTGCAAACAA CCCATTCCTGCTCTCTTTCCTCTAAACCTCAACCTCCTACCTGGCAGTCCACAGGCC TACAGCTTCTCCTCAGTGGGAAAGACATCAGCTTGGAAAACCACTTGGAAAGCCAACGTTATC CTAGAAAAGCTTTTTAAATGACCCAGCAGGACAAGTCTCCGGATGGCCTTGGCCAACCCGGTG $\tt CTTCCCTCTTTTCTTGGTTGTAGTTCTCAGAATAACTAGAGAATGTACTGGGAGTGTTGTCCT$ GAGATAAGGAGGAACTGTCCTAAACCTGGACTCTGTTCCCATCACACCTAGAACAGGATGTCC TGCAACGCTTTAGCCCAATGATCCAAGTTGCCCTTGGGGTATAAAACTTGACAGCAGAGGGCG ${\tt TTCAGGGTCCCTCAGCTGCAGTGTGAAGTGGGACACACAGGTGAGACTCCATCTGCCCTGGGC}$ AGGTTCCTGAGCCTTGGGGGACCAGTTCACCCTACATCCCAGGCTTCTGTTGTCCCTTGCCTG CCTGTAAGGAATAAAGTTGCTTTA

581/615

FIGURE 576

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139608 ><subunit 1 of 1, 80 aa, 1 stop ><MW: 8927, pI: 3.77, NX(S/T): 0 MIDLWLPALFVLVALESLLLSPCPGTSSTLTRTFFPSLVSCVQVPFSWIPCLECFLIYFL ILAEDVLQLFSGNANMQVNQ

Important features of the protein:

Signal peptide:

Amino acids 1-29

Transmembrane domain:

Amino acids 47-62

N-myristoylation sites:

Amino acids 25-31

FIGURE 577

ATCGGTTAGCGCCTTGCCATGATTAATCCAGAGCTGCGGGATGGCAGAGCTGATGGCTTCATA
CATCGGATAGTTCCCAAGTTGATACAAAACTGGAAGATTGGCCTTATGTGCTTCCTGAGTATT
ATTATTACTACAGTTTGCATTATTATGATAGCCACATGGTCCAAGCATGCTAAACCTGTGGCA
TGTTCAGGGGACTGGCTTGGAGTGAGAGATAAGTGTTTCTATTTTTCTGATGATACCAGAAAT
TGGACAGCCAGTAAAATATTTTGTAGTTTGCAGAAAGCAGAACTTGCTCAGATTGATACACAA
GAAGACATGGAATTTTTGAAGAGGTACGCAGGAACTGATATGCACTGGATTGGACTAAGCAGG
AAACAAGGAGATTCTTGGAAATGGACAAATGGCACCACATTCAATGGTTGGCCATCAAACTCC
AAATGGTCTTGCAACTGGAGCCTCCGACAATGGCTTCTTCTGCTGGGACCCCTTAGATAGGCC
TCTGAGGGAGCTCTGACTGCCGTTTCCCCAAAACAATGTCCCCTGTCAGCAGGAAGCAGTTAA
ATCAGTCTTCATCCTTATCCTTAATATAACGGCAGTTAGATGTACTTCTTTAGAGGGAGTAAA
TTTATCAATTCAGAGCAATTCATCCTCCTCTTTTCCATCTTTGATTCACAGTTAATAGGCTATA
AATTTTGATAATGTAGAATAAACTACAGAAAACTTCTTTG

583/615

FIGURE 578

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA143292
><subunit 1 of 1, 160 aa, 1 stop
><MW: 18576, pI: 9.29, NX(S/T): 3
MINPELRDGRADGFIHRIVPKLIQNWKIGLMCFLSIIITTVCIIMIATWSKHAKPVACSG
DWLGVRDKCFYFSDDTRNWTASKIFCSLQKAELAQIDTQEDMEFLKRYAGTDMHWIGLSR
KQGDSWKWTNGTTFNGWPSNSKWSCNWSLRQWLLLLGPLR

Important features of the protein:

Signal peptide:

Amino acids 1-42

N-glycosylation sites:

Amino acids 78-82;130-134;146-150

N-myristoylation site:

Amino acids 131-137

FIGURE 579

585/615

FIGURE 580

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144844
><subunit 1 of 1, 145 aa, 1 stop
><MW: 16618, pI: 5.26, NX(S/T): 1
MDTFTVQDSTAMSWWRNNFWIILAVAIIVVSVGLGLILYCVCKWQLRRGKKWEIAKPLKH
KQVDEEKMYENVLNESPVQLPPLPPRNWPSLEDSSPQEAPSQPPATYSLVNKVKNKKTVS
IPSYIEPEDDYDDVEIPANTEKASF

Important features of the protein:

Signal peptide:

Amino acids 1-35

Tyrosine kinase phosphorylation site:

Amino acids 61-70

Amidation site:

Amino acids 48-52

FIGURE 581

GGCCGCCTCCGCGGGGCTGTGGGAAGCTTGGGCTGTCCCAGGACCGTCAGTCTCCTCTCTGA CCCTCCCTTTCCCCTTGTGTGTAGGGCCGCCGTCCCACCCCCACCTCGCCGGAGTCCGGGGCG GCCCCGGTGTCCCCTCCGAGCCTGCTGCACTCCACGTCCCCCTACCAGGGCTCCAGCCCCCAG GGAAATCTCCGACCAGGCCCGCCCAGGAGCCAGATCCAGGCTCCTGGAAGAACCATGTCCGGC AGCTACTGGTCATGCCAGGCACACACTGCTGCCCAAGAGGGGCTGCTGTTTGAATTATCTGTG **ATG**GACTTTCTGGTCCTCTTCTTGTTCTACCTGGCTTCGGTGCTGATGGGTCTTGTTCTTATC TGCGTCTGCTCGAAAACCCATAGCTTGAAAGGCCTGGCCAGGGGAGGAGCACAGATATTTTCC TGTATAATTCCAGAATGTCTTCAGAGAGCCGTGCATGGATTGCTTCATTACCTTTTCCATACG AGAAACCACCTTCATTGTCCTGCACCTGGTCTTGCAAGGGATGGTTTATACTGAGTACACC TGGGAAGTATTTGGCTACTGTCAGGAGCTGGAGTTGTCCTTGCATTACCTTCTTCTGCCCTAT CTGCTGCTAGGTGTAAACCTGTTTTTTTTCACCCTGACTTGTGGAACCAATCCTGGCATTATA ACAAAAGCAAATGAATTATTATTTCTTCATGTTTATGAATTTGATGAAGTGATGTTTCCAAAG AACTGGTGTGCACCGTTTCGACCATCACTGTGTTTTGGGTGAACAACTGCATCGGGGCCTGG AACATCAGGTACTTCCTCATCTACGTCTTGACCTTGACGGCCTCGGCTGCCACCGTCGCCATT GTGAGCACCACTTTTCTGGTCCACTTGGTGGTGATGTCAGATTTATACCAGGAGACTTACATC TTTCCACGGATTGTCTTCATGCTGGGCTTTGTCGTGGTTCTGAGCTTCCTCCTGGGTGGCTAC CTGTTGTTTGTCCTGTATCTGGCGGCCACCAACCAGACTACTAACGAGTGGTACAGAGGTGAC CGGAACATTCACTCCCATGGGCTTCGGAGCAACCTTCAAGAGATCTTTCTACCTGCCTTTCCA TGTCATGAGAGGAAGAACAAGAATGACAAGTGTATGACTGCCTTTG

587/615

FIGURE 582

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144857

><subunit 1 of 1, 344 aa, 1 stop ><MW: 39787, pI: 7.44, NX(S/T): 2

MDFLVLFLFYLASVLMGLVLICVCSKTHSLKGLARGGAQIFSCIIPECLQRAVHGLLHYL FHTRNHTFIVLHLVLQGMVYTEYTWEVFGYCQELELSLHYLLLPYLLLGVNLFFFTLTCG TNPGIITKANELLFLHVYEFDEVMFPKNVRCSTCDLRKPARSKHCSVCNWCVHRFDHHCV · WVNNCIGAWNIRYFLIYVLTLTASAATVAIVSTTFLVHLVVMSDLYQETYIDDLGHLHVM DTVFLIQYLFLTFPRIVFMLGFVVVLSFLLGGYLLFVLYLAATNOTTNEWYRGDWAWCQR CPLVAWPPSAEPQVHRNIHSHGLRSNLQEIFLPAFPCHERKKQE

Important features of the protein:

Signal peptide:

Amino acids 1 - 29

Transmembrane domains:

Amino acids

100-116;201-217;256-275

N-glycosylation sites:

Amino acids

65-69;284-290

N-myristoylation sites:

Amino acids

32-38;77-83;120-126;322-328

Cell attachment sequence:

Amino acids

292-298

DHHC zinc finger domain:

Amino acids

140-204

FIGURE 583

CCGCGGAACTGGCAGGCGTTTCAGAGCGTCAGAGGCTGCGGATGAGCAGACTTGGAGGACTCCAGGCCAGAGACT AGGCTGGGCGAAGAGTCGAGCGTGAAGGGGGCCTCCGGGCCAGGGTGACAGGAGGCGTGCTTGAGAGGAAGAAGTT $\tt CTCGTCCTCTTCTGCTTCAGAGGGAGAGCAGGCCCGTCGCCCCAT\overline{TTC}CTGCAACAGCCAGAGGACCTGGTG$ GTGCTGCTGGGGGAGGAAGCCCGGCTGCCGTGTCCTCTGGGCGCCCTACTGGGGGCTAGTTCAGTGGACTAAGAGTGGG $\tt CTGGCCCTAGGGGGCCAAAGGGACCTACCAGGGTGGTCCCGGTACTGGATATCAGGGAATGCAGCCAATGGCCAG$ $\tt CGCTCCAGACCAGCCCAACTGCACGTGCTGGTCCCCCCAGAAGCCCCCCAGGTGCTGGGCGGCCCCTCTGTGTCT$ GAGAGCACCTTAACCCTGACCCCTTTCAGCCATGATGATGAGGCCACCTTTGTCTGCCGGGCCCGGAGCCAGGCC CACACTGTGCAGGAGGGAGAGAGGTCATTTTCCTGTGCCAGGCCACAGCCCAGCCTCCTGTCACAGGCTACAGG TGGGCAAAAGGGGGCTCTCCGGTGCTCGGGGCCCGCGGGCCAAGGTTAGAGGTCGTGGCAGACGCCTCGTTCCTG ACTGAGCCCGTGTCCTGCGAGGTCAGCAACGCCGTGGGTAGCGCCAACCGCAGTACTGCGCTGGATGTGCTGTTT $\tt CGCGGGAACCCGCTTCCACGGGTAACCTGGACCCGCCGCGGTGGCGCAGGTGCTGGGCTCTGGAGCCACACTG$ CGTCTTCCGTCGGTGGGGCCCGAGGACGCAGGCGACTATGTGTGCAGAGCTGAGGCTGGGCTATCGGGCCTGCGG GAGGGCTTCCTGGAGGCGGGGTCGCAGGGCCGGTTCCTGGTGGAGACATTCCCTGCCCCAGAGAGCCGCGGGGGA CTGGGTCCGGGCCTGATCTCTGTGCTACACATTTCGGGGACCCAGGAGTCTGACTTTAGCAGGAGCTTTAACTGC AGTGCCCGGAACCGGCTGGGCGAGGGAGGTGCCCAGGCCAGCCTGGGCCGTAGAGACTTGCTGCCCACTGTGCGG ATAGTGGCCGGAGTGGCCGCTGCCACCACACTCTCCTTATGGTCATCACTGGGGTGGCCCTCTGCTGCTGCGCGC TCACGAGGTCCTGAAGAAGAGGAGACAGGCCGCGAGGACCGGGGCCCCATTGTGCACACTGACCACAGTGAT GTGAGCCTGAGCCTTGGCGAAGCCCCTGGAGGAGGTCTCTTCCTGCCACCACCCCCCCTTGGGCCCCCAGGG ACCCCTACCTTCTATGACTTCAACCCACACCTGGGCATGGTCCCCCCTGCAGACTTTACAGAGCCAGGGCAGGC TATCTCACCACCCCCACCCTCGAGCTTTCACCAGCTACATCAAACCCACATCCTTTGGGCCCCCAGATCTGGCC CCCGGGACTCCCCCTTCCCATATGCTGCCTTCCCCACACCTAGCCACCCGCGTCTCCAGACTCACGTGTGACAT CTTTCCAATGGAAGAGTCCTGGGATCTCCAACTTGCCATAATGGATTGTTCTGATTTCTGAGGAGCCAGGACAAG CAGTCAGCCCAAAGGAGATGCCCCAAGTGGGAGCAACATGGCCACCCAATATGCCCACCTATTCCCCGGTG TAAAAGAGATTCAAGATGGCAGTAGGCCCTTTGAGGAGAGATGGGGACAGGGCAGTGGGTGTTGGGAGTTTGGG GCCGGGATGGAAGTTGTTTCTAGCCACTGAAAGAAGATATTTCAAGATGACCATCTGCATTGAGAGGAAAGGTAG CATAGGATAGATGAAGATGAAGAGCATACCAGGCCCCACCCTGGCTCTCCCTGAGGGGAACTTTGCTCGGCCAAT GGAAATGCAGCCAAGATGGCCATATACTCCCTAGGAACCCAAAATGGCCACCATCTTGATTTTACTTTCCTTAAA GACTCAGAAAGACTTGGACCCAAGGAGTGGGGATACAGTGAGAATTACCACTGTTGGGGCAAAATATTGGGATAA AAATATTTATGTTTAATAATAAAAAAAAGTCAAAGAGAAAAAAA

FIGURE 584

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA145841 ><subunit 1 of 1, 708 aa, 1 stop

><MW: 75093, pI: 6.65, NX(S/T): 3

MLRMRVPALLVLLFCFRGRAGPSPHFLQQPEDLVVLLGEEARLPCALGAYWGLVQWTKSG
LALGGQRDLPGWSRYWISGNAANGQHDLHIRPVELEDEASYECQATQAGLRSRPAQLHVL
VPPEAPQVLGGPSVSLVAGVPANLTCRSRGDARPTPELLWFRDGVLLDGATFHQTLLKEG
TPGSVESTLTLTPFSHDDGATFVCRARSQALPTGRDTAITLSLQYPPEVTLSASPHTVQE
GEKVIFLCQATAQPPVTGYRWAKGGSPVLGARGPRLEVVADASFLTEPVSCEVSNAVGSA
NRSTALDVLFGPILQAKPEPVSVDVGEDASFSCAWRGNPLPRVTWTRRGGAQVLGSGATL
RLPSVGPEDAGDYVCRAEAGLSGLRGGAAEARLTVNAPPVVTALHSAPAFLRGPARLQCL
VFASPAPDAVVWSWDEGFLEAGSQGRFLVETFPAPESRGGLGPGLISVLHISGTQESDFS
RSFNCSARNRLGEGGAQASLGRRDLLPTVRIVAGVAAATTTLLMVITGVALCCWRHSKAS
ASFSEQKNLMRIPGSSDGSSSRGPEEEETGSREDRGPIVHTDHSDLVLEEEGTLETKDPT
NGYYKVRGVSVSLSLGEAPGGGLFLPPPSPLGPPGTPTFYDFNPHLGMVPPCRLYRARAG
YLTTPHPRAFTSYIKPTSFGPPDLAPGTPPFPYAAFPTPSHPRLQTHV

Important features of the protein:

Signal peptide:

Amino acids 1-20

Transmembrane domain:

Amino acids 511-531

N-glycosylation sites:

Amino acids 143-147;301-305;484-488

N-myristoylation sites:

Amino acids 48-54;60-66;79-85;139-145;180-186;183-189;355-361;383-389; 387-393;460-466;473-479;494-500;495-501;514-520;528-534; 554-560;592-598;608-614

Amidation site:

Amino acids 500-504

Cell attachment sequence:

Amino acids 149-152

Multicopper oxidases signature 1:

Amino acids 445-466

Immunoglobulin domain:

Amino acids 326-377

FIGURE 585

GCCCGCCTGAGGAAGCCGTGTGCCTGGGATGCCAAGAGCCAGAGAATGGATCTTCTCCGAGTG GGGACATTGCTGACAATCCCGGCTTCCCGAGGCGGCTAAGAACAGGCAGTTTGTGTCGGCTGG CTGCAGATACCCAGAGGCACAAAGAGACCGAAGCCACCGGAGGGACCCACGGACGGACAGAT GGTAGGCGCGAACCCGAGAGGACCGGCGGAGGCTGAGCACCGAGAGCCGCCAAGGAAGAGAAA CTAACCACAGCCAAGTTACCCCGCCGGCTTTCCTTCGCTGCGCTAAGGAATCAAAACCCTTCCA CTATTCCTTCAGCCAGCCCCCAGGACCAGGTGGTGGTGTCGGGACAGCCAGTGACGCTACT TTGCGCCATCCCCGAATACGATGGCTTCGTTCTGTGGATCAAGGACGGCTTGGCTCTGGGTGT GGGCAGGGACCTCTCAAGTTACCCACAGTACCTGGTGGTAGGGAACCACCTGTCAGGGGAGCA CCACCTGAAGATCCTGAGGGCAGAGCTGCAAGACGATGCGGTGTACGAGTGCCAGGCCATCCA GGCCGCCATCCGCTCCCGCCCCGCACGCCTCACAGTCCTGGTGCCGCCTGATGACCCCGTCAT CCTGGGGGGCCCTGTGATCAGCCTGCGTGCGGGGGACCCTCTCAACCTCACCTGCCACGCAGA CAATGCCAAGCCTGCAGCCTCCATCATCTGGTTGCGAAAGGGAGAGGTCATCAATGGGGCCAC CTACTCCAAGACCCTGCTTCGGGACGCCAAGCGGGAGAGCATCGTCAGCACCCTCTTCATCTC CCCTGGTGACGTGGAGAATGGCCAGAGCATCGTGTGTCGTGCCACCAACAAAGCCATCCCCGG AGGAAAGGAGACGTCGGTCACCATTGACATCCAGCACCCTCCACTGGTCAACCTCTCGGTGGA GCCACAGCCAGTGCTGGAGGACAACGTCGTCACTTTCCACTGCTCTGCAAAGGCCAACCCAGC TGTCACCCAGTACAGGTGGGCCAAGCGGGGCCAGATCATCAAGGAGGCATCTGGAGAGGTGTA CAGGACCACAGTGGACTACACGTACTTCTCAGAGCCCGTCTCCTGTGAGGTGACCAACGCCCTG GGCAGCACCAACCTCAGCCGCACGGTTGACGTCTACTTTGGGCCCCGGATGACCACAGAACCC CAATCCTTGCTCGTGGATCTGGGCTCTGATGCCATCTTCAGCTGCGCCTGGACCGGCAACCCA TCCCTGACCATCGTCTGGATGAAGCGGGGCTCCGGAGTGGTCCTGAGCAATGAGAAGACCCTG ACCCTCAAATCCGTGCGCCAGGAGGACGCGGGCAAGTACGTGTGCCGGGCTGTGGTGCCCCGT GTGGGAGCCGGGGAGAGAGAGGTGACCCTGACCGTCAATGGACCCCCCATCATCTCCAGCACC CAGACCCAGCACGCCTCCACGGCGAGAAGGGCCAGATCAAGTGCTTCATCCGGAGCACGCCG CCGCCGGACCGCATCGCCTGGTCCTGGAAGGAGACGTTCTGGAGTCGGGCACATCGGGGCGC TATACGGTGGAGACCATCAGCACCGAGGAGGGCGTCATCTCCACCCTGACCATCAGCAACATC GTGCGGGCCGACTTCCAGACCATCTACAACTGCACGGCCTGGAACAGCTTCGGCTCCGACACT GAGATCATCCGGCTCAAGGAGCAAGGTTCGGAAATGAAGTCGGGAGCCGGGCTGGAAGCAGAG TCTGTGCCGATGGCCGTCATCATTGGGGTGGCCGTAGGAGCTGGTGTGGCCTTCCTCGTCCTT ATCTCAGGGAGGGGCCAGAGAAAAAGGCCAGGCTTAGGCTGCCCCGGAGAGCAAGTAAGCAG GAGTGCAATGAACAGGGGTCCTAACAGTGCTGTGAGCTCCTGGGGCAGGGAGTGGGTCTGATG CATCGGTGTATGTGAGCCTGGGCAACATGGCGCCTGGCAGAGTGGGCGCTAGGCTGAGGTTGA CCTGGACTAGACTGAACTTCATCTGCAGGGCAGCCAGCATTTTGGATTGAACACATAGCTCTT TCAGTCAGGAACTGTACAGAAAGATAGGGGGAAAAGCGGTTTGTGGTTTGATCCTTGCTCTAC AAGAGCTGTTAGTCTAGAGAGACCCCATCTCTACAACAAAATAAAATAAAGAGCTGCTAGTC TGCTTTGAGAAAACTTAA

591/615

FIGURE 586

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA148004

><subunit 1 of 1, 600 aa, 1 stop

><MW: 65308, pI: 8.35, NX(S/T): 5

MKPFQLDLLFVCFFLFSQELGLQKRGCCLVLGYMAKDKFRRMNEGQVYSFSQQPQDQVVV SGQPVTLLCAIPEYDGFVLWIKDGLALGVGRDLSSYPQYLVVGNHLSGEHHLKILRAELQ DDAVYECQAIQAAIRSRPARLTVLVPPDDPVILGGPVISLRAGDPLNLTCHADNAKPAAS IIWLRKGEVINGATYSKTLLRDGKRESIVSTLFISPGDVENGQSIVCRATNKAIPGGKET SVTIDIQHPPLVNLSVEPQPVLEDNVVTFHCSAKANPAVTQYRWAKRGQIIKEASGEVYR TTVDYTYFSEPVSCEVTNALGSTNLSRTVDVYFGPRMTTEPQSLLVDLGSDAIFSCAWTG NPSLTIVWMKRGSGVVLSNEKTLTLKSVRQEDAGKYVCRAVVPRVGAGEREVTLTVNGPP IISSTQTQHALHGEKGQIKCFIRSTPPPDRIAWSWKENVLESGTSGRYTVETISTEEGVI STLTISNIVRADFQTIYNCTAWNSFGSDTEIIRLKEQGSEMKSGAGLEAESVPMAVIIGV AVGAGVAFLVLMATIVAFCCARSQRSTGGRSGISGRGTEKKARLRLPRRASKQECNEQGS

Important features of the protein:

Signal peptide:

Amino acids 1-17

Transmembrane domain:

Amino acids 534-555

N-glycosylation sites:

Amino acids

167-171;253-257;324-328;498-502

Glycosaminoglycan attachment sites:

Amino acids

523-527;574-578

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 204-208;370-374;588-592

Tyrosine kinase phosphorylation sites:

Amino acids

40-49;300-308;389-397

N-myristoylation sites:

Amino acids

45-51;62-68;84-90;103-109;192-198;236-242;

374-380; 436-442; 478-484; 539-545; 543-549;

568-574

Amidation site:

Amino acids

202-206

Leucine zipper pattern:

Amino acids

8-30

FIGURE 587

CAAAAAAGGAGCATGTCTTCATCCATGAGAGGCCTCGAAAAATCAATGGTATTTGCATTTCTC CCAAGAAGGTTGCTTGCCAAAACCTTTCGGCCATTTTCTGCTTTCAGAGTGAGACAAAGTTCA CCACAGAGGGGTTTGTTCTTGTCACTTGTGATGACTTGAGGCCAGATAGTTTCCTTGGCTATG TTAAATAACTCAAGATCAGCTACCGAGTCTGAGATCTCTTCTCTCATGGCATTGGAGCTGGCT GTGCCTGAGGCAGACCTGGACCGTGGACATGGGGCAATGCCTTGAGCGGAAGGGGAAGCCACT GAATTTTGGGTGTCACCAGGTAAACAGAGCCCTCAGCATCTGAATAGAAACTGAACAGGAACA GAAGAGATTACACTACATCTGAG**ATG**GAGACCTTTCCTCTGCTGCTCCTGCTGGCCTGGGCCTGG TTCTTGCAGAAGCATCAGAAAGCACAATGAAGATAATTAAAGAAGAATTTACAGACGAAGAGA TGCAATATGACATGGCAAAAAGTGGCCAAGAAAAACAGACCATTGAGATATTAATGAACCCGA TCCTGTTAGTTAAAAATACCAGCCTCAGCATGTCCAAGGATGATATGTCTTCCACATTACTGA CATTCAGAAGTTTACATTATAATGACCCCAAGGGAAACAGTTCGGGTAATGACAAAGAGTGTT GCAATGACATGACAGTCTGGAGAAAAGTTTCAGAAGCAAACGGATCGTGCAAGTGGAGCAATA ACTTCATCCGCAGCTCCACAGAAGTGATGCGCAGGGTCCACAGGGCCCCCAGCTGCAAGTTTGTA CAGAATCCTGGCATAAGCTGCTGTGAGAGCCTAGAACTGGAAAATACAGTGTGCCAGTTCACT ACAGGCAAACAATTCCCCAGGTGCCAATACCATAGTGTTACCTCATTAGAGAAGATATTGACA $\tt GTGCTGACAGGTCATTCTCTGATGAGGCTGGTTAGTTTGTGGCTCTAAGTTG\underline{TAA} ATCCCACAG$ AGCTTTAGGACTAGGGTCTTACTAAAGAAGGACCTCTTCTTGTTCATTCTTGTTTAAACCTTT AAAAATCCAAAATTGTGGATAATTCAATTAAAAGTTATGACTGATACCG

593/615

FIGURE 588

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149893

><subunit 1 of 1, 199 aa, 1 stop ><MW: 22427, pI: 6.46, NX(S/T): 3

METFPLLLLSLGLVLAEASESTMKIIKEEFTDEEMQYDMAKSGQEKQTIEILMNPILLVK NTSLSMSKDDMSSTLLTFRSLHYNDPKGNSSGNDKECCNDMTVWRKVSEANGSCKWSNNF IRSSTEVMRRVHRAPSCKFVQNPGISCCESLELENTVCQFTTGKQFPRCQYHSVTSLEKI LTVLTGHSLMSWLVCGSKL

Important features of the protein:

Signal peptide:

Amino acids 1-16

N-glycosylation sites:

Amino acids 61-65;89-93;111-115

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 105-109

N-myristoylation sites:

12-18;88-94;144-150 Amino acids

Microbodies C-terminal targeting signal:

Amino acids 197-201

FIGURE 589

CAGTCCTGCCGGGACGGTGAGCGCATTCAGCACCCTGGACAGCACCGCGGTTGCGCTGCCTCC AGGGCGCCCCGGGCTCCTCCTCCGCAGAGCTACGCCCTCCCCCGGGTGCCCCGGACCC TGCACTTGCCGCCGCTTTCCTCGCGCTGCTCTGGACCTTGCTAGCCGGCTCTGCACCTCCCAG AAGCCGTGGGCGCCGCTCAGCTGCTCCATCGCCTCACTTTCCCAGGCTCGCGCCCGAAGCA GAGCCATGAGAACCCCAGGGTGCCTGGCGAGCCGCTAGCGCCA**TG**GGCCCCGGCGAGGCGCTG CTGGCGGGTCTCCTGGTGATGGTACTGGCCGTGCGCGCTGCTATCCAACGCACTGGTGCTGCTT TGTTGCGCCTACAGCGCTGAGCTCCGCACTCGAGCCTCAGGCGTCCTCCTGGTGAATCTGTCT CTGGGCCACCTGCTGCTGGCGGCGCTGGACATGCCCTTCACGCTGCTCGGTGTGATGCGCGGG CGGACACCGTCGGCGCCCGCGCATGCCAAGTCATTGGCTTCCTGGACACCTTCCTGGCGTCC AACGCGGCGCTGAGCGCGCGCTGAGCCCAGTGGCTGGCAGTGGGCTTCCCACTG CGCTACGCCGGACGCCTGCGACCGCGCTATGCCGGCCTGCTGCTGGGCTGTGCCTGGGGACAG TCGCTGGCCTTCTCAGGCGCTGCACTTGGCTGCTCGTGGCTTGGCTACAGCAGCGCCTTCGCG TCCTGTTCGCTGCGCCTGCCGCCCGAGCCTGAGCGTCCGCGCTTCGCAGCCTTCACCGCCACG CGGGTGGCACGCAGACACTGCCAGCGCATGGACACCGTCACCATGAAGGCGCTCGCGCTGCTC GCCGACCTGCACCCCAGTGTGCGGCAGCGCTGCCTCATCCAGCAGAAGCGGCGCCGCCACCGC GCCACCAGGAAGATTGGCATTGCTATTGCGACCTTCCTCATCTGCTTTGCCCCGTATGTCATG ACCAGGCTGGCGGAGCTCGTGCCCTTCGTCACCGTGAACGCCCAGTGGGGCATCCTCAGCAAG CGCCAAGTCCTGGCCGGCATGGTGCACCGGCTGCTGAAGAGAACCCCGCGCCCAGCATCCACC CATGACAGCTCTCTGGATGTGGCCGGCATGGTGCACCAGCTGCTGAAGAACCCCGCGCCCA GGGCCTGGCAGGGCTCATCGCCCCCACCTTCTAAGAAGCCCTGTGGAAAGGGCACTGGCCCTG CCACAGAGATGCCACTGGGGACCCCCAGACACCAGTGGCTTGACTTTGAGCTAAGGCTGAG

595/615

FIGURE 590

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149930

><subunit 1 of 1, 363 aa, 1 stop ><MW: 39332, pI: 10.42, NX(S/T): 3

MGPGEALLAGLLVMVLAVALLSNALVLLCCAYSAELRTRASGVLLVNLSLGHLLLAALDM PFTLLGVMRGRTPSAPGACQVIGFLDTFLASNAALSVAALSADQWLAVGFPLRYAGRLRP RYAGLLLGCAWGQSLAFSGAALGCSWLGYSSAFASCSLRLPPEPERPRFAAFTATLHAVG FVLPLAVLCLTSLQVHRVARRHCQRMDTVTMKALALLADLHPSVRQRCLIQQKRRRHRAT RKIGIAIATFLICFAPYVMTRLAELVPFVTVNAQWGILSKCLTYSKAVADPFTYSLLRRP FRQVLAGMVHRLLKRTPRPASTHDSSLDVAGMVHQLLKRTPRPASTHNGSVDTENDSCLQ QTH

Important features of the protein:

Signal peptide:

Amino acids 1-24

Transmembrane domains:

Amino acids

46-60;85-103;130-150;175-192;246-264

N-glycosylation sites:

Amino acids

47-51;348-352;355-359

Tyrosine kinase phosphorylation site:

Amino acids

286-295

N-myristoylation sites:

Amino acids

66-72;124-130;128-134;132-138;139-145;244-250;

349-355

G-protein coupled receptor proteins:

Amino acids

72-112

7 transmembrane receptor (rhodopsin family):

Amino acids

22-294

FIGURE 591

CCGGGCCAGCTGGACCCCAGCACTGGCCGGCGGTTCTCGGAGCACAAACTCTGCGCGGACGAC GAATGCAGCATGATGTACCGCGGTGAGGCTCTTGAAGATTTCACAGGCCCGGATTGTCGTTTT GTGAATTTTAAAAAAGGTGATCCTGTATATGTTTACTATAAACTGGCAAGAGGATGGCCTGAA GTTTGGGCTGGAAGTGTTGGACGCACTTTTGGATATTTTCCAAAAGATTTAATCCAGGTAGTT CATGAATATACCAAAGAAGAGCTACAAGTTCCAACAGATGAGACGGATTTTGTTTTGTTTTGAT GGAGGAAGAGATGATTTTCATAATTATAATGTAGAAGAACTTTTAGGGTTTTTTGGAACTGTAC AATTCTGCAGCTACAGATTCTGAGAAAGCTGTAGAAAAAACTTTACAGGATATGGAAAAAAAC CCTGAATTATCTAAGGAAAGGGAACCTGAACCTGAACCAGTAGAAGCCAACTCAGAGGAAAGT GATAGTGTATTCTCAGAAAACACTGAGGATCTTCAGGAACAGTTTACAACTCAGAAGCACCAC TCCCATGCAAACAGCCAAGCAAATCATGCTCAGGGAGAGCAGGCTTCATTTGAATCTTTTGAA GAAATGCTGCAAGATAAACTAAAAGTGCCAGAAAGTGAAAACCAACAAAACCAGCAATAGTTCT CAGGTCTCAAATGAACAGGATAAGATTGATGCCTATAAACTTTTGAAAAAAAGAAATGACTCTA GACTTGAAAACCAAATTTGGCTCAACAGCTGATGCACTTGTATCTGATGAGAGACAACCAGA CTCGTTACTTCATTAGAAGATGATTTTGATGAGGAATTGGATACTGAGTATTATGCAGTTGGA GAAGATATGAAAACTCCAGCAAAGTCTGGCGTTGAGAAATATCCAACAGATAAAGAGCAGAAT TCAAATGAAGAGGACAAGGTTCAGCTAACTGTGCCCCCTGGCATCAAAAATGATGATAAAAAT ATACTAACAACCTGGGGGGACACTATCTTCTCTATTGTCACAGGAGGTGAAGAAACAAGAGAT ACGATGGATTTAGAGAGCTCTAGTTCAGAGGAAGAAAAAGAAGATGATGATGATGCATTAGTC CCAGATAGCAAACAGGGGAAACCACAGTCAGCAACAGATTATAGTGACCCTGACAATGTAGAT GATGGTCTTTTTATTGTAGACATTCCTAAAACAAATAATGACAAAGAAGTAAACGCAGAACAT CACATTAAAGGAAAAGGGAGGGGAGTTCAGGAATCCAAGAGGGGCCTGGTACAAGATGAGACA GAATTAGAGGATGAAAATCAAGAAGGCTTTAAAACAGAGCCCATAAAACTA**TGA**CCTCTGAGG TTTCATTGGAAAGAAGTGTACTGTGCATTATCCATTACAGTAAAGGATTTCATTGGCTTCAA AATCCAAAAGTTTATTTTAAAAGGTTTGTTGTTAGAACTAAGCTGCCTTGGCAGTGTGCATTT CGTCCTTACAACTTTGAAATGTGCAATAAAGAATACCTGTGTTTTAGCTAATGTAGCATATGT AATTGCAAAATGATTTAGAATGTCATGAAAAATATGAACATTTCCTGTGGAAATGCTTTAAGA ACATGTATTTCCATTATCCTATTTTTAGTGTACACCAGCTGAATACGGAGCAATGGTGTTTAT AAGCGTTTTTTTAAACTATCTGGTCACAAAGACTGTTACGCTAAAAATGTTTACTAAAAGATC ACTAAACTATCTCCCCTCTTGCTGAAGTTCTTTGTAGTAATAGCTCATAAAAATTTGTTTATT AATATTTAAAAAAAAAAAAA

597/615

FIGURE 592

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150157

><subunit 1 of 1, 499 aa, 1 stop

><MW: 56471, pI: 4.31, NX(S/T): 2

MAAAPGLLVWLLVLRLPWRVPGQLDPSTGRRFSEHKLCADDECSMMYRGEALEDFTGPDC RFVNFKKGDPVYVYYKLARGWPEVWAGSVGRTFGYFPKDLIQVVHEYTKEELQVPTDETD FVCFDGGRDDFHNYNVEELLGFLELYNSAATDSEKAVEKTLQDMEKNPELSKEREPEPEP VEANSEESDSVFSENTEDLQEQFTTQKHHSHANSQANHAQGEQASFESFEEMLQDKLKVP ESENNKTSNSSQVSNEQDKIDAYKLLKKEMTLDLKTKFGSTADALVSDDETTRLVTSLED DFDEELDTEYYAVGKEDEENQEDFDELPLLTFTDGEDMKTPAKSGVEKYPTDKEQNSNEE DKVQLTVPPGIKNDDKNILTTWGDTIFSIVTGGEETRDTMDLESSSSEEEKEDDDDALVPDSKQGKPQSATDYSDPDNVDDGLFIVDIPKTNNDKEVNAEHHIKGKGRGVQESKRGLVQD ETELEDENQEGFKTEPIKL

Important features of the protein:

Signal peptide:

Amino acids 1-22

N-glycosylation sites:

Amino acids 245-249;249-253

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 66-72

N-myristoylation sites:

Amino acids 392-398;469-475

Amidation site:

Amino acids 28-32

Aminoacyl-transfer RNA synthetases class-II signature 1:

Amino acids 47-70

FIGURE 593

GGGCCAGTAGAGTGTCTGGGTCAGCTGAGTGACTACATCAAAGCTCCCAGCCTTGAAAAAC TTCTACA<u>ATG</u>TCTGAAGAAGTGACCTACGCGACACTCACATTTCAGGATTCTGCTGGAGCAAG GAATAACCGAGATGGAAATAACCTAAGAAAAAGAGGGCATCCAGCTCCATCTCCCATTTGGCG TCATGCTGCTCTGGGTCTGGTAACTCTTTGCCTGATGTTGCTGATTGGGCTGGTGACGTTGGG GATGATGTTTTTGCAGATATCTAATGACATTAACTCAGATTCAGAGAAATTGAGTCAACTTCA GAAAACCATCCAACAGCAGCAGGATAACTTATCCCAGCAACTGGGCAACTCCAACAACTTGTC CATGGAGGAGGAATTTCTCAAGTCACAGATCTCCAGTCTACTGAAGAGGCAGGAACAAATGGC CATCAAACTGTGCCAAGAGCTAATCATTCATACTTCAGACCACAGATGTAATCCATGTCCTAA GATGTGCCAATGGTACCAAAATAGTTGCTACTATTTTACAACAAATGAGGAGAAAACCTGGGC TAACAGTAGAAAGGACTGCATAGACAAGAACTCCACCCTAGTGAAGATAGACAGTTTGGAAGA AAAGGATTTTCTTATGTCACAGCCATTACTCATGTTTTCGTTCTTTTGGCTGGGATTATCATG GGACTCCTCTGGCAGAAGTTGGTTCTGGGAAGATGGCTCTGTTCCCTCTCCATCCTTGTACGT CTCTAACTAT**TGA**GGGTAAACACAAGCTTTCCATGGAATCCTGGGAAAATTAATAATGATTGT GAGAATTATAAATACAGACATAAAAAGAGGGGTACAACATACTGAGAAAAGAGCTCCAGTAAC AAATATTGAAAGGAGATTTAGTACTAAAGAACTTGACCAGATCAATGGATCCAAAGGATGTGC TTATTTTCAAAAAGGAAATATTTATATTTCTCGCTGTAGTGCTGAAATTTTTTTGGATTTGCGA GAAGACAGCTGCCCCAGTGAAGACTGAGGATTTGGATTAGTATGCTTCTTCCAAATTCTCCAA GAAGTAAGAGACTTGTGAGTAAGCTCATATGAGGAAAGAGGAAACTACGGTACCAGAGCAAGG GCGAATTCTGCA

WO 01/68848 PCT/US01/06520

599/615

FIGURE 594

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150163

><subunit 1 of 1, 232 aa, 1 stop

><MW: 26754, pI: 5.80, NX(S/T): 3

MSEEVTYATLTFQDSAGARNNRDGNNLRKRGHPAPSPIWRHAALGLVTLCLMLLIGLVTL GMMFLQISNDINSDSEKLSQLQKTIQQQQDNLSQQLGNSNNLSMEEEFLKSQISSLLKRQ EQMAIKLCQELIIHTSDHRCNPCPKMWQWYQNSCYYFTTNEEKTWANSRKDCIDKNSTLV KIDSLEEKDFLMSQPLLMFSFFWLGLSWDSSGRSWFWEDGSVPSPSLYVSNY

Important features of the protein:

Transmembrane domain:

Amino acids 42-62

N-glycosylation sites:

Amino acids 91-95;101-105;176-180

N-myristoylation sites:

Amino acids 17-23;97-103

FIGURE 595

CGGACGCGTGGGGAAGAGGAGGAGGAGGAAGAAGACGTGGACAAGGACCCCCATCCTACCCAG **ATG**GGGGGCTGCGAAGTCCGGGAATTTCTTTTGCAATTTGGTTTCTTCTTGCCTATGCTGACA GCGTGGCCAGGCGACTGCAGTCACGTCTCCAACAACCAAGTTGTTGCTTGATACAACAACT GATGAACATAATAGGCCCATTCACACATACCAGGTATGTAATGTAATGGAACCAAACCAAAAC AACTGGCTTCGTACAAACTGGATCTCCCGTGATGCAGCTCAGAAAATTTATGTGGAAATGAAA TTCACACTAAGGGATTGTAACAGCATCCCATGGGTCTTGGGGGACTTGCAAAGAAACATTTAAT CTGTTTTATATGGAATCAGATGAGTCCCACGGAATTAAATTCAAGCCAAACCAGTATACAAAG ATCGACACAATTGCTGCTGATGAGAGTTTTACCCAGATGGATTTGGGTGATCGCATCCTCAAA CTCAACACTGAAATTCGTGAGGTGGGGCCTATAGAAAGGAAAGGATTTTATCTGGCTTTTCAA GACATTGGGGCGTGCATTGCCCTGGTTTCAGTCCGTGTTTTCTACAAGAAATGCCCCTTCACT GTTCGTAACTTGGCCATGTTTCCTGATACCATTCCAAGGGTTGATTCCTCCTCTTTGGTTGAA GTACGGGGTTCTTGTGTGAAGAGTGCTGAAGAGCGTGACACTCCTAAACTGTATTGTGGAGCT GATGGAGATTGGCTGGTTCCTCTTGGAAGGTGCATCTGCAGTACAGGATATGAAGAAATTGAG GGTTCTTGCCATGGAGCCTCCAAAGGCCGCTGCTTC**TAG**TTGGCCATCTTGGCCCCACCCCGA AACAGTAACCTTTGAAGAATAAAAGAAAAAGCAAAAGAGTAGCATTACTAAAATATTAAACGG TTACATTTACAAAAAAAAAAAAAAAAAAAAAAAAAA

WO 01/68848 PCT/US01/06520

601/615

FIGURE 596

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA153579

><subunit 1 of 1, 285 aa, 1 stop ><MW: 32368, pI: 5.32, NX(S/T): 0

MGGCEVREFLLQFGFFLPMLTAWPGDCSHVSNNQVVLLDTTTVLGELGWKTYPLNGWDAI TEMDEHNRPIHTYQVCNVMEPNQNNWLRTNWISRDAAQKIYVEMKFTLRDCNSIPWVLGT CKETFNLFYMESDESHGIKFKPNQYTKIDTIAADESFTOMDLGDRILKLNTEIREVGPIE RKGFYLAFQDIGACIALVSVRVFYKKCPFTVRNLAMFPDTIPRVDSSSLVEVRGSCVKSA EERDTPKLYCGADGDWLVPLGRCICSTGYEEIEGSCHGASKGRCF

Important features of the protein:

Signal peptide:

Amino acids

N-myristoylation sites:

Amino acids 192-198;274-280;278-284

Receptor tyrosine kinase class V signature 1:

Amino acids 192-209

Ephrin receptor ligand binding domain:

Amino acids 34-207

FIGURE 597

ACACTGGCCAAACAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCA GGACAGAGAGTGCACAAACTACCCAGCACAGCCCCCTCCGCCCCTCTGGAGGCTGAAGAGGG CAGCACAGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAG ATG CCTGTGCCCTGGTTCTTGCTGTCCTTGGCACTGGGCCGAAGCCCAGTGGTCCTTTCTCTGGAGAGGCTTGTGGGGGCCTCA GGACGCTACCCACTGCTCTCCGGGCCTCTCCGGGACAGTGACATACTCTGCCT CGTGCATGGGCACTGGGAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGG GGTGGAGGAGCCTAGGAATGCCTCTCCCAGGCCCAAGTCGTGCTCTCCTTCCAGGCCTACCC TACTGCCCGCTGCGTCCTGGAGGTGCAAGTGCCTGCTGCCCTTGTGCAGTTTGGTCAGTC TGTGGGCTCTGTGGTATATGACTGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTC GCTCAACGTGTCAGCAGATGGTGACAACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCA CTTCGGCCTCTCCCTGTACTGGAATCAGGTCCAGGGCCCCCCAAAACCCCGGTGGCACAAAAA CCTGACTGGACCGCAGATCATTACCTTGAACCACACAGACCTGGTTCCCTGCCTCTGTATTCA GGTGTGGCCTCTGGAACCTGACTCCGTTAGGACGAACATCTGCCCCTTCAGGGAGGACCCCCG GGACGCACCGTGCTCGCCGCAGAAGCGGCACTGTGCTGGCGGGCTCCGGGTGGGGACCC CTGCCAGCCACTGGTCCCACCGCTTTCCTGGGAGAACGTCACTGTGGACAAGGTTCTCGAGTT CCCATTGCTGAAAGGCCACCCTAACCTCTGTGTTCAGGTGAACAGCTCGGAGAAGCTGCAGCT GCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCCTCTCAAAGACGATGTGCTACTGTTGGAGAC ACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCTTGGAACCCAGTGGCTGTACTTCACTACC CCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTGCCCCATGGACAAATA ${\tt CATCCACAAGCGCTGGGCCTGTGTGGCTGGCCTACTCTTTGCCGCTGCGTTTCCCT}$ CATCCTCCTTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAAACAGGACGTCCG CTCGGGGGCCGCCAGGGGCCGCGCGCTCTCTCTACTCAGCCGATGACTCGGGTTT CGAGCGCCTGGTGGCCCCTGGCGTCGGCCCTGTGCCAGCTGCCGCTGCGCGTGGCCGTAGA CCTGTGGAGCCGTCGTGAACTGAGCGCGCAGGGGCCCGTGGCTTGGTTTCACGCGCAGCGGCG CAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCGGGGCGCACGCCCCACGACGCCTTCCG CGCCTCGCTCAGCTGCGTGCTGCCCGACTTCTTGCAGGGCCGGCGCCCCGGCAGCTACGTGGG GGCCTGCTTCGACAGGCTGCTCCACCCGGACGCCGTACCCGCCCTTTTCCGCACCGTGCCCGT CTTCACACTGCCCTCCCAACTGCCAGACTTCCTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCG CTACTTCCATCCCCGGGGACTCCCGCGCGGGGACGGGGTGGGACCAGGGGCGGGACCTGG GGCGGGGACGGACT<u>TAA</u>ATAAAGGCAGACGCTGTTTTTCTAAAAAAA

WO 01/68848 PCT/US01/06520

603/615

FIGURE 598

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA164625</pre>

><subunit 1 of 1, 705 aa, 1 stop

/><MW: 76970, pI: 6.00, NX(S/T): 9

MPVPWFLLSLALGRSPVVLSLERLVGPQDATHCSPGLSCRLWDSDILCLPGDIVPAPGP VLAPTHLQTELVLRCQKETDCDLCLRVAVHLAVHGHWEEPEDEEKFGGAADSGVEEPRN ASLQAQVVLSFQAYPTARCVLLEVQVPAALVQFGQSVGSVVYDCFEAALGSEVRIWSYT QPRYEKELNHTQQLPALPWLNVSADGDNVHLVLNVSEEQHFGLSLYWNQVQGPPKPRWH KNLTGPQIITLNHTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQNLWQAARLRLLT LQSWLLDAPCSLPAEAALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPLLKGHPNLCV QVNSSEKLQLQECLWADSLGPLKDDVLLLETRGPQDNRSLCALEPSGCTSLPSKASTRA ARLGEYLLQDLQSGQCLQLWDDDLGALWACPMDKYIHKRWALVWLACLLFAAALSLILL LKKDHAKGWLRLLKQDVRSGAAARGRAALLLYSADDSGFERLVGALASALCQLPLRVAV DLWSRRELSAQGPVAWFHAQRRQTLQEGGVVVLLFSPGAVALCSEWLQDGVSGPGAHGP HDAFRASLSCVLPDFLQGRAPGSYVGACFDRLLHPDAVPALFRTVPVFTLPSQLPDFLG ALQQPRAPRSGRLQERAEQVSRALQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT

Important features of the protein:

Signal peptide:

Amino acids 1 - 20

Transmembrane domain:

Amino acids 453-473

N-glycosylation sites:

Amino acids

118-122;186-190;198-202;211-215;238-242; 248-252;334-338;357-360;391-395;

Glycosaminoglycan attachment site:

Amino acids

583-587

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids

552-556

N-myristoylation sites:

Amino acids

107-113;152-158;319-325;438-444;516-522;612-618;

692-698;696-702;700-706

FIGURE 599

GGTCCTTA**ATG**GCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTGC TGTCCGGCTGGTCCCGGGCTGGGCGAGCCGACCCTCACTCTTTTGCTATGACATCACCGTCA TCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGGTTCAAGGCCAGGTGGATGAAAAGACTT TTCTTCACTATGACTGTGGCAACAAGACAGTCACACCTGTCAGTCCCCTGGGGAAGAAACTAA ATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACTTACAG AGCAACTGCGTGACATTCAGCTGGAGAATTACACACCCAAGGAACCCCTCACCCTGCAGGCAA GGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGTTTCGATG GGCAGATCTTCCTCTCTTTGACTCAGAGAGAGAATGTGGACAACGGTTCATCCTGGAGCCA GAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTTGTGGCCATGTCCTTCCATTACTTCTCAA TGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACACCCCTGGAGCCAA GTGCAGGAGCACCACTCGCCATGTCCTCAGGCACAACCCAACTCAGGGCCACAGCCACCACCC TCATCCTTTGCTGCTCCTCATCATCCTCCCCTGCTTCATCCTCCCTGGCATCTGAGGAGAGT CCTTTAGAGTGACAGGTTAAAGCTGATACCAAAAGGCTCCTGTGAGCACGGTCTTGATCAAAC TCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGTGGCCTCCAGCAGAT CATGATGACATCATGGACCCAATAGCTCATTCACTGCCTTGATTCCTTTTGCCAACAATTTTA CCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACCTGATGGAATTCCTGCA TCAAGTACTTCTTTGAATGATGATCTCTTTCTTGCAAATGATATTGTCAGTAAAATAATCACG TTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAGAATTTTTAAATTATTTAAT AAGAAAAATTTATATTAATGATTGTTTCCTTTAGTAATTTATTGTTCTGTACTGATATTTAA

FIGURE 600

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWCAVQGQVDEKTFLH YDCGNKTVTPVSPLGKKLNVTTAWKAQNPVLREVVDILTEQLRDIQLENYTPKEPLTLQARMS CEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFHYFSMGD CIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

Important features: Signal peptide: amino acids 1-25

Transmembrane domain: amino acids 224-246

N-glycosylation site. amino acids 68-72, 82-86

N-myristoylation site. amino acids 200-206, 210-216

Amidation site. amino acids 77-81

FIGURE 601

GCAGTCAGAGACTTCCCCTGCCCCTCGCTGGGAAAGAACATTAGGAATGCCTTTTAGTGCCTT GCTTCCTGAACTAGCTCACAGTAGCCCGGCGGCCCAGGGCAATCCGACCACATTTCACTCTCA CCGCTGTAGGAATCCAG<u>ATG</u>CAGGCCAAGTACAGCAGCACGAGGGACATGCTGGATGATG GGGACACCATGAGCCTGCATTCTCAAGCCTCTGCCACAACTCGGCATCCAGAGCCCCGGC GCACAGAGCACAGGGCTCCCTCTTCAACGTGGCGACCAGTGGCCCTGACCCTGCTGACTTTGT GCTTGGTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTCAGTACTACCAGCTCT TGCAATCTCTTCAAGTCCAGAATATAAAGCTTGCAGGAAGTCTGCAGCATGTGGCTGAAAAAC TCTGTCGTGAGCTGTATAACAAAGCTGGAGCACACAGGTGCAGCCCTTGTACAGAACAATGGA AATGGCATGGAGACAATTGCTACCAGTTCTATAAAGACAGCAAAAGTTGGGAGGACTGTAAAT CCGCGTCTCAGAGCTACTCTGAGTTTTTCTACTCTTATTGGACAGGGCTTTTTGCGCCCTGACA GTGGCAAGGCCTGGCTGTGGATGGATGGAACCCCTTTCACTTCTGAACTGTTCCATATTATAA TAGATGTCACCAGCCCAAGAAGCAGAGACTGTGTGGCCATCCTCAATGGGATGATCTTCTCAA GCCTCCATGTCCCCCCTGAAACATTAGGCGAAGGTGAC<u>TGA</u>TTCGCCCTCTGCAACTACAAAT AGCAGAGTGAGCCAGGCGGTGCCAAAGCAAGGGCTAGTTGAGACATTGGGAAATGGAACATAA TCAGGAAAGACTATCTCTGACTAGTACAAAATGGGTTCTCGTGTTTCCTGTTCAGGATCAC CAGCATTTCTGAGCTTGGGTTTATGCACGTATTTAACAGTCACAAGAAGTCTTATTTACATGC CACCAACCAACCTCAGAAACCCATAATGTCATCTGCCTTCTTGGCTTAGAGATAACTTTTAGC TCTCTTTCTTCAATGTCTAATATCACCTCCCTGTTTTCATGTCTTCCTTACACTTGGTGGA ATAAGAAACTTTTTGAAGTAGAGGAAATACATTGAGGTAACATCCTTTTCTCTGACAGTCAAG TAGTCCATCAGAAATTGGCAGTCACTTCCCAGATTGTACCAGCAAATACACAAGGAATTCTTT TTGTTTGTTTCAGTTCATACTAGTCCCTTCCCAATCCATCAGTAAAGACCCCATCTGCCTTGT CCATGCCGTTTCCCAACAGGGATGTCACTTGATATGAGAATCTCAAATCTCAATGCCTTATAA GCATTCCTTCCTGTGTCCATTAAGACTCTGATAATTGTCTCCCCTCCATAGGAATTTCTCCCA GGAAAGAAATATATCCCCATCTCCGTTTCATATCAGAACTACCGTCCCCGATATTCCCTTCAG AGAGATTAAAGACCAGAAAAAAGTGAGCCTCTTCATCTGCACCTGTAATAGTTTCAGTTCCTA TTTTCTTCCATTGACCCATATTTATACCTTTCAGGTACTGAAGATTTAATAATAATAATGTA AATACTGTGAAAAA

WO 01/68848 PCT/US01/06520

607/615

FIGURE 602

MQAKYSSTRDMLDDDGDTTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCLVLLI GLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLQHVAEKLCRELY NKAGAHRCSPCTEQWKWHGDNCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAASQSY SEFFYSYWTGLLRPDSGKAWLWMDGTPFTSELFHIIIDVTSPRSRDCVAILNGMIFSKDCKEL KRCVCERRAGMVKPESLHVPPETLGEGD

FIGURE 603

GGGAGAGAGGATAAATAGCAGCGTGGCTTCCCTGGCTCCTCTGCATCCTTCCCGACCTTCC CAGCAAT**ATG**CATCTTGCACGTCTGGTCGGCTCCTGCTCCCTTCTGCTACTGGGGGCCCT GTCTGGATGGCCGCCAGCGATGACCCCATTGAGAGGTCATTGAAGGGATCAACCGAGGGCT GAGCAATGCAGAGAGAGAGGCCCAGGCCCTGGATGGCATCAACAGTGGAATCACGCATGC CGGAAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACCGGCAAGGA GTTGGACAAAGGCGTCCAGGGGCTCAACCACGGCATGGACAAGGTTGCCCATGAGATCAACCA TGGTATTGGACAAGCAGGAAAGGAAGCAGAAGCTTGGCCATGGGGTCAACAACGCTGCTGG ACAGGCCGGGAAGGAAGCAGACAAAGCGGTCCAAGGGTTCCACACTGGGGTCCACCAGGCTGG GAAGGAAGCAGAGAAACTTGGCCAAGGGGTCAACCATGCTGCTGACCAGGCTGGAAAGGAAGT GGAGAAGCTTGGCCAAGGTGCCCACCATGCTGCTGGCCAGGCCGGGAAGGAGCTGCAGAATGC TCATAATGGGGTCAACCAAGCCAGCAAGGAGGCCAACCAGCTGCTGAATGGCAACCATCAAAG CGGATCTTCCAGCCATCAAGGAGGGGCCACAACCACGCCGTTAGCCTCTGGGGCCTCAGTCAA CACGCCTTTCATCAACCTTCCCGCCCTGTGGAGGAGCGTCGCCAACATCATGCCCTAAACTGG CATCCGGCCTTGCTGGGAGAATAATGTCGCCGTTGTCACATCAGCTGACATGACCTGGAGGGG TTGGGGGTGGGGACAGGTTTCTGAAATCCCTGAAGGGGGTTGTACTGGGATTTGTGAATAAA CTTGATACACCA

FIGURE 604

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66675</pre>

><subunit 1 of 1, 247 aa, 1 stop ><MW: 25335, pI: 7.00, NX(S/T): 0

MHLARLVGSCSLLLLLGALSGWAASDDPIEKVIEGINRGLSNAEREVGKALDGINSGITHAGR EVEKVFNGLSNMGSHTGKELDKGVQGLNHGMDKVAHEINHGIGQAGKEAEKLGHGVNNAAGQA GKEADKAVQGFHTGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAGKELQNAHN GVNQASKEANQLLNGNHQSGSSSHQGGATTTPLASGASVNTPFINLPALWRSVANIMP

Important features of the protein:

Signal peptide:

amino acids 1-25

Homologous region to circumsporozoite (CS) repeats:

amino acids 35-225

FIGURE 605

GCGACGCGGGGGGGGGGGGGAGAGGAAACGCGGCCCGGGCCGGGCCCTGGAGATGG TCCCCGGCGCCGGGCTGTTTTCTCTCGTGCTCTCGCGCTCCCGCGTCGCGCCCACG GCTTCCGTATCCATGATTATTTGTACTTTCAAGTGCTGAGTCCTGGGGACATTCGATACATCT TCACAGCCACACCTGCCAAGGACTTTGGTGGTATCTTTCACACAAGGTATGAGCAGATTCACC TTGTCCCCGCTGAACCTCCAGAGGCCTGCGGGGAACTCAGCAACGGTTTCTTCATCCAGGACC AGATTGCTCTGGTGGAGAGGGGGGGCTGCTCCTTCCTCCAAGACTCGGGTGGTCCAGGAGC ACGGCGGGCGGTGATCATCTCTGACAACGCAGTTGACAATGACAGCTTCTACGTGGAGA TGATCCAGGACAGTACCCAGCGCACAGCTGACATCCCCGCCCTCTTCCTGCTCGGCCGAGACG GCTACATGATCCGCCGCTCTCTGGAACAGCATGGGCTGCCATGGGCCATCATTTCCATCCCAG TCAATGTCACCAGCATCCCCACCTTTGAGCTGCTGCAACCGCCCTGGACCTTCTGG**TAG**AAGA GTTTGTCCCACATTCCAGCCATAAGTGACTCTGAGCTGGGAAGGGGAAACCCAGGAATTTTGC TACTTGGAATTTGGAGATAGCATCTGGGGACAAGTGGAGCCAGGTAGAGGAAAAGGGTTTGGG CGTTGCTAGGCTGAAAGGGAAGCCACACCACTGGCCTTCCCTTCCCCAGGGCCCCCAAGGGTG TCTCATGCTACAAGAAGAGGCAAGAGACAGGCCCCAGGGCTTCTGGCTAGAACCCGAAACAAA AGGAGCTGAAGGCAGGTGGCCTGAGAGCCATCTGTGACCTGTCACACTCACCTGGCTCCAGCC TCCCCTACCCAGGGTCTCTGCACAGTGACCTTCACAGCAGTTGTTGGAGTGGTTTAAAGAGCT GGTGTTTGGGGACTCAATAAACCCTCACTGACTTTTTAGCAATAAAGCTTCTCATCAGGGTTG СААААААААААААААААААА

WO 01/68848 PCT/US01/06520

611/615

FIGURE 606

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76532</pre>

><subunit 1 of 1, 188 aa, 1 stop ><MW: 21042, pI: 5.36, NX(S/T): 2

MVPGAAGWCCLVLWLPACVAAHGFRIHDYLYFQVLSPGDIRYIFTATPAKDFGGIFHTRYEQI HLVPAEPPEACGELSNGFFIQDQIALVERGGCSFLSKTRVVQEHGGRAVIISDNAVDNDSFYV EMIQDSTQRTADIPALFLLGRDGYMIRRSLEQHGLPWAIISIPVNVTSIPTFELLQPPWTFW

Signal peptide:

amino acids 1-20

FIGURE 607

GCATTTGCCACTGGTTGCAGATCAGGCGGACGAGGACGCGGAAGGCAGAGCCATCTGCTGC GAGCCCCAGAGCAGGGGTCCCTGACGGTTCAATGCCACTATAAGCAAGGATGGGAGACCTACA TTAAGTGGTGCCGAGGGGTGCGCTGGGATACATGCAAGATCCTCATTGAAACCAGAGGGT CGGAGCAAGGAGAGAGAGTGACCGTGTCCATCAAGGACAATCAGAAAGACCGCACGTTCA CTGTGACCATGGAGGGGCTCAGGCGAGATGACGCAGATGTTTACTGGTGTGGGATTGAAAGAA GAGGACCTGACCTTGGGACTCAAGTGAAAGTGATCGTTGACCCAGAGGGAGCGGCTTCCACAA CAGCAAGCTCACCTACCAACAGCAATATGGCAGTGTTCATCGGCTCCCACAAGAGGAACCACT ACATGCTCCTGGTATTTGTGAAGGTGCCCATCTTGCTCATCTTGGTCACTGCCATCCTCTGGT TGAAGGGGTCTCAGAGGGTCCCTGAGGAGCCAGGGGAACAGCCTATCTACATGAACTTCTCCG AACCTCTGACTAAAGACATGGCCACT**TAG**AGAGATGGATCTGCAGAGCCTTCCTGCCCTGGCC ACGTTTCCAGAAGAGACTCGGGCTGTGGAAGGAACATCTACGAGTCCTCGGGATGCAGTGACT GAGATAGGGGCCCTGGGCCTGGCCTTGGAGCTGGTGGGCACCTCCCTGTTCTGCAC AGCTCAGGGACTTAGCCAGGTCCTCTCCTGAGCCACCATCACCTCCTGGGGTGCCAGCACCTG TTCTCTTGGTCAGGAGCTGTAGAGATGGAGCTCAAGCACTGGACGACTCTGTCCCCACTGCTG GAATAACTCGGGCACAGAGCATGGGACCAAAGTACAGAAAGAGGTTGGGGGAGACCCCCCAG CCCTAGACTTCCATCATTCCGGAGACCAACTCAACACCGTCTTTGCCTGAGAACCTGATATATCC GTGTTTTTAAATTTTTTTTTTTTTTCTAGCAAAGTTGGGTTTTAATGACTTATGTTCATAGGAAAC CTCTCTGATCCCACACAAGGAGGGTGATTCTGGGATGAGTTCCTGGTTCTAGGGCATGAGG GGCTGGATGGACCCTGTCCCCAGGGAGGACATGGCTCTGAGTCCACAGGGCTGAGGAGGCAAT GGGAACCTCCCTGGCCCGGCCCGGTGCTTGTCCTCCCCCCTCCCACCTCTTCCTCCTCCTAGCT CCCCAAGCTCCCTGCCTATTCCCCCACCTCCGAGGGGCTGCAGCTTGGGAGCCTCCTCAGCAT GACAGCTTGGGTCTCCTCCCCAAAAGAGCCTGTCAGGCCTCAAGAACCACCTCCAGGTGGGGA TTACTAATGAAAACTGTCCTAGGGAAGTGGTTCTGTCTCCTCACAGGCTTCACCCACGGCGAT GAGGCCCTTGAATGTGGTCACTTTGTGCTGTATGGTTGAGGGACCCTCACACCAAAGGGACCT TCCCATGTGAGATGTGCTCCCGCCCCCACCTGCCCACAAGCAAACACCACACATGTTCGGC ATGTTGCCCTTTGAACACCCATGAGGACGCCTCCAACCTGCTCTTGGTTCTAATAGGGAGTAC TGACTGTCAGCAGTGGATAAAGGAGAGGGGACCCTCTGGTCCCTAGCATGGCACCCAGAGCCT CCCCTCTTCTTGTCCTTCAGCCAAAGAGAAACTTTCTCTGACTTTGAACTGAATTTAGGTCTC TCCCCTGAGTCATTCTGTGAGGGACCAAGACCCACAGTCCACCAGCCCCAGGGCCCTACCTCC TGGAATGCTTTCCTGGATCCAGCTTCCCGAAGATCCGACCAGACCCAGGGAGGACGGCACCGC GGCGCTTGTCAACGTGATGTCATTCTTTTCCCACCGTTTCTTCCTGTTGATATTCAATGAATC

FIGURE 608

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA105849</pre>

><subunit 1 of 1, 201 aa, 1 stop ><MW: 22689, pI: 7.41, NX(S/T): 1

MWLPPALLLLSLSGCFSIQGPESVRAPEQGSLTVQCHYKQGWETYIKWWCRGVRWDTCKI $\verb|Lietrgseqgeksdrvsikdnqkdrtftvtmeglrrddadvywcgierrgpdlgtqvkvi|\\$ VDPEGAASTTASSPTNSNMAVFIGSHKRNHYMLLVFVKVPILLILVTAILWLKGSQRVPE EPGEQPIYMNFSEPLTKDMAT

Important features of the protein:

Signal peptide:

Amino acids 1-17

Transmembrane domain:

151-170 Amino acids

N-glycosylation site:

Amino acids 190-194

Tyrosine kinase phosphorylation site:

Amino acids 95-103

N-myristoylation sites:

Amino acids 66-72;125-131

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 5-16

FIGURE 609

GATGGCGCAGCCACAGCTTCTGTGAGATTCGATTTCTCCCCAGTTCCCCTGTGGGTCTGAGGG GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTAT**ATG**CGTCAATTCCCCAAA CCAGGCCTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAG GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTCAGGCCTAAGATGAAAGCCTCTAGT CTTGCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT GAGATACGGGGCAGTGTGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACT GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTC TATCTGGACAGGGTATTTAAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCTCATGCCCACATGACA TGCCATTGTGGGGAGGAAGCAATGAAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTG GAGACAGAA<u>TAG</u>GAGGAAAGTGATGCTGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTTACTGTACTAGTCTTGTGCT GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGCATGATTGTCTTTATGCATCCCC AATCTTAATTGAGACCATACTTGTATAAGATTTTTGTAATATCTTTCTGCTATTGGATATATT AAACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTTAT ACAGTAAAAAAAAACCTTGTAAATTCTAGAAGAGTGGCTAGGGGGGTTATTCATTTGTAT TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC TACTTAGGATGGGTTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG

WO 01/68848 PCT/US01/06520

615/615

FIGURE 610

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83500
><subunit 1 of 1, 261 aa, 1 stop
><MW: 29667, pI: 8.76, NX(S/T): 0
MRQFPKTSFDISPEMSFSIYSLQVPAVPGLTCWALTAEPGWGQNKGATTCATNSHSDSEL
RPEIFSSREAWQFFLLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVI
ATNLQEIRNGFSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVF
KNYQTPDHYTLRKISSLANSFLTIKKDLRLSHAHMTCHCGEEAMKKYSQILSHFEKLEPQ
AAVVKALGELDILLQWMEETE

Important features of the protein: Signal peptide:

Amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 192-196;225-229

N-myristoylation sites:

Amino acids 42-48;46-52;136-142

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 20 September 2001 (20.09.2001)

(51) International Patent Classification7:

PCT

C12N 15/12,

(10) International Publication Number WO 01/068848 A3

(51)		14/705, 16/18, G01N 33/53, C12		
(21)	International Appli	cation Number: PCT/US01/0	6520	
(22)	International Filing	Date: 28 February 2001 (28.02.2	001)	
(25)	Filing Language:	En	glish	(
(26)	Publication Langua	ge: En	glish	
(30)	Priority Data:			(
	PCT/US00/05601	1 March 2000 (01.03.2000)	US	
	PCT/US00/05841	2 March 2000 (02.03.2000)	US	(
	60/187,202	3 March 2000 (03.03.2000)	US	
	60/186,968	6 March 2000 (06.03.2000)	US	
	60/189,328	14 March 2000 (14.03.2000)	US	
	60/189,320	14 March 2000 (14.03.2000)	US	
	PCT/US00/06884	15 March 2000 (15.03.2000)	US	
	60/191,048	21 March 2000 (21.03.2000)	US	
	60/190,828	21 March 2000 (21.03.2000)	US	
	60/191,314	21 March 2000 (21.03.2000)	US	
	60/191,007	21 March 2000 (21.03.2000)	US	
	60/192,655	28 March 2000 (28.03.2000)	US	
	60/193,032	29 March 2000 (29.03.2000)	US	
	60/193,053	29 March 2000 (29.03.2000)	US	
	PCT/US00/08439	30 March 2000 (30.03.2000)	US	
	60/194,647	4 April 2000 (04.04.2000)	US	
	60/194,449	4 April 2000 (04.04.2000)	US	
	60/196,820	11 April 2000 (11.04.2000)	US	
	60/195,975	11 April 2000 (11.04.2000)	US	,
	60/196,000	11 April 2000 (11.04.2000)	US	(
	60/196,187	11 April 2000 (11.04.2000)	US	
	60/196,690	11 April 2000 (11.04.2000)	US	
	60/198,121	18 April 2000 (18.04.2000)	US	(
	60/198,585	18 April 2000 (18.04.2000)	US	`
	60/199,654	25 April 2000 (25.04.2000)	US	
	60/199,397	25 April 2000 (25.04.2000)	US	
	60/199,550	25 April 2000 (25.04.2000)	US	
	60/201,516	3 May 2000 (03.05.2000)	US	
	PCT/US00/13705	17 May 2000 (17.05.2000)	US	
	PCT/US00/14042	22 May 2000 (22.05.2000)	US	
	PCT/US00/14941	30 May 2000 (30.05.2000)	US	(
	PCT/US00/15264	2 June 2000 (02.06.2000)	US	`
	60/209,832	5 June 2000 (05.06.2000)	US	
	PCT/US00/20710	28 July 2000 (28.07.2000)	US	
	09/644,848	22 August 2000 (22.08.2000)	US	
	PCT/US00/23328	24 August 2000 (24.08.2000)	US	

- 60/000,000 15 September 2000 (15.09.2000) US
 PCT/US00/30952 8 November 2000 (08.11.2000) US
 PCT/US00/32678 1 December 2000 (01.12.2000) US
 PCT/US00/34956 20 December 2000 (20.12.2000) US
- (71) Applicant (for all designated States except US): GENEN-TECH; INC. [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BAKER, Kevin, P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). CHEN, Jian [US/US]; 121 York Drive, Princeton, NJ 08540 (US). DESNOYERS, Luc [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). GODDARD, Audrey [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). GODOWSKI, Paul, J. [US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US). GURNEY, Austin, L. [US/US]; 1 Debbie Lane, Belmont, CA 94002 (US). PAN, James [CA/US]; 2705 Coronet Boulevard, Belmont, CA 94002 (US). SMITH, Victoria [AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US). WATANABE, Colin, K. [US/US]; 128 Corliss Drive, Moraga, CA 94556 (US). WOOD, William, I, [US/US]; 35 Southdown Court, Hillsborough, CA 94010 (US). ZHANG, Zemin [CN/US]; 876 Taurus Drive, Foster City, CA 94404 (US).
- (74) Agents: BARNES, Elizabeth, M. et al.; c/o Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.







Published:

with international search report

(88) Date of publication of the international search report: 29 August 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C12N15/62 C07K14/705 C07K14/47 C07K16/18 G01N33/53 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 $\frac{\text{Minimum documentation searched (classification system followed by classification symbols)}}{IPC~7~C12N~C07K~C12Q~G01N}$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, SEQUENCE SEARCH

C. DOCUMI	ENTS CONSIDERED TO BE RELEVANT		5.4
Category °	Citation of document, with indication, where appropriate, of t	Relevant to claim No.	
X	WO 99 63088 A (BAKER KEVIN; C (US); GENENTECH INC (US); YUA G) 9 December 1999 (1999-12-0 page 1 -page 2; claims 1-26; examples 1-3,5,139-147 page 281 -page 284 page 305 -page 314 page 345 -page 373	1-24	
X	WO 99 54461 A (SCHMITT ARMIN; SPECHT THOMAS (DE); DAHL EDGAR (DE); HINZMANN BERND) 28 October 1999 (1999-10-28) page 1 -page 7; claims 1-38; figures 1-5; examples 1-4 see SEQ ID NO: 53 (pp.215 and 216), SEQ ID NO: 300 (pp. 350 and 351) page 163		1-24
		,	
		-/	
X Furt	her documents are listed in the continuation of box C.	X Patent family members are liste	d in annex.
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filling date but later than the priority date claimed		"T" later document published after the ir or priority date and not in conflict wicited to understand the principle or invention "X" document of particular relevance; the cannot be considered novel or can involve an inventive step when the "Y" document of particular relevance; the cannot be considered to involve an document is combined with one or ments, such combination being obvin the art. "&" document member of the same pate	th the application but theory underlying the e claimed invention not be considered to document is taken alone e claimed invention inventive step when the more other such docu- ious to a person skilled
Date of the actual completion of the international search		Date of mailing of the international s	earch report
28 February 2002		0 6. 06. 2002	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer	

	INTON) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
Category °	Citation of document, with indication, where appropriate, of the relevant passages	neievani to Galiff NO.
P,X, L	WO 00 73454 A (GENENTECH INC) 7 December 2000 (2000-12-07) page 1 -page 2; claims 1-118; figures 3,4; examples 1-3,5,139-172 page 43 -page 44 page 283 -page 288 page 304 -page 316 page 338 page 371 -page 398	1-24
P,X	WO 00 58473 A (CURAGEN CORP; LEACH MARTIN (US); SHIMKETS RICHARD A (US)) 5 October 2000 (2000-10-05) see SEQ ID NOS: 3231 and 3232 (pp. 2436 and 2437) page 1 -page 4; claims 1-32	1-24
E	WO 01 57190 A (CAO YICHENG; CHEN RUI HONG (US); GOODRICH RYLE (US); HYSEQ INC (US) 9 August 2001 (2001-08-09) page 1 -page 97; claims 1-28; examples 1-9 -& DATABASE EM GSN [Online] EBI, Hinxton, UK; AC/ID AAK52618, "SEQ ID NO: 2147" XP002191775 abstract -& DATABASE EM GSP [Online] EBI, Hinxton, UK; AC/ID AAM78501, "SEQ ID NO: 1163" XP002191776 abstract	1-24





Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 20 and 21 are directed to a method of treatment of the human/animal body (in so far as in vivo methods are concerned), the search has been carried out and based on the alleged effects of the compound/composition.
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
·
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
·
see additional sheet
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-24 (all partially)
·
Remark on Protest
No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1: claims 1-24 partially

An isolated nucleic acid SEQ ID NO: 1 which encodes amino acid sequence SEQ ID NO: 2. A vector, a host cell, a process for producing a polypeptide, an isolated polypeptide encoded by said nucleic acid. A chimeric molecule, an antibody, methods for stimulating the release of TNF-alpha, for stimulating the proliferation or differentiation, for detecting the presence of tumor, an oligonucleotide probe.

Inventions 2-305: claims 1-24 partially

same as invention 1 but comprising the polynucleotide and amino acid sequence in the order given in claims 1 and 2 (invention 2 is limited to SEQ ID NO: 3 and 4 and invention 305 is limited to SEQ ID NO: 609 and 610).

				01/00320
Patent document cited in search report	Publication date		Patent family member(s)	Publication date
WO 9963088	09-12-1999	AU CA WO AU	4328699 A 2328895 A1 9963088 A2 2212299 A	20-12-1999 09-12-1999 09-12-1999 26-07-1999
		WO	9935170 A2	15-07-1999
WO 9954461	A 28-10-1999	DE WO	19817948 A1 9954461 A2	21-10-1999 28-10-1999
		EP	1071775 A2	31-01-2001
WO 0073454	A 07-12 - 2000	AU AU	1748200 A 1932000 A	19-06-2000 03-07-2000
		AU	2192800 A	12-07-2000
		AU AU	2215300 A 2495200 A	28-12-2000 28-09-2000
		AU	2600800 A	28-09-2000
		ΑŬ	2879400 A	31-07-2001
		ΑU	3246100 A	28-12-2000
		AU	3381600 A	28-09-2000 28-09-2000
		AU AU	3514400 A 3774300 A	18-12-2000
		AU	4328699 A	20-12-1999
•		ΑU	5441200 A	18-12-2000
		AU	5460100 A	18-12-2000
·		AU Ep	5591100 A 1173563 A1	18-12-2000 23-01-2002
		EP	1159419 A1	05-12-2001
	•	EP	1185648 A2	13-03-2002
		EP	1135485 A2	26-09-2001
		EP EP	1141285 A2 1141289 A2	10-10-2001 10-10-2001
•		WO	0053753 A2	14-09-2000
		WO	0053755 A2	14-09-2000
		WO	0153486 A1	26-07-2001
		W0 W0	0075327 A1 0053757 A2	14-12-2000 14-09-2000
		WO .	0053757 AZ	14-09-2000
	•	WO	0073454 A1	07-12-2000
		WO	0073445 A2	07-12-2000
		WO WO	0073348 A2 0073452 A2	07-12-2000 07-12-2000
		WO	0073452 A2 0032221 A2	08-06-2000
		WÖ	0036102 A2	22-06-2000
		WO	0037640 A2	29-06-2000
		WO	0075316 A1	14-12-2000
		US AU	2002058309 A1 2883600 A	16-05-2002 28-09-2000
		AU	2883700 A	09-01-2001
		WO	0053756 A2	14-09-2000
1		WO	0078961 A1	28-12-2000
		AU	2883900 A	30-01-2001 18-01-2001
		WO AU	0104311 A1 1749800 A	04-10-2000
		AU	1749900 A	12-07-2000
	•	ΑU	2390700 A	05-02-2001
		AU	2399300 A	28-09-2000
		UA UA	3107000 A 4011300 A	19-06-2000 05-02-2001
		70		02.05-5001
				_

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
WO 0058473 A	05-10-2000	AU EP WO	3774500 A 1165784 A2 0058473 A2	16-10-2000 02-01-2002 05-10-2000
WO 0157190 A	09-08-2001	AU A	2591801 A 3128801 A 3297101 A 3300301 A 3329301 A 3484701 A 3486501 A 3494401 A 3665801 A 3666301 A 3666301 A 3672101 A 4314201 A 0153326 A1 01573326 A1 0157255 A1 0157260 A1 0157175 A2 0157261 A1 0157262 A1 0157265 A1 0157187 A2 0157265 A1	31-07-2001 14-08-2001 07-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 14-08-2001 02-08-2001 02-08-2001 09-08-2001 09-08-2001 09-08-2001 09-08-2001 09-08-2001 09-08-2001 09-08-2001 09-08-2001
		WO WO WO	0157266 Al 0157267 Al 0157190 A2	09-08-2001 09-08-2001 09-08-2001